

## Articles

Source: Neotropical Primates, 13(1) : 36-39

Published By: Conservation International

URL: <https://doi.org/10.1896/1413-4705.13.1.36>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

- Feeley, K. 2005. The role of clumped defecation in the spatial distribution of soil nutrients and the availability of nutrients for plant uptake. *J. Trop. Ecol.* 21(1): 99–102.
- Ferguson-Smith, M. A., Yang, F., Rens, W. and O'Brien, P. C. M. 2005. The impact of chromosome sorting and painting on the comparative analysis of primate genomes. *Cytogenet. Genome Res.* 108(1–3): 112–121.
- Miranda, J. M. D. and Passos, F. C. 2005. Composição e dinâmica de grupos de *Alouatta guariba clamitans* Cabrera (Primates, Atelidae) em Floresta Ombrófila Mista no Estado do Paraná, Brasil. *Rev. Brasil. Zool.* 22(1): 99–106.
- Molleson, L. and Palomino, H. C. de. 2005. A new refuge for woolly monkeys in the Peruvian Amazon. *IPPL News* 32(1): 18–19.
- Nascimento, F. F., Bonvicino, C. R., Silva, F. C. D. da, Schneider, M. P. C. and Seuánez, H. N. 2005. Cytochrome *b* polymorphisms and population structure of two species of *Alouatta* (Primates). *Cytogenet. Genome Res.* 108(1–3): 106–111.
- Oliveira, E. H. C. de, Neusser, M., Pieczarka, J. C., Nagamachi, C., Sbalqueiro, I. J. and Mueller, S. 2005. Phylogenetic inferences of Atelinae (Platyrrhini) based on multi-directional chromosome painting in *Brachyteles arachnoides*, *Ateles paniscus paniscus* and *Ateles b. marginatus*. *Cytogenet. Genome Res.* 108(1–3): 183–190.
- Pavelka, M. S. M. and Behie, A. M. 2005. The effect of hurricane Iris on the food supply of black howlers (*Alouatta pigra*) in southern Belize. *Biotropica* 37(1): 102–108.
- Peker, S. 2005. The study of allogrooming and its possible social role in black howler monkeys (*Alouatta caraya*). *Lab. Prim. Newsl.* 44(2): 26. In Spanish.
- Possamai, C. B., Young, R. J., de Oliveira, R. C. R., Mendes, S. L. and Strier, K. B. 2005. Age-related variation in copulations of male northern muriquis (*Brachyteles hypoxanthus*). *Folia Primatol.* 76(1): 33–36.
- Riba-Hernandez, P. and Stoner, K. E. 2005. Massive destruction of *Symphonia globulifera* (Clusiaceae) flowers by Central American spider monkeys (*Ateles geoffroyi*). *Biotropica* 37(2): 274–278.
- Rico-Hernández, G. 2005. Endoparasites and forest fragments: Implications for howler conservation. *ASP Bulletin* 29(1): 9.
- Ruiz-Garcia, M. 2005. The use of several microsatellite loci applied to 13 neotropical primates revealed a strong recent bottleneck event in the woolly monkey (*Lagothrix lagotricha*) in Colombia. *Prim. Rep.* (71): 27–55.
- Santamaria, M. 2005. The effect of home range reduction on the ecology of red howler monkeys in Central Amazonia. *ASP Bulletin* 29(1): 10.
- Shimooka, Y. 2005. Sexual differences in ranging of *Ateles belzebuth belzebuth* at La Macarena, Colombia. *Int. J. Primatol.* 26(2): 385–406.
- Solari, A. J. and Rahn, M. I. 2005. Fine structure and meiotic behaviour of the male multiple sex chromosomes in the genus *Alouatta*. *Cytogenet. Genome Res.* 108(1–3): 262–267.

---



---

## ARTICLES

### *Aotidae*

- Ruiz-Herrera, A., García, F., Aguilera, M., Garcia, M. and Ponsà Fontanals, M. 2005. Comparative chromosome painting in *Aotus* reveals a highly derived evolution. *Am. J. Primatol.* 65(1): 73–85.

### *Atelidae*

- Behie, A. M. and Pavelka, M. S. M. 2005. The short-term effects of a hurricane on the diet and activity of black howlers (*Alouatta pigra*) in Monkey River, Belize. *Folia Primatol.* 76(1): 1–9.
- Chapman, C. A. and Pavelka, M. S. M. 2005. Group size in folivorous primates: Ecological constraints and the possible influence of social factors. *Primates* 46(1): 1–9.
- Dias, P. A. D. 2005. Observation of parturition in the Mexican mantled howler monkeys (*Alouatta palliata*) on the Island of Agaltepec, Veracruz State, Mexico. *Am. J. Primatol.* 65(1): 93–98.

## Callitrichidae

- Anonymous. 2005. Cotton top tamarins born at Museum of Science in Boston. *Communiqué (American Zoo & Aquarium Association)*. March: 22.
- Arruda, M. F., Araujo, A., Sousa, M. B. C., Albuquerque, F. S., Albuquerque, A. C. S. R. and Yamamoto, M. E. 2005. Two breeding females within free-living groups may not always indicate polygyny: Alternative subordinate female strategies in common marmosets (*Callithrix jacchus*). *Folia Primatol.* 76(1): 10–20.
- Brown, G. R., Almond, R. E. and Bates, N. J. 2005. Adult-infant food transfer in common marmosets: An experimental study. *Am. J. Primatol.* 65(4): 301–312.
- Castro, D. C. and Sousa, M. B. C. 2005. Fecal androgen levels in common marmoset (*Callithrix jacchus*) males living in captive family groups. *Brazil. J. Med. Biol. Res.* 38(1): 65–72.
- Chamove, A. S. 2005. Environmental enrichment for monkeys using plants. *Lab. Prim. Newsl.* 44(2): 1–5.
- Chamove, A. S. and Scott, L. 2005. Forage box as enrichment in single- and group-house callitrichid monkeys. *Lab. Prim. Newsl.* 44(2): 13–17.
- Chen, M. K. and Hauser, M. 2005. Modeling reciprocation and cooperation in primates: Evidence for a punishing strategy. *J. Theoret. Biol.* 235(1): 5–12.
- Cronin, K. A., Kurian, A. V. and Snowdon, C. T. 2005. Cooperative problem solving in a cooperatively breeding primate (*Saguinus oedipus*). *Anim. Behav.* 69(1): 133–142.
- Garber, P. A., Blomquist, G. E. and Anzenberger, G. 2005. Kinematic analysis of trunk-to-trunk leaping in *Callimico goeldii*. *Int. J. Primatol.* 26(1): 223–240.
- Huck, M., Loettker, P., Heymann, E. W. and Heistermann, M. 2005. Characterization and social correlates of fecal testosterone and cortisol excretion in wild male *Saguinus mystax*. *Int. J. Primatol.* 26(1): 159–179.
- Kralik, J. D. 2005. Inhibitory control and response selection in problem solving: How cotton-top tamarins (*Saguinus oedipus*) overcome a bias for selecting the larger quantity of food. *J. Comp. Psychol.* 119(1): 78–89.
- Mann, T. M., Williams, K. E., Pearce, P. C. and Scott, E. A. M. 2005. A novel method for activity monitoring in small non-human primates. *Lab. Anim.* 39(2): 169–177.
- Mendes Pontes, A. R. and Soares, M. L. 2005. Sleeping sites of common marmosets (*Callithrix jacchus*) in defaunated urban forest fragments: A strategy to maximize food intake. *J. Zool., Lond.* 266(1): 55–63.
- Neusser, M., Muench, M., Anzenberger, G. and Mueller, S. 2005. Investigation of marmoset hybrids (*Cebuella pygmaea* x *Callithrix jacchus*) and related Callitrichinae (Platyrrhini) by cross-species chromosome painting and comparative genomic hybridization. *Cytogenet. Genome Res.* 108(1–3): 191–196.
- Pessoa, D. M. A., Cunha, J. F., Tomaz, C. and Pessoa, V. F. 2005. Colour discrimination in the black-tufted-ear marmoset (*Callithrix penicillata*): Ecological implications. *Folia Primatol.* 76(3): 125–134.
- Prescott, M. J., Buchanan-Smith, H. M. and Smith, A. C. 2005. Social interaction with non-averse group-mates modifies a learned food aversion in single- and mixed-species groups of tamarins (*Saguinus fuscicollis* and *S. labiatus*). *Am. J. Primatol.* 65(4): 313–326.
- Saltzman, W. and Abbott, D. H. 2005. Diminished maternal responsiveness during pregnancy in multiparous female common marmosets. *Horm. Behav.* 47(2): 151–163.
- Schaffner, C. M., Aureli, F. and Caine, N. G. 2005. Following the rules: Why small groups of tamarins do not reconcile conflicts. *Folia Primatol.* 76(2): 67–76.
- Schaffner, C. M. and Smith, T. E. 2005. Familiarity may buffer the adverse effects of relocation on marmosets (*Callithrix kublui*): Preliminary evidence. *Zoo Biol.* 24(1): 93–100.
- Schroepel, M. 2005. Weight development of hand-reared callitrichids (Callitrichidae). *Zool. Garten.* 75(1): 41–51. In German.
- Silva, M. M. A., Albuquerque, A. M. and Araújo, J. F. 2005. Light-dark cycle synchronization of circadian rhythm in blind primates. *J. Circad. Rhythms* 3(1): 10.
- Smith, A. C., Buchanan-Smith, H. M., Surridge, A. K. and Mundy, N. I. 2005. Factors affecting group spread within wild mixed-species troops of saddleback and mustached tamarins. *Int. J. Primatol.* 26(2): 337–355.
- Stevens, J. R., Hallinan, E. V. and Hauser, M. D. 2005. The ecology and evolution of patience in two New World monkeys. *Biology Letters* 1(2): 223–226.
- Sussman, R. W., Garber, P. A. and Cheverud, J. M. 2005. Importance of cooperation and affiliation in the evolution of primate sociality. *Am. J. Phys. Anthropol.* 128(1): 84–97.
- Tagliaro, C. H., Schneider, H., Sampaio, I., Schneider, M. P. C., Vallinoto, M. and Stanhope, M. 2005. Molecular phylogeny of the genus *Saguinus* (Platyrrhini, Primates) based on the ND1 mitochondrial gene and implications for conservation. *Genet. Molec. Biol.* 28(1): 46–53.
- Tardif, S. D., Ziegler, T. E., Power, M. and Layne, D. G. 2005. Endocrine changes in full-term pregnancies and pregnancy loss due to energy restriction in the common marmoset (*Callithrix jacchus*). *J. Clin. Endocrinol. Metab.* 90(1): 335–339.

## Cebidae

- Agostini, I. and Visalberghi, E. 2005. Social influences on the acquisition of sex-typical foraging patterns by juveniles in a group of wild tufted capuchin monkeys (*Cebus nigritus*). *Am. J. Primatol.* 65(4): 335–351.
- Akkoç, C. C. and Williams, L. E. 2005. Population modeling for a captive squirrel monkey colony. *Am. J. Primatol.* 65(3): 239–254.
- Bicca-Marques, J. C. and Gomes, D. F. 2005. Birth seasonality of *Cebus apella* (Platyrrhini, Cebidae) in Brazilian zoos along a latitudinal gradient. *Am. J. Primatol.* 65(2): 141–147.
- Cummins-Sebree, S. E. and Fragaszy, D. M. 2005. Choosing and using tools: Capuchins (*Cebus apella*) use a different metric than tamarins (*Saguinus oedipus*). *J. Comp. Psychol.* 119(2): 210–219.

- Dubois, M. J., Gerard, J. F. and Pontes, F. 2005. Spatial selectivity to manipulate portable objects in wedge-capped capuchins (*Cebus olivaceus*). *Primates* 46(2): 127–133.
- Fichtel, C., Perry, S. and Gros-Louis, J. 2005. Alarm calls of white-faced capuchin monkeys: An acoustic analysis. *Anim. Behav.* 70(1): 165–176.
- Galloway, A. T., Addessi, E., Fragaszy, D. M. and Visalberghi, E. 2005. Social facilitation of eating familiar food in tufted capuchins (*Cebus apella*): Does it involve behavioral coordination? *Int. J. Primatol.* 26(1): 181–189.
- Galvão, O. F., Barros, R. S., Santos, J. R. dos, Brino, A. L. F., Brandão, S., Lavratti, C. M., Dube, W. V. and McIlvane, W. J. 2005. Extent and limits of the matching concept in *Cebus apella*: A matter of experimental control? *Psychological Record* 55(2): 219–232.
- Garcia, J. L. *et al.* 2005. Sero-epidemiological survey for toxoplasmosis in wild New World monkeys (*Cebus* spp.; *Alouatta caraya*) at the Paraná river basin, Paraná state, Brazil. *Vet. Parasitol.* 133(4): 307–311.
- Manson, J. H., Perry, S. and Stahl, D. 2005. Reconciliation in wild white-faced capuchins (*Cebus capucinus*). *Am. J. Primatol.* 65(3): 205–219.
- Perry, S. 2005. “*The Complete Capuchin*”, by D. M. Fragaszy, *et al.* Cambridge, Cambridge Univ. Press, 2004, 339pp. *Int. J. Primatol.* 26(2): 507–509. Book review.
- Phillips, K. A. and Shauver Goodchild, L. M. 2005. Reunion displays in captive male brown capuchins (*Cebus apella*). *Primates* 46(2): 121–125.
- Rosengart, C. R. and Fragaszy, D. M. 2005. Experience and materials affect combinatorial construction in tufted capuchin monkeys (*Cebus apella*). *J. Comp. Psychol.* 119(2): 166–178.
- Ruiz, J. C. 2005. Relative humidity, ambient temperature, and urine washing behavior in Bolivian squirrel monkeys, *Saimiri boliviensis boliviensis*. *Prim. Rep.* (71): 57–61.
- Ruiz-Herrera, A., Garcia, F., Aguilera, M., Garcia, M. and Ponsa, M. 2005. New polymorphisms in a *Cebus* (Platyrrhini, Primates) species: The case of *Cebus nigrivittatus*. *Caryologia* 57(2): 206–209.
- Ruiz-Herrera, A., Garcia, F., Giulotto, E., Attolini, C., Egozcue, J., Ponsà, M. and Garcia, M. 2005. Evolutionary breakpoints are co-localized with fragile sites and intrachromosomal telomeric sequences in primates. *Cytogenet. Genome Res.* 108(1–3): 234–247.
- Sato, H., Une, Y. and Takada, M. 2005. High incidence of the gullet worm, *Gongylonema pulchrum*, in a squirrel monkey colony in a zoological garden in Japan. *Vet. Parasitol.* 127(2): 131–137.
- Schmidt, M. 2005. Hind limb proportions and kinematics: Are small primates different from other small mammals? *J. Exp. Biol.* 208(17): 3367–3383.
- Schmidt, M. 2005. Quadrupedal locomotion in squirrel monkeys (Cebidae: *Saimiri sciureus*): A cineradiographic study of limb kinematics and related substrate reaction forces. *Am. J. Phys. Anthropol.* 128(2): 359–370.
- Soltis, J., Wegner, F. H. and Newman, J. D. 2005. Urinary prolactin is correlated with mothering and allo-mothering in squirrel monkeys. *Physiol. Behav.* 84(2): 295–301.
- Sullivan, J. S., Bounngaseng, A., Stewart, A., Sullivan, J. J., Galland, G. G., Henry, F. and Collins, W. E. 2005. Infection of *Saimiri boliviensis* monkeys with *Plasmodium coatneyi*. *J. Parasitol.* 91(2): 479–481.
- Wehncke, E. V. and Dalling, J. W. 2005. Post-dispersal seed removal and germination of selected tree species dispersed by *Cebus capucinus* on Barro Colorado Island, Panama. *Biotropica* 37(1): 73–80.

#### Pitheciidae

- Dumas, F., Bigoni, F., Stone, G., Sineo, L. and Stanyon, R. 2005. Mapping genomic rearrangements in titi monkeys by chromosome flow sorting and multidirectional *in situ* hybridization. *Chromosome Res.* 13(1): 85–96.
- Sampaio, D. T. and Ferrari, S. F. 2005. Predation of an infant titi monkey (*Callicebus moloch*) by a tufted capuchin (*Cebus apella*). *Folia Primatol.* 76(2): 113–115.
- Veiga, L. 2005. Ecology and social organization of the black bearded saki (*Chiropotes satanas*): Potential for its survival in the context of eastern Amazon habitat fragmentation. *Lab. Prim. Newsl.* 44(2): 26–27. In Portuguese.

#### General

- Cherem, J. J. 2005. Registros de mamíferos não voadores em estudos de avaliação ambiental no sul do Brasil. *Biotemas* 18(2): 169–202.
- Feeley, K. J. and Terborgh, J. W. 2005. The effects of herbivore density on soil nutrients and tree growth in tropical forest fragments. *Ecology* 86(1): 116–124.
- Guedes, P. G. and Salles, L. O. 2005. New insights on the phylogenetic relationships of the two giant extinct New World monkeys (Primates, Platyrrhini). *Arq. Mus. Nac., Rio de Janeiro* 63(1): 147–159.
- Haugaasen, T. and Peres, C. A. 2005. Mammal assemblage structure in Amazonian flooded and unflooded forests. *J. Trop. Ecol.* 21(2): 133–145.
- Hosey, G. R. 2005. How does the zoo environment affect the behaviour of captive primates? *Appl. Anim. Behav. Sci.* 90(2): 107–129.
- Kaumanns, W., Krebs, E., Schwitzer, C. and Singh, M. 2005. Primates in Europe. *Zeit. Koelner Zoo* 48(2): 85–96.
- Morand, S. and Ricklefs, R. E. 2005. Genome size is not related to life-history traits in primates. *Genome* 48(2): 273–278.
- Palacios, E. and Peres, C. A. 2005. Primate population densities in three nutrient-poor Amazonian terra firme forests of south-eastern Colombia. *Folia Primatol.* 76(3): 135–145.
- Prychitko, T., Johnson, R. M., Wildman, D. E., Gumucio, D. and Goodman, M. 2005. The phylogenetic history of New World monkey beta globin reveals a platyrrhine beta to delta gene conversion in the atelid ancestry. *Molec. Phylogenet. Evol.* 35(1): 225–234.
- Ray, D. A. *et al.* 2005. *Alu* insertion loci and platyrrhine primate phylogeny. *Molec. Phylogenet. Evol.* 35(1): 117–126.
- Ruiz-Herrera, A., Garcia, F., Mora, L., Egozcue, J., Ponsa, M. and Garcia, M. 2005. Evolutionary conserved

- chromosomal segments in the human karyotype are bounded by unstable chromosome bands. *Cytogenet. Genome Res.* 108(1–3): 161–174.
- Sarringhaus, L. A., McGrew, W. C. and Marchant, L. F. 2005. Misuse of anecdotes in primatology: Lessons from citation analysis. *Am. J. Primatol.* 65(3): 283–288.
- Schmitz, J., Roos, C. and Zischler, H. 2005. Primate phylogeny: Molecular evidence from retroposons. *Cytogenet. Genome Res.* 108(1–3): 26–37.
- Schmitz, J., Piskurek, O. and Zischler, H. 2005. Forty million years of independent evolution: A mitochondrial gene and its corresponding nuclear pseudogene in primates. *J. Molec. Evol.* 61(1): 1–11.
- Tejedor, M. F. 2005. New fossil platyrrhine from Argentina. *Folia Primatol.* 76(3): 146–150.
- Thoisy, B. de, Renoux, F. and Julliot, C. 2005. Hunting in northern French Guiana and its impact on primate communities. *Oryx* 39(2): 149–157.
- Vaz, S. M. 2005. Mamíferos colecionados pelo Serviço de Estudos e Pesquisas sobre a Febre Amarela nos municípios de Ilhéus e Buerarema, Estado da Bahia, Brasil. *Arq. Mus. Nac., Rio de Janeiro* 63(1): 21–28.
- Wienberg, J. 2005. Fluorescence *in situ* hybridization to chromosomes as a tool to understand human and primate genome evolution. *Cytogenet. Genome Res.* 108(1–3): 139–160.

#### Chapters

- Martin, R. D. and Ross, C. F. 2005. The evolutionary and ecological context of primate vision. In: *The Primate Visual System: A Comparative Approach*, J. Kremers (ed.), pp.1–36. John Wiley, Chichester, UK.
- Hunt, D. M., Jacobs, G. H. and Bowmaker, J. K. 2005. The genetics and evolution of primate visual pigments. In: *The Primate Visual System: A Comparative Approach*, J. Kremers (ed.), pp. 73–97. John Wiley, Chichester, UK.
- Osoario, D., Vorobyev, M. and Jacobs, G. H. 2005. The ecology of the primate eye: Retinal sampling and color vision. In: *The Primate Visual System: A Comparative Approach*, J. Kremers (ed.), pp.99–126. John Wiley, Chichester, UK.
- Silverman, I. and Bevc, I. 2005. Evolutionary origins and ontogenetic development of incest avoidance. In: *Origins of the Social Mind: Evolutionary Psychology and Child Development*, B. J. Ellis and D. F. Bjorklund (eds.), pp.292–313. Guilford Press, New York.