

Subject Index, 2016

- adenoviruses
 in parrot holdings in Slovenia, 487
- air sampling
 of parrots and racing pigeons in Slovenia, 487
- antimicrobial susceptibility
 of *C. perfringens* in broilers in Taiwan, 444
- Arkansas
 chickens vaccinated with CEK-adapted vaccine, 418
- astrovirus
 chicken astrovirus (CAstV), 681
 detection in Brazilian chickens, 681
 turkey astrovirus type 1 (TAstV-1), 681
- Australia
 pathogen transmission by starlings in piggeries, 430
- avian encephalomyelitis
 in layer pullets associated with vaccination, 511
- avian influenza virus
 airborne transmission, 637
 antibodies in laughing gulls (*Leucophaeus atricilla*), 341
 antibodies in Snow Geese (*Chen caerulescens*) in Texas, 337
 antigenic cartography, 218, 346
Chlamydomonas reinhardtii as a recombinant antigen, 784
 co-infection, 269, 698
 detection of H7N9, 118
 detection of subtype H0, 126
 determinants of biosecurity preventive behaviors among Chinese poultry farmers, 480
 egg yolk vs. serum sampling serosurveillance, 496
 endemic variation of H9N2, 817
 epidemic, 156
 Eurasian H5N8, 688
 Finio, 846
 guineafowl (*Numida meleagris*), 279
 H5N1 HPAI vaccination in turkeys, 413
 H5N2 infection risk factors in Midwest layer farms, 460
 H5N2 outbreak in turkey farms in U.S. during 2015, 467
 H5N8 transmission from infected hens to eggs, 450
 H9N2 experimental infection of chickens, 493
 HA protein, 784
 highly pathogenic, 108, 132, 146, 156, 178, 183, 202, 232, 245, 262, 269, 316, 322, 329, 354, 637, 688
 histopathology, 279
 immunity, 232, 245
 immunology, 262
 in chickens, 688, 784
 inactivation, 226, 238, 253, 256, 846
 in parrot holdings in Slovenia, 487
 intercontinental exchange of influenza virus, 302, 354
 isolated from ostrich in South Korea, 535
 live-bird markets, 108
 low pathogenicity, 126, 218, 226, 256, 279, 302, 322, 346, 359
 maternally derived antibodies, 191
 migration, 241, 296, 311, 346, 354, 394
 nonpelleted chicken feed, 846
 ostriches, 286
 outbreak, 172
 pathogenesis, 408
 prevalence in Mute Swan (*Cygnus olor*), 322
 prevention and control, 156
 protection using rHVT-AI vaccine in turkeys, 413
 radiotelemetry, 394
 reassortants, 108
 risk assessment, 178
 seabirds, 378, 394
 sensitivity and specificity estimation, 805
 serology, 286, 341, 406, 407, 409
 spread, 316
 stopover ecology, 394
 surveillance, 132, 146, 156, 172, 183, 354, 359, 365, 387, 409, 805
 Termin-8, 846
 waterfowl, 210, 241, 329, 346, 378
 wild birds, 241, 286, 296, 316, 354, 359, 365, 387
- avian pathogenic *Escherichia coli* (APEC)
 characterize fatal lesions in layers due to APEC, 1
- avian picornaviruses
 phylogenetic analysis in turkey and chicken samples from U.S., 500
- avian tuberculosis (*Mycobacterium avium*)
 16S rRNA, 677
 IS901, 677
 Ziehl-Neelsen staining, 677
- Avibacterium paragallinarum*
 antimicrobial sensitivity, 673
 fimbriae, 649
 infectious coryza, 673
 serovar C-1, 837
 vaccine, 649
 virulence, 649, 837
- bacteria
Avibacterium paragallinarum, 673, 837
 chronic carriers, 87
Ornithobacterium rhinotracheale, 669, 856
Pasteurella multocida (PM) in pheasants, 87
 transmission of enteropathogens by starlings in Australian piggeries, 430
- bioceramic
 derived from chicken feces pH 13, 613
 stability in harsh environments, 613
 virucidal properties, 613
- biosecurity
 association with occurrence of *D. gallinae* and *Salmonella* spp. in layer farms, 454
 farming systems, 183
 for HPAI among Chinese poultry farmers, 480
 livestock, 613
 New Zealand, 856
Ornithobacterium rhinotracheale, 856
- blackhead disease
 drug approval, 725
Histomonas meleagridis, 618, 725
 in turkeys, chickens, and game birds, 725
 poultry, 628
 protein analysis, 628
 treatment and control, 725
- botulism
 type C botulism in free-range layer farms, 90
- Brazil
 differentiation of Mass Vaccine and Brazilian Field Genotypes, 16
 Massachusetts type (Mass) used as live vaccine, 16
- Brazilian variants (genotypes)(BR)
 differentiation of Mass, Conn, and BR, 16
- Broilers
 infected with bronchitis, 596
 infected with necrotic enteritis, 50
 incidence and antimicrobial susceptibility of *C. perfringens*, 444
 left ventricular dilated cardiomyopathy, 589
 Marek's Disease, 662
 metabolizable energy intake, 50
 pathogenesis of RSS, 528
 recombinant HVT-IBD vaccines, 603
 reovirus, 841