

## **Significant impact of developing countries and emerging markets in Systematic and Applied Acarology**

Author: Zhang, Zhi-Qiang

Source: Systematic and Applied Acarology, 24(7) : 1121-1123

Published By: Systematic and Applied Acarology Society

URL: <https://doi.org/10.11158/saa.24.7.1>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## Significant impact of developing countries and emerging markets in Systematic and Applied Acarology

ZHI-QIANG ZHANG<sup>1,2</sup>

<sup>1</sup> Manaaki Whenua – Landcare Research, 231 Morrin Road, Auckland, New Zealand.

Email: zhangz@landcareresearch.co.nz

<sup>2</sup> Centre for Biodiversity & Biosecurity, School of Biological Sciences, University of Auckland, Auckland, New Zealand

Journal impact factors for 2018 were recently announced by Clarivate Analytics in the June 2019 edition of *Journal Citation Reports (JCR)*. In this editorial, I compared the impact factor of *Systematic and Applied Acarology (SAA)* with those of other main acarological journals as I did in Zhang (2017). Following Zhang (2018a), I also highlighted the top 10 SAA papers from 2016/2017 with the highest numbers of citations in 2018 (according to *Journal Citation Reports* June 2019 edition). In addition, I remarked on the increasing impact of developing countries and emerging markets in systematic and applied acarology, both in the number of publications and citations, and also included announcements of meetings on applied acarology.

SAA became the largest journal in acarology in 2016 (Zhang 2017) and continued to increase in 2017 (Zhang 2018b). In 2018, SAA reached a new height by publishing 185 items in 2,448 pages—14.9% increase over that in 2017 (161 items) in the number of published items and 7.7% over that in 2017 (2,272 pages) in the number of pages.

**TABLE 1.** 2018 impact factors (difference from that of last year), journal ranking and current article counts in four main acarological journals indexed in *Journal Citation Reports* (June 2019 edition).

	2018 Impact factor	Ranking (in Entomology)	2018 indexed items
Exp Appl Acar	1.760 (-0.169)	30 of 98	121
Syst Appl Acar	1.732 (+0.036)	32 of 98	185
Int J Acar	1.236 (+0.228)	43 of 98	58
Acarologia	1.047 (+0.214)	53 of 98	81

Despite the continued increase of SAA in size in 2018, its impact factor also continued to increase, reaching 1.732 in 2018 (Table 1). This impact factor is the average citations in 2018 of papers (articles and reviews) published in 2016 and 2017; the top 10 papers (Table 2) account for 16.9% of the total citations (497) and have an average citation of 8.4. It is also interesting to note that (1) the first authors of all papers are from developing countries or emerging markets, and (2) eight of these papers concern predation of *Tetranychus urticae* by phytoseiid mites (Table 2).

Further analyses of top ten countries ranked by the number of publications in *Systematic & Applied Acarology* from 2016 to 2018 show dominance of developing countries or emerging markets, which accounted for 70 to 80 % of the top 10 and made of top 4 in all three years (Table 3). Among the developed countries, USA was no 5 in 2016, but dropped to no 6 in 2017 and 2018. These show the importance and increasing impact of developing countries and emerging markets in systematic and applied acarology.

**TABLE 2.** Top 10 papers from 2016/2017 with the highest numbers of citations in *Systematic and Applied Acarology* in 2018 (according to *Journal Citation Reports* June 2019 edition).

Rank	Citations	Titile in brief (taxa)	References
1	10	Pollen affects predation of <i>Neoseiulus californicus</i> on <i>Tetranychus urticae</i>	Khanamani <i>et al.</i> 2017
2	9	Sublethal effects of bifenazate on life history of <i>Tetranychus urticae</i>	Li <i>et al.</i> 2017
3	8	Synergism of <i>Beauveria bassiana</i> and <i>Phytoseiulus persimilis</i> in control of <i>Tetranychus urticae</i>	Ullah & Limi 2017
4	8	Predation of <i>Neoseiulus californicus</i> and <i>N. longispinosus</i> on <i>Tetranychus urticae</i> and <i>T. kanzawai</i>	Song <i>et al.</i> 2016
5	8	Eriophyoidea from <i>Lippia alba</i> in Brazil	Duarte <i>et al.</i> 2016
6	8	Life table of <i>Typhlodromus bagdasarjani</i> on pollens and <i>Tetranychus urticae</i>	Riahi <i>et al.</i> 2016
7	8	Predation rate of <i>Amblyseius swirskii</i> on <i>Tetranychus urticae</i>	Fathipour <i>et al.</i> 2017
8	7	Predation of <i>Neoseiulus californicus</i> on <i>Tetranychus urticae</i>	Doker <i>et al.</i> 2016
9*	6	Morphological ontogeny of <i>Fuscozetes kamchatkicus</i>	Seniczak <i>et al.</i> 2016
9*	6	Cryptic speciation in the <i>Hygrobatas fluviatilis</i> complex	Pesic <i>et al.</i> 2017
9*	6	Natural diets versus factitious prey (including <i>Tetranychus urticae</i> ) for <i>Amblyseius swirskii</i>	Riahi <i>et al.</i> 2017

\*Three papers have six citations with the same rank (9).

**TABLE 3.** Top 10 countries ranked by the number of publications in *Systematic & Applied Acarology* from 2016 to 2018. Data from Web of Science Core Collection (accessed on 25 June 2019).

Rank	2016	2017	2018
1	IRAN (26)	RUSSIA (40)	IRAN (34)
2	RUSSIA (24)	P.R. CHINA (28)	RUSSIA (34)
3	P.R. CHINA (20)	BRAZIL (24)	BRAZIL (32)
4	BRAZIL (19)	IRAN (18)	P.R. CHINA (27)
5	USA (14)	POLAND (18)	POLAND (20)
6	NEW ZEALAND (13)	USA (16)	USA (17)
7	POLAND (13)	SOUTH AFRICA (14)	NEW ZEALAND (14)
8	AUSTRALIA (6)	NEW ZEALAND (8)	ITALY (11)
9	SOUTH AFRICA (5)	TURKEY (8)	TURKEY (9)
10	TURKEY (5)	CZECH REPUBLIC (6)	CZECH REPUBLIC (7)

Several meetings on applied acarology are forthcoming in the near future. The 7th meeting of the IOBC-WPRS Working Group "Integrated Control of Plant-Feeding Mites" will be held in Vienna during 16–19 September 2019. This IOBC meeting is organized by the Division of Plant Protection, University of Natural Resources and Life Sciences, Austria. The 2nd meeting of the IOBC-APRS "Predatory Mites as Biological Agents Working Group" will be held during 16–19 October 2019 in Chongqing, China. This meeting is organized by IOBC-APRS, The Institute of Plant Protection, Chinese Academy of Agricultural Sciences, and College of Plant Protection, Southwest University. The IXth Congress of the European Association of Acarologists will be held during 13 to 17 July 2020 in Bari, Italy. The title of the congress is "Acarology 1.0 to 2.0: Progress in Changing Times" and the program will include key lectures delivered by top scientists aiming at showing the most recent developments of contemporary acarology (more info <https://euraac2020.com/>).

## References

- Doker, I., Kazak, C. & Karut, K. (2016) Functional response and fecundity of a native *Neoseiulus californicus* population to *Tetranychus urticae* (Acari: Phytoseiidae, Tetranychidae) at extreme humidity conditions. *Systematic & Applied Acarology*, 21(11), 1463–1472.  
<https://doi.org/10.11158/saa.21.11.3>
- Duarte, M.E., Chetverikov, P.E., Silva, E.S. & Navia, D. (2016) Three new species of eriophyoid mites (Acari-formes, Eriophyoidea) from *Lippia alba* (Verbenaceae) from Brazil, and remarks on the thorn-like spermathecal process. *Systematic & Applied Acarology*, 21(9), 1225–1249.  
<https://doi.org/10.11158/saa.21.9.7>
- Fathipour, Y., Karimi, M., Farazmand, A. & Talebi, A.A. (2017) Age-specific functional response and predation rate of *Amblyseius swirskii* (Phytoseiidae) on two-spotted spider mite. *Systematic & Applied Acarology*, 22(2), 159–169.  
<https://doi.org/10.11158/saa.22.2.1>
- Khanamani, M., Fathipour, Y., Talebi, A.A. & Mehrabadi, M. (2017) How pollen supplementary diet affect life table and predation capacity of *Neoseiulus californicus* on two-spotted spider mite. *Systematic & Applied Acarology*, 22(1), 135–147.  
<https://doi.org/10.11158/saa.22.1.14>
- Li, Y.-Y., Fan, X., Zhang, G.-H., Liu, Y.-Q., Chen, H.-Q., Liu, H. & Wang, J.-J. (2017) Sublethal effects of bifentazate on life history and population parameters of *Tetranychus urticae* (Acari: Tetranychidae). *Systematic & Applied Acarology*, 22(1), 148–158.  
<https://doi.org/10.11158/saa.22.1.15>
- Pešić, V., Asadi, M., Cimpean, M., Dabert, M., Esen, Y., Gerecke, R., Martin, P., Savić, A., Smit, H. & Stur, E. (2017) Six species in one: evidence of cryptic speciation in the *Hygrobates fluviatilis* complex (Acari-formes, Hydrachnidia, Hygrobatidae). *Systematic & Applied Acarology*, 22(9), 1327–1377.  
<https://doi.org/10.11158/saa.22.9.4>
- Riahi, E., Fathipour, Y., Talebi, A.A. & Mehrabadi, M. (2016) Pollen quality and predator viability: life table of *Typhlodromus bagdasarjani* on seven different plant pollens and two-spotted spider mite. *Systematic & Applied Acarology*, 21(10), 1399–1412.  
<https://doi.org/10.11158/saa.21.10.10>
- Riahi, E., Fathipour, Y., Talebi, A.A. & Mehrabadi, M. (2017) Natural diets versus factitious prey: comparative effects on development, fecundity and life table of *Amblyseius swirskii* (Acari: Phytoseiidae). *Systematic & Applied Acarology*, 22(5), 711–723.  
<http://dx.doi.org/10.11158/saa.22.5.10>
- Seniczak, S., Kaczmarek, S. & Seniczak, A. (2016) Morphological ontogeny of *Fuscozetes kamchatkicus* sp. nov. (Acari: Oribatida: Ceratozetidae) from Kamchatka Peninsula (Russia), with comments on *Fuscozetes*. *Systematic & Applied Acarology*, 21(8), 1017–1030.  
<https://doi.org/10.11158/saa.21.8.3>
- Song, Z.-W., Zheng, Y., Zhang, B.-X. & Li, D.-S. (2016) Prey consumption and functional response of *Neoseiulus californicus* and *Neoseiulus longispinosus* (Acari: Phytoseiidae) on *Tetranychus urticae* and *Tetranychus kanzawai* (Acari: Tetranychidae). *Systematic & Applied Acarology*, 21(7), 936–946.  
<https://doi.org/10.11158/saa.21.7.7>
- Ullah, M.S. & Lim, U.T. (2017) Synergism of *Beauveria bassiana* and *Phytoseiulus persimilis* in control of *Tetranychus urticae* on bean plants. *Systematic & Applied Acarology*, 22(11), 1924–1935.  
<https://doi.org/10.11158/saa.22.11.11>
- Zhang, Z.-Q. (2017) Recent trends in four major journals in acarology: size and impact. *Systematic & Applied Acarology*, 22(6), 895–896.  
<https://doi.org/10.11158/saa.22.6.13>
- Zhang, Z.-Q. (2018a) Recognizing high impact in acarological research. *Systematic & Applied Acarology*, 23(7), 1494–1496.  
<https://doi.org/10.11158/saa.23.7.16>
- Zhang, Z.-Q. (2018b) Systematic & Applied Acarology in 2017: new milestones. *Systematic & Applied Acarology*, 23(1), 196–198.  
<https://doi.org/10.11158/saa.23.1.15>

Submitted: 28 Jun. 2019; accepted by Qing-Hai Fan: 30 Jun. 2019; published: 5 Jul. 2019