

## **Hoffmannseggia humilis, the Correct Name for H. gladiata (Fabaceae)**

Author: Simpson, Beryl B.

Source: Lundellia, 2000(3) : 41-42

Published By: The Plant Resources Center, The University of Texas at Austin

URL: <https://doi.org/10.25224/1097-993X-3.1.41>

---

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# *HOFFMANNSEGGIA HUMILIS*, THE CORRECT NAME FOR *H. GLADIATA* (FABACEAE)

**Beryl B. Simpson**

Section of Integrative Biology and Plant Resources Center, The University of Texas, Austin, Texas 78712

**Abstract:** In order to correct an error in the recently published revision of *Hoffmannseggia* in North America, the correct nomenclature for *H. humilis* is provided.

**Keywords:** *Hoffmannseggia gladiata*, *H. humilis*, Caesalpinioideae.

In a recent revision of *Hoffmannseggia* in North America (Simpson 1999), I recognized 11 species, among them "*H. gladiata*." As can readily be seen from scanning the synonymy of that taxon in the revision, the name I used is incorrect because, assuming that the taxonomy is accurate, it violates the most basic rule of priority. The species *Hoffmannseggia gladiata* was circumscribed by Benthham in 1852. Among the entities with which I believe it to be conspecific is *H. humilis*. This later species was originally described as *Pomaria humilis* by Martens and Galiotti in 1843, nine years before Benthham described *H. gladiata*. In the synonymy provided in the revision, the names and dates are clearly shown with the correct name submerged under *H. gladiata*. I can offer no rationale for this error except that the decision to treat all the entities as one species was made late in the study and only after I was able to see a collection that represented a large population sample. Let me assure readers of *Lundellia* that the manuscript was read by three reviewers (two outside of Texas and both legume specialists) plus the editor but responsibility for the mistake rests with me. I hope that individuals will simply replace the nomenclature with that provided below. All specimens that were borrowed were correctly annotated.

3. *HOFFMANNSEGGIA HUMILIS* (Mart. & Gal.) Hemsley, Biol. cent.-amer., Bot. 1: 326. 1880.

*Pomaria humilis* Mart. & Gal., Bull. Acad. Roy. Sci. Bruxelles 10 (Ser. 1) Par 2: 303. 1843. TYPE. [MEXICO. Puebla]: calcareous mountains N of Tehuacán, 2000 m, Aug. H. G. Galeotti 3228 (HOLOTYPE: W, not seen, photo 32066 at TEX!; ISOTYPE K!).

*Larrea humilis* (Mart. & Gal.) Britton, N. Amer. fl. 23(5): 316. 1930.

*Hoffmannseggia gladiata* Benth. in A. Gray, Pl. wright. 1: 57. 1852. TYPE. MEXICO. [Hidalgo]: Zimapán. T. Coulter 487 (HOLOTYPE: K!; ISOTYPE: TCD!).

*Caesalpinia gladiata* (Benth.) Fisher, Bot. Gaz. (Crawfordsville) 18: 122. 1893.

*Larrea gladiata* (Benth.) Britton, N. Amer. fl. 23(5): 314. 1930.

*Hoffmannseggia platycarpa* Benth. in A. Gray, Pl. wright. 1: 57. 1852. TYPE. MEXICO. T. Coulter 486 (HOLOTYPE: K!; ISOTYPE: TCD!).

*Caesalpinia platycarpa* (Benth.) Fisher, Bot. Gaz. (Crawfordsville) 18: 22. 1893.

*Larrea platycarpa* (Benth.) Britton, N. Amer. fl. 23(5): 314. 1930.

*Larrea potosina* Britton, N. Amer. fl. 23(5): 313. 1930. TYPE: [MEXICO]. San Luis Potosí. Villar, dry, calcareous soil, 15 Aug 1890, C. G. Pringle 7367 (HOLOTYPE GH!).

*Larrea pueblana* Britton, N. Amer. fl. 23(5): 313. 1930. TYPE. MEXICO. Puebla. Cerro de Coatepec near Oaxaca, Aug 1908, C. A. Purpus 3220 (HOLOTYPE: NY!, ISOTYPES: F!, GH!, MO!).

*Hoffmannseggia pueblana* (Britton) Britton, Publ. Field Mus. Nat. Hist., Bot. Ser. 11(5): 160. 1936.

*Larrea villosa* Britton, N. Amer. fl. 23(5): 313. 1930. TYPE. MEXICO. Hidalgo: mountain slopes, Ixmiquilpan, July 1905, C. A. Purpus 1369a (HOLOTYPE: NY!).

#### LITERATURE CITED

Simpson, B. B. 1999. A revision of *Hoffmannseggia* (Fabaceae) in North America. *Lundellia* 2: 14–54.