

Beat Ernst Leuenberger (1946 – 2010)

Authors: Lack, Hans Walter, and Raus, Thomas

Source: Willdenowia, 40(2) : 369-374

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.40.40216>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

doi:10.3372/wi40.40216 (available via <http://dx.doi.org/>)

HANS WALTER LACK¹ & THOMAS RAUS¹

Beat Ernst Leuenberger (1946–2010)

Beat Ernst Leuenberger passed away on 20 May 2010 after a long illness. He was a world authority on *Cactaceae* and curator at the Botanic Garden and Botanical Museum Berlin-Dahlem for more than thirty years, first in charge of a sector in the phanerogamic herbarium and later in charge of the living collections of tropical and subtropical origin. In the latter position, he was instrumental in developing a refined, internationally acclaimed documentation system for the vast collection of living plants kept in the Botanic Garden Berlin-Dahlem.

Born on 27 August 1946 in Burgdorf, Kanton Bern in Switzerland, Beat Leuenberger grew up in his place of birth and for good reason always maintained the intonation typical of this canton, thereby bringing a special touch of Swiss culture into the institution in which he was to spend most of his working life. His interest in *Cactaceae* had developed very early on, at the age of seven, when he helped in a nursery in Burgdorf and became fascinated with this plant family and, in addition, started reading travel books on Mexico. In a sense, this specific combination – living plants and scientific literature – remained the leitmotiv for his entire life. At the age of sixteen, he took part in a student exchange programme, which brought him to the US for a year. Rather unsurprisingly, he had chosen Portales in the state of New Mexico, where he was able to study *Cactaceae* in the wild for the first time and also learn English and Spanish, languages in which he quickly became fluent.

Beat Leuenberger studied biology at the University of Berne and received his diploma (Lic. phil. nat.) in 1972. Later he moved to Germany in order to continue his studies at the University of Heidelberg, where he was strongly influenced by the well-known specialist for succulents Professor Werner Rauh. Determined to study his favourite family, he wrote his doctoral thesis supervised by Rauh on the diversity of pollen in *Cactaceae* and in 1975 received his Ph.D. from the University of Heidelberg.

In 1976 Beat Leuenberger, aged 30, joined the scientific staff of the Botanic Garden and Botanical Museum Berlin-Dahlem (then headed ad interim by Professor Jo-




Fig. 1. Plant hunter and a good bag – Beat Ernst Leuenberger, aged 35, competing in size with *Leuenberger, Raus & Schiers 3010* (B, MEXU; *Ferocactus gracilis* var. *coloratus* (Gaters) G. Lindsay) 54 km N of Paralelo 28, 3 km W of ruta 1, Estado de Baja California Norte, Mexico, on 25.10.1981. – Photo Th. Raus.

hannes Gerloff), where he remained for the rest of his life. The first author will never forget what happened when Beat was working with the institute's scanning electron microscope for the first time: he calibrated the instrument and found a deviation of more than 10 %, meaning that many measurements taken before, several published, had

¹ Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin, Königin-Luise-Str. 6–8, 14195 Berlin, Germany; e-mail: h.w.lack@bgbm.org, t.raus@bgbm.org

been inaccurate. This was one of his dominant character traits – accuracy, not only in measurements but also in arguments put forward and opinions expressed. After three years of work in the phanerogamic herbarium and the retirement of Dr. Edith Raadts (1914–2004), Beat became curator of the living collections of tropical and subtropical origin. Verifying the identity of plants cultivated in the Botanic Garden, documenting them in the form of herbarium specimens and photographs, shaping the profile of the living collection were part of his daily duties, as was giving guidance and advice to the gardeners on the various cultivation requirements.

Beat was permanently on the move – and was equally often to be found in the conservatories, the herbarium, the library and his office. In doing so he quickly acquired a broad knowledge of the institution's extensive facilities and deep insights into the diversity of vascular plants on a global scale.

Beat Leuenberger was always well aware of the fact that the study of plant diversity in the wild is a necessary complement to the work in the herbarium and the living collection. This is the reason why he travelled often and widely. His first major expedition was to Togo, very many followed, mostly to regions of the world rich in succulents such as Mexico and Namibia, where the second author enjoyed his companionship, being impressed ever since by Beat's excellent techniques in collecting plants unfriendly to a conventional plant press. From Argentina, Bolivia, Brazil, Chile and the Guianas he brought back a rich harvest of perfectly documented specimens very often accompanied by photographs and subsequently labelled and determined by him in a meticulous way. However, he was equally aware of the necessity to study plant material which had been deposited or was cultivated in other institutions, a quite different reason to travel to other countries. The Royal Botanic Gardens Kew with their extensive facilities were his destination time and again, and it was there that Beat Leuenberger met Silvia Arroyo from Buenos Aires, who soon became his wife, companion in his work and travels as well as co-author of several of his late publications.

There was a steady flow of publications from Beat's pen, almost all published in well-known journals, starting with a paper co-authored by R. Schill on pollen morphology and cytotaxonomy of the genus *Pachypodium* (*Apocynaceae*) and ending thirty-eight years later with a paper on the genus *Hieronymiella* (*Amaryllidaceae*) co-authored by his wife. There was a clear focus on succulents, in particular *Cactaceae*, but in line with his commitment to the living collection of tropical and subtropical origin there were also papers dealing with the taxonomy of other families, among them *Aizoaceae*, *Amaryllidaceae*, *Melastomataceae*, *Misodendraceae*, *Philesiaceae*, *Welwitschiaceae*. Together with other members of staff, Beat wrote the account of twenty families for the Flore analytique du Togo, among them *Asclepiadaceae*, *Combretaceae*, *Convolvulaceae*,

Malvaceae and *Tiliaceae*, which was published in 1985. Beat monographed two genera of *Cactaceae* – *Pereskia* and *Maihuenia*, and he did so in the most accurate way one can imagine, correspondingly being awarded the Fellowship of the New York Botanical Garden. One might have had hoped for more, but Beat was not the person for the “quick and dirty” approach in science. In particular, he was always fully aware of the complexities of plant taxonomy, including the obligation to consistently and persistently go back to protologues, type specimens and illustrations, which made him a connoisseur of the history of plant taxonomy, equal to very few. His paper on Humboldt and Bonpland's *Cactaceae* in the herbaria at Paris and Berlin-Dahlem, the *Cactaceae* of the Willdenow herbarium, of Willdenow (1813) and type specimens of *Cactaceae* names in the Berlin herbarium may stand as examples. Together with U. Eggli and M. Muñoz Schick, Beat Leuenberger resolved the enigmas of the well-known, but chaotic Ritter collections, work for which he spent several months in Santiago de Chile. One of Beat's masterpieces was his study of male cone characters in *Welwitschia mirabilis*, which led to the recognition of a new subspecies in this most unconventional succulent gymnosperm. It combines accurate observations on specimens in cultivation and in the herbarium, precise measurements, carefully worded descriptions and excellent photographs.

He was always well aware of the legacy of the past and its relevance for modern taxonomy, as evidenced by his biographical notes on Franz Buxbaum, Hans Krainz and Friedrich Ritter. In a sense, Beat Leuenberger was the best choice possible for the position of a curator because he found and maintained the appropriate balance between research and care for botanical collections which has become so rare in these days of the “big ego”. As for his superior curation of the Berlin-Dahlem living collections, he started immediately after 1976 to revive and push forward earlier local, alas abandoned, practices of documenting cultivated accessions with the help of specimens in the “Garden herbarium”, meanwhile totalling c. 48 000, thus catapulting the Berlin living collection among the world's best in terms of scientific documentation. Several hundreds to more than one thousand determinations were his own annual share in these efforts, making this part of the Berlin-Dahlem herbarium collections his personal hall of fame. His most recent and historical input to the Berlin-Dahlem living collection was planning and supervising the evacuation and replanting of the c. 1300 vascular plant taxa on display in the Great Tropical House which had been closed and completely evacuated in June 2006 for refurbishment and reopened three years later on 17 September 2009, eight months prior to his passing. Gardeners gratefully enjoyed his professional advice and authority and always felt encouraged and confident under his special guidance.

At committee meetings he always spoke only about topics on which he was an expert, and very much to

the point. Beat strongly disliked contacts with the press people, but in his quiet way was prepared to share his broad knowledge to the initiated. Photography, very often of plants, notably succulents, was his great hobby. He was well read, thoroughly enjoyed music and possessed a deep, long-term interest and expertise in foreign languages and cultures.

In autumn 2009, the diagnosis pancreatic cancer came as a shock to Beat, Silvia and all members of staff at the Botanic Garden and Botanical Museum Berlin-Dahlem; right from the beginning there was limited hope for recovery. Chemotherapy delayed the progress of the disease but resulted in fatigue and the impossibility to continue scientific work. During his last weeks, Beat was in an institution for palliative care in Berlin. Towards his end, there was the quiet and melodious music of Franz Schubert only which gave him consolation and peace.

Publications of Beat Ernst Leuenberger

- 1972 (Schill R. & —): Pollenmorphologie und Cytotaxonomie der Gattung *Pachypodium* Lindl. – Bot. Jahrb. Syst. **92**: 169–177.
- 1973 (—, Schill R. & Uhlarz H.): Eine Methode zur Herstellung von Exinebruchstücken für pollenmorphologische Untersuchungen im Raster-Elektronenmikroskop. – J. Microscopie **18**: 259–262.
- 1974: Testa surface characters of *Cactaceae*. Preliminary results of a scanning electron microscope study. – Cact. Succ. J. (Los Angeles) **46**: 175–180.
- (— & Schill R.): Epidermal features of some “green Mammillarias” (*Cactaceae*). – Cact. Succ. J. (Los Angeles) **46**: 83–86.
- 1976: Die Pollenmorphologie der *Cactaceae* und ihre Bedeutung für die Systematik. Mit Beiträgen zur Methodik rasterelektronenmikroskopischer Pollenuntersuchungen und mit EDV-unterstützten Korrelationsanalysen. – Diss. Bot. **31**.
- Pollen morphology of the *Cactaceae*. – Cact. Succ. J. Gr. Brit. **38**: 79–94.
- 1978: Especímenes tipo de Cactáceas Mexicanas en el Herbario de Berlín-Dahlem. – Cact. Suc. Mex. **23**: 88–92.
- Type specimens of *Cactaceae* in the Berlin-Dahlem Herbarium. – Cact. Succ. J. Gr. Brit. **40**: 101–104.
- 1979: Beiträge zur Kenntnis der Sukkulantenflora von Togo (West-Afrika). – Willdenowia **9**: 71–85.
- Haben Opuntien Glochiden oder Glochidien? – Kakteen Sukk. **30**: 188–189.
- Scientific data recording in the Botanical Garden. – P. 11 in: Anon. (ed.), Symposium Aktuelle Forschungsschwerpunkte Botanischer Gärten und Museen / Berlin, 11.–13.9.1979; Zusammenfassungen der Vorträge; 300 Jahre Botanischer Garten Berlin, 1679–1979; Modern research priorities in botanic gardens and museums. – Berlin: Botanischer Garten und Museum.
- Typen der *Cactaceae* in der Naßpräparate-Sammlung des Berliner Herbars. – Willdenowia **8**: 625–635.
- (Lack H. W. & —): Pollen and taxonomy of *Urospermum* (*Asteraceae*, *Lactuceae*). – Pollen & Spores **21**: 415–425.
- 1980: Aus der 300jährigen Geschichte des Berliner Botanischen Gartens 1. Von den Anfängen bis zur ersten Blütezeit der Kakteenkunde. – Kakteen Sukk. **31**: 100–102.
- Aus der 300jährigen Geschichte des Berliner Botanischen Gartens 2. Die Kakteenkunde von Schumann bis Werdermann. – Kakteen Sukk. **31**: 129–131.
- Aus der 300jährigen Geschichte des Berliner Botanischen Gartens 3. Der Wiederaufbau der Sukkulanten-sammlung nach 1945. – Kakteen Sukk. **31**: 260–264.
- Eine neue *Osbeckia* (*Melastomataceae*) aus West-Afrika. – Willdenowia **10**: 23–25.
- Franz Buxbaum 1900–1979. – Willdenowia **10**: 87–105.
- Notas sobre la distribución de *Pereskia lychnidiflora* DC., en México. – Cact. Suc. Mex. **25**: 55–59.
- (Jacques-Félix H. & —): Observations sur l’*Osbeckia togoensis* Leuenberger (*Melastomataceae*). – Willdenowia **10**: 27–31.
- 1981: Franz Buxbaum 1900–1979. Notas biográficas y lista de publicaciones referentes a los cactus de México. – Cact. Suc. Mex. **26**: 42–48.
- Scientific data recording in the Botanic Garden Berlin-Dahlem. – Bot. Jahrb. Syst. **102**: 1–4.
- 1982: Microwaves: a modern aid in preparing herbarium specimens of succulents. – Cact. Succ. J. Gr. Brit. **44**: 42–43.
- The genus *Pereskia* in Central America. – IOS Bull. **4**: 24–25.
- Über die Verwendung von Mikrowellenöfen bei der Herbarisierung von Sukkulanten. – Kakteen Sukk. **33**: 176–177.
- 1983: Über drei kakteenkundlich bedeutende Werke von Salm-Dyck, Pfeiffer & Otto und Miquel. – Zandera **2**: 29–41.
- 1984: Zum Problem der sogenannten Feldnummern und Friedrich Ritters FR-Nummern. – Kakteen Sukk. **35**: 103–105.
- 1985: *Asclepiadaceae* (p. 97–105), *Begoniaceae* (p. 107–108), *Cactaceae* (p. 117–118), *Campanulaceae* (p. 118–119), *Combretaceae* (p. 129–138), *Convolvulaceae* (p. 166–175), *Cucurbitaceae* (p. 176–181), *Gentianaceae* (p. 213–215), *Goodeaniaceae* (p. 215), *Hydrophyllaceae* (p. 222–223), *Lecythidaceae* (p. 233–234), *Lentibulariaceae* (p. 317–319), *Malvaceae* (p. 331–342), *Melastomataceae* (p. 342–346), *Myrtaceae* (p. 368–369), *Oleaceae* (p. 375–377), *Rhizophoraceae* (p. 397), *Sapotaceae* (p. 447–450), *Sphenocleaceae* (p. 467), *Tiliaceae* (p. 475–482). – In: Brunel J. F., Hiepko P. & Scholz H. (ed.), Flore analytique du Togo. Phanérogames. – Englera **4**.

- Der 18. Internationale Kongreß der I.O.S. in Frankfurt a. M. – Kakteen Sukk. **36**: 53–54.
- Hans Krainz 1906–1980. Ein Leben für die Sukkulanten. – Pp. 3–12 in: Eggli U. (ed.), Hans Krainz, sein Leben, seine Veröffentlichungen. Tagungsbroschüre herausgegeben anlässlich des Jubiläums 60 Jahre Kakteen-Gesellschaft Zürich sowie der 55. JHV der Schweizerischen Kakteen-Gesellschaft. – Zürich: Zürcher Kakteen-Ges.
- 1986: Collections and collecting of *Cactaceae* in the Guianas. – Fl. Guianas Newslett. **3**: 20–23.
- Nomenklatorisches zu *Notocactus*. – Internoto **7**: 42–47.
- *Peniocereus striatus* (Brandeggee) F. Buxbaum. – Kakteen Sukk. **37**: 261.
- *Pereskia* (*Cactaceae*). – Mem. New York Bot. Gard. **41**.
- Uses of *Pereskia* / Usos de *Pereskia*. – IOS Bull. **4**: 171.
- 1987: A preliminary list of *Cactaceae* from the Guianas and recommendations for future collecting and preparation of specimens. – Willdenowia **16**: 497–510.
- Die Gewächshäuser. – Pp. 40–54 in: Ern H. (ed.), Botanischer Garten und Museum Berlin-Dahlem. – Braunschweig: Westermann; München: Magazinpresse.
- Evolution and distribution of *Pereskia* (*Cactaceae*). – P. 330 in: Greuter W., Zimmer B. & Behnke H. D. (ed.), Abstracts of the general lectures, symposium papers and posters presented at the XIV International Botanical Congress, Berlin, July 24 to August 1, 1987. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem.
- *Pereskia* oder *Peireskia* – eine immer noch umstrittene Frage? – Kakteen Sukk. **38**: 96–100.
- Über *Pereskia bleo* (Kunth) De Candolle und *Pereskia grandifolia* Haworth. – Kakteen Sukk. **38**: 266–269.
- Was ist *Cereus squamosus* Guerke. – Kakteen Sukk. **38**: 60–63.
- 1988: Anmerkungen und Beobachtungen zu *Pereskia sacharosa* Grisebach. – Kakteen Sukk. **39**: 106–108.
- Ein Name für “HU 226”: *Pereskia grandifolia* Haworth var. *violacea* Leuenberger. – Kakteen Sukk. **39**: 198–201.
- In memoriam: Hernando Sánchez-Mejorada. – Kakteen Sukk. **39**: 229.
- *Pereskia weberiana* K. Schumann, *Cactaceae*. – Kakteen Sukk. **39**: Karteiblatt 1988/1.
- Probleme der Taxonomie und Nomenklatur bei Nutzkakteen, insbesondere bei *Opuntia ficus-indica*, *O. streptacantha* und verwandten Taxa. – Pp. 55–72 in: Hoffmann W. (ed.), Kakteen und standortgerechte Landnutzung. Die Bedeutung pflanzlicher Ressourcen. – Veröffentlichungen aus Lehre, angewandter Forschung und Weiterbildung (Fachhochschule Wiesbaden) **6**.
- Zur Geschichte der Taxonomie von *Pereskia lychni-diflora* DC., *P. zinniiflora* DC. (*Cactaceae*) und ihrer Synonyme. – Beitr. Biol. Pflanzen **63**: 179–198.
- (Arroyo S. C. & —): A note on *Luzuriaga marginata* (*Philesiaceae*) from Patagonia. – Herbertia **44**: 17–21.
- Leaf morphology and taxonomic history of *Luzuriaga* (*Philesiaceae*). – Willdenowia **17**: 159–172.
- (Cremers G. & —): Les *Cactaceae* dans les Guyanes. – Succulentes **1988**: 2–10.
- 1989: Bemerkungen zum Typus von *Sulcorebutia steinbachii* (Werdermann) Backeberg. – Kakteen Sukk. **40**: 116–118.
- Lectotypification of *Cereus hexagonus* (L.) Miller (*Cactaceae*) and taxonomic notes on related taxa from South America. – Bot. Jahrb. Syst. **111**: 145–164.
- *Pereskia aureiflora* erstmals farbig abgebildet. Mit einem Nachtrag zur Typisierung des Namens. – Kakteen Sukk. **40**: 280–282.
- *Pereskia stenantha* Ritter, eine bemerkenswerte Art aus Bahia, Brasilien. – Kakteen Sukk. **40**: 29–31.
- 1990: Eine schnelle Methode zur Dokumentation von Blütenmerkmalen bei *Cactaceen*. – Kakteen Sukk. **41**: 241–43.
- Report on the expedition to the Atachi Bacca Mountains, French Guiana, 1989. – Fl. Guianas Newslett. **5**: 34–36.
- Review of *Denmoza*. – IOS Bull. **5**: 52.
- 1991: Interpretation and typification of *Cactus ficus-indica* Linnaeus and *Opuntia ficus-indica* (Linnaeus) Miller (*Cactaceae*). – Taxon **40**: 621–627.
- “Xerocopy-a-cactus-flower” – a quick method of documentation of flower characters in *Cactaceae*. – Cact. Succ. J. Gr. Brit. **40**: 105–106.
- 1992: Die Sukkulentensammlungen des Botanischen Gartens Berlin-Dahlem. – Kakteen Sukk. **43**: 116–132.
- Leaf-bearing cacti (*Pereskia*) in cultivation. – Cact. Succ. J. (Los Angeles) **64**: 247–263.
- Observations on *Maihueunia* (*Cactaceae*) in Argentina and Chile 1. Introduction and notes on root systems. – Cact. Succ. J. (Los Angeles) **64**: 71–79.
- Observations on *Maihueunia* (*Cactaceae*) in Argentina and Chile 2. Notes on flowers, temperature, and climate. – Cact. Succ. J. (Los Angeles) **64**: 125–130.
- Observations on the growth of seedlings of *Pereskia* (*Cactaceae*). – Cact. Succ. J. (Los Angeles) **64**: 237–241.
- (— & Arroyo-Leuenberger S. C.): Nota sobre el espécimen tipo de *Maihueunia patagonica* (Philippi) Britton & Rose (*Cactaceae*). – Parodiana **7**: 25–30.
- (Arroyo-Leuenberger S. C. & —): Notes on *Rhodophiala rhodolirion* (*Amaryllidaceae*) in Mendoza, Argentina. – Herbertia **47**: 80–87.
- 1993: Bericht über den 5. IOS-Inter-Congress in Malta 1993. – Kakteen Sukk. **44**: 155.
- Interpretation and typification of *Cactus opuntia* L., *Opuntia vulgaris* Mill., and *O. humifusa* (Rafin.) Rafin. (*Cactaceae*). – Taxon **42**: 419–429.

- The genus *Denmoza* Britton & Rose (*Cactaceae*): taxonomic history and typification. – *Haseltonia* **1**: 86–94.
- 1994: *Cactaceae* of the Guianas, what remains to be done. – *Fl. Guianas Newslett.* **10**: 9–10.
- 1995: Bericht über den 23. internationalen Kongress der IOS in Wageningen (Holland) im August 1994. – *Kakteen Sukk.* **46**: 98–99.
- 1996: *Harrisia regelii* (Weingart) Borg, eine wenig bekannte Art aus Argentinien. – *Kakteen Sukk.* **47**: 33–40.
- (— & Eggli U.): A note on a mixed type collection: *Cereus deserticola* Werderm. (*Cactaceae*) [De Herbario Berolinensi Notulae 30]. – *Willdenowia* **25**: 686–691.
- (Eggli U. & —): A quick and easy method of drying plant specimens, including succulents, for the herbarium. – *Taxon* **45**: 259–261.
- (Arroyo-Leuenberger S. C. & —): Type specimens of names in American *Amaryllidaceae* at the Berlin-Dahlem herbarium (B and B-W) [De Herbario Berolinensi Notulae 31]. – *Willdenowia* **25**: 693–702.
- [“1995”] (Eggli U., Muñoz Schick M. & —): *Cactaceae* of South America: The Ritter Collections. – *Englera* **16**.
- Biographical notes on Friedrich Ritter (1898–1989) Biographische Notizen über Friedrich Ritter (1898–1989). – Pp. 13–35 in: Eggli U., Muñoz Schick M. & —, *Cactaceae* of South America: The Ritter collections. – *Englera* **16**.
- 1997: 31. *Cactaceae*. – In: Görts-van Rijn A. R. A. (ed.), *Flora of the Guianas Ser. A*, **18**. – Königstein: Koeltz.
- (Nyffeler R., Eggli U. & —): Noteworthy idioblastic sclereids in the stems of *Eulychnia* (*Cactaceae*). – *Amer. J. Bot.* **84**: 1192–1197.
- *Maihuenia*, monograph of a Patagonian genus of *Cactaceae*. – *Bot. Jahrb. Syst.* **119**: 1–92.
- 1998 (Eggli U. & —): On colour forms of *Opuntia weberi* (*Cactaceae*) with notes on the typification of the name. – *Willdenowia* **28**: 175–180.
- (Arroyo-Leuenberger S. C. & —): Type specimens of names in *Misodendraceae* in the Berlin-Dahlem herbarium (B) [De Herbario Berolinensi Notulae 36]. – *Willdenowia* **28**: 249–252.
- 1999 (Eggli U. & —): *Eulychnia castanea* Phil. (*Cactaceae*): geographical distribution and variation. – *Gayana Bot.* **55**: 89–92.
- [“1998”] (— & Eggli U.): Notes on the genus *Blossfeldia* (*Cactaceae*) in Argentina. – *Haseltonia* **6**: 2–13.
- Typification of *Cereus nigripilis* Phil. (*Cactaceae*) from Chile. – *Gayana Bot.* **56**: 109–113.
- 2000: *Cereus bonplandii*, history of a name applied to two taxa of *Harrisia* from South America. – *IOS Bull.* **8**: 20–21.
- Confirmation of the authorship of *Cereus martinii* Labour., basionym of *Harrisia martinii* (*Cactaceae*) – *Willdenowia* **30**: 147–153.
- *Harrisia regelii* (Weingart) Borg and the discovery of its Argentinian origin. – *Haseltonia* **7**: 86–91.
- (Eggli U. & —): *Eulychnia castanea* Phil., “Not easily accessible either by land or by sea”. – *Cact. Succ. J. (Los Angeles)* **72**: 36–40.
- (— & Eggli U.): The genus *Eulychnia* (*Cactaceae*) in Chile: Notes on the taxonomy, types, and other old specimens. – *Haseltonia* **7**: 63–76.
- 2001: *Harrisia bonplandii*, case history of a controversial name in *Cactaceae* from South America. – *Bot. Jahrb. Syst.* **123**: 145–178.
- *Opuntia paraguayensis* (*Cactaceae*) reassessed. – *Willdenowia* **31**: 181–187.
- *Selenicereus extensus* (*Cactaceae*), new combination and taxonomic history [Studies on the Flora of the Guianas 93]. – *Bot. Jahrb. Syst.* **123**: 47–62.
- The type specimen of *Opuntia cardiosperma* (*Cactaceae*), new synonyms and new records from Argentina and Paraguay. – *Willdenowia* **31**: 171–179.
- *Welwitschia mirabilis* (*Welwitschiaceae*), male cone characters, and a new subspecies. – *Willdenowia* **31**: 357–381.
- 2002: *Cactaceae*. – Pp. 165–166 in: Mori S. A., Cremers G., Gracie C. A., de Granville J.-J., Heald S. V., Hoff M. & Mitchell J. D., *Guide to the vascular plants of central French Guiana 2. Dicotyledons*. – *Mem. New York Bot. Gard.* **76**(2).
- Humboldt and Bonpland’s *Cactaceae* in the herbaria at Paris and Berlin-Dahlem. – *Willdenowia* **32**: 137–153.
- The misunderstood *Cleistocactus serpens* (*Cactaceae*), and *C. longiserpens*, a new species from Peru. – *Bot. Jahrb. Syst.* **124**: 13–30.
- The South American *Opuntia* ser. *Armatae* (= *O. ser. Elatae*) (*Cactaceae*). – *Bot. Jahrb. Syst.* **123**: 413–439.
- (— & Eggli U.): *Galenia pubescens* (*Aizoaceae*), new to the South American flora. – *Bot. Jahrb. Syst.* **123**: 441–445.
- (— & Eggli U.): *Opuntia grata* Philippi und ihre nächste Verwandtschaft: *Opuntia ovata* Pfeiffer und *O. darwinii* Henslow. – *Kakteen Sukk.* **53**: 85–92.
- 2004: Edith Raadts (1914–2004). – *Willdenowia* **34**: 323–325.
- The *Cactaceae* of the Willdenow herbarium, and of Willdenow (1813) [De Herbario Berolinensi Notulae 45]. – *Willdenowia* **34**: 309–322.
- 2005 (Arroyo-Leuenberger S. C. & —): *Hieronymiella* (*Amaryllidaceae*), a little known genus from Argentina and Bolivia. – *Herbertia* **58**: 23–45.
- (Eggli U. & —): The Cárdenas type specimens of *Cactaceae* names in the herbarium of the Instituto Miguel Lillo, Tucumán, Argentina (LIL). – *Willdenowia* **35**: 179–192.
- 2006 (— & Arroyo-Leuenberger S. C.): Humboldt, Bonpland, Kunth, and the type specimen of *Rauhia multiflora* (*Amaryllidaceae*) from Peru [De Her-

- bario Berolinensi Notulae 46]. – [Willdenowia 36](#): 601–609.
- 2008: *Pereskia*, *Maihuenia* and *Blossfeldia* – taxonomic history, updates, and notes. – *Haseltonia* **14**: 54–93.
- (Eggli U. & —): Type specimens of *Cactaceae* names in the Berlin Herbarium (B) [De Herbario Berolinensi Notulae 48]. – [Willdenowia 38](#): 213–280.
- 2009 (Arroyo-Leuenberger S. C. & —): A revision of *Zephyranthes andina* (*Amaryllidaceae*) including five new synonyms. – [Willdenowia 39](#): 145–159.
- (Arroyo-Leuenberger S. C. & —): Notas en *Hieronymiella* (*Amaryllidaceae*): *H. vittata*, nuevo sinónimo de *H. speciosa*. – *Kurtziana* **35**: 5–8.