

Frontispiece

Source: Bulletin of the American Museum of Natural History, 2019(436)

Published By: American Museum of Natural History


URL: https://doi.org/10.1206/0003-0090.436.1.2

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.



- 1- Maliamia gigas
- 2-Cretalamna (Serratolamna) maroccana
- **3-**Palaeophis colossaeus
- **4-** Pycnodus jonesae
- **5-** Plesielephantiform mammal

- **6-** Lavocatodus giganteus
- **7-** Acleistochelys maliensis
- **8-** Rhabdognathus aslerensis
- **9-** *Myliobatis wurnoensis*
- **10-** Adrar des Iforas massif

FRONTISPIECE. Reconstruction of the Trans-Saharan Seaway waters (*opposite page, foldout; with key above*) from the Late Cretaceous—early Paleogene by Carl Buell. Sunlight of the tropics illuminated seawater filled with mangrove roots near shore where freshwater influence was highest. Mollusks lined the floor of the shallow sea, and tube-shaped burrows opened onto the seafloor.

