

## Index to Volume 127.

Author: Underwood, Todd J.

Source: The Auk, 127(4) : 1002-1022

Published By: American Ornithological Society

URL: <https://doi.org/10.1525/auk.2010.127.4.1002>

---

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# Index to Volume 127



*The Auk* 127(4):1002–1022, 2010  
© The American Ornithologists' Union, 2010.  
Printed in USA.

COMPILED BY TODD J. UNDERWOOD

This index is confined primarily to new information. New specific names are printed in **boldface** type.

- abnormality, 746–751, 882–898  
abundance, 94–99, 317–327, 841–849  
*Acanthidops bairdi*, 726–744  
*A. bairdii*, 726–744  
*Acanthis flammea*, 882–888  
*Accipiter cirrhocephalus*, 411–420  
*A. cooperii*, 421–429, 863–870  
*A. nisus*, 411–420  
*A. striatus*, 23–34, 411–420, 863–870  
Accipitres, 726–744  
Accipitridae, 726–744, 820–831  
Accipitriformes, 726–744  
Accipitrinae, 726–744  
*Aceros*, 850–862  
*A. undulatus*, 590–604  
Acrocephalidae, 726–744  
*Acrocephalus*, 300–307, 726–744  
*A. arundinaceus*, 274–282, 759–764  
*A. paludicola*, 300–307  
*A. schoenobaenus*, 232–234, 726–744  
*A. scirpaceus*, 773–780  
*Actitis macularius*, 671–677  
Adams, Dean C., see Berns, Chelsea M., and -  
Adams, Josh, et al., 503–513  
Addison, BriAnne, see Hipfner, J. Mark, et al.  
*Adelomyia melanogenys*, 44–56  
adrenocortical response, 540–548  
*Aegolius acadicus*, 23–34  
*A. funereus*, 917–925  
aerodynamics, 44–56  
*Aethia cristatella*, 590–604  
Africa, 678–689  
Afrotropical forest, 79–85  
*Agelaioides badius*, 222–231  
*Agelaius*, 590–604, 726–744  
*A. phoeniceus*, 35–43, 263–273, 328–334, 453–459  
*Aglaeactis castelnaudii*, 44–56  
*A. cupripennis*, 44–56  
*Aglaiocercus coelestis*, 44–56  
*A. kingi*, 44–56  
Agricultural, - habitat, 909–916; - landscape, 328–334  
*Aimophila*, 726–744  
*A. aestivalis*, 726–744  
*A. botterii*, 726–744  
*A. carpalis*, 726–744  
*A. cassinii*, 726–744  
*A. humeralis*, 726–744  
*A. mystacalis*, 726–744  
*A. notosticta*, 726–744  
*A. quinquestriata*, 726–744  
*A. rufescens*, 726–744  
*A. ruficauda*, 726–744  
*A. ruficeps*, 726–744  
*A. sumichrasti*, 726–744  
*Ajaja ajaja*, 726–744  
Alaska, 746–751, 882–898  
*Alauda arvensis*, 274–282  
Albano, Ciro, see Règo, Péricles S., et al.  
Albatross, Antipodean, 590–604; Black-browed, 590–604; Laysan,  
590–604; Wandering, 100–107; Waved, 590–604  
Albertine Rift, 678–689  
*Alca torda*, 590–604  
Alcedinidae, 820–831  
Alcidae, 195–203, 503–513, 590–604  
Aldridge, Cameron L., see Bush, Krista L., et al.  
Aleixo, Alexandre, see Claramunt, Santiago, et al.  
Alexander Archipelago, 617–625  
Alley, Maurice R., see Cunningham, Susan J., et al.  
allometry, 44–56  
Amaui, 690–695  
*Amaurornis*, 440–452  
*Amazilia decora*, 44–56  
*A. franciae*, 44–56  
*A. rutila*, 44–56  
*A. tobaci*, 626–635  
*A. txacati*, 44–56  
*A. versicolor*, 44–56  
Amazon, 850–862; Blue-fronted, 558–570; Yellow-headed, 948–951  
*Amazona*, 850–862  
*A. aestiva*, 558–570  
*A. leucocephala*, 932–939  
*A. oratrix*, 948–951  
*Ammodramus caudacutus*, 300–307, 485–494  
*A. henslowii*, 86–93, 263–273, 387–393  
*A. maritimus*, 300–307  
*A. savannarum*, 86–93, 263–273, 387–393  
*Amphispiza*, 726–744  
*A. bilineata*, 726–744, 966  
*A. quinquestriata*, 966  
Amundson, Courtney L., and Todd W. Arnold, 653–659  
anadromous fishes, 696–703  
*Anas*, 704–708  
*A. americana*, 387–393  
*A. clypeata*, 590–604  
*A. discors*, 379–386  
*A. platyrhynchos*, 72–78, 212–221, 379–386  
*A. p. domestica*, 704–708  
*A. stepera*, 379–386  
*Anastomus lamelligerus*, 590–604  
Anatidae, 162–172, 590–604, 704–708, 820–831  
Anatoidea, 590–604  
anatomy, 590–604

- Anderson, Frank E., see Krajewski, Carey, et al.
- Andigena laminirostris*, 590–604
- Androdon aequatorialis*, 44–56
- Andropadus masukuensis*, 79–85
- A. virens*, 79–85
- Anhima cornuta*, 590–604
- Anhinga*, 590–604
- A. melanogaster*, 590–604
- Anhinga, 820–831
- Anhingidae, 590–604, 726–744, 820–831
- Annumbicus annumbi*, 222–231
- Anser*, 820–831
- A. albifrons albifrons*, 162–172
- A. indicus*, 232–234
- Anseranas semipalmata*, 590–604
- Anseriformes, 590–604
- Antbird, 283–292; Bicolored, 283–292; Chestnut-tailed, 283–292; Ocellated, 283–292; Peruvian Warbling, 283–292; Spotted, 253–262; Stripe-backed, 283–292; White-plumed, 283–292
- anthelmintics, 653–659
- Anthochaera carunculata*, 151–155
- Anthracoeros malabaricus*, 590–604
- Anthracothorax mango*, 44–56
- anthropogenic effects, 581–589
- Anthropoides*, 440–452
- A. paradisea*, 440–452
- A. virgo*, 440–452
- Anthus*, 274–282
- A. campestris*, 274–282
- A. petrosus*, 274–282
- A. pratensis*, 274–282
- A. richardi*, 317–327
- A. trivialis*, 274–282
- Antilophia*, 335–342
- A. bokermanni*, 335–342
- A. galeata*, 335–342
- Antshrike, Amazonian, 283–292; Russet, 283–292
- Antwren, Checker-throated, 283–292
- Aphelocoma*, 726–744
- A. californica*, 35–43, 726–744
- A. coerulescens*, 421–429, 581–589
- A. ultramarina*, 35–43, 453–459
- Apodiformes, 820–831
- Aptenodytes forsteri*, 590–604
- Apterygidae, 308–316
- Apterygiformes, 308–316
- Apteryx*, 590–604
- A. australis*, 308–316, 590–604, 820–831
- A. haasti*, 308–316
- A. mantelli*, 308–316
- A. owenii*, 308–316, 590–604
- Apus apus*, 917–925
- Aquila chrysaetos*, 969–1001
- A. fasciata*, 173–184
- Aracari, 820–831; Black-necked, 590–604
- Aramidae, 440–452
- Aramus guarauna*, 590–604
- Araripe, Juliana, see Rêgo, Péricles S., et al.
- Aratinga holochlora*, 948–951
- Archilocus*, 787–796
- A. alexandri*, 44–56, 626–635, 787–796
- A. colubris*, 44–56, 626–635, 787–796
- Arctic, 162–172
- Ardea*, 696–703
- A. alba*, 660–670
- A. cinerea*, 590–604
- A. cocoi*, 726–744
- A. minuta*, 726–744
- A. purpurea*, 726–744
- Ardeae, 726–744
- Ardeidae, 726–744, 820–831
- Ardeotis kori*, 590–604
- area sensitivity, 364–371
- Arenaria interpres*, 72–78
- Argus, Great, 590–604
- Argusianus argus*, 590–604
- Arnold, Todd W., et al., 212–221
- Arnold, Todd W., see Amundson, Courtney L., and -
- Arnold, Todd W., see Roche, Erin A., et al.
- Arremonops conirostris*, 726–744
- arthropod, 317–327
- Ash, John, and John Atkins, Birds of Ethiopia and Eritrea: An Atlas of Distribution (rev.), 467–468
- Askins, Robert A., see Winker, Kevin, et al.
- Atamian, Michael T., and James S. Sedinger, 16–22
- Atlapetes*, 726–744
- A. albinucha*, 726–744
- A. pileatus*, 726–744
- at-sea, - activity, 100–107; - distribution, 871–881; - habitat, 503–513
- Augastes geoffroyi*, 44–56
- Auk, 820–831; Great, 590–604
- Auklet, Cassin's, 195–203, 503–513; Crested, 590–604; Rhinoceros, 195–203, 590–604
- Auriparus flaviceps*, 387–393
- Austin, Suzanne H., see Robinson, W. Douglas, et al.
- avian keratin disorder, 746–751, 882–898
- avocet, 820–831
- Aythya americana*, 72–78
- babbler, 726–744
- Badyaev, Alexander V., review by, 961–963
- Baeolophus bicolor*, 841–849
- Baird, Patricia, see Draheim, Hope M., et al.
- Baker, Sam W., see Bell, Christopher P., et al.
- Balaeniceps rex*, 590–604, 820–831
- Balaenicipitidae, 726–744, 820–831
- Balearica*, 440–452
- B. exigua*, 440–452
- B. pavonina*, 440–452
- B. regulorum*, 440–452
- B. rummeli*, 440–452
- Balearicinae, 440–452
- Banks, Richard C., see Chesser, R. Terry, et al.
- Barber, David R., see Farmer, Christopher J., et al.
- barbet, 726–744, 781–786, 820–831
- Bare-eye, Black-spotted, 283–292
- Barker, F. Keith, see Chesser, R. Terry, et al.
- barn-owl, 820–831
- Barry, Patrick D., and David A. Tallmon, 617–625
- Bartramia longicauda*, 86–93
- Bates, John M., see Voelker, Gary, et al.
- Bates, John, see Winker, Kevin, et al.
- Batis mixta*, 79–85
- Batis, Forest, 79–85
- Bayard, Trina S., and Chris S. Elphick, 485–494
- Bayesian, - hierarchical model, 379–386; - modeling, 379–386
- beak deformities, 746–751, 882–898
- bee-eater, 820–831

- Beerens, James M., see Herring, Garth, et al.  
 behavior, 156–161, 293–299, 532–539, 752–758, 787–796, 871–881  
 behavioral development, 752–758  
 Beissinger, Steven R., see Pacheco, M. Andreína, et al.  
 Bélisle, Marc, see Gagnon, François, et al.  
 Bell, Christopher P., et al., 411–420  
 Belton, Lorien R., 465  
 Belton, William Henry, 1914–2009, In Memoriam, 465  
 Benson, Thomas J., see Walk, Jeffery W., et al.  
 Berg, Elena C., see McCormack, John E., and -  
 Berns, Chelsea M., and Dean C. Adams, 626–635  
 Beyeler, Suzanne C., see Martin, Jason M., et al.  
 Bildstein Keith L., see Farmer, Christopher J., et al.  
 bile, - acids, 820–831; - salts, 820–831  
 bill morphology, 308–316  
 bioinformatics, 4–15  
 biological effects, 690–695  
 birds of paradise, 44–56  
 Birkhead, Tim R., see Durrant, Kate L., et al.  
 Birt, Tim P., see Bull, Roger D., et al.  
 Bittern, 726–744; Little, 726–744  
 Blackbird, Brewer's, 293–299; Eurasian, 532–539, 558–570, 590–604;  
 European, 421–429; Red-winged, 35–43, 263–273, 328–334;  
 Rusty, 293–299; Yellow-hooded, 726–744  
 Blackcap, 232–234, 647–652, 773–780; Eurasian, 23–34  
 blackmail hypothesis, 453–459  
 Blitzkrieg hypothesis, 411–420  
 Blondel, Jacques, see Thomas, Donald W., et al.  
 blood sampling, 704–708  
 Bluebird, Eastern, 35–43, 94–99, 263–273, 558–570, 841–849  
 Bluethroat, 317–327, 471–484  
 Bobolink, 86–93, 263–273  
 Bobwhite, Northern, 94–99, 387–393, 558–570  
 body, - condition, 523–531; - mass, 781–786; - stores, 162–172  
*Boissonneaua flavescens*, 44–56  
*B. mathewsii*, 44–56  
*Bombycilla cedrorum*, 293–299, 850–862  
*Bonasa sewerzowi*, 926–931  
 Booby, 726–744, 820–831; Masked, 590–604  
 boreal forest, 354–363, 471–484  
 Bosca, Fabrice, see Hernández-Matías, Antonio, et al.  
 Bosque, Carlos, see Pacheco, M. Andreína, et al.  
*Bostrychia*, 308–316  
*B. carunculata*, 308–316  
 bottleneck, 57–71, 832–840  
 Boubou, 678–689; Fülleborn's Black, 678–689; Lowland Sooty, 678–689;  
 Mountain Sooty, 678–689; Slate-colored, 678–689; **Willard's**  
**Sooty**, 678–689  
 Boughton, Raoul K., see Morgan, Gina M., et al.  
 Bourgault, Patrice, see Thomas, Donald W., et al.  
 bowerbird, 820–831  
 Boyce, Mark S., see Bush, Krista L., et al.  
 Bradley, Patricia E., and Robert L. Norton, An Inventory of Breeding  
 Seabirds of the Caribbean (rev.), 720–721  
 Branch, Lyn C., see Martin, Jason M., et al.  
 Brant, Black, 162–172; Dark-bellied, 162–172; Light-bellied, 162–172  
*Branta*, 820–831  
*B. bernicla bernicla*, 162–172  
*B. b. hrota*, 162–172  
*B. b. nigricans*, 162–172  
*B. canadensis*, 841–849  
*B. c. minima*, 162–172  
*B. c. moffitti*, 162–172  
*B. c. occidentalis*, 162–172  
*B. leucopsis*, 162–172, 232–234  
*B. sandvicensis*, 832–840  
 Brawn, Jeffrey D., see Robinson, W. Douglas, et al.  
 Brazil, 335–342  
 breeding, colonial -, 571–580; - grounds, 471–484; - habitats, 899–908;  
 - phenology, 421–429; - success, 173–184, 195–203; timing of -,  
 195–203, 212–221  
 Brewster Memorial Award, 2009: Joanna Burger, 243–244  
 British Columbia, 746–751  
 Broadbill, African, 79–85  
 Brolga, Australian, 440–452  
 brood parasitism, 263–273, 293–299, 453–459, 759–764; conspecific -,  
 765–772  
 Brooke, M. de L., see Bell, Christopher P., et al.  
*Brotogeris*, 948–951  
*B. tirica*, 948–951  
*B. versicolurus*, 948–951  
 Brown, Mark, et al., 151–155  
 Brown, Mark, et al., 781–786  
 Brown, Richard George Bolney, 1935–2010, In Memoriam,  
 712–713  
 Brownian-bridge analysis, 863–870  
 Brumfield, Robb T., see Claramunt, Santiago, et al.  
*Bubo scandiaca*, 820–831  
*Bucephala*, 820–831  
*B. clangula*, 379–386  
*B. islandica*, 72–78  
*Buceros*, 590–604  
*B. bicornis*, 590–604  
*B. bucinator*, 590–604  
*B. hydrocorax*, 590–604  
*B. vigil*, 590–604  
 Bucerotidae, 590–604  
*Bucorvus*, 590–604, 850–862  
*B. abyssinicus*, 590–604  
*B. leadbetteri*, 590–604  
 Budgerigar, 232–234, 283–292, 558–570, 850–862  
 Budney, Gregory F., see Snyder, Noel F. R., et al.  
 Buehler, David A., see Stodola, Kirk W., et al.  
 Buehler, Deborah M., et al., 394–401  
*Bugeranus*, 440–452  
*B. carunculatus*, 440–452  
 Bulbul, 151–155, 781–786; Yellow-vented, 850–862  
 Bull, Roger D., et al., 23–34  
 Bullfinch, 832–840; Beavan's, 832–840; Brown, 832–840; Eurasian,  
 832–840; Orange, 832–840; Red-headed, 832–840; White-cheeked,  
 832–840  
 Bunting, 726–744; Black-faced, 317–327; Indigo, 94–99, 263–273, 471–  
 484, 841–849; Lark, 364–371; Ochre-rumped, 317–327; Ortolan,  
 274–282; Painted, 94–99; Pallas's, 317–327; Reed, 317–327; Snow,  
 726–744  
*Burhinus*, 590–604  
 Burke, Dawn M., see Moore, Levi C., et al.  
 Burke, Terry, see Durrant, Kate L., et al.  
 bush warbler, 726–744  
 Bush, Krista L., et al., 343–353  
 Bush-shrike, Crimson-breasted, 678–689  
 Bustard, 820–831; Kori, 590–604  
*Buteo jamaicensis*, 590–604, 882–888  
*B. lineatus*, 387–393  
*B. platypterus*, 387–393  
*Butorides striata*, 590–604  
 Buzzard, European Honey, 863–870  
*Bycanistes brevis*, 590–604

- Calamospiza melanocorys*, 364–371  
 Calcariidae, 726–744  
*Calcarius*, 726–744  
*C. lapponicus*, 726–744  
*C. mccownii*, 726–744  
*C. ornatus*, 387–393, 726–744  
*C. pictus*, 726–744  
 calcium, 549–557  
*Calidris*, 308–316  
*C. canutus*, 232–234, 394–401  
*C. c. rufa*, 394–401  
*C. maritima*, 453–459  
*C. pusilla*, 671–677  
 California Bight, 503–513  
*Calliphlox amethystina*, 787–796  
*C. bryantae*, 44–56  
*C. mitchellii*, 44–56  
*Calocitta*, 726–744  
*C. formosa*, 726–744  
*Caloenas nicobarica*, 590–604  
*Calonectris*, 100–107  
*C. diomedea*, 100–107, 140–150, 590–604, 871–881  
*C. leucomelas*, 871–881  
*Calothorax lucifer*, 44–56  
*Calypte*, 787–796  
*C. anna*, 44–56, 787–796  
*C. costae*, 44–56, 787–796  
*Campephilus principalis*, 882–888  
 Campos, Alberto, see Rêgo, Péricles S., et al.  
*Campylopterus cirrochloris*, 44–56  
*C. hemileucurus*, 44–56  
*C. hyperythrus*, 44–56  
*C. largipennis*, 44–56  
*C. villaviscensio*, 44–56  
*Campylorhampus*, 430–439  
*C. falcularius*, 430–439  
*C. longirostris*, 430–439  
*C. procurvoides*, 430–439  
*C. pucherani*, 430–439  
*C. pusillus*, 430–439  
*C. trochilirostris*, 430–439  
*Campylorhynchus*, 372–378  
*C. brunneicapillus*, 387–393, 453–459  
*Camusia quintanai*, 440–452  
 Canada, 119–128  
 Canary, 274–282; Common, 882–888  
*Capellirallus*, 308–316  
*C. karamu*, 308–316  
 Capercaillie, 343–353, 926–931; Western, 617–625  
 Capitonidae, 726–744  
 Capitoninae, 726–744  
 Caprimulgiformes, 453–459, 726–744  
*Caprimulgus arizonae*, 726–744  
*C. vociferus*, 387–393, 726–744  
*C. v. arizonae*, 726–744  
*Caracara plancus*, 222–231  
 Caracara, 726–744, 820–831; Chimango, 222–231; Southern Crested, 222–231  
 Cardinal, 726–744; Northern, 94–99, 263–273, 421–429, 471–484, 841–849  
 Cardinalidae, 726–744  
*Cardinalis cardinalis*, 94–99, 263–273, 421–429, 471–484, 841–849  
*Carduelis chloris*, 832–840  
*Cariama cristata*, 820–831  
 Carib, Purple-throated, 626–635  
*Carina moschata*, 495–502  
 Carinatae, 590–604  
 Carlile, Nicholas, see Thalmann, Sam J., et al.  
 Carnivore, 820–831  
 Carolina Parakeet film, 948–951  
 Carpenter, Jennifer E., see Bush, Krista L., et al.  
*Carpodacus mexicanus*, 263–273, 274–282  
*Carpodectes*, 726–744  
 Carrizo, Martín, see Delhey, Kaspar, et al.  
 Carter, Harry R., see Adams, Josh, et al.  
 Cassey, Phillip, see Maurer, Golo, et al.  
 Cassowary, 820–831; Northern, 590–604; Southern, 590–604, 820–831  
 Castro, Isabel, see Cunningham, Susan J., et al.  
*Casuaris*, 590–604  
*C. casuaris*, 590–604, 820–831  
*C. unappendiculatus*, 590–604  
 Catbird, Gray, 35–43, 108–118, 263–273, 293–299, 364–371, 773–780  
*Catharacta skua*, 590–604  
*Cathartes aura*, 453–459, 969–1001  
 Cathartidae, 4–15, 726–744, 820–831  
*Catharus*, 119–128  
*C. bicknelli*, 514–522  
*C. fuscescens*, 387–393  
*C. guttatus*, 23–34, 108–118, 514–522, 636–646, 850–862  
*C. ustulatus*, 23–34, 364–371, 471–484  
*Catherpes mexicanus*, 387–393  
*Centrocercus urophasianus*, 16–22, 343–353  
*Cephalopterus*, 726–744  
*Cephus grylle*, 590–604  
 Cerasale, David J., and Christopher G. Guglielmo, 636–646  
*Ceratogymna fistulator*, 590–604  
*Cercibis oxycerca*, 308–316  
*Cerorhinca monocerata*, 195–203, 590–604  
*Certhia americana*, 23–34  
*C. pinus*, 726–744  
 Cerylidae, 820–831  
*Cettia*, 726–744  
*C. diphone*, 726–744  
 Cettiidae, 726–744  
*Chaetocercus*, 44–56  
*C. mulsant*, 44–56  
*Chaetura pelagica*, 841–849  
 Chaffinch, Common, 471–484, 832–840  
*Chalcostigma herrani*, 44–56  
*C. ruficeps*, 44–56  
*Chalybura buffonii*, 44–56  
*C. urochrysa*, 44–56  
*Chamaea*, 726–744  
*C. fasciata*, 387–393, 726–744  
 Chamaeidae, 726–744  
 Chamberlain, Dan E., see Bell, Christopher P., et al.  
 Charadriidae, 671–677, 820–831  
 Charadriiformes, 308–316, 590–604, 671–677  
*Charadrius alexandrinus*, 57–71, 402–410, 671–677  
*C. melodus*, 57–71, 402–410  
*C. m. circumcinctus*, 57–71  
*C. m. melodus*, 57–71  
*C. montanus*, 671–677  
*C. semipalmatus*, 671–677  
*Chasiempis gayi*, 726–744  
*C. ibidis*, 726–744  
*C. sandwichensis*, 726–744  
*C. sclateri*, 726–744

- Chat, Yellow-breasted, 364–371  
*Chauna torquata*, 590–604, 820–831  
 CHD-gene, 16–22  
*Chen caerulescens atlantica*, 72–78, 926–931  
*C. c. atlanticus*, 162–172  
*C. c. caerulescens*, 162–172  
*C. canagica*, 162–172  
*C. rossi*, 72–78, 653–659  
 Chen, Jiakuan, see Gan, Xiaojing, et al.  
 Chernetsov, Nikita, 232–234  
 Chernetsov, Nikita, see Kishkinev, Dmitry, et al.  
*Chersophilus duponti*, 274–282  
 Chesser, R. Terry, see Claramunt, Santiago, et al.  
 Chesser, R. Terry, et al., 726–744, 966  
 Cheylan, Gilles, see Hernández-Matías, Antonio, et al.  
 chick provisioning, 140–150  
 Chickadee, Black-capped, 23–34, 274–282, 746–751, 882–888; Boreal, 882–888; Carolina, 841–849; Chestnut-backed, 23–34, 882–888  
 chicken, 4–15, 35–43, 44–56, 343–353, 440–452, 495–502, 605–616, 704–708, 781–786  
*Chionis alba*, 590–604  
*Chlamydera*, 820–831  
*Chlidonias*, 590–604  
*C. niger*, 72–78  
*Chlorophoneus bocagei*, 678–689  
*Chlorostilbon melanorhynchus*, 44–56  
*C. mellisugus*, 44–56  
*C. notatus*, 44–56  
 Choi, Chiyeung, see Gan, Xiaojing, et al.  
 cholesterol, 820–831  
*Chondestes grammacus*, 263–273  
*Chroicocephalus philadelphia*, 72–78  
*Chrysolampis mosquitus*, 44–56  
*Chrysomus*, 726–744  
*C. icterocephalus*, 726–744  
*Chrysuronia oenone*, 44–56  
 Cicero, Carla, see Chesser, R. Terry, et al.  
 Cicero, Carla, see Winker, Kevin, et al.  
*Ciconia ciconia*, 917–925  
 Ciconiidae, 726–744  
 Ciconiidae, 726–744  
 Ciconiiformes, 308–316, 453–459, 590–604, 660–670, 726–744, 820–831  
*Cincloramphus cruralis*, 16–22  
*Cinnyris talatala*, 151–155  
*Cisticola juncidis*, 317–327  
 Cisticola, Zitting, 317–327  
*Cistothorus palustris*, 274–282  
*C. platensis*, 274–282  
*Clamator*, 759–764  
*C. glandarius*, 759–764  
*C. hyemalis*, 72–78  
 Claramunt, Santiago, et al., 430–439  
 Clark, Christopher J., 44–56  
 Clark, Christopher J., see Feo, Teresa J., and -  
 clearcut land, 354–363  
 clutch, - initiation, 421–429; - size, 212–221, 222–231, 660–670, 917–925  
*Coccyzus americana*, 387–393  
*Cochlearius cochlearius*, 726–744  
 Cockatiel, 232–234, 558–570  
*Coeligena coeligena*, 44–56  
*C. lutetiae*, 44–56  
*C. torquata*, 44–56  
*C. violifer*, 44–56  
*C. wilsoni*, 44–56  
*Colaptes*, 590–604  
*C. auratus*, 590–604, 917–925  
*Colibri coruscans*, 44–56, 232–234  
*C. delphinae*, 44–56  
*C. thalassinus*, 232–234  
*Colinus virginianus*, 94–99, 387–393, 558–570  
*Colinus striatus*, 781–786  
 collecting, 690–695  
 color, 283–292; - blindness, 460–462  
 Coltman, David W., see Bush, Krista L., et al.  
*Columba*, 590–604  
*C. livia*, 44–56, 704–708, 773–780  
*C. palumbus*, 421–429  
 Columbidae, 590–604, 787–796, 820–831  
 Columbiformes, 453–459, 590–604  
*Columbina inca*, 387–393  
 communication, 156–161, 274–282  
 community, 263–273, 626–635  
 competition, 636–646  
 complete mitochondrial genomes, 440–452  
*Compsothlypis gutturalis*, 726–744  
 condition dependence, 549–557  
 condor recovery program, 969–1001  
 Condor, Andean, 820–831, 969–1001; California, 4–15, 820–831, 969–1001  
 conservation, 328–334, 335–342, 471–484, 807–819  
 conspecific attraction, 485–494  
 conspicuous eggs, 453–459  
*Conuropsis carolinensis*, 948–951  
 Cook, Mark I., see Herring, Garth, et al.  
 Coot, American, 653–659  
*Coracias*, 820–831  
 Coraciidae, 820–831  
 Coraciiformes, 558–570, 590–604, 820–831  
*Coracopsis vasa*, 300–307  
*Coragyps atratus*, 820–831  
 Cormorant, 590–604, 696–703, 726–744, 820–831; Double-crested, 72–78, 590–604, 690–695, 696–703, 882–888; Great, 590–604  
 Cornell, Kerri L., and Therese M. Donovan, 899–908  
 Coronaves, 590–604  
 Corsica, 129–139  
 corticosterone, 540–548  
 Corvidae, 300–307, 726–744, 820–831, 882–888  
*Corvus brachyrhynchos*, 453–459, 590–604, 746–751, 841–849, 882–888  
*C. caurinus*, 746–751, 882–888  
*C. corax*, 765–772, 882–888, 969–1001  
*C. ossifragus*, 232–234, 746–751  
*Cotinga*, 726–744  
 cotinga, 726–744  
 Cotingidae, 726–744, 820–831  
*Coturnix coturnix japonica*, 558–570, 781–786  
*C. japonica*, 72–78, 704–708  
 Coues Award, 2009: Charles R. Brown and Mary Bomberger Brown, 244–245  
 Cowbird, Bay-winged, 222–231; Bronzed, 453–459; Brown-headed, 86–93, 263–273, 293–299, 328–334, 453–459, 759–764, 841–849, 889–908; Shiny, 222–231, 453–459  
 Cracidae, 590–604, 820–831  
 Crane, 440–452, 820–831; Black Crowned, 440–452; Black-necked, 440–452; Blue, 440–452; Brolga, 440–452; Demoiselle, 440–452; Eurasian, 440–452; Grey Crowned, 440–452; Hooded, 440–452; Red-crowned, 440–452; Sandhill, 440–452, 882–888; Sarus, 440–452; Siberian, 440–452; Wattled, 440–452; White-naped, 440–452; Whooping, 440–452, 969–1001

- Crataegus monogyna*, 532–539  
 Crawford, Robert L., review by, 960–961  
*Crax*, 820–831  
*C. alector*, 590–604  
*C. daubentoni*, 820–831  
*C. rubra*, 590–604  
 Creeper, Brown, 23–34  
 Cristol, Daniel A., see Hallinger, Kelly K., et al.  
 Crossbill, Red, 726–744, 832–840; South Hills, 726–744; White-winged, 882–888  
 Crow, 726–744; American, 590–604, 746–751, 841–849, 882–888; Fish, 232–234, 746–751; Northwestern, 746–751, 820–831  
*Crypturellus soui*, 453–459  
 Cuckoo, 759–764; Common, 293–299, 759–764; Great Spotted, 759–764; Guira, 222–231; Yellow-billed, 387–393  
*Cuculus*, 759–764  
*C. canorus*, 293–299, 759–764  
*C. solitarius*, 453–459  
 Cunningham, Malcolm, see Cunningham, Susan J., et al.  
 Cunningham, Susan J., et al., 308–316  
 Curassow, 820–831; Alagoas, 590–604; Black, 590–604; Great, 590–604; Yellow-knobbed, 820–831  
 curlew, 671–677  
 Curnutt, John, review by, 241–242  
 Cushing, J. M., see Henson, Shandelle M., et al.  
 Cuthbert, Francesca J., see Roche, Erin A., et al.  
*Cyanistes caeruleus*, 129–139, 882–888, 917–925  
*Cyanochem*, 820–831  
*Cyanocitta*, 726–744  
*C. cristata*, 293–299, 841–849  
*C. stelleri*, 23–34, 35–43, 882–888  
*Cyanocorax*, 726–744  
*C. morio*, 726–744  
*C. yucatanicus*, 453–459  
*Cyanoliseus patagonus*, 222–231  
*Cyanolyca*, 726–744, 966  
*C. argentigula*, 726–744, 966  
*C. cucullata*, 726–744, 966  
*C. mirabilis*, 726–744, 966  
*C. nana*, 726–744, 966  
*C. pumilo*, 726–744, 966  
*Cyanthus latirostris*, 453–459  
*Cygnus*, 820–831  
*C. buccinator*, 590–604  
*C. olor*, 590–604  
*Cynanthus sordidus*, 44–56  
*Cyphorhinus phaeocephalus*, 372–378, 726–744  
  
 Dalton, Christopher M., see Jones, Andrew W., et al.  
*Damophilia julie*, 44–56  
*Daption capense*, 590–604  
 Darter, 590–604, 726–744, 820–831; Indian, 590–604  
 Darwin's finches, 4–15  
 Dawson, Deborah A., see Durrant, Kate L., et al.  
 de la Hera, Iván, et al., 647–652  
 Dearborn, Donald C., see Hanley, Daniel, et al.  
 del Hoyo, Josep, et al., Handbook of the Birds of the World, vol. 14: Bush-shrikes to Old World Sparrows (rev.), 714–717  
 Delaware Bay, 394–401  
 Delhey, Kaspar, et al., 222–231  
*Delichon urbica*, 44–56  
 den Boer-Visser, Ardie M., see den Hartog, Paula M., et al.  
 den Hartog, Paula M., et al., 605–616  
  
*Dendragapus obscurus*, 617–625  
*Dendrexetastes*, 430–439  
*D. rufigula*, 430–439  
*Dendrocincla*, 430–439  
*D. fuliginosa*, 430–439  
*Dendrocolaptes*, 430–439  
*D. sanctithomae*, 430–439  
 Dendrocolaptinae, 430–439  
*Dendrocopos minor*, 402–410  
*Dendrocoryna*, 820–831  
*Dendroica caerulescens*, 23–34, 471–484, 841–849, 889–908  
*D. cerulea*, 23–34, 387–393, 471–484  
*D. chrysoparia*, 797–806  
*D. coronata*, 108–118, 354–363, 471–484, 882–888, 932–939  
*D. c. auduboni*, 932–939  
*D. c. coronata*, 354–363, 932–939  
*D. c. nigrifrons*, 932–939  
*D. discolor*, 387–393  
*D. dominica*, 932–939  
*D. d. albilora*, 932–939  
*D. d. dominica*, 932–939  
*D. d. flavescens*, 932–939  
*D. d. stoddardi*, 932–939  
*D. flavescens*, 932–939  
*D. kirtlandii*, 932–939  
*D. magnolia*, 636–646  
*D. pensylvanica*, 387–393  
*D. petechia*, 23–34, 263–273, 387–393, 453–459, 636–646  
*D. pinus*, 726–744, 841–849  
*D. pityophila*, 932–939  
*D. striata*, 354–363, 471–484  
*D. townsendi*, 387–393  
*D. virens*, 387–393, 841–849, 889–908  
 Derrickson, Scott R., see Walters, Jeffrey R., et al.  
 Derryberry, Elizabeth P., see Claramunt, Santiago, et al.  
 detectability, 119–128  
 detection probability, 94–99, 841–849  
 development, 253–262  
 developmental, - constraints, 752–758; - stress, 156–161  
 Devries, James H., see Arnold, Todd W., et al.  
 DeWolfe, Barbara Blanchard, 1912–2008, In Memoriam, 235–237  
 Dickcissel, 86–93, 263–273, 328–334, 364–371  
*Didunculus strigirostris*, 590–604  
 diet, 72–78, 108–118, 549–557, 850–862  
*Diglossa baritula*, 151–155  
 dimorphism, 44–56; sexual -, 626–635  
 Dinsmore, Stephen J., see Skrade, Paul D. B., and -  
*Diomedea antipodensis*, 590–604  
*D. exulans*, 100–107  
*D. melanophris*, 590–604  
*Discosura conversii*, 44–56  
*D. letitiae*, 44–56  
*D. popelairii*, 44–56  
 dispersal, 364–371, 372–378, 671–677; delayed -, 372–378; natal -, 173–184  
 display, 787–796  
 divergence times, 440–452  
 divergent selection, 35–43  
 diving, 523–531  
 Diving-Petrel, Common, 590–604  
 DNA, ancient -, 4–15; microsatellite -, 23–34, 57–71, 485–494, 617–625, 797–806, 807–819, 832–840; mitochondrial -, 23–34, 57–71, 335–342, 440–452, 605–616, 617–625, 797–806, 807–819, 932–939; - sequencing, 4–15, 335–342, 430–439, 440–452

- Dodo, 690–695  
*Dolichonyx oryzivorus*, 86–93, 263–273  
 Dominican Republic, 514–522  
 Donacobiidae, 726–744  
*Donacobius*, 726–744  
*D. atricapilla*, 726–744  
 Donovan, Therese M., see Cornell, Kerri L., and -  
*Doryfera johanna*, 44–56  
*D. ludovicae*, 44–56  
 double-clock hypothesis, 773–780  
 double-observer method, 841–849  
 Doucet, Stéphanie M., see Hanley, Daniel, et al.  
 Dove, 253–262, 453–459, 605–616, 787–796, 820–831; Inca, 387–393; Mourning, 453–459, 841–849; Ring, 571–580; Ring-necked, 605–616; Vinaceous, 605–616  
 Downs, Colleen T., see Brown, Mark, et al.  
 Downs, Colleen T., see Brown, Mark, et al.  
 Draheim, Hope M., et al., 807–819  
 Drent, Rudolf H., see Eichhorn, Götz, et al.  
 Drent, Rudolf Herman, 1937–2008, In Memoriam, 463–464  
*Dromaius novaehollandiae*, 590–604, 820–831  
 drongo, 781–786  
*Drymornis*, 430–439  
*D. bridgesii*, 430–439  
*Drymotoxeres*, 430–439  
***D. pucherani***, 430–439  
*Dryocopus pileatus*, 387–393, 590–604  
 Duck, 72–78, 119–128, 212–221, 590–604, 704–708, 820–831; Comb, 590–604; Long-tailed, 72–78; Muscovy, 495–502; Pink-eared, 590–604  
 Duckworth, Renée A., 752–758  
*Ducula*, 820–831  
*Dumetella carolinensis*, 35–43, 108–118, 263–273, 293–299, 364–371, 773–780  
 Dunn, Jon L., see Chesser, R. Terry, et al.  
 Durrant, Kate L., et al., 832–840
- Eagle, 726–744, 820–831; Bald, 696–703, 882–888, 969–1001; Bonelli's, 173–184; Golden, 969–1001; Stellar's Sea, 969–1001; White-tailed, 549–557, 969–1001  
 east-west position, 773–780  
 Eaton, Muir, see Seddon, Nathalie, et al.  
 ecological trap, 909–916  
*Ectopistes migratorius*, 690–695  
 egg, - albumin, 765–772; - appearance, 293–299, 759–764; - color, 35–43; - coloration, 453–459; - dimensions, 940–947; - discrimination, 759–764; - equations, 940–947; - laying, 129–139, 195–203, 571–580; - polymorphism, 35–43; - recognition, 293–299; - rejection threshold, 759–764; - variation, 759–764; - volume, 222–231; - yolk, 72–78  
 eggshells, 940–947  
 Egret, 696–703, 820–831; Great, 660–670; Little, 590–604  
*Egretta*, 696–703  
*E. garzetta*, 590–604  
 Eichhorn, Götz, et al., 162–172  
 Eider, Common, 590–604, 653–659, 765–772; King, 72–78, 590–604; Spectacled, 72–78  
*Elaenia albiceps*, 726–744  
*E. flavogaster*, 726–744  
*E. f. albiceps*, 726–744  
*E. f. chilensis*, 726–744  
*E. f. modesta*, 726–744  
 Elaenia, White-crested, 726–744  
 Elepaio, Hawaii, 726–744; Kauai, 726–744; Oahu, 726–744  
 elevation gradient, 35–43  
 Elliott, Ken A., see Moore, Levi C., et al.  
 Elphick, Chris S., see Bayard, Trina S., and -  
 Elphick, Chris S., see Hill, Christopher E., et al.  
*Elvira chionura*, 44–56  
*E. cupriceps*, 44–56  
*Emberiza*, 726–744  
*E. hortulana*, 274–282  
*E. pallasi*, 317–327  
*E. schoeniclus*, 317–327  
*E. spodocephala*, 317–327  
*E. yessoensis*, 317–327  
 Emberizidae, 726–744  
 emerging disease, 882–898  
*Empidonax traillii*, 514–522  
*E. t. extimus*, 471–484  
*E. virescens*, 421–429, 471–484, 841–849  
*Empidonomus aurantioatrocristatus*, 726–744  
 Emu, 590–604, 820–831  
 endangered species, 402–410, 807–819, 969–1001  
 endemism, 617–625  
 energetics, 558–570  
 energy, - costs, 232–234; - demands, 781–786; - intake, 581–589; - metabolism, 253–262  
*Ensifera ensifera*, 44–56, 626–635  
 environmental, - cues, 129–139; - response, 35–43  
 enzymes, 820–831  
*Eobaelearica*, 440–452  
*E. turgarinovi*, 440–452  
*Eos bornea*, 781–786  
*Epinecrophylla fulviventris*, 283–292  
*Eriocnemis alinae*, 44–56  
*E. luciani*, 44–56  
*E. mosquera*, 44–56  
*E. vestita*, 44–56  
 Escalante, Patricia, see Winker, Kevin, et al.  
 Espinosa de los Monteros, Alejandro, review by, 240–241  
 Estrildidae, 726–744  
 Estrildinae, 726–744  
 ethics, 690–695  
*Eudocimus*, 308–316  
*E. albus*, 308–316, 660–670  
*E. ruber*, 308–316  
*Eudromia elegans*, 453–459, 820–831  
*Eudryptes chrysolophus*, 590–604  
*Eudryptula minor*, 590–604  
*Eugenes fulgens*, 44–56, 151–155  
*Eulampis holosericeus*, 44–56  
*E. jugularis*, 44–56, 626–635  
*Euphagus carolinus*, 293–299  
*E. cyanocephalus*, 293–299  
*Eupherusa eximia*, 44–56  
*E. nigriventris*, 44–56  
 Eurylaimidae, 820–831  
*Eurypyga helias*, 590–604  
 Eurypygidae, 726–744  
 Eurypygiformes, 726–744  
*Eutoxeres aquila*, 44–56  
*E. condamini*, 44–56  
 evolution, 23–34, 44–56, 590–604, 752–758; molecular -, 820–831  
 experience, 532–539
- Fairy-wren, Superb, 300–307  
*Falcipectnis canadensis*, 617–625

- F. c. canadensis*, 617–625  
*F. c. franklinii*, 617–625  
*F. c. isleibi*, 617–625  
*Falco columbarius*, 402–410, 411–420  
*F. mexicanus*, 72–78, 726–744  
*F. peregrinus*, 23–34, 72–78, 882–888  
*F. rusticolus*, 72–78, 590–604  
*F. sparverius*, 16–22, 820–831, 882–888  
Falcon, 726–744, 820–831; Peregrine, 23–34, 72–78, 882–888; Prairie, 72–78  
Falconidae, 726–744, 820–831  
Falconiformes, 590–604, 726–744, 820–831  
family living, 372–378  
Farmer, Christopher J., et al., 863–870  
Farquhar, C. Craig, see Zink, Robert M., et al.  
fat, - metabolism, 108–118; - storage, 394–401  
feathers, 647–652  
fecundity, 204–211; female -, 185–194  
Federer, Rebekka N., see Oppel, Steffen, et al.  
female, - age, 212–221; - body condition, 917–925; - condition, 16–22, 35–43, 212–221  
fenbendazole, 653–659  
Feo, Teresa J., and Christopher J. Clark, 787–796  
*Ficedula albicollis*, 495–502  
*F. hypoleuca*, 35–43, 917–925  
Fieldfare, 532–539  
Finch, 726–744; House, 263–273, 274–282; Zebra, 4–15, 156–161, 283–292, 495–502, 549–557, 832–840, 850–862  
Firewood-gatherer, 222–231  
fishery interactions, 140–150  
flamingo, 590–604, 820–831  
fledging success, 917–925  
fledgling, - success, 653–659; - survival, 185–194  
Fleischer, Robert C., see Lerner, Heather R. L., and -  
flexibility, 752–758  
Flicker, Northern, 590–604, 917–925  
flight calls, 119–128, 232–234  
Florida Everglades, 660–670  
*Florisuga mellivora*, 44–56, 626–635  
Flowerpiercer, Cinnamon-bellied, 151–155  
Flycatcher, Acadian, 421–429, 471–484, 841–849; African Paradise, 79–85; Brown-crested, 283–292; Collared, 495–502; Crowned Slaty, 726–744; Pied, 35–43, 917–925; Sandwich, 726–744; Scissor-tailed, 263–273; Social, 222–231; Southwestern Willow, 471–484; White-tailed Crested, 79–85; Willow, 514–522  
food, - availability, 195–203, 204–211, 581–589, 696–703; - consumption, 140–150; - resources, 317–327  
foraging, 100–107, 503–513, 532–539, 581–589, 871–881; - behavior, 140–150, 523–531  
forest, - fragmentation, 185–194; - management, 185–194  
*Forpus passerinus*, 558–570  
Forshaw, Joseph M., Trogons: A Natural History of the Trogonidae (rev.), 240–241  
Franzreb, Kathleen E., see Stodola, Kirk W., et al.  
*Fratercula*, 590–604  
*F. arctica*, 590–604  
*F. cirrhata*, 590–604  
*F. corniculata*, 590–604  
*Fregata*, 590–604  
*F. ariel*, 726–744  
*F. minor*, 590–604, 871–881  
Fregatae, 726–744  
Fregatidae, 590–604, 726–744, 820–831  
Friesen, Vicki L., see Bull, Roger D., et al.  
Frigatebird, 726–744, 820–831; Great, 590–604, 871–881  
*Fringilla aestivalis*, 726–744  
*F. coelebs*, 471–484, 832–840  
frugivory, 108–118, 532–539; seasonal -, 850–862  
fruit dove, 820–831  
fruit, 850–862  
fruit-size preferences, 532–539  
Fry, D. Michael, see Walters, Jeffrey R., et al.  
fuel load, 232–234  
*Fulica americana*, 653–659  
Fulmar, Northern, 590–604  
*Fulmarus glacialis*, 590–604  
Furnariidae, 222–231, 430–439  
Furnariinae, 430–439  
*Furnarius*, 430–439  
*F. rufus*, 430–439  
Gadwall, 379–386  
Gagnon, François, et al., 119–128  
*Galbula*, 940–947  
Galliformes, 590–604, 820–831, 926–931  
*Gallinula*, 590–604  
*G. chloropus*, 590–604  
Galloanserae, 590–604  
*Gallus*, 590–604  
*G. gallus*, 4–15, 35–43, 44–56, 343–353, 781–786  
*G. g. domesticus*, 440–452, 605–616, 704–708  
Galusha, Joseph G., see Henson, Shandelle M., et al.  
Gan, Xiaojing, et al., 317–327  
Gannet, 72–78, 590–604, 726–744, 820–831; Northern, 590–604  
Gaston, Anthony J., see Bull, Roger D., et al.  
*Gavia*, 590–604  
*G. immer*, 156–161, 453–459, 590–604  
*G. pacifica*, 882–888  
Gaviiformes, 590–604  
Gawlik, Dale E., see Herring, Garth, et al.  
gene expression, 4–15; - flow, 23–34  
genetic, - diversity, 343–353, 832–840; - reduction, 832–840; - sexing, 16–22; - structure, 57–71  
genetics, 605–616; conservation -, 797–806; population -, 617–625, 807–819  
genomes, 4–15  
geolocators, 100–107  
*Geothlypis trichas*, 94–99, 263–273, 471–484  
*Geranopsis*, 440–452  
*G. hastingsiae*, 440–452  
*Geronticus*, 308–316  
*G. eremita*, 308–316  
Gerstmar, Heather, see Wiebe, Karen L., and -  
Gill, Sharon A., and Bridget J. M. Stutchbury, 372–378  
Giudici, Alessandro, see Passos, Carlos, et al.  
Gjerdrum, Carina, see Hill, Christopher E., et al.  
glacial refugia, 23–34  
*Glareola maldivarum*, 726–744  
*G. pratincola*, 726–744  
*Glaucis aeneus*, 44–56  
*G. hirsutus*, 44–56  
global location sensors, 871–881  
Gloutney, Mark L., see Lusignan, Alain P., et al.  
Gnatcatcher, 726–744; Blue-gray, 263–273, 387–393, 841–849  
gnatwren, 726–744  
Gnoske, Thomas P., see Voelker, Gary, et al.  
godwit, 671–677  
Goldeneye, Barrow's, 72–78; Common, 379–386

- Gonzalez Rojas, Jose I., see Zink, Robert M., et al.  
 González-Solís, Jacob, see Passos, Carlos, et al.  
 Goodwin, Derek, 1920–2008, In Memoriam, 955  
 Goose, 119–128, 162–172, 820–831; Barnacle, 162–172, 232–234; Bar-headed, 232–234; Canada, 841–849; Cackling Canada, 162–172; Dusky Canada, 162–172; Emperor, 162–172; Greater Snow, 72–78, 162–172, 926–931; Greater White-fronted, 162–172; Hawaiian, 832–840; Lesser Snow, 162–172; Magpie, 590–604, 820–831; Ross's, 72–78, 653–659; Western Canada, 162–172  
*Goura cristata*, 820–831  
 Grackle, Boat-tailed, 759–764; Common, 263–273, 293–299, 759–764, 841–849; Great-tailed, 263–273, 293–299, 759–764; Tristram's, 850–862  
 Grassbird, 726–744; Marsh, 317–327  
 grassland, 328–334; - breeding birds, 86–93  
 Gratto-Trevor, Cheri L., see Miller, Mark P., et al.  
 Grebe, Great Crested, 590–604  
 Greenbul, Cabanis's, 79–85; Little, 79–85; Shelley's, 79–85  
 Greenfinch, European, 832–840  
 Griffith, Emily H., et al., 387–393  
 Grosbeak, Blue, 263–273; Pine, 23–34, 832–840, 882–888; Rose-breasted, 185–194  
 Grouse, 617–625, 820–831; Black, 343–353, 617–625; Chinese, 926–931; Dusky, 617–625; Red, 343–353, 653–659; Spruce, 617–625  
 growth, 253–262; - efficiency, 558–570; - rates, 140–150  
 Grouidae, 440–452, 820–831  
 Gruiformes, 440–452, 726–744, 820–831  
 Gruinae, 440–452  
*Grus*, 440–452  
*G. afghana*, 440–452  
*G. americana*, 440–452, 969–1001  
*G. antigone*, 440–452  
*G. bohatshevi*, 440–452  
*G. canadensis*, 440–452, 882–888  
*G. conferta*, 440–452  
*G. cubensis*, 440–452  
*G. grus*, 440–452  
*G. japonensis*, 440–452  
*G. latipes*, 440–452  
*G. leucogeranus*, 440–452  
*G. melitensis*, 440–452  
*G. miocenicus*, 440–452  
*G. monachus*, 440–452  
*G. nannodes*, 440–452  
*G. nigricollis*, 440–452  
*G. primigenia*, 440–452  
*G. rubicunda*, 440–452  
*G. vipio*, 440–452  
 Guan, Horned, 590–604  
 Guglielmo, Christopher G., see Cerasale, David J., and -  
 Guillemot, 940–947; Black, 590–604  
 guineafowl, 820–831  
*Guira guira*, 222–231  
 Guitián, José, see Sobral, Mar, et al.  
 Gull, 72–78, 119–128, 283–292, 671–677, 820–831; Bonaparte's, 72–78; California, 72–78; Glaucous-winged, 571–580; Glaucous-winged × Herring, 882–888; Greater Black-backed, 765–772; Herring, 72–78, 590–604, 765–772; Laughing, 232–234; Mew, 72–78, 917–925; Ring-billed, 72–78, 590–604; Sabine's, 590–604  
*Gygis alba*, 453–459  
*Gymnogyps californianus*, 4–15, 820–831, 969–1001  
*Gymnophis leucaspis*, 283–292  
*Gymnorhina tibicen*, 421–429  
*Gymnorhinus*, 726–744  
*Gyps coprotheres*, 969–1001  
*G. fulvus*, 969–1001  
 Gyrfalcon, 590–604, 72–78  
 habitat, - quality, 636–646, 909–916; - selection, 354–363, 485–494; - structure, 317–327; - use, 308–316  
 Hackett, Shannon J., see Voelker, Gary, et al.  
*Haematopus*, 590–604  
*H. ostralegus*, 653–659  
 Hagey, Lee R., et al., 820–831  
 Haida Gwaii, 23–34  
 Haig, Susan M., see Draheim, Hope M., et al.  
 Haig, Susan M., see Miller, Mark P., et al.  
 Haig, Susan M., see Walters, Jeffrey R., et al.  
 Halcyonidae, 820–831  
*Haliaeetus albicilla*, 549–557, 969–1001  
*H. leucocephalus*, 696–703, 882–888, 969–1001  
*H. pelagicus*, 969–1001  
 Hallinger, Kelly K., et al., 156–161  
*Halobaena caerulea*, 590–604  
 Hamerkop, 820–831  
*Handbook der Oologie*, 940–947  
 Handel, Colleen M., et al., 882–898  
 Handel, Colleen M., see Van Hemert, Caroline, and -  
 Hanley, Daniel, et al., 453–459  
*Haplophaedia aureliae*, 44–56  
*H. lugens*, 44–56  
 Hau, Michaela, see Robinson, W. Douglas, et al.  
 Hawaiian honeycreeper, 690–695  
 hawfinch, 590–604  
 Hawk, 726–744, 820–831; Broad-winged, 387–393; Cooper's, 421–429, 863–870; Red-shouldered, 387–393; Red-tailed, 590–604, 882–888; Sharp-shinned, 23–34, 411–420, 863–870  
 Hayes, William K., see McKay, Bailey D., et al.  
 Hayward, James L., see Henson, Shandelle M., et al.  
 Haywood, Sacha, *The Laws of Evolution and Derived Lawlike Principles* (rev.), 961–963  
 heavy metal, 156–161  
*Heliactin bilophus*, 44–56  
*Heliangelus amethysticollis*, 44–56  
*H. exortis*, 44–56  
*H. zusii*, 44–56  
*Heliodoxa aurescens*, 44–56  
*H. branickii*, 44–56  
*H. imperatrix*, 44–56  
*H. jacula*, 44–56  
*H. leadbeateri*, 44–56  
*H. rubinoides*, 44–56  
*H. schreibersii*, 44–56  
*H. xanthogonys*, 44–56  
*Heliomaster longirostris*, 44–56  
 Heliornithidae, 440–452  
*Heliophryx*, 44–56  
*H. barroti*, 44–56  
 helminths, 653–659  
*Helmitheros vermivorum*, 364–371, 387–393, 471–484  
 Henson, Shandelle M., et al., 571–580  
 herbivore, 820–831  
 Herbst corpuscles, 308–316  
 Hermit, Pale-bellied, 44–56  
 Hernández-Matías, Antonio, et al., 173–184  
 Heron, 696–703, 726–744, 820–831; Gray, 590–604; Purple, 726–744; Striated, 590–604  
 Herring, Garth, et al., 660–670

- Hesperornis*, 590–604  
 hesperornithiforms, 590–604  
*Heteralocha acutirostris*, 626–635  
 hierarchical models, 387–393  
 Hieronymus, Tobin I., and Lawrence M. Witmer, 590–604  
 Hill, Christopher E., et al., 300–307  
 Hindell, Mark, see Thalmann, Sam J., et al.  
 Hipfner, J. Mark, et al., 195–203  
 Hirundinidae, 44–56  
*Hirundo pratincola*, 726–744  
*H. rustica*, 44–56, 232–234, 841–849  
 Hoatzin, 558–570  
 Hochachka, Wesley M., review by, 468  
 Hofmann, Alan F., see Hagey, Lee R., et al.  
 Holberton, Rebecca L., see Horton, Brent M., and -  
 Hollmén, Tuula E., see Oppel, Steffen, et al.  
 homology, 590–604  
 homoplasy, 590–604  
 Honeyeater, 151–155; New Holland, 151–155  
 hoopoe, 820–831  
 hormones, 253–262  
 Hornbill, 820–831, 850–862; Eastern Yellow-billed, 590–604; Great,  
 590–604; Helmeted, 590–604; Indian Pied, 590–604; Northern  
 Ground, 590–604; Piping, 590–604; Red-billed, 590–604; Rufous,  
 590–604; Silvery-cheeked, 590–604; Southern Ground, 590–604;  
 Trumpeter, 590–604; Visayan Tarctic, 590–604; Wreathed,  
 590–604  
 Horton, Brent M., and Rebecca L. Holberton, 540–548  
 host use, 263–273  
 Hough, Gerald E., see Winker, Kevin, et al.  
 Howerter, David W., see Arnold, Todd W., et al.  
 Huia, 626–635  
 human vision, 283–292  
 Hummingbird, 44–56, 151–155, 253–262, 626–635, 704–708, 787–796,  
 820–831; Anna's, 44–56, 787–796; Black-chinned, 626–635, 787–  
 796; Broad-tailed, 787–796; Copper-rumped, 626–635; Costa's,  
 787–796; Dusky, 44–56; Giant, 44–56; Lucifer, 44–56; Magnificent,  
 151–155; Ruby-throated, 626–635, 787–796; Sparkling-tailed,  
 44–56; Sward-billed, 626–635; Vervain, 44–56  
 hybrid zone, 605–616  
 Hydrobatidae, 820–831  
 hydrology, 660–670  
*Hydroprogne caspia*, 72–78  
*Hylexastates*, 430–439  
*H. perrotii*, 430–439  
*Hylocharis cyanus*, 44–56  
*H. eliciae*, 44–56  
*H. greyi*, 44–56  
*H. sapphirina*, 44–56  
*Hylocichla mustelina*, 185–194, 364–371, 471–484, 514–522, 850–862,  
 889–908  
*Hylophylax naevioides*, 253–262  
*Hypocnemis peruviana*, 283–292  
 Ibarzabal, Jacques, see Gagnon, François, et al.  
 Ibis, 308–316, 453–459, 590–604, 726–744, 820–831; Australian White,  
 308–316; Bare-faced, 308–316; Black-faced, 308–316; Buff-necked,  
 308–316; Glossy, 308–316; Green, 308–316; Madagascar Crested,  
 308–316; Northern Bald, 308–316; Scarlet, 308–316; Sharp-tailed,  
 308–316; Wattled, 308–316; White, 308–316, 660–670; White-  
 faced, 308–316, 590–604  
*Icteria virens*, 364–371  
 icterine, 293–299  
*Icterus bullockii*, 293–299, 471–484  
*I. dominicensis*, 726–744, 932–939  
*I. d. portoricensis*, 726–744  
*I. melanopsis*, 726–744  
*I. northropi*, 726–744  
*I. portoricensis*, 726–744  
*I. spurius*, 263–273  
*I. virescens*, 726–744  
*Ichthyornis*, 590–604  
 immune, - function, 394–401; - system, 253–262  
 inbreeding, 832–840  
 incubation, 162–172; - stage, 79–85  
 individual, - quality, 421–429; - recognition, 274–282  
 Iñigo-Elias, Eduardo E., see Snyder, Noel F. R., et al.  
 introgression, 605–616  
 isolation by distance, 797–806, 807–819  
*Ithaginis cruentus*, 926–931  
*Ixobrychus exilis*, 726–744  
*I. minutus*, 726–744  
*I. m. dubius*, 726–744  
*I. m. novaezelandiae*, 726–744  
*Ixoreus naevius*, 23–34, 387–393, 882–888  
 jacana, 820–831  
 Jackson, Jerome A., 955  
 jacamar, 940–947  
 Jacobin, White-necked, 626–635  
 Jaeger, Parasitic, 72–78  
 Jakić, Fabian M., see Marks, Jeffrey S., and -  
 Jay, 726–744, Blue, 293–299, 841–849; Mexican, 35–43; Steller's, 23–34,  
 35–43, 882–888  
 Jenkinson AOU Service Award, 2009: M. Ross Lein, 248–249  
 Jensen, William E., see Rivers, James W., et al.  
 jetlag mechanism, 773–780  
 Jia, Chen-Xi, et al., 926–931  
 Johnson Young Investigator Award, 2009: Renée Duckworth, 245–246  
 Johnson, Devin S., see Schmidt, Joshua H., et al.  
 Johnson, Steven D., see Brown, Mark, et al.  
 Johnston, David W., review by, 239  
 Jones, Andrew W., see Zink, Robert M., et al.  
 Jones, Andrew W., et al., 696–703  
 Jones, Ian L., see Lusignan, Alain P., et al.  
 Jonsson, Lars, Lars Jonsson's Birds: Paintings from a Near Horizon (rev.),  
 721–724  
 Junco, Dark-eyed, 108–118, 253–262, 471–484, 882–888  
*Junco hyemalis*, 108–118, 253–262, 471–484, 882–888  
 Jungle Fowl, Red, 4–15  
 Kagu, 726–744, 820–831  
 Kahindo, Charles, see Voelker, Gary, et al.  
 Katsumata, Nobuhiro, see Yamamoto, Takashi, et al.  
 Kazmer, Katherine A., see Hallinger, Kelly K., et al.  
 Keast, James Allen, 1922–2009, In Memoriam, 952–954  
 Kershner, Eric L., see Walk, Jeffery W., et al.  
 Kestrel, American, 16–22, 820–831, 882–888  
 Kim, Daniel H., see Stodola, Kirk W., et al.  
 Kingbird, Eastern, 263–273, 293–299, 421–429, 471–484  
 kingfisher, 820–831  
 Kinglet, Ruby-crowned, 882–888  
 Kishkinev, Dmitry, et al., 773–780  
 kite, 726–744  
 Kittiwake, Black-legged, 523–531, 882–888  
 Kiwi, 308–316; Brown, 590–604; Great Spotted, 308–316; Little Spotted,  
 308–316, 590–604; North Island Brown, 308–316; Southern Brown,  
 820–831

- Klais guimeti*, 44–56  
 Klasing, Kirk C., see Robinson, W. Douglas, et al.  
 Knot, Red, 232–234, 394–401  
 Koa-finch, Lesser, 690–695  
 Kosciuch, Karl L., see Rivers, James W., et al.  
 Krajewski, Carey, et al., 440–452  
 Krasowski, Matthew D., see Hagey, Lee R., et al.  
 Kratter, Andrew W., see Chesser, R. Terry, et al.  
 Krech, Shepard, III, *Spirits of the Air: Birds and American Indians in the South* (rev.), 239  
  
*Lafresnaya lafresnaya*, 44–56  
*Lagopus lagopus scoticus*, 343–353, 653–659  
*L. leucura*, 917–925  
*L. muta*, 343–353  
 Lammertink, Martjan, review by, 466  
*Lampornis calolaemus*, 44–56  
*L. castaneiventris*, 44–56  
*L. hemileucus*, 44–56  
 landbird, 514–522  
 landscape fragmentation, 899–908  
 Langlois, Lillie A., and Scott R. McWilliams, 850–862  
*Laniarius*, 678–689  
*L. aethiopicus erlangeri*, 678–689  
*L. ambiguus*, 678–689  
*L. atrococcineus*, 678–689  
*L. atroflavus*, 678–689  
*L. barbarus*, 678–689  
*L. bicolor*, 678–689  
*L. erythrogaster*, 678–689  
*L. ferrugineus*, 678–689  
*L. fuelleborni fuelleborni*, 678–689  
*L. f. ulugurensis*, 678–689  
*L. f. usambaricus*, 678–689  
*L. funebris*, 678–689  
*L. leucorhynchus*, 678–689  
*L. liberatus*, 678–689  
*L. luehderi*, 678–689  
*L. major*, 678–689  
*L. mufumbiri*, 678–689  
*L. poensis*, 678–689  
*L. p. camerunensis*, 678–689  
*L. p. holomelas*, 678–689  
*L. p. poensis*, 678–689  
*L. ruficeps*, 678–689  
*L. turati*, 678–689  
*L. willardi*, 678–689  
*Lanius excubitor*, 590–604  
*L. schach*, 317–327  
 Laridae, 283–292  
 Lark, Dupont's, 274–282; Flappet, 787–796; Sky, 274–282  
 Larrinaga, Asier R., see Sobral, Mar, et al.  
*Larus*, 590–604  
*L. argentatus*, 590–604, 765–772  
*L. californicus*, 72–78  
*L. canus*, 72–78, 917–925  
*L. delawarensis*, 72–78, 590–604  
*L. glaucescens*, 571–580  
*L. g. × argentatus*, 882–888  
*L. marinus*, 765–772  
*Larvivora sibilans*, 726–744  
 laying date, 222–231, 917–925  
 Lea, Mary-Anne, see Thalmann, Sam J., et al.  
 lead poisoning, 969–1001  
 leaf warbler, 726–744  
 Lee, David S., see McKay, Bailey D., et al.  
*Leiothlypis*, 726–744  
*Leiothrix lutea*, 726–744  
 leks, 343–353  
*Lepidocolaptes*, 430–439  
*L. lacrymiger*, 430–439  
*Lepidopyga coeruleogularis*, 44–56  
 Lerner, Heather R. L., and Robert C. Fleischer, 4–15  
*Lesbia nuna*, 44–56  
*L. victoriae*, 44–56  
*Leucippus chionogaster*, 44–56  
*L. hypostictus*, 44–56  
*Leucogeranus*, 440–452  
*L. leucogeranus*, 440–452  
*Leucophaeus atricilla*, 232–234  
 Li, Bo, see Gan, Xiaojing, et al.  
 life history, 253–262, 372–378, 647–652, 660–670  
*Limnothlypis swainsonii*, 23–34, 471–484  
 Limpkin, 440–452, 590–604  
 Lindberg, Mark S., see Schmidt, Joshua H., et al.  
 Linder, Eric T., see Stodola, Kirk W., et al.  
*Lipaugus*, 726–744  
 lipid correction, 72–78; - extraction, 72–78  
 local dialects, 274–282  
*Locustella*, 726–744  
*Loddigesia mirabilis*, 44–56  
 long-distance migrant, 773–780  
 Longspur, 726–744; Chestnut-collared, 387–393  
 Loon, Common, 156–161, 590–604, 820–831; Pacific, 882–888;  
     Red-throated, 590–604  
*Lophodytes cucullatus*, 590–604  
*Lophophorus impejanus*, 820–831  
*L. lhuysii*, 820–831  
*Lophornis delattrei*, 44–56  
*L. pavoninus*, 44–56  
*Lophotibis*, 308–316  
*L. cristata*, 308–316  
 Lorikeet, 781–786; Rainbow, 151–155, 781–786  
 Lory, Red, 781–786  
 Lovette, Irby J., see Chesser, R. Terry, et al.  
*Loxia curvirostra*, 832–840  
*L. leucoptera*, 882–888  
*L. sinesciurus*, 726–744  
*Luscinia calliope*, 726–744  
*L. luscinia*, 274–282  
*L. megarhynchos*, 471–484  
*L. sibilans*, 726–744  
*L. svecica*, 317–327, 471–484  
 Lusignan, Alain P., et al., 765–772  
 luteinizing hormone, 571–580  
 Lyrebird, Superb, 926–931  
  
 Ma, Zhijun, see Gan, Xiaojing, et al.  
*Macronectes*, 590–604  
*M. giganteus*, 590–604  
 macronutrients, 72–78  
 Magpie, Australian, 421–429; Black-billed, 44–56, 232–234, 882–888;  
     Common, 421–429  
 Mahler, Bettina, see Delhey, Kaspar, et al.  
 Malaconotidae, 678–689  
*Malacorhynchus*, 820–831  
*M. membranaceus*, 590–604  
 Mallard, 72–78, 212–221, 379–386, 704–708

- Malurus cyaneus*, 300–307  
*Manacus*, 787–796  
*M. manacus*, 283–292  
 Manakin, Araripe, 335–342; Helmeted, 335–342; White-bearded, 283–292  
 Mango, Jamaican, 44–56  
 Manitoba, 653–659  
 Mann, Clive F., *The Birds of Borneo* (rev.), 466  
 maps, 460–462  
 MARK, 94–99, 402–410  
 Marks, Ben D., see Voelker, Gary, et al.  
 Marks, Jeffrey S., and Fabian M. Jaksic, 709–710  
 Martell, Mark, see Farmer, Christopher J., et al.  
 Marti, Carl D., 1944–2010, In Memoriam, 709–710  
 Martin, House, 44–56  
 Martin, Jason M., et al., 909–916  
 Marzluff, John M., see Walters, Jeffrey R., et al.  
 mass, 100–107; body -, 162–172  
 match-mismatch, 195–203  
 mating, 485–494; multiple -, 300–307; - system, 300–307  
 Matsuoka, Steven M., see Handel, Colleen M., et al.  
 Maurer, Golo, et al., 940–947  
 McCleery, Robert A., see Peer, Brian D., et al.  
 McCormack, John E., and Elena C. Berg, 35–43  
 McCracken, Andrée, see Bull, Roger D., et al.  
 McFarland, Kent P., see Townsend, Jason M., et al.  
 McFarlane-Tranquilla, Laura A., see Hipfner, J. Mark, et al.  
 McKay, Bailey D., et al., 932–939  
 McWilliams, Scott R., see Langlois, Lillie A., and -  
 McWilliams, Scott R., see Smith, Susan B., and -  
 Meadowlark, Eastern, 86–93, 263–273, 328–334, 364–371  
 mechanical sound, 787–796  
 Megaluridae, 726–744  
*Megalurus pryeri*, 317–327  
*Megascops asio*, 590–604  
 Mehl, Katherine R., see Lusignan, Alain P., et al.  
 Meijer, Harro A. J., see Eichhorn, Götz, et al.  
*Melanerpes carolinus*, 841–849  
 melanin, 549–557  
*Melanitta americana*, 726–744, 966  
*M. nigra*, 726–744, 966  
*Meleagris gallopavo*, 4–15, 495–502  
*Mellisuga minima*, 44–56  
*Melospiza undulatus*, 232–234, 283–292, 558–570, 850–862  
*Melospiza lincolni*, 882–888  
*M. melodia*, 23–34, 156–161  
*Melozone*, 726–744, 966  
*M. aberti*, 726–744, 966  
*M. albicollis*, 726–744, 966  
*M. biarcuata*, 726–744, 966  
*M. crissalis*, 726–744, 966  
*M. fusca*, 726–744, 966  
*M. kierni*, 726–744, 966  
*M. leucotis*, 726–744, 966  
*Menura superb*, 926–931  
 mercury, 156–161  
 Merganser, 590–604; Common, 590–604, 820–831; Hooded, 590–604; Red-breasted, 696–703  
*Mergus merganser*, 590–604, 820–831  
*M. serrator*, 696–703  
 Merlin, 402–410, 411–420  
 Meropidae, 820–831  
*Mesembrinibus cayennensis*, 308–316  
*Metallura aeneocauda*, 44–56  
*M. phoebe*, 44–56  
*M. williamsi*, 44–56  
 Metaves, 590–604  
 Meteyer, Carol U., see Handel, Colleen M., et al.  
 methodology, 72–78, 79–85, 86–93, 94–99, 100–107, 119–128, 283–292, 379–386, 387–393, 704–708, 841–849, 863–870  
*Microchera albocoronata*, 44–56  
 microtrash ingestion, 969–1001  
 migration, 108–118, 394–401, 636–646, 647–652, 773–780, 850–862, 863–870, 871–881, 917–925; - counts, 863–870; nocturnal -, 119–128  
 Miller, Mark P., et al., 57–71  
 Miller, Mark P., see Draheim, Hope M., et al.  
*Milvago chimango*, 222–231  
*Milvus*, 590–604  
 Mimidae, 726–744  
*Mimus polyglottos*, 94–99, 293–299, 841–849  
*Mirafra rufocinnamomea*, 787–796  
 Mitchell, Greg W., et al., 354–363  
 mitochondrial genes, 430–439  
*Mitu mitu*, 590–604  
*Mniotilta varia*, 841–849  
 moa, 4–15  
 Mockingbird, Northern, 94–99, 293–299, 841–849  
*Molothrus*, 765–772  
*M. ater*, 86–93, 263–273, 293–299, 328–334, 453–459, 759–764, 841–849, 889–908  
*M. bonariensis*, 222–231, 453–459  
 molt, 549–557  
 molt-migration tradeoff, 647–652  
 Momotidae, 820–831  
 Monal, Chinese, 820–831; Himalayan, 820–831  
 Moore, Levi C., et al., 185–194  
 Moorhen, Common, 590–604  
 Mordecai, Rua S., see Riddle, Jason D., et al.  
 Morgan, Gina M., et al., 581–589  
 Morgan, Michael R., et al., 86–93  
 morphology, 430–439, 605–616, 626–635, 678–689, 932–939; bill -, 626–635; functional -, 590–604  
 morphometric heterogeneity, 430–439  
 morphometrics, geometric -, 626–635  
 Morrison, Michael L., *Wildlife-Habitat Relationships: Concepts and Applications*, 3rd ed. (rev.), 239–240  
 mortality, 704–708; adult -, 402–410  
*Morus bassanus*, 590–604  
*Motacilla flava*, 317–327  
*M. noveboracensis*, 726–744  
 Motacillidae, 274–282  
 motmot, 820–831  
 Mountain-gem, Purple-throated, 44–56; White-bellied, 44–56  
 Mountain-Toucan, Plate-billed, 590–604  
 Mouritsen, Henrik, see Kishkinev, Dmitry, et al.  
 Mousebird, 253–262, 781–786, 820–831; Speckled, 781–786  
 movements, 364–371  
 Mulcahy, Daniel M., see Handel, Colleen M., et al.  
 Mullin, Thomas D., see Miller, Mark P., et al.  
 multiple parasitism, 263–273  
 multiplexing, 4–15  
 multiseason occupancy models, 899–908  
 Murphy, Michael T., 1–3, 963  
 Murre, Thick-billed, 195–203, 590–604  
*Muscicapa albiceps*, 726–744  
*M. sandwichensis*, 726–744  
 Muscicapidae, 820–831, 940–947

- museum specimens, 678–689, 690–695  
*Myadestes woahensis*, 690–695  
*Mycteria americana*, 726–744  
*Myiarchus tyrannulus*, 283–292, 453–459  
*Myiobius atricaudus*, 453–459  
*Myiopsitta monachus*, 222–231  
*Myiozetetes similis*, 222–231  
*Myrmeciza hemimelaena*, 283–292  
*Myrmorchilus strigilatus*, 283–292  
*Myrtis fanny*, 44–56
- Nasica*, 430–439  
*N. longirostris*, 430–439  
 natal home range, 364–371  
 Navarro, Joan, see Passos, Carlos, et al.  
 navigation, 773–780  
 nectar, 151–155; - composition, 151–155  
*Nectarina famosa*, 151–155  
*N. olivacea*, 79–85  
 nectarivore, 151–155; occasional -, 781–786  
 Neoaves, 590–604  
*Neochen*, 820–831  
 Neognathae, 308–316, 590–604, 820–831  
 Neornithes, 590–604  
*Nesopsar nigerrimus*, 726–744  
 nest, - abandonment, 402–410; - aggregation, 485–494; - fate, 671–677;  
   - monitoring, 402–410; - predation, 222–231, 453–459, 765–772;  
   - records, 79–85; - success, 86–93, 204–211, 222–231, 328–334; -  
   survival, 79–85, 660–670, 765–772  
 nesting, 79–85; - ecology, 660–670; - success, 909–916; - synchrony,  
   300–307  
 nestling, - stage, 79–85; - period, 204–211  
 Nettleship, David N., 712–713  
 Newmark, William D., see Stanley, Thomas R., and -  
 Newton, Ian, see Farmer, Christopher J., et al.  
 next-generation sequencing methods, 4–15  
 Niemi, Gerald J., review by, 239–240  
 Nightingale, 471–484; Thrush, 274–282  
 nightjar, 253–262  
 nitrogen balance, 850–862  
 nonbreeding, - diet, 514–522; - period, 871–881  
 nonpasserine, 119–128, 283–292, 328–334, 781–786, 940–947  
 Norment, Christopher, see Morgan, Michael R., et al.  
 North American Breeding Bird Survey, 387–393  
*Nucifraga caryocatactes*, 820–831  
 nuclear intron, 430–439  
 Nutcracker, 590–604; Spotted, 820–831  
 Nuthatch, 882–888; Brown-headed, 932–939; Eurasian, 882–888;  
   Red-breasted, 882–888; White-breasted, 387–393  
 nutrient accretion, 558–570  
*Nyctibius grandis*, 590–604  
*Nymphicus hollandicus*, 232–234, 558–570
- O'Brien, Diane M., see Oppel, Steffen, et al.  
 occupancy, 94–99  
*Oceanites oceanicus*, 590–604  
*Oceanodroma castro*, 726–744  
*O. furcata*, 140–150  
*O. leucorhoa*, 726–744  
*O. microsoma*, 726–744  
*O. monorhis*, 726–744  
 oceanographic features, 503–513  
 Ödeen, Anders, see Seddon, Nathalie, et al.  
 Odontoholomorphae, 590–604  
*Oenanthe oenanthe*, 471–484  
*Oidemia americana*, 726–744  
 omnivore, 820–831  
*Onychognathus tristrami*, 850–862  
*Onychoprion fuscatus*, 807–819  
 Openbill, African, 590–604  
*Opisthocomus hoazin*, 558–570  
*Opisthoprora euryptera*, 44–56  
 Oppel, Steffen, et al., 72–78  
 optimal migration theory, 232–234  
*Orcreatus underwoodii*, 44–56  
*Oreonympha nobilis*, 44–56  
*Oreophasis derbianus*, 590–604  
*Oreothlypis*, 726–744  
*O. celata*, 726–744, 882–888  
*O. crissalis*, 726–744  
*O. gutturalis*, 726–744  
*O. luciae*, 726–744  
*O. peregrina*, 726–744  
*O. ruficapilla*, 726–744  
*O. superciliosa*, 726–744  
*O. virginiae*, 726–744  
*Oreotrochilus*, 44–56  
*O. chimborazo*, 44–56  
*O. estella*, 44–56  
 organochlorine contaminants, 969–1001  
 Oriole, 781–786; Bahama, 726–744; Bullock's, 293–299, 471–484; Cuban,  
   726–744; Greater Antillean, 932–939; Hispaniolan, 726–744;  
   Orchard, 263–273; Puerto Rican, 726–744  
*Oriolus chinensis*, 453–459  
*O. dominicensis*, 726–744  
*O. icterocephalus*, 726–744  
 ornament, 44–56, 549–557  
 Ornithurae, 590–604  
 ornithurine, 590–604  
*Orthorhynchus cristatus*, 44–56  
 oscine, 156–161, 726–744  
 Osiejuk, Tomasz S., see Petrusková, Tereza, et al.  
 Osprey, 696–703, 726–744, 820–831, 863–870  
 Ostrich, 590–604, 820–831  
 Otitidae, 4–15  
 Outlaw, Robert K., see Voelker, Gary, et al.  
 Ovenbird, 185–194, 204–211, 364–371, 471–484, 514–522, 889–908  
 ovulation, 571–580  
 Owl, 820–831; Barn, 549–557, 909–916; Boreal, 917–925; Northern  
   Saw-whet, 23–34; Northern Spotted, 94–99, 969–1001; Snowy,  
   820–831; Spotted, 797–806  
*Oxyopogon guerinii*, 44–56  
 Oystercatcher, Eurasian, 653–659
- Pacheco, M. Andreina, et al., 558–570  
*Pachyornis elephantopus*, 4–15  
*Pachyptila desolata*, 590–604  
*P. turtur*, 590–604  
*P. vittata*, 590–604  
 painted-snipe, 820–831  
 Pajot, Lisa M., see Handel, Colleen M., et al.  
*Palaeogrus*, 440–452  
*P. excelsa*, 440–452  
*P. hordwelliensis*, 440–452  
*P. mainburgensis*, 440–452  
*P. princeps*, 440–452  
 Paleognathae, 590–604, 820–831  
*Pandion haliaetus*, 696–703, 820–831, 863–870

- Pandionidae, 726–744  
 Pandioninae, 726–744  
*Panterpe insignis*, 44–56  
*Panurus biarmicus*, 495–502  
 Paradisaeidae, 44–56  
*Paradoxornis heudei*, 317–327  
*P. webbianus*, 317–327  
*Parahesperornis*, 590–604  
 Parakeet, 948–951; Burrowing, 222–231; Canary-winged, 948–951; Carolina, 948–951; Green, 948–951; Monk, 222–231; Plain, 948–951  
 parasites, 653–659  
 parental, - behavior, 204–211; - care, 253–262, 540–548; - investment, 16–22; - quality, 195–203  
 Parkes, Nigel G., see Bell, Christopher P., et al.  
*Parkesia*, 726–744  
*P. motacilla*, 726–744  
*P. noveboracensis*, 726–744  
 Parrot, 283–292, 558–570, 820–831, 948–951; African Gray, 850–862; Cuban, 932–939; Greater Vasa, 300–307; Presquet's, 850–862; Thick-billed, 948–951  
 Parrotbill, Reed, 317–327; Vinous-throated, 317–327  
 Parrotlet, 558–570; Green-rumped, 558–570  
*Parula*, 726–744  
*P. americana*, 726–744  
*P. gutturalis*, 726–744  
*P. pitaiayumi*, 726–744  
 parulid, 932–939  
 paruline, 514–522  
*Parus*, 354–363, 571–580  
*P. caeruleus*, 283–292  
*P. major*, 156–161, 549–557, 653–659, 882–888, 917–925  
*P. montanus*, 571–580  
*Passer domesticus*, 253–262, 411–420, 549–557, 690–695, 850–862  
*Passerculus sandwichensis*, 86–93, 387–393, 773–780, 882–888  
*Passerella iliaca*, 23–34  
 Passeridae, 820–831  
 Passeriformes, 453–459, 590–604  
*Passerina caerulea*, 263–273  
*P. ciris*, 94–99  
*P. cyanea*, 94–99, 263–273, 471–484, 841–849  
 passerine, 108–118, 119–128, 129–139, 222–231, 253–262, 263–273, 274–282, 283–292, 317–327, 328–334, 335–342, 471–484, 540–548, 549–557, 558–570, 636–646, 647–652, 781–786, 820–831, 832–840, 850–862, 882–888, 889–908, 917–925, 926–931, 940–947  
 passive sperm loss, 485–494  
 Passos, Carlos, et al., 100–107  
 Paszkowski, Cynthia A., see Bush, Krista L., et al.  
*Patagona gigas*, 44–56  
 patch size, 328–334  
 paternity, 300–307, 485–494  
*Pavo cristatus*, 283–292  
 Payevsky, Vladimir, Songbird Demography: Demographic Structure, Survival Rates, and Population Dynamics of Songbirds with Particular Reference to the Birds of the Eastern Baltic (rev.), 468  
 Peafowl, Common, 283–292  
 Peer, Brian D., and Stephen I. Rothstein, 293–299  
 Peer, Brian D., et al., 759–764  
 pelagic behavior, 100–107  
 Pelecani, 726–744  
 Pelecanidae, 590–604, 726–744, 820–831  
 Pelecaniformes, 726–744, 820–831  
*Pelecanoides urinatrix*, 590–604  
 Pelecanoididae, 820–831  
*Pelecanus erythrorhynchos*, 590–604  
*P. occidentalis*, 726–744  
*P. onocrotalus*, 590–604  
 Pelican, 72–78, 726–744, 820–831; American White, 590–604; Great White, 590–604  
*Penelopides panini*, 590–604  
 Penguin, 820–831; Adélie, 523–531, 590–604; Emperor, 590–604; Humboldt, 590–604; Little, 590–604; Macaroni, 590–604  
 Pérez-Tris, Javier, see de la Hera, Iván, et al.  
*Pernis apivorus*, 863–870  
 Perret, Philippe, see Thomas, Donald W., et al.  
 personality, 752–758  
 Peterhans, Julian C. Kerbis, see Voelker, Gary, et al.  
 Peters, Anne, see Delhey, Kaspar, et al.  
 Petrel, 100–107, 820–831; Atlantic, 590–604; Blue, 590–604; Bonin, 590–604; Cape, 590–604; Hawaiian, 140–150; Providence, 140–150; Southern Giant, 590–604; White-chinned, 871–881  
*Petrochelidon pyrrhonota*, 704–708  
 Petrussek, Adam, see Petrusková, Tereza, et al.  
 Petrusková, Tereza, et al., 274–282  
*Peucaea*, 726–744  
*P. aestivalis*, 726–744  
*P. bachmanii*, 726–744  
*P. botteri*, 726–744  
*P. carpalis*, 726–744  
*P. cassinii*, 726–744  
*P. humeralis*, 726–744  
*P. mystacalis*, 726–744  
*P. ruficauda*, 726–744  
*P. sumichrasti*, 726–744  
*Peucedramus taeniatus*, 726–744  
 pseudo-control region, 335–342  
*Phaenostictus mcleannani*, 283–292  
*Phaethon lepturus*, 590–604  
 Phaethontes, 726–744  
 Phaethontidae, 44–56, 726–744  
 Phaethontiformes, 726–744  
*Phaethornis*, 44–56  
*P. anthophilus*, 44–56  
*P. atrimentalis*, 44–56  
*P. augusti*, 44–56  
*P. bourcierii*, 44–56  
*P. griseogularis*, 44–56  
*P. guy*, 44–56  
*P. hispidus*, 44–56  
*P. koepckeae*, 44–56  
*P. malaris*, 44–56  
*P. philippii*, 44–56  
*P. ruber*, 44–56  
*P. striigularis*, 44–56  
*P. superciliosus*, 44–56  
*P. syrmatophorus*, 44–56  
*P. yaruqui*, 44–56  
 Phalacrocoracidae, 590–604, 726–744, 820–831  
*Phalacrocorax*, 590–604, 696–703  
*P. aristotelis*, 590–604, 653–659  
*P. auritus*, 72–78, 590–604, 690–695, 696–703, 882–888  
*P. carbo*, 590–604  
 Phalarope, Red-necked, 671–677  
*Phalaropus lobatus*, 671–677  
 Phasianidae, 44–56, 781–786, 820–831  
*Phasianus colchicus*, 653–659, 926–931  
 Pheasant, 44–56, 820–831; Blood, 926–931; Ring-necked, 653–659, 926–931

- phenotypic plasticity, 293–299  
*Pheucticus ludovicianus*, 185–194  
 philopatry, 343–353  
*Phimosus*, 308–316  
*P. infuscatus*, 308–316  
*Phlegopsis nigromaculatus*, 283–292  
*Phlogophilus hemileucurus*, 44–56  
*Phoebastria*, 590–604  
*P. immutabilis*, 590–604  
*P. irrorata*, 590–604  
 Phoebe, Black, 387–393; Eastern, 156–161, 263–273; Say's, 387–393  
*Phoeniculus purpureus*, 626–635  
*Phoenicurus aureus*, 317–327  
*Phragmites australis*, 317–327  
*Phylidonyris novaehollandiae*, 151–155  
*Phyllastrephus cabanisi*, 79–85  
 Phylloscopidae, 726–744  
*Phylloscopus*, 726–744  
*P. borealis*, 726–744  
 phylogeny, 430–439, 440–452  
 physiology, 704–708  
*Pica hudsonia*, 44–56, 882–888  
*P. pica*, 232–234, 421–429  
 Picidae, 44–56  
 Piciformes, 590–604  
*Picoides borealis*, 917–925  
*P. leucotos*, 917–925  
*P. pubescens*, 882–888  
*P. scalaris*, 387–393  
*P. tridactylus*, 917–925  
*P. villosus*, 23–34, 387–393, 882–888  
 Piersma, Theunis, see Buehler, Deborah M., et al.  
 Piersma, Theunis, see Tinbergen, Joost M., and -  
 Pigeon, 253–262, 704–708, 773–780, 820–831; Nicobar, 590–604;  
 Passenger, 690–695; Rock, 44–56; Tooth-billed, 590–604; Western  
 Crowned, 820–831; Wood, 421–429  
*Pinguinus impennis*, 590–604  
*Pinicola enucleator*, 23–34, 832–840, 882–888  
 Pinto, Thieres, see Régó, Péricles S., et al.  
*Pipilo*, 726–744, 966  
*P. aberti*, 726–744  
*P. albicollis*, 726–744  
*P. chlorurus*, 726–744  
*P. crissalis*, 726–744  
*P. erythrophthalmus*, 94–99, 263–273, 274–282, 726–744, 841–849  
*P. fuscus*, 726–744  
*P. maculatus*, 726–744  
*P. ocai*, 726–744  
 Pipit, Meadow, 274–282; Richard's, 317–327; Rock, 274–282; Tawny,  
 274–282; Tree, 274–282  
 Pipridae, 335–342, 820–831  
*Piranga ludoviciana*, 387–393  
*P. olivacea*, 471–484, 841–849  
 piscivore, 696–703  
*Pithys albifrons*, 283–292  
 plant invasion, 317–327  
 plasma metabolism, 108–118; - metabolites, 636–646  
*Platalea ajaja*, 726–744  
*P. leucorodia*, 726–744  
*P. minor*, 308–316  
 Plataleinae, 308–316, 726–744  
*Platycercus elegans*, 558–570  
*Plectrophanes maccowni*, 726–744  
*Plectrophenax*, 726–744  
*P. hyperboreus*, 726–744  
*P. nivalis*, 726–744  
*Plectropterus*, 820–831  
*Plegadis*, 308–316  
*P. chihi*, 308–316, 590–604  
*P. falcinellus*, 308–316  
*P. pentelici*, 440–452  
*Pliogrus*, 440–452  
*Ploceus castaneiceps*, 820–831  
*P. cucullatus*, 35–43, 453–459  
 Plover, 820–831; Mountain, 671–677; Piping, 57–71, 402–410;  
 Semipalmated, 671–677; Snowy, 57–71, 402–410, 671–677  
 plumage, 549–557; - quality, 647–652; - reflectance, 283–292  
*Podiceps cristatus*, 590–604  
*Poecile atricapillus*, 23–34, 274–282, 746–751, 882–888  
*P. carolinensis*, 841–849  
*P. hudsonicus*, 882–888  
*P. montanus*, 882–888  
*P. rufescens*, 23–34, 882–888  
 point counts, 94–99  
*Polioptila caerulea*, 263–273, 387–393, 841–849  
 Polioptilidae, 726–744  
 Polioptilinae, 726–744  
 pollination, 151–155  
 Pollock, Kenneth H., see  
 Pollock, Kenneth H., see Riddle, Jason D., et al.  
 polyandry, 300–307  
*Polyerata amabilis*, 44–56  
*P. fimbriata*, 44–56  
*Polytmus guainumbi*, 44–56  
*P. theresiae*, 44–56  
 poorwill, 453–459  
 population, - declines, 411–420, 696–703; - density, 300–307;  
 - differentiation, 23–34; - expansion, 57–71; - genetics, 4–15,  
 335–342, 343–353; - limitation, 411–420; - sink, 185–194;  
 - status, 969–1001; - trends, 863–870  
 Post, David M., see Jones, Andrew W., et al.  
 postfledging, 364–371; - period, 354–363  
 postnatal growth, 558–570  
 Potoo, Great, 590–604  
 Potter, Murray A., see Cunningham, Susan J., et al.  
 Powell, Abby N., see Oppel, Steffen, et al.  
 Powell, Alvin, The Race to Save the World's Rarest Bird: The Discovery  
 and Death of the Po'ouli (rev.), 958–959  
 Pradel, Roger, see Hernández-Matías, Antonio, et al.  
 prairie dog colonies, 671–677  
 Prairie-Chicken, Greater, 328–334, 343–353, 617–625; Lesser, 343–353,  
 797–806  
 Pratincole, 820–831; Collared, 726–744  
 Pratt, H. Douglas, review by, 721–724  
 Pratt, Thane K., et al., Conservation Biology of Hawaiian Forest Birds:  
 Implications for Island Avifauna (rev.), 956–958  
 predation, 411–420  
 predator-prey interactions, 411–420  
 PRESENCE, 94–99, 841–849  
 prey, - availability, 523–531, 660–670; - detection, 308–316  
 Priddel, David, see Thalmann, Sam J., et al.  
 Prion, 820–831; Antarctic, 590–604; Broad-billed, 590–604; Fairy,  
 590–604  
 prior detections, 94–99  
*Probalearica*, 440–452  
*P. cratagensis*, 440–452  
*P. moldavica*, 440–452  
*P. mongolica*, 440–452

- Procellaria aequinoctialis*, 871–881  
 Procellariidae, 820–831, 871–881  
 Procellariiformes, 140–150, 590–604, 820–831, 926–931  
*Procnias*, 726–744  
 promiscuity, 300–307  
 protein, - fingerprinting, 765–772; - metabolism, 108–118; - recovery, 394–401; - requirements, 850–862  
*Protonotaria citrea*, 387–393  
 provisioning, 523–531, 540–548  
 Pruett-Jones, Stephen, 238  
 Pseudorobin, Swinhoe's, 726–744  
*Psilorhinus*, 726–744  
*P. mexicanus*, 726–744  
*P. morio*, 726–744  
 Psittacidae, 283–292, 820–831  
 Psittaciformes, 558–570  
 psittacine, 820–831, 948–951  
*Psittacus erithacus erithacus*, 850–862  
*Psittrichas fulgidus*, 850–862  
*Psophia leucoptera*, 590–604  
 Psophiidae, 440–452, 820–831  
 Ptarmigan, Rock, 343–353; White-tailed, 917–925  
*Pterodroma hypoleuca*, 590–604  
*P. incerta*, 590–604  
*P. sandwichensis*, 140–150  
*P. solandri*, 140–150  
*Pteroglossus*, 820–831  
*P. aracari*, 590–604  
*Pterophanes cyanopterus*, 44–56  
*Ptilinopus*, 820–831  
 Ptilonorhynchidae, 820–831  
*Ptychoramphus aleuticus*, 195–203, 503–513  
 Puffin, 195–203; Atlantic, 590–604; Horned, 590–604; Tufted, 590–604  
*Puffinus assimilis*, 140–150  
*P. carneipes*, 140–150  
*P. gravis*, 726–744  
*P. griseus*, 140–150, 503–513, 871–881  
*P. opisthomelas*, 140–150  
*P. pacificus*, 140–150, 871–881  
*P. puffinus*, 140–150, 871–881  
*P. tenuirostris*, 140–150, 871–881  
*Pycnonotus xanthopygus*, 850–862  
*Pygoscelis adeliae*, 523–531, 590–604  
 Pyne, Michael J., see Cunningham, Susan J., et al.  
*Pyrgisoma*, 726–744  
 pyrosequencing, 4–15  
*Pyrrhula*, 832–840  
*P. aurantiacca*, 832–840  
*P. erythaca*, 832–840  
*P. erythrocephala*, 832–840  
*P. leucogenis*, 832–840  
*P. nipalensis*, 832–840  
*P. pyrrhula*, 832–840  
  
 Quail, Japanese, 72–78, 558–570, 704–708, 781–786  
 Queen Charlotte Islands, 23–34  
*Querula*, 726–744  
*Quiscalus major*, 453–459, 759–764  
*Q. mexicanus*, 263–273, 293–299, 759–764  
*Q. quiscula*, 263–273, 293–299, 759–764, 841–849  
  
 radar, 119–128  
 radiotelemetry, 185–194, 354–363, 364–371, 503–513, 514–522  
 Raid, Richard N., see Martin, Jason M., et al.  
 Rail, 440–452, 820–831; Blue-breasted Banded, 317–327  
 Rallidae, 440–452, 820–831  
*Rallus striatus*, 317–327  
 Ramphastidae, 726–744, 820–831  
 Ramphastinae, 726–744  
*Ramphomicron microrhynchum*, 44–56  
 random effects, 379–386  
 range expansion, 162–172  
*Raphus cucullatus*, 690–695  
 rapid multiclutch, 671–677  
 raptor, 173–184, 185–194, 863–870  
 Rasmussen, Pamela C., see Chesser, R. Terry, et al.  
 ratite, 590–604  
 Ravayrol, Alain, see Hernández-Matías, Antonio, et al.  
 Raven, Common, 765–772, 882–888, 969–1001  
 Razorbill, 590–604  
 Real, Joan, see Hernández-Matías, Antonio, et al.  
 reciprocal monophyly, 797–806  
 recolonization, 411–420  
 recovery, 969–1001  
 recruitment, 173–184; local -, 372–378  
 Reddy, Sushma, see Voelker, Gary, et al.  
 Redhead, 72–78  
 Redman, Nigel, et al., Birds of the Horn of Africa: Ethiopia, Eritrea, Djibouti, Somalia, and Socotra (rev.), 466–467  
 Redpoll, Common, 882–888  
 Redstart, American, 471–484; Daurian, 317–327  
 Redwing, 532–539  
 Reed, J. Michael, see Winker, Kevin, et al.  
 reed warbler, 726–744  
 Rêgo, Péricles S., et al., 335–342  
*Regulus calendula*, 726–744, 882–888  
 relatedness, 343–353  
*Remiz consobrinus*, 317–327  
 remote touch, 308–316  
 Remsen, J. V., Jr., see Chesser, R. Terry, et al.  
 reneesting, 212–221  
 Rensel, Michelle A., see Morgan, Gina M., et al.  
 repeated counts, 841–849  
 repertoire composition, 274–282  
 reproduction, 16–22, 79–85, 86–93, 173–184, 195–203, 204–211, 212–221, 222–231, 263–273, 300–307, 328–334, 402–410, 421–429, 471–484, 485–494, 540–548, 558–570, 571–580, 581–589, 653–659, 660–670, 671–677, 696–703, 765–772, 832–840, 899–908, 909–916, 917–925; cost of -, 162–172  
 reproductive, - index, 86–93; - timing, 421–429  
 resource allocation, 140–150, 647–652  
 Reynolds, M. Bryant J., see McKay, Bailey D., et al.  
 rhamphotheca, 590–604, 882–898  
*Rhea americana*, 820–831  
 Rhea, 283–292, 820–831; Greater, 820–831  
 Rheidae, 283–292  
*Rhodacathis flaviceps*, 690–695  
*Rhodopis vesper*, 44–56  
*Rhychops niger*, 590–604  
*Rhynchophanes*, 726–744  
*R. mccownii*, 726–744  
*Rhynchops flavirostris*, 590–604  
*Rhynchopsitta pachyrhyncha*, 948–951  
*Rhynchotus rufescens*, 590–604, 820–831  
 Ricklefs, Robert E., see Robinson, W. Douglas, et al.  
 Riddle, Jason D., et al., 94–99, 841–849  
 Ridgely, Robert S., and Guy Tudor, Field Guide to the Songbirds of South America (rev.), 717–718

- Rimmer, Christopher C., see Townsend, Jason M., et al.  
 Ripley's *K* function, 485–494  
 Rising, James D., see Chesser, R. Terry, et al.  
*Rissa tridactyla*, 523–531, 882–888  
 Rivers, James W., et al., 263–273  
 roads, 581–589  
 roadside surveys, 387–393  
 Robin, American, 94–99, 293–299, 532–539, 759–764, 841–849, 850–862, 882–888; Rufous-tailed, 726–744; Swinhoe's, 726–744  
 Robinson, W. Douglas, et al., 253–262  
 Roche, Erin A., et al., 402–410  
 Rodewald, Amanda D., see Shustack, Daniel P., and -  
 Rodewald, Amanda D., see Vitz, Andrew C., and -  
 roller, 820–831  
 Rosella, Crimson, 558–570  
 Rosenberg, Gary H., review by, 717–718  
 Rothstein, Stephen I., 235–237  
 Rothstein, Stephen I., see Peer, Brian D., and -  
 Rothstein, Stephen I., see Peer, Brian D., et al.  
 Rothstein, Stephen I., see Rivers, James W., et al.  
 Rowley, Ian Cecil Robert, 1926–2009, In Memoriam, 238  
 Royle, J. Andrew, see Griffith, Emily H., et al.  
 Runge, Michael C., see Morgan, Michael R., et al.  
 Russell, Douglas G. D., see Maurer, Golo, et al.
- Safi, Kamran, see Farmer, Christopher J., et al.  
 Sage-Grouse, Greater, 16–22, 343–353  
 Sagittaridae, 820–831  
*Sagittarius serpentarius*, 820–831  
 saltator, 726–744  
*Saltator*, 726–744  
 Sampaio, Iracilda, see Rêgo, Péricles S., et al.  
 sampling techniques, 86–93, 863–870  
 sandgrouse, 820–831  
 Sandpiper, 300–307, 308–316, 590–604, 671–677; Semipalmated, 671–677; Spotted, 671–677; Upland, 86–93  
*Sarcoramphus papa*, 726–744, 820–831  
*Sarkidiornis*, 820–831  
*S. melanotos*, 590–604  
 Sarus, Australasian, 440–452  
 satellite, - remote-sensing, 503–513; - telemetry, 863–870  
 Sato, Katsufumi, see Watanuki, Yutaka, et al.  
 Sato, Katsufumi, see Yamamoto, Takashi, et al.  
*Saucerotia saucerottia*, 44–56  
*S. viridigaster*, 44–56  
 Sauer, John R., see Griffith, Emily H., et al.  
 Savard, Jean-Pierre L., see Gagnon, François, et al.  
*Sayornis nigricans*, 387–393  
*S. phoebe*, 156–161, 263–273  
*S. saya*, 387–393  
 Scelerurinae, 430–439  
*Scelorchilus rubecula*, 222–231  
 Schaffner, Fred C., review by, 720–721  
 Schmidt, Joshua H., et al., 379–386  
 Schmidt-Koenig, Klaus, 1930–2009, In Memoriam, 711  
 Schneider, Horacio, see Rêgo, Péricles S., et al.  
 Schneider, Todd M., et al., The Breeding Bird Atlas of Georgia (rev.), 960–961  
 Schodde, Richard, review by, 714–717  
 Schoech, Stephan J., see Morgan, Gina M., et al.  
 Schönwetter, 940–947  
 Schreiber Conservation Award, 2009: Scott R. Derrickson, 246–248  
 Schwab, Larry, review by, 466–467  
 Schwab, Larry, review by, 467–468  
 scientific collections, 690–695  
*Sclerurus mexicanus*, 430–439  
 Scolopacidae, 308–316  
 Scopidae, 726–744  
*Scopus umbretta*, 820–831  
 Scoter, American, 726–744, 966; Black, 726–744, 966; Common, 966  
 Screamer, 820–831; Horned, 590–604; Southern, 590–604, 820–831  
 Screech-Owl, Eastern, 590–604  
 Scrub-Jay, Florida, 421–429, 581–589; Western, 35–43, 726–744  
 sea ice, 523–531  
 seabird, 100–107, 140–150, 195–203, 523–531, 558–570, 571–580, 590–604, 871–881  
 Searcy, William A., see Stai, Sarah M., and -  
 seasonal, - timing, 212–221; - variation, 222–231  
 Secretarybird, 726–744, 820–831  
 Seddon, Nathalie, et al., 283–292  
 Sедinger, James S., see Atamian, Michael T., and -  
*Seiurus montis*, 932–939  
*Seiurus*, 726–744  
*S. aurocapilla*, 185–194, 204–211, 364–371, 471–484, 514–522, 726–744, 889–908  
*S. motacilla*, 263–273, 726–744  
*S. noveboracensis*, 354–363, 471–484, 726–744  
*Selasphorus flammula*, 44–56  
*S. platycercus*, 44–56, 787–796  
*S. rufus*, 44–56  
 selection, habitat -, 765–772, 899–908; host -, 765–772; kin -, 343–353; sexual -, 44–56  
 self-maintenance, 540–548  
*Semnornis*, 726–744  
 Semnornithidae, 726–744  
 Semnornithinae, 726–744  
 seniority probability, 173–184  
 sensory pits, 308–316  
*Sephanoides fernandensis*, 44–56  
*S. sephanoides*, 44–56  
 Seriema, Red-legged, 820–831  
 Serin, 274–282  
*Serinus canaria*, 274–282, 882–888  
*S. serinus*, 274–282  
*Setophaga ruticilla*, 471–484  
 sex, - differences, 671–677; - differentiation, 372–378; - ratio, 16–22  
 sexual dichromatism, 283–292  
 Shag, European, 590–604, 653–659  
 Sheartail, Peruvian, 44–56  
 Shearwater, 100–107; Black-vented, 140–150; Cory's, 100–107, 140–150, 590–604, 871–881; Flesh-footed, 140–150; Little, 140–150; Manx, 140–150, 871–881; Short-tailed, 140–150, 871–881; Sooty, 140–150, 503–513, 871–881; Streaked, 871–881; Wedge-tailed, 140–150, 871–881  
 Sheathbill, Snowy, 590–604  
 Shipley, Bill, see Thomas, Donald W., et al.  
 Shoebill, 590–604, 820–831  
 shorebird, 57–71, 119–128, 300–307, 308–316, 317–327, 394–401, 917–925  
 Shoveler, Northern, 590–604  
 Shrike, Long-tailed, 317–327; Northern, 590–604  
 Shustack, Daniel P., and Amanda D. Rodewald, 421–429  
 Shutler, Dave, see Voss, Margaret, et al.  
*Sialia sialis*, 35–43, 94–99, 263–273, 558–570, 841–849  
 Silva, Weber A. G., see Rêgo, Péricles S., et al.  
 Simons, Theodore R., see Riddle, Jason D., et al.  
 Sipiorski, Justin T., see Krajewski, Carey, et al.  
 Siskin, Pine, 882–888

- Sitta canadensis*, 882–888  
*S. carolinensis*, 387–393  
*S. europaea*, 882–888  
*S. pusilla*, 932–939  
 Skimmer, African, 590–604; Black, 590–604  
 Skrade, Paul D. B., and Stephen J. Dinsmore, 671–677  
 Skua, Great, 590–604  
 Smith, Kimberly G., 100 Years Ago in the American Ornithologists' Union, 250–251, 469–470, 725, 964–965  
 Smith, Susan B., and Scott R. McWilliams, 108–118  
*Smithornis capensis*, 79–85  
 Snyder, Noel F. R., et al., 948–951  
 Sobral, Mar, et al., 532–539  
 social effects, 690–695  
*Somateria*, 590–604  
*S. fischeri*, 72–78  
*S. mollissima*, 590–604, 653–659  
*S. m. dresseri*, 765–772  
*S. spectabilis*, 72–78, 590–604  
 sonation, 787–796  
 song, 156–161, 274–282, 932–939  
 songbird, 108–118, 156–161, 185–194, 204–211, 263–273, 274–282, 354–363, 364–371, 411–420, 514–522, 752–758, 820–831, 850–862, 889–908, 926–931  
 Songlark, Brown, 16–22  
 space use, 471–484  
 Sparrow, 119–128; American Tree, 850–862, 882–888; Chipping, 787–796, 841–849; Field, 263–273, 387–393; Fox, 23–34; Grasshopper, 86–93, 263–273, 387–393; Henslow's, 86–93, 263–273, 387–393; House, 253–262, 411–420, 549–557, 690–695, 850–862; Lark, 263–273; Lincoln's, 882–888; Saltmarsh, 300–307, 485–494; Savannah, 86–93, 387–393, 773–780, 882–888; Seaside, 300–307; Song, 23–34, 156–161; White-crowned, 108–118, 274–282, 549–557, 571–580, 773–780, 850–862; White-throated, 4–15, 108–118, 253–262, 387–393, 471–484, 540–548, 773–780, 850–862  
 Sparrowhawk, Collared, 411–420; Eurasian, 411–420  
*Spartina alterniflora*, 317–327  
 spatial, - autocorrelation, 485–494; - behavior, 514–522; - ecology, 471–484; - scale, 354–363; - structure, 485–494  
 Spatuletail, Marvelous, 44–56  
 species, extinct -, 948–951; - limits, 932–939; - richness, 317–327; - status, 932–939  
 spectral sensitivity, 283–292  
 spectrometry, 35–43  
 sperm, - abnormalities, 832–840; - competition, 485–494; - morphology, 832–840; - precedence, 485–494  
 Spheniscidae, 820–831  
 Sphenisciformes, 590–604, 820–831  
*Spheniscus humboldti*, 590–604  
*Spinus pinus*, 882–888  
*Spiza americana*, 86–93, 119–128, 263–273, 328–334, 364–371  
*Spizella arborea arborea*, 850–862  
*S. arborea*, 453–459, 882–888  
*S. passerina*, 787–796, 841–849  
*S. pusilla*, 263–273, 387–393  
 Spoonbill, 308–316, 726–744; Black-faced, 308–316; Eurasian, 726–744  
 stable isotopes, 72–78, 514–522, 696–703  
 Stai, Sarah M., and William A. Searcy, 495–502  
 Stanley, Thomas R., and William D. Newmark, 79–85  
 Starling, 151–155, 781–786; European, 232–234, 558–570, 841–849, 850–862, 882–888, 917–925; Rosy, 232–234; Spotless, 35–43  
 status signal, 549–557  
 Steganopodes, 590–604  
*Stellula calliope*, 44–56  
 Stephens, Scott E., see Schmidt, Joshua H., et al.  
*Stercorarius parasiticus*, 72–78  
*Sterna caspia*, 590–604  
*S. fuscata*, 807–819  
*S. hirundo*, 72–78, 807–819  
*S. paradisaea*, 72–78, 558–570  
*Sternula antillarum*, 807–819  
*S. a. antillarum*, 807–819  
*S. a. athalassos*, 807–819  
*S. a. browni*, 807–819  
*S. a. mexicana*, 807–819  
*S. a. staebleri*, 807–819  
 steroids, 820–831  
 Stewart, Ian R. K., and David F. Westneat, 549–557  
 stilt, 820–831  
 Stodola, Kirk W., et al., 204–211  
 stopover, 108–118, 394–401; - ecology, 636–646  
 Stork, 726–744, 820–831; White, 917–925  
 Storm-Petrel, 820–831; Fork-tailed, 140–150; Swinhoe's, 726–744; Wilson's, 590–604  
 Stotz, Douglas F., see Chesser, R. Terry, et al.  
 Stowe, Edward S., see Jones, Andrew W., et al.  
 Streamertail, 787–796; Red-billed, 44–56  
*Streptopelia capicola*, 605–616  
*S. risoria*, 232–234, 571–580  
*S. vinacea*, 605–616  
 stress, 540–548  
 Strigidae, 820–831  
 Strigiformes, 820–831  
*Strix occidentalis*, 797–806  
*S. o. caurina*, 94–99  
*S. o. occidentalis*, 969–1001  
*Struthio camelus*, 590–604, 820–831  
*Sturnella magna*, 86–93, 263–273, 328–334, 364–371  
*Sturnus roseus*, 232–234  
*S. unicolor*, 35–43  
*S. vulgaris*, 232–234, 558–570, 841–849, 850–862, 882–888, 917–925  
 Stutchbury, Bridget J. M., see Gill, Sharon A., and - Stutchbury, Bridget J. M., see Moore, Levi C., et al.  
 suboscine, 156–161, 222–231, 283–292  
 subspecies, 57–71, 617–625, 807–819, 932–939  
 subsurface predators, 871–881  
 sucrose, 781–786  
 sugar, - composition, 151–155; - concentration, 781–786; - preferences, 151–155, 781–786  
*Sula*, 590–604  
*S. dactylatra*, 590–604  
 Sulae, 726–744  
 Sulidae, 590–604, 726–744, 820–831  
 Suliformes, 726–744  
 Sun, Yue-Hua, see Jia, Chen-Xi, et al.  
 Sunangel, Bogotá, 44–56  
 Sunbird, 151–155; Malachite, 151–155; Olive, 79–85; White-bellied, 151–155  
 Sunbittern, 590–604, 726–744, 820–831  
 sungrebe, 440–452  
 supplemental feeding, 969–1001  
 survival, 653–659, 704–708; adult -, 253–262; duckling -, 379–386; nest -, 379–386  
 Swallow, 44–56, 704–708; Barn, 44–56, 232–234, 841–849; Cliff, 704–708; Tree, 156–161, 704–708; White-rumped, 222–231  
 Swan, 820–831; Mute, 590–604; Trumpeter, 590–604  
 Swenson, Jon E., see Jia, Chen-Xi, et al.

- Swift, 558–570; Chimney, 841–849; European Common, 917–925  
*Sylvia*, 726–744  
*S. atricapilla*, 23–34, 232–234, 647–652, 773–780  
*S. borin*, 773–780, 850–862  
*S. curruca*, 726–744  
*S. solitaria*, 726–744  
Sylviidae, 726–744  
synchrony, 571–580  
systematics, 4–15, 440–452, 678–689, 932–939, 966
- Tachycineta bicolor*, 156–161, 704–708  
*T. leucorrhoa*, 222–231  
*Tadorna*, 820–831  
*Taeniopygia guttata*, 4–15, 156–161, 283–292, 495–502, 549–557, 832–840, 850–862  
tail, - feather, 787–796; - length, 44–56; - shape, 44–56  
Takahashi, Akinori, see Watanuki, Yutaka, et al.  
Takahashi, Akinori, see Yamamoto, Takashi, et al.  
Takekawa, John Y., see Adams, Josh, et al.  
Talbot, Sandra L., see Handel, Colleen M., et al.  
tallgrass prairie, 263–273  
Tallmon, David A., see Barry, Patrick D., and - tamarisk, 636–646  
Tanager, Scarlet, 471–484, 841–849; Western, 387–393  
*Tangavius aeneus*, 453–459  
Tapaculo, Chucao, 222–231  
Tarwater, Corey E., see Robinson, W. Douglas, et al.  
taxonomy, 430–439, 678–689, 932–939, 966  
Taylor Philip D., see Mitchell, Greg W., et al.  
Teal, Blue-winged, 379–386  
Tellería, José Luis, see de la Hera, Iván, et al.  
temperate forest, 471–484  
temperature, 129–139; spring -, 917–925  
temporal instability, 909–916  
ten Cate, Carel, see den Hartog, Paula M., et al.  
Terenzi, John, see Handel, Colleen M., et al.  
Tern, 820–831; Arctic, 72–78, 558–570; Black, 72–78; California Least, 807–819; Caspian, 72–78, 590–604; Common, 72–78, 807–819; Eastern Least, 807–819; Interior Least, 807–819; Least, 807–819; Sooty, 807–819; White, 453–459  
*Terpsiphone viridis*, 79–85  
territoriality, winter -, 514–522  
territory, - acquisition, 372–378; - selection, 173–184  
*Tetrao tetrrix*, 343–353, 617–625  
*T. urogallus*, 343–353, 617–625, 926–931  
Tetraonidae, 617–625  
*Thalassidroma monorhis*, 726–744  
Thalman, Sam J., et al., 140–150  
*Thalurania colombica*, 44–56  
*T. furcata*, 44–56  
*Thamnistes anabatinus*, 283–292  
Thamnophilidae, 283–292  
*Thamnophilus amazonicus*, 283–292  
*Thaumastura cora*, 44–56  
*Theristicus*, 308–316  
*T. caudatus*, 308–316  
*T. melanopsis*, 308–316  
thermoregulation, 558–570  
Theunis Piersma, 463–464  
thick-knee, 820–831  
Thogmartin, Wayne E., 460–462  
Thomas, Donald W., et al., 129–139  
Thorntail, Coppery, 44–56  
Thrasher, Brown, 263–273, 293–299, Curve-billed, 726–744  
*Threnetes niger*, 44–56  
*T. ruckeri*, 44–56  
*Threskiornis*, 308–316  
*T. molucca*, 308–316  
Threskiornithes, 726–744  
Threskiornithidae, 308–316, 726–744  
Threskiornithinae, 308–316, 726–744  
Thrush, 119–128, 453–459; Bicknell's, 514–522; Dusky, 317–327; Hermit, 23–34, 108–118, 514–522, 636–646, 850–862; Pale, 317–327; Sandwich, 726–744; Song, 532–539; Swainson's, 23–34, 364–371, 471–484; Varied, 23–34, 387–393, 882–888; White-throated, 364–371; Wood, 185–194, 364–371, 471–484, 514–522, 850–862, 889–908  
*Thryothorus*, 372–378  
*T. leucotis*, 372–378  
*T. ludovicianus*, 94–99, 156–161, 841–849  
*T. pleurostictus*, 274–282  
*T. sinaloa*, 726–744  
Tieleman, B. Irene, see Buehler, Deborah M., et al.  
*Tilmatura dupontii*, 44–56  
Timaliidae, 726–744  
timing of breeding, 129–139  
Tinamiformes, 453–459  
Tinamou, 453–459, 820–831; Elegant Crested, 820–831; Great, 590–604; Red-winged, 590–604, 820–831  
*Tinamus major*, 453–459, 590–604  
Tingay, Ruth E., and Todd E. Katzner, The Eagle Watchers: Observing and Conserving Raptors around the World (rev.), 963  
Tit, 354–363, 571–580; Bearded, 495–502; Blue, 129–139, 283–292, 882–888, 917–925; Chinese Penduline, 317–327; Great, 156–161, 549–557, 653–659, 882–888, 917–925; Willow, 571–580, 882–888  
Titmouse, Tufted, 841–849  
Tobias, Joseph A., see Seddon, Nathalie, et al.  
Tobler, Michael, see Voelker, Gary, et al.  
*Tockus erythrorhynchus*, 590–604  
*T. flavirostris*, 590–604  
*Todus mexicanus*, 253–262  
Tody, Puerto Rican, 253–262  
Tokoeke, 308–316  
Topaz, Crimson, 44–56  
*Topaza*, 44–56  
*T. pella*, 44–56  
toucan, 726–744, 820–831  
toucan-barbet, 726–744  
Towhee, Eastern, 94–99, 263–273, 274–282, 841–849  
Townsend, Jason M., et al., 514–522  
*Toxostoma curvirostre*, 726–744  
*T. rufum*, 263–273, 293–299  
traffic effect, 387–393  
*Tragopan temminckii*, 820–831  
Tragopan, Temminck's, 820–831  
Trathan, Philip N., see Yamamoto, Takashi, et al.  
*Trichoglossus haematotus*, 151–155, 781–786  
trip duration, 523–531  
Trochilidae, 44–56, 626–635  
*Trochilus*, 44–56  
*T. polytmus*, 44–56, 787–796  
*Trochocercus albonotatus*, 79–85  
*Troglodytes aedon*, 156–161, 253–262  
*T. hiemalis*, 726–744  
*T. hiemalis pacificus*, 726–744  
*T. pacificus*, 726–744  
*T. troglodytes*, 274–282, 726–744  
Troglodytidae, 372–378

- Trogon bairdii*, 726–744  
*T. caligatus*, 726–744  
*T. chionurus*, 726–744  
*T. melanurus*, 726–744  
*T. mesurus*, 726–744  
*T. violaceus*, 726–744  
*T. viridis*, 726–744  
 Trogon, 820–831; Ecuadorian, 726–744; Gartered, 726–744; Green-backed, 726–744; White-tailed, 726–744  
 Tropicbird, 44–56, 726–744; White-tailed, 590–604  
 Trumpeter, 440–452, 820–831; Pale-winged, 590–604  
 Trust, Kimberly A., see Handel, Colleen M., et al.  
 tubenose, 590–604  
 turacos, 820–831  
 Turdidae, 820–831  
*Turdus*, 532–539, 590–604  
*T. assimilis*, 364–371  
*T. iliacus*, 532–539  
*T. merula*, 421–429, 532–539, 558–570, 590–604  
*T. migratorius*, 94–99, 293–299, 532–539, 759–764, 841–849, 850–862, 882–888  
*T. naumanni*, 317–327  
*T. pallidus*, 317–327  
*T. philomelos*, 532–539  
*T. pilaris*, 532–539  
*T. sandwichensis*, 726–744  
 Turkey, Wild, 4–15, 495–502  
 Turnstone, Ruddy, 72–78  
 Turtle-Dove, Ringed, 232–234  
*Tympanuchus cupido*, 328–334, 343–353  
*T. c. pinnatus*, 617–625  
*T. pallidicinctus*, 343–353, 797–806  
*Tyrannus forficatus*, 263–273  
*T. tyrannus*, 263–273, 293–299, 421–429, 471–484  
 Tyrberg, Tommy, review by, 724  
*Tyto alba*, 549–557, 909–916  
  
 urban ecology, 411–420  
 urbanization, 421–429  
 urban-to-rural gradient, 421–429  
*Uria*, 940–947  
*U. lomvia*, 195–203, 453–459, 590–604  
*Urochroa bougueri*, 44–56  
*Urosticte benjamini*, 44–56  
  
 Vaillancourt, Pierre, see Gagnon, François, et al.  
 Vallinoto, Marcelo, see Rêgo, Péricles S., et al.  
 van der Jeugd, Henk P., see Eichhorn, Götz, et al.  
 Van Hemert, Caroline, and Colleen M. Handel, 746–751  
 Van Hemert, Caroline, see Handel, Colleen M., et al.  
 van Perlo, Ber, A Field Guide to the Birds of Brazil (rev.), 718–720  
 Van Riper, Charles, III, review by, 956–958  
 VanderWerf, Eric, review by, 958–959  
*Vanellus*, 820–831  
 variation, geographic -, 274–282; intraclutch -, 293–299, 759–764  
 Veery, 387–393  
 vegetation, - characteristics, 485–494; - phenology, 129–139; - structure, 899–908  
 Verdin, 387–393  
*Vermivora*, 726–744  
*V. bachmani*, 726–744  
*V. celata*, 23–34, 726–744  
*V. c. celata*, 23–34  
*V. c. lutescens*, 23–34  
  
*V. c. orestera*, 23–34  
*V. c. sordida*, 23–34  
*V. chrysoptera*, 23–34, 726–744  
*V. crissalis*, 726–744  
*V. cyanoptera*, 726–744  
*V. luciae*, 726–744  
*V. peregrina*, 726–744  
*V. pinus*, 387–393, 726–744  
*V. ruficapilla*, 387–393, 726–744  
*V. superciliosa*, 726–744  
*V. virginiae*, 726–744  
 Verniere, Lucas C., see Delhey, Kaspar, et al.  
 Vidal, Nicolas, see Hagey, Lee R., et al.  
 Viduidae, 726–744  
 Viduinae, 726–744  
 Vincent-Martin, Nicolas, see Hernández-Matías, Antonio, et al.  
 Violetear, Green, 232–234; Sparkling, 232–234  
*Vireo atricapilla*, 797–806, 889–908  
*V. bellii*, 263–273  
*V. brevipennis*, 797–806  
*V. gilvus*, 293–299, 726–744, 797–806  
*V. g. swainsoni*, 726–744  
*V. g. swainsonii*, 726–744  
*V. latimeri*, 797–806  
*V. leucophrys*, 797–806  
*V. nelsoni*, 797–806  
*V. olivaceus*, 94–99, 108–118, 797–806, 841–849, 889–908  
*V. plumbeus*, 797–806  
*V. solitarius*, 108–118, 797–806  
 Vireo, 119–128; Bell's, 263–273; Black-capped, 797–806, 889–908; Blue-headed, 108–118; Dwarf, 797–806; Red-eyed, 94–99, 108–118, 841–849, 889–908; Warbling, 293–299  
 vision, human -, 460–462; ultraviolet -, 283–292  
 Vitz, Andrew C., and Amanda D. Rodewald, 364–371  
 vocalization, 605–616  
 Voelker, Gary, et al., 678–689  
 Voss, Margaret, et al., 704–708  
 Vuilleumier, François, 952–954  
*Vultur gryphus*, 820–831, 969–1001  
 Vulture, 726–744, 820–831; Black, 820–831; Cape, 969–1001; Eurasian Griffon, 969–1001; King, 820–831; Turkey, 969–1001  
  
 Wagtail, Yellow, 317–327  
 Walcott, Charles, 711  
 Walk, Jeffery W., et al., 328–334  
 Walker, Johann A., see Schmidt, Joshua H., et al.  
 Walters, Jeffrey R., et al., 969–1001  
 Wang, Yong, see Gan, Xiaojing, et al.  
 Warbler, 23–34, 119–128, 300–307, 514–522, 726–744, 932–939;  
   Aquatic, 300–307; Bahama, 932–939; Blackpoll, 354–363, 471–484;  
   Black-and-white, 841–849; Black-throated Blue, 23–34, 471–484,  
   841–849, 889–908; Black-throated Green, 387–393, 841–849,  
   889–908; Blue-winged, 387–393; Cerulean, 23–34, 387–393, 471–  
   484; Chestnut-sided, 387–393; Eurasian Reed, 773–780; Garden,  
   773–780, 850–862; Golden-cheeked, 797–806; Golden-winged,  
   23–34; Great Reed, 274–282, 759–764; Hooded, 471–484, 841–849;  
   Kirtland's, 932–939; Magnolia, 636–646; Nashville, 387–393;  
   Olive-capped, 932–939; Orange-crowned, 23–34, 882–888; Pine,  
   841–849; Prairie, 387–393; Prothonotary, 387–393; Sedge, 232–  
   234; Swainson's, 23–34, 471–484; Townsend's, 387–393; Wilson's,  
   23–34, 636–646; Worm-eating, 364–371, 387–393, 471–484;  
   Yellow, 23–34, 263–273, 387–393, 453–459, 636–646; Yellow-  
   breasted, 932–939; Yellow-rumped, 108–118, 354–363, 471–484,  
   882–888, 932–939; Yellow-throated, 932–939

- Warkentin, Ian G., see Mitchell, Greg W., et al.  
 Warkentin, Ian G., see Whitaker, Darroch M., and -  
 Warner, Richard E., see Walk, Jeffery W., et al.  
 Washington, 746–751  
 Watanuki, Yutaka, et al., 523–531  
 waterbird, 156–161, 696–703  
 waterfowl, 119–128, 162–172, 495–502, 590–604, 820–831, 917–925, 926–931, 969–1001  
 Waterthrush, Louisiana, 263–273; Northern, 354–363, 471–484  
 Wattlebirds, Red, 151–155  
 Waxwing, Cedar, 293–299, 850–862  
 Weaver, 781–786; Taveta Golden, 820–831; Village, 35–43  
 Wells, Jeffrey V., Birder's Conservation Handbook: 100 North American Birds at Risk (rev.), 241–242  
 Werner, Jacob, see Voss, Margaret, et al.  
 Westberg, Michael C., see Zink, Robert M., et al.  
 Westneat, David F., see Stewart, Ian R. K., and -  
 Wheatear, Northern, 471–484  
 Whip-poor-will, 387–393  
 whistling duck, 820–831  
 Whitaker, Darroch M., and Ian G. Warkentin, 471–484  
 white-eye, 726–744, 781–786  
 Whitney, Bret M., review by, 718–720  
 whydah, 726–744  
 Wiebe, Karen L., and Heather Gerstmar, 917–925  
 Wigeon, American, 387–393  
 Wikelski, Martin, see Robinson, W. Douglas, et al.  
*Wilsonia citrina*, 471–484, 841–849  
*W. pusilla*, 23–34, 636–646  
 Wing trail, 787–796  
 Winker, Kevin, see Chesser, R. Terry, et al.  
 Winker, Kevin, et al., 690–695  
 Witmer, Lawrence M., see Hieronymus, Tobin I., and -  
 woodcreeper, 430–439  
 Woodhoopoe, African Green, 626–635  
 Woodpecker, 44–56, 820–831, 882–888, 917–925; Downy, 882–888; Hairy, 23–34, 387–393, 882–888; Ivory-billed, 882–888; Ladder-backed, 387–393; Lesser Spotted, 402–410; Pileated, 387–393, 590–604; Red-bellied, 841–849; Red-cockaded, 917–925; Three-toed, 917–925; White-backed, 917–925  
 Woodstar, Amethyst, 787–796; White-bellied, 44–56  
 Wren, 372–378; Banded, 274–282; Buff-breasted, 372–378; Cactus, 387–393; Canyon, 387–393; Carolina, 94–99, 156–161, 841–849; House, 156–161, 253–262; Marsh, 274–282; Pacific, 726–744; Sedge, 274–282; Sinaloa, 726–744; Song, 372–378; Winter, 274–282, 726–744  
 Wrentit, 387–393  
 Wunderle, Joseph M., Jr., see Walters, Jeffrey R., et al.
- Xanthocephalus xanthocephalus*, 726–744  
*Xema sabini*, 590–604  
*Xiphocolaptes*, 430–439  
*X. major*, 430–439  
*Xiphorhynchus*, 430–439  
*X. fuscus*, 430–439  
*X. pucherani*, 430–439
- Yalden, Derek W., and Umberto Albarella, The History of British Birds (rev.), 724  
 Yamamoto, Takashi, et al., 871–881  
 Yee, Julie, see Adams, Josh, et al.  
 Yellowthroat, Common, 94–99, 263–273, 471–484
- Zabransky, Daniel J., see Hallinger, Kelly K., et al.  
*Zenaida macroura*, 453–459, 841–849  
 Zink, Robert M., et al., 797–806  
*Zonotrichia*, 108–118  
*Z. albicollis*, 4–15, 108–118, 253–262, 387–393, 471–484, 540–548, 773–780, 850–862  
*Z. leucophrys*, 108–118, 274–282, 571–580, 850–862  
*Z. l. gambelii*, 549–557, 773–780  
 Zosteropidae, 726–744  
*Zosterops japonicus*, 726–744