

## Index of taxonomic and nomenclatural novelties

Source: Candollea, 71(1) : 165-166

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2016v711a22>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# Index of taxonomic and nomenclatural novelties

<i>Arisaema brinchangense</i> Y.W. Low, Scherberich & Gusman, spec. nova. . . . .	85
<i>Arisaema consanguineum</i> Schott, new lectotype . . . . .	24
<i>Attalea guaranítica</i> Barb. Rodr., new lectotype . . . . .	107
<i>Attalea blepharopus</i> Mart., new lectotype, new epitype . . . . .	29
<i>Bactris anisitsii</i> Barb. Rodr., new lectotype . . . . .	107
<i>Begonia henrilaportei</i> Scherber. & J. Duruisseau, spec. nova . . . . .	14
<i>Canarium fugax</i> Daly, Raharim. & Federman, nom. nov. . . . .	160
<i>Canarium lobocarpum</i> Daly, Raharim. & Federman, nom. nov. . . . .	160
<i>Chionanthus abriaquiensis</i> Fern. Alonso & Cogollo, spec. nova . . . . .	63
<i>Clerodendrum kamhyoae</i> Phillipson & L. Allorge, spec. nova . . . . .	119
<i>Cocos paraguayensis</i> Barb. Rodr., new lectotype. . . . .	110
<i>Cocos sapida</i> Barb. Rodr., new lectotype, new synonym . . . . .	110
<i>Eugenia amosensis</i> N. Snow, spec. nova . . . . .	68
<i>Eugenia gomonenensis</i> (Guillaumin) J.W. Dawson & N. Snow, comb. nova . . . . .	78
<i>Eugenia homedeboana</i> N. Snow, spec. nova . . . . .	70
<i>Eugenia horizontalis</i> Pancher ex Brongn. & Gris, new lectotype. . . . .	78
<i>Eugenia lotoides</i> (Guillaumin) J.W. Dawson & N. Snow, comb. nova . . . . .	78
<i>Eugenia mendute</i> Guillaumin, new lectotype . . . . .	78
<i>Eugenia ovigera</i> Brongn. & Gris, new lectotype . . . . .	78
<i>Eugenia poimbailensis</i> (Guillaumin) J.W. Dawson & N. Snow, comb. nova . . . . .	79
<i>Eugenia sicifolia</i> J.W. Dawson & N. Snow, spec. nova . . . . .	70
<i>Eugenia styphelioides</i> (Schltr.) J.W. Dawson & N. Snow, comb. nova . . . . .	79
<i>Eugenia tchambaensis</i> J.W. Dawson & N. Snow, spec. nova . . . . .	74
<i>Eugenia tiwakaensis</i> J.W. Dawson & N. Snow, spec. nova . . . . .	76
<i>Eugenia veillonii</i> N. Snow & Callm., nom. nov. . . . .	79
<i>Euphorbia boiteaui</i> var. <b>ampanihyensis</b> (Cremers) J.-P. Castillon & J.-B. Castillon, comb. nova . . . . .	156
<i>Euphorbia boiteaui</i> var. <b>spirosticha</b> (Rauh & Buchloh) J.-P. Castillon & J.-B. Castillon, comb. nova. . . . .	156
<i>Euphorbia decaryi</i> var. <b>crassicaulis</b> (Rauh) J.-P. Castillon & J.-B. Castillon, comb. nova. . . . .	153
<i>Euphorbia francoisii</i> Leandri, syn. nov. . . . .	153
<i>Euphorbia quartziticola</i> Leandri, syn. nov. . . . .	150
<i>Homalium boinense</i> H. Perrier, new lectotype (second step) . . . . .	37
<i>Homalium dorrii</i> Appleq., spec. nova . . . . .	39
<i>Homalium maringitra</i> H. Perrier, new lectotype (second step). . . . .	46
<i>Homalium pseudoboinense</i> Appleq., spec. nova . . . . .	50
<i>Homalium randrianasoloi</i> Appleq., spec. nova . . . . .	53
<i>Homalium ranomafanicum</i> Appleq., spec. nova. . . . .	55
<i>Homalium schatzii</i> Appleq., spec. nova . . . . .	55
<i>Marsdenia mayottae</i> W.D. Stevens, Labat & Barthelat, spec. nova. . . . .	128

DOI: <http://dx.doi.org/10.15553/c2016v711a22>

<b>Myrianthea laxiflora</b> Tul., new lectotype (second step) . . . . .	44
<b>Myrtus aemulans</b> Schltr., new lectotype . . . . .	78
<b>Myrtus gomonenensis</b> Guillaumin, new lectotype . . . . .	78
<b>Myrtus styphelioides</b> Schltr., new lectotype . . . . .	79
<b>Pararistolochia enricoi</b> Luino, L. Gaut. & Callm., spec. nova. . . . .	136
<b>Pilosella hoppeana</b> subsp. <b>sicula</b> Di Grist., Gottschl. & Raimondo, subspec. nova. . . . .	8
<b>Selaginella fissidentoides</b> f. <b>ovata</b> Stefanović & Rakotondr., syn. nov. . . . .	147
<b>Selaginella rasoloheryi</b> Rakotondr., spec. nova . . . . .	144
<b>Silene astartes</b> C.I. Blanche ex Boiss., new lectotype . . . . .	21
<b>Silene galataea</b> Boiss., new lectotype. . . . .	21
<b>Silene splendens</b> Boiss., new lectotype . . . . .	22
<b>Spermolepis rubiginosa</b> Brongn. & Gris, new lectotype. . . . .	79
<b>Thiollierea laureana</b> Mouly, spec. nova . . . . .	100
<b>Tylophora mayottae</b> W.D. Stevens, Labat & Barthelat, spec. nova . . . . .	131