

Index of taxonomic and nomenclatural novelties

Source: Cандолеа, 75(2) : 325-326

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2020v752a15>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index of taxonomic and nomenclatural novelties

| | |
|--|----------|
| <i>Akeassia</i> J.-P. Lebrun & Stork, syn. nov. | 314 |
| <i>Arytera chartacea</i> Radlk., second step new lectotype | 280 |
| <i>Arytera lepidota</i> Radlk., second step new lectotype | 277 |
| <i>Arytera pachyphylla</i> Radlk., new lectotype | 281 |
| <i>Chiloscyphus parapilistipulus</i> Thouvenot, sp. nov. | 286 |
| <i>Cocos nucifera</i> var. <i>palmyrensis</i> (Becc.) Pignotti & Baldini, nom. illeg. | 321 |
| <i>Cupania collina</i> Pancher & Sebert, second step new lectotype | 280 |
| <i>Cupaniopsis ganophloea</i> Radlk., new lectotype | 278 |
| <i>Cupaniopsis glomeriflora</i> Radlk., second step new lectotype | 276 |
| <i>Cupaniopsis inoplea</i> Radlk., new lectotype | 277 |
| <i>Cupaniopsis myrmecotoma</i> Radlk., second step new lectotype | 278 |
| <i>Cupaniopsis oedipoda</i> Radlk., second step new lectotype | 278 |
| <i>Cupaniopsis rotundifolia</i> Adema, syn. nov. | 279 |
| <i>Diospyros hildebrandtii</i> Gürke, new lectotype | 205 |
| <i>Diospyros hongwae</i> G.E. Schatz, Lowry & Phillipson, sp. nov. | 208 |
| <i>Diospyros ranirisonii</i> G.E. Schatz, Lowry & Phillipson, sp. nov. | 210 |
| <i>Diospyros silicea</i> G.E. Schatz, Lowry & Phillipson, sp. nov. | 212 |
| <i>Diospyros suarezensis</i> G.E. Schatz, Lowry & Phillipson, sp. nov. | 214 |
| <i>Grangea grangeoides</i> (J.-P. Lebrun & Stork) Beentje & O. Lachenaud, comb. nov. | 314 |
| <i>Grangea ogoouensis</i> O. Lachenaud & Beentje, sp. nov. | 315 |
| <i>Hibiscus ambanitazensis</i> M. Hanes & G.E. Schatz, sp. nov. | 197 |
| <i>Hibiscus analalavensis</i> M. Hanes & G.E. Schatz, sp. nov. | 198 |
| <i>Hibiscus ankeranensis</i> M. Hanes & G.E. Schatz, sp. nov. | 200 |
| <i>Hibiscus benedicti</i> Callm., G.E. Schatz & M. Hanes, nom. nov. | 324 |
| <i>Hibiscus calyculatus</i> (Hochr.) M. Hanes, G.E. Schatz & Callm., comb. nov. | 194 |
| <i>Hibiscus involucratus</i> (Hochr.) M. Hanes, G.E. Schatz & Callm., comb. nov., nom. illeg. | 196, 324 |
| <i>Hibiscus laurinus</i> Baill., new lectotype | 196 |
| <i>Hibiscus vohipahensis</i> M. Hanes & G.E. Schatz, sp. nov. | 201 |
| <i>Homalium analavelonae</i> Appleq., sp. nov. | 251 |
| <i>Homalium ihosyense</i> Appleq., sp. nov. | 252 |
| <i>Homalium megaphyllum</i> Appleq., sp. nov. | 256 |
| <i>Homalium phillipsonii</i> Appleq., sp. nov. | 258 |
| <i>Homalium pseudoracemosum</i> Appleq., sp. nov. | 260 |
| <i>Homalium rakotovaoi</i> Appleq., sp. nov. | 262 |
| <i>Homalium rubriflorum</i> Sleumer, new lectotype | 264 |
| <i>Homalium vohitsiandrianense</i> Appleq., sp. nov. | 266 |
| <i>Humbertianthus cardiostegius</i> Hochr., new lectotype, syn. nov. | 196 |
| <i>Lepidocupania</i> Buerki, Callm., Munzinger & Lowry, gen. nov. | 273 |
| <i>Lepidocupania arcuata</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 274 |
| <i>Lepidocupania brackenridgei</i> (A. Gray) Buerki, Callm., Munzinger & Lowry, comb. nov. | 274 |
| <i>Lepidocupania concolor</i> (Gillespie) Buerki, Callm., Munzinger & Lowry, comb. nov. | 274 |
| <i>Lepidocupania fruticosa</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 274 |
| <i>Lepidocupania glabra</i> (Adema) Buerki, Callm., Munzinger & Lowry, comb. nov. | 274 |
| <i>Lepidocupania globosa</i> (Adema) Buerki, Callm., Munzinger & Lowry, comb. nov. | 276 |
| <i>Lepidocupania glomeriflora</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 276 |
| <i>Lepidocupania gracilipes</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 276 |

| | |
|---|-----|
| <i>Lepidocupania grandiflora</i> (Adema) Buerki, Callm., Munzinger & Lowry, comb. nov. | 276 |
| <i>Lepidocupania guillauminii</i> (Kaneh.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 277 |
| <i>Lepidocupania inoplea</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 277 |
| <i>Lepidocupania lepidota</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 277 |
| <i>Lepidocupania mouana</i> (Guillaumin) Buerki, Callm., Munzinger & Lowry, comb. nov. | 277 |
| <i>Lepidocupania myrmoctona</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 278 |
| <i>Lepidocupania oedipoda</i> (Radlk.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 278 |
| <i>Lepidocupania pennelii</i> (Guillaumin) Buerki, Callm., Munzinger & Lowry, comb. nov. | 278 |
| <i>Lepidocupania rosea</i> (Adema) Buerki, Callm., Munzinger & Lowry, comb. nov. | 279 |
| <i>Lepidocupania samoensis</i> (Christoph.) Buerki, Callm., Munzinger & Lowry, comb. nov. | 279 |
| <i>Lepidocupania squamosa</i> (Adema) Buerki, Callm., Munzinger & Lowry, comb. nov. | 279 |
| <i>Lepidocupania subfalcata</i> (Adema) Buerki, Callm., Munzinger & Lowry, comb. nov. | 279 |
| <i>Lepidocupania tontoutensis</i> (Guillaumin) Buerki, Callm., Munzinger & Lowry, comb. nov. | 279 |
| <i>Lophocolea pilistipula</i> Steph., new lectotype | 286 |
| <i>Lotus zemmouriensis</i> C. Chatel., F. Andrieu & Dobignard, sp. nov. | 190 |
| <i>Maba enervis</i> H. Perrier, syn. nov. | 206 |
| <i>Memecylon complanatum</i> R.D. Stone, sp. nov. | 220 |
| <i>Memecylon convergens</i> R.D. Stone, sp. nov. | 223 |
| <i>Memecylon foefifa</i> R.D. Stone, sp. nov. | 225 |
| <i>Memecylon longipetiolatum</i> R.D. Stone, sp. nov. | 227 |
| <i>Memecylon paraxenum</i> R.D. Stone, sp. nov. | 229 |
| <i>Memecylon potamicum</i> R.D. Stone, sp. nov. | 229 |
| <i>Memecylon pseudogaleatum</i> R.D. Stone, sp. nov. | 232 |
| <i>Memecylon subchartaceum</i> R.D. Stone, sp. nov. | 234 |
| <i>Memecylon unguiculare</i> R.D. Stone, sp. nov. | 236 |
| <i>Neoarytera</i> Callm., Buerki, Munzinger & Lowry, gen. nov. | 280 |
| <i>Neoarytera chartacea</i> (Radlk.) Callm., Buerki, Munzinger & Lowry, comb. nov. | 280 |
| <i>Neoarytera collina</i> (Pancker & Sebert) Callm., Buerki, Munzinger & Lowry, comb. nov. | 280 |
| <i>Neoarytera nekorensis</i> (H. Turner) Callm., Buerki, Munzinger & Lowry, comb. nov. | 281 |
| <i>Neoarytera neoebudensis</i> (Guillaumin) Callm., Buerki, Munzinger & Lowry, comb. nov. | 281 |
| <i>Nisa sanguinea</i> Boivin ex Tul., new lectotype | 265 |
| <i>Pseudoblepharispermum tuddense</i> Baldesi & Pignotti, sp. nov. | 184 |
| <i>Psychotria ambatovensis</i> C.M. Taylor, sp. nov. | 161 |
| <i>Psychotria antilahimeneae</i> C.M. Taylor, sp. nov. | 162 |
| <i>Psychotria birkinshawiana</i> C.M. Taylor, sp. nov. | 164 |
| <i>Psychotria davisianna</i> C.M. Taylor, sp. nov. | 168 |
| <i>Psychotria eumachiooides</i> C.M. Taylor, sp. nov. | 170 |
| <i>Psychotria hamifera</i> C.M. Taylor, sp. nov. | 171 |
| <i>Psychotria mutabilis</i> C.M. Taylor, sp. nov. | 174 |
| <i>Psychotria notopleuroides</i> C.M. Taylor, sp. nov. | 176 |
| <i>Psychotria palifera</i> C.M. Taylor, sp. nov. | 178 |
| <i>Psychotria razafimandimbisonii</i> C.M. Taylor, sp. nov. | 180 |
| <i>Synima heterophylla</i> (S.T. Reynolds) Callm. & Buerki, comb. nov. | 244 |
| <i>Synima serrata</i> (S.T. Reynolds) Callm. & Buerki, comb. nov. | 244 |

DOI: <http://dx.doi.org/10.15553/c2020v752a15>