

Notes on Early Land Plants Today*. 83. Re-instatement of Lejeunea parvisaccata

Authors: Zhu, Rui-Liang, Hagborg, Anders, von Konrat, Matt, and

Söderström, Lars

Source: Lindbergia, 2023(1)

Published By: Dutch Bryological and Lichenological Society and Nordic

Bryological Society

URL: https://doi.org/10.25227/linbg.24520

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Notes on Early Land Plants Today*. 83. Re-instatement of Lejeunea parvisaccata

Rui-Liang Zhu¹, Anders Hagborg^{©2}, Matt von Konrat^{©2} and Lars Söderström^{©3}

Correspondence: Lars Söderström (lars@elpt.info)

Lindbergia 2023: e24520

doi: 10.25227/linbg.24520

Subject Editor and Editor-in-Chief: Nils Cronberg Accepted 3 January 2023 Mizutani (1970) introduced a new name, *Lejeunea micholitzii* Mizut., when transferring *Hygrolejeunea parvisaccata* Steph. to *Lejeunea* Lib. since *Lejeunea parvisaccata* (Steph.) Steph. was blocking the name in *Lejeunea*.

The two taxa were treated as synonyms in Söderström et al. (2016) following Grolle and Piippo (1984, note 162). However, this interpretation is an error, mislead by a typographical error in the note. *Lejeunea parvisaccata* is thus re-instated here. Although it is similar in morphology to *Lejeunea sordida* (Nees) Nees and *Lejeunea micholitzii*, it can be recognized by the combination of several morphological characters such as underleaf and leaf apex. Owing to the lack of molecular DNA data, the exact status of this taxon is not clear, but at present it is best to treat it as a separate species.

Data availability statement

There are no additional data for this paper.

References

Grolle, R. and Piippo, S. 1984. Annotated catalogue of western Melanesian bryophytes. I. Hepaticae and Anthocerotae. – Acta Bot. Fenn. 125: 1–86.

Mizutani, M. 1970. Lejeuneaceae, subfamilies Lejeuneoideae and Cololejeuneoideae, from Sabah (north Borneo). – J. Hattori Bot. Lab. 33: 225–265.

Söderström, L. et al. 2016. World checklist of hornworts and liverworts – PhytoKeys 59: 1–828.

¹Bryology Laboratory, School of Life Sciences, East China Normal Univ., Shanghai, China

²Gantz Family Collections Center, The Field Museum, Chicago, IL, USA

³Dept of Biology, Norwegian Univ. of Science and Technology, Trondheim, Norway

^{© 2023} The Authors. This is an Open Access article

This work is licensed under the terms of a Creative Commons Attribution 4.0 International License (CC-BY) http://creativecommons.org/licenses/by/4.0/. The license permits use, distribution and reproduction in any medium, provided the original work is properly cited. *Notes on Early Land Plants Today is a series of mainly nomenclatural and taxonomic notes published by the ELPT project together with its invited collaborators. Corresponding author for the series is Lars Söderström (lars@elpt.info).

Page 1 of 1