

Conclusions and recommendations of the OECD workshop on the ecology of introduced, exotic wildlife: Fundamental and economic aspects

Authors: Sjöberg, Göran, and Hokkanen, Heikki M.T.

Source: Wildlife Biology, 2(3): 131-133

Published By: Nordic Board for Wildlife Research

URL: https://doi.org/10.2981/wlb.1996.010

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Conclusions and recommendations of the OECD workshop on the ecology of introduced, exotic wildlife: Fundamental and economic aspects

Göran Sjöberg & Heikki M.T. Hokkanen

Sjöberg, G. & Hokkanen, H.M.T. 1996: Conclusions and recommendations of the OECD workshop on the ecology of introduced, exotic wildlife: Fundamental and economic aspects. - Wildl. Biol. 2: 131-133.

The deliberate and accidental relocation of birds and mammals around the globe has been and continues to be integral to patterns of human population spread, settlement and economic development. The outcomes of these relocations have been and may be irreversible, with long-term positive and negative implications for ecological, economic and recreational values. Therefore, for each such relocation there are benefits and/or costs which may not always be predictable but which can be realistically assessed and evaluated. A critical point may have been reached in society's recognition of the value of global biodiversity and its wish to mitigate threats to this. Therefore the OECD invited 16 leading scientists in the area of wildlife ecology to review the existing knowledge about vertebrate introductions, and to formulate recommendations for handling such introductions on a sound scientific basis in the future. These recommendations include a proposal to regulate all introductions of exotic vertebrates, to consult neighbouring countries and the public about such introductions, to adopt a combined white-list/black-list approach, and to establish national advisory committees for recommending actions in these questions.

Key words: exotics, wildlife, introduced species, ecological impact, eradication, control of populations, decision system

Göran Sjöberg, Department of Animal Ecology, Swedish University of Agricultural Sciences, S-901 83 Umea, Sweden

Heikki M. T. Hokkanen, Department of Applied Zoology, P. O. Box 27, FIN-00014 University of Helsinki, Finland

Following Frank & McCoy (1990), we suggest that the term introduced species should only designate deliberate introductions by man, and that other adventive species should be named immigrants.

Background

Translocations of vertebrate species are proceeding at an unprecedented rate around the world, and have the potential to cause massive changes in both natural ecosystems and in agricultural and urban systems. On the other hand, there are certain potential economic and social benefits from some species introductions. Risk assessment can be made, and the risk can be compared to expected benefits (Bomford 1991, Ruesink et al. 1995).

Introductions of exotic vertebrates have been shown to affect native species through hybridisation, parasite

or disease transmission, predation, herbivory or competition, or by many other means (Danell 1996, Dickman 1996, Gebhardt 1996, Kauhala 1996, Nummi 1996, Simberloff 1996, Sutherland et al. 1996). Substantial alteration of native ecological communities can also result (Atkinson 1996, Gebhardt 1996). This could be of particular concern in areas protected for conservation purposes. In addition, introduced vertebrates can cause damage to agriculture, forestry, and fisheries, as well as hazards to human and animal health (Gebhardt 1996).

Conclusions

As specific conclusions the OECD workshop wanted to emphasise that vertebrate introductions have certain distinctive ecological characteristics, such as:

© WILDLIFE BIOLOGY

WILDLIFE BIOLOGY · 2:3 (1996)

- Many introductions of vertebrates result in a permanent establishment of a species (Ebenhard 1988). Establishment is sometimes facilitated by previous changes in the environment (Myers 1986, Brown 1989). This, however, is not always necessary (Nummi 1996).
- In a suitable environment, organisms tend to spread at a certain rate if not artificially contained or controlled (van den Bosch et al 1992, Hengeveld 1996).
- Eradication of an established bird or mammal population is almost always extremely difficult and costly. Even for the control of populations, expensive measures need to be taken. Control through hunting may sometimes be efficient, but this depends on national and international market prices of meat and fur (Parkes et al. 1996, Dickman 1996). Application of toxins, which is costly, has been used against exotic mammals, but is often not considered acceptable by the public (Sutherland et al. 1996). Also the use of species-specific microbial control agents, or the control of fertility and lactation a recent development may lead to social and political complications (Sutherland et al. 1996).
- Exotic vertebrates tend to have a high rate of causing pest problems or environmental damage (Ebenhard 1988). Mammal examples include rabbits, brown and pacific rats, muskrats and brush-tailed possums (Atkinson 1996, Dickman 1996, Gebhardt 1996); bird examples include the Canada goose and the ring-necked pheasant (Gebhardt 1996).

Recommendations

Based on the considerations above, and on the joint expertise of the participants, the consensus view was reached that:

- A) All introductions of non-indigenous vertebrates for whatever purpose, including agricultural production, hunting, tourism, pet keeping, recreation, and research, should be regulated. Introductions from one ecological region to another should be regulated as well, even within the same country.
- B) Regulation should be based on the general principles that have been outlined for Australia (Bomford 1991). Similar documents should be adopted as a means of regulation by all countries, and it should be based on a hierarchical decision system concerning the benefits as well as the potential costs and risks of the introduction.
- C) A species to be introduced should fulfill the following criteria:
 - 1. It should carry a substantial economic or social benefit to the community.
 - 2. It should not be harmful to humans.

- 3. The species
 - a) is not likely to become established in the wild, or
 - b) should not have an adverse ecological impact, orc) should be possible to eradicate.
- 4. If the species does cause some adverse impact, its benefits should outweigh its actual and potential costs.
- D. Decisions concerning introductions should be made at the relevant ministry in each country based on recommendations of an advisory committee, and after consulting the views and considering the interests of other countries at risk. The advisory committee should have a broad expertise in ecology, evolution, genetics, and invasion biology. Before permission of an introduction is granted, a notification period of 60 days for comments from the public should be allowed.
- E. For efficient handling of applications for introduction, species can be placed in three different categories, specific to each ecological region:
 - A so called 'black list' which includes species which are not allowed for introduction under any conditions
 - 2. A 'white list' which includes species that already have been cleared as safe, and which do not require any further considerations.
 - 3. All applications concerning species not included in any of these two categories should go through the full assessment according to the above-mentioned mechanism. Renewed application should be made for a species for each new case of introduction, unless it is explicitly included in the 'white list'. By 'species' in this context we consider all genetically distinct population segments, or 'evolutionary units'.
- F. Special regulations should be considered for the spread, or containment of spread, of a species, irrespective of whether a permission for introduction has been granted.
- G. The advisory committee should continually reassess the status of species on the white list, as well as species that have entered the area without passing through the above process, based on monitoring of ecological and economic consequences of the introduction.
- H. An introduced species, already established in an area, that has been found to cause substantial economic damage compared to benefits, or that threatens native species or ecological communities, should if possible be eradicated, and the environment restored. If this is not technically or economically possible, appropriate measures should be taken to stop the further spread of the species, or if not even this is possible, its numbers should be sufficiently controlled.

132 WILDLIFE BIOLOGY = 2:3 (1996)

Acknowledgements - we thank for their written and oral contributions at the workshop and in its working groups, leading to the views expressed in this synthesis, the following scientists: I.A.E. Atkinson (New Zealand), K. Danell (Sweden), C. Dickman (Australia), H. Gebhardt (Germany), I. Hakkinen (Finland), R. Hengeveld (The Netherlands), K. Kauhala (Finland), W. Lutz (Germany), P. Nummi (Finland), J. Parkes (New Zealand), D. Simberloff (USA), K. Sjöberg (Sweden), L. Sugar (Hungary), O. Sutherland (New Zealand), V.-M. Vaananen (Finland). For financial support and for the practical organisation of the workshop we are indebted to the OECD Co-Operative Research Program on 'Biological Resource Management', to the Swedish University of Agricultural Sciences, Department of Animal Ecology, and to the University of Helsinki, Department of Applied Zoology.

References

- Atkinson, I.A.E. 1996: Introductions of wildlife as a cause of species extinctions. Wildlife Biology 2: 135-141.
- Bomford, M. 1991: Importing and keeping exotic vertebrates in Australia. Criteria for the assessment of risk. - Bureau of Rural Resources Bulletin No. 12, Australian Government Publishing Service, Canberra, 92 pp.
- Brown, J.H. 1989: Patterns, modes and extents of invasion by vertebrates. In: Drake, J.A., Mooney, H.A., di Castri, F., Groves, R.H., Kruger, F.J., Rejmnek, M. & Williamson M. (Eds.); Biological Invasions. A global perspective. John Wiley & Sons, New York, pp. 85-109.
- Danell, K. 1996: Introductions of aquatic rodents: lessons of the muskrat Ondatra zibethicus invasion. - Wildlife Biology 2: 213-220
- Dickman, C.R. 1996: Impact of exotic generalist predators on the native fauna of Australia. Wildlife Biology 2: 185-195.
- Ebenhard, T. 1988: Introduced birds and mammals and their ecological effects. Swedish Wildlife Research 13(4): 1-107.

- Frank, J.H. & McCoy, E.D. 1990: Endemics and epidemics of shibboleths and other things causing chaos. - Florida Entomologist 73: 1-9.
- Gebhardt, H. 1996: Ecological and economic consequences of introductions of exotic wildlife (birds and mammals) in Germany.
 Wildlife Biology 2: 205-211.
- Hengeveld, R. & van den Bosch, F. 1996: Predicting the rate of spread of introduced animals and plants. - Wildlife Biology 2: 151-158.
- Kauhala, K. 1996: Introduced carnivores in Europe with special reference to central and northern Europe. Wildlife Biology 2: 197-204
- Myers, K. 1986: Introduced vertebrates in Australia, with emphasis on the mammals. In: Groves, R.H. & Burdon, J.J. (Eds.); Ecology of Biological Invasions. Cambridge University Press, pp. 120-136.
- Nummi, P. 1996: Wildlife introductions to mammal-deficient areas: the Nordic countries. Wildlife Biology 2: 221-226.
- Parkes, J.P., Nugent, G. & Warburton, B. 1996: Commercial exploitation as a pest control tool for introduced mammals in New Zealand. Wildlife Biology 2: 171-177.
- Ruesink, J.L., Parker, I.M., Groom, M.J. & Kareiva, P.M. 1995: Reducing the risks of nonindigenous species introductions. Guilty until proven innocent. Bioscience 45: 465-477.
- Simberloff, D. 1996: Hybridization between native and introduced wildlife species: importance for conservation. Wildlife Biology 2: 143-150.
- Sutherland, O.R.W., Cowan, P.E. & Orwin, J. 1996: Biological control of possums Trichosurus vulpecula and rabbits Oryctolagus cuniculus in New Zealand. Wildlife Biology 2: 165-170.
- van den Bosch, F., Hengeveld, R. & Metz, J.A.J. 1992: Analysing the velocity of animal range expansion. Journal of Biogeography 19: 135-150.

WILDLIFE BIOLOGY · 2:3 (1996)