

Index to new names and combinations appearing in Willdenowia 33(1)

Source: Willdenowia, 33(1) : 223-227

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.33.33124>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index to new names and combinations appearing in Willdenowia 33(1)

<i>Achillea pindicola</i> subsp. <i>corabensis</i> (Heimerl) Greuter, comb. nova	39
<i>Achillea rupestris</i> subsp. <i>calcareae</i> (Huter & al.) Greuter, comb. nova	39
<i>Achillea rupestris</i> subsp. <i>lucana</i> (Pignatti) Greuter, comb. nova	39
<i>Achillea santolinoides</i> subsp. <i>wilhelmsii</i> (K. Koch) Greuter, comb. nova	39
<i>Amphoricarpos neumayerianus</i> (Vis.) Greuter, comb. nova	51
<i>Angelica indica</i> Pimenov & Kljuykov, sp. nova	122
<i>Anthemis cretica</i> subsp. <i>cinerea</i> (Pančić) Oberprieler & Greuter, comb. nova	39
<i>Anthemis cretica</i> subsp. <i>panachaica</i> (Halacsy) Oberprieler & Greuter, comb. nova	39
<i>Anthemis cretica</i> subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter, comb. nova	40
<i>Anthemis macedonica</i> subsp. <i>orbelica</i> (Pančić) Oberprieler & Greuter, comb. nova	40
<i>Anthemis macedonica</i> subsp. <i>stribrnyi</i> (Velen.) Oberprieler & Greuter, comb. nova	40
<i>Anthemis macedonica</i> subsp. <i>thracica</i> (Griseb.) Oberprieler & Greuter, comb. nova	40
<i>Anthemis peregrina</i> subsp. <i>heracleotica</i> (Boiss. & Heldr.) Oberprieler & Greuter, comb. nova	40
<i>Arabidopsis petraea</i> (L.) Kolník & Marhold, comb. nova	70
<i>Arabidopsis petrogena</i> (A. Kern.) Kolník & Marhold, comb. nova	70
<i>Arcyna</i> Wiklund, gen. nov.	63
<i>Arcyna tournefortii</i> (Boiss. & Reut.) Wiklund, comb. nova	65
<i>Ardisia manitzii</i> Panfet, sp. nova	173
<i>Artemisia alba</i> subsp. <i>kabylica</i> (Chabert) Greuter, comb. nova	40
<i>Artemisia campestris</i> subsp. <i>variabilis</i> (Ten.) Greuter, comb. nova	40
<i>Cardamine silana</i> Marhold & Perný, nom. nov.	69
<i>Carduus hamulosus</i> subsp. <i>stenocephalus</i> (Tamamsch.) Greuter, comb. nova	52
<i>Carduus nigrescens</i> subsp. <i>australis</i> (Nyman) Greuter, comb. nova	52
<i>Carduus nutans</i> subsp. <i>platypus</i> (Lange) Greuter, comb. nova	52
<i>Carduus nutans</i> subsp. <i>siculus</i> (Franco) Greuter, comb. nova	52
<i>Carduus onopordioides</i> subsp. <i>atropatanicus</i> (Grossh.) Greuter, comb. nova	52
<i>Carduus onopordioides</i> subsp. <i>furiosus</i> (Tamamsch.) Greuter, comb. nova	52
<i>Carduus onopordioides</i> subsp. <i>hajastanicus</i> (Tamamsch.) Greuter, comb. nova	52
<i>Carduus spachianus</i> subsp. <i>atlantis</i> (Humb. & Maire) Greuter, comb. nova	52
<i>Carduus spachianus</i> subsp. <i>megalatlanticus</i> (Maire) Greuter, comb. nova	52
<i>Carduus tmoleus</i> subsp. <i>baldaccii</i> (Kazmi) Greuter, comb. nova	52
<i>Carduus tmoleus</i> subsp. <i>cronius</i> (Boiss. & Heldr.) Greuter, comb. nova	52
<i>Carlina comosa</i> (Spreng.) Greuter, comb. nova	52
<i>Carlina sicula</i> subsp. <i>mareotica</i> (Asch. & Schweinf.) Greuter, comb. nova	52
<i>Carthamus atractyloides</i> (Pomel) Greuter, comb. nova	53
<i>Carthamus balearicus</i> (Rodr.) Greuter, comb. nova	53
<i>Carthamus catrouxii</i> (Maire) Greuter, comb. nova	53
<i>Carthamus cespitosus</i> (Batt.) Greuter, comb. nova	53
<i>Carthamus chouletteanus</i> (Pomel) Greuter, comb. nova	53
<i>Carthamus eriocephalus</i> (Boiss.) Greuter, comb. nova	53
<i>Carthamus hispanicus</i> subsp. <i>araneosus</i> (Boiss. & Reut.) Greuter, comb. nova	53
<i>Carthamus hispanicus</i> subsp. <i>macrocephalus</i> (Cuatrec.) Greuter, comb. nova	53
<i>Carthamus hispanicus</i> subsp. <i>pseudomitissimus</i> (Rivas Goday & Rivas Mart.) Greuter, comb. nova	53
<i>Carthamus ilicifolius</i> (Pomel) Greuter, comb. nova	53
<i>Carthamus lucens</i> (Ball) Greuter, comb. nova	53
<i>Carthamus matritensis</i> (Pau) Greuter, comb. nova	53
<i>Carthamus plumosus</i> (Pomel) Greuter, comb. nova	53
<i>Carthamus rhaponticoides</i> (Pomel) Greuter, comb. nova	53

<i>Centaurea acarnanica</i> (Matthäs) Greuter, stat. nov.	54
<i>Centaurea affinis</i> subsp. <i>denudata</i> (Halácsy) Greuter, comb. in stat. nov.	54
<i>Centaurea argentea</i> subsp. <i>chionantha</i> (Turland & L. Chilton) Greuter, stat. nov.	54
<i>Centaurea boissieri</i> subsp. <i>calvescens</i> (Maire) Greuter, comb. in stat. nov.	54
<i>Centaurea brulla</i> Greuter, nom. nov.	54
<i>Centaurea chartolepis</i> Greuter, nom. nov.	54
<i>Centaurea daralagoezica</i> (Fomin) Greuter, comb. nova	54
<i>Centaurea djebel-amouri</i> Greuter, nom. nov.	54
<i>Centaurea drabifolia</i> subsp. <i>floccosa</i> (Boiss.) Wagenitz & Greuter, comb. nova	54
<i>Centaurea finazzeri</i> subsp. <i>kozanii</i> (Routsi & T. Georgiadis) Greuter, comb. nova	54
<i>Centaurea friderici</i> subsp. <i>jabukensis</i> (Ginzb. & Teyber) Greuter, comb. & stat. nov.	54
<i>Centaurea gabrieljanae</i> Greuter, nom. nov.	55
<i>Centaurea kartschiana</i> subsp. <i>lubenicensis</i> (Trinajstić & Zi. Pavletić) Greuter, comb. nova	55
<i>Centaurea kotschyi</i> subsp. <i>floccosa</i> (Boiss.) Greuter, stat. nov.	55
<i>Centaurea kotschyi</i> subsp. <i>persica</i> (Boiss.) Greuter, stat. nov.	55
<i>Centaurea micevskii</i> Greuter, nom. nov.	55
<i>Centaurea papposa</i> (Coss.) Greuter, comb. & stat. nov.	55
<i>Centaurea phrygia</i> subsp. <i>alutacea</i> (Dobroc. z.) Greuter, comb. nova	55
<i>Centaurea phrygia</i> subsp. <i>razgradensis</i> (Velen.) Greuter, comb. & stat. nov.	55
<i>Centaurea raphanina</i> subsp. <i>saxatilis</i> (K. Koch) Greuter, comb. & stat. nov.	55
<i>Centaurea resupinata</i> subsp. <i>dufourii</i> (Dostál) Greuter, comb. nova	55
<i>Centaurea resupinata</i> subsp. <i>prostrata</i> (Coss.) Greuter, comb. in stat. nov.	56
<i>Centaurea scabiosa</i> subsp. <i>integra</i> Greuter, nom. nov.	56
<i>Centaurea seridis</i> subsp. <i>sonchifolia</i> (L.) Greuter, stat. nov.	56
<i>Centaurea stoebe</i> subsp. <i>australis</i> (A. Kern.) Greuter, comb. nova	56
<i>Centaurea uniflora</i> subsp. <i>promota</i> (E. Gamal-Eldin & Wagenitz) Greuter, comb. nova	56
<i>Cirsium alsophilum</i> (Pollini) Greuter, comb. nova	57
<i>Clidemia intonsa</i> E. Cotton & W. Meier, sp. nova	197
<i>Cota dalmatica</i> (Scheele) Oberprieler & Greuter, comb. nova	40
<i>Cota dipsacea</i> (Bornm.) Oberprieler & Greuter, comb. nova	40
<i>Cota halophila</i> (Boiss. & Balansa) Oberprieler & Greuter, comb. nova	40
<i>Cota melanoloma</i> subsp. <i>trapezuntica</i> (Grierson) Oberprieler & Greuter, comb. nova	40
<i>Cota monantha</i> (Willd.) Oberprieler & Greuter, comb. nova	40
<i>Cota oretana</i> (Carretero) Oberprieler & Greuter, comb. nova	40
<i>Cota samuelssonii</i> (Rech. f.) Oberprieler & Greuter, comb. nova	40
<i>Cota tinctoria</i> subsp. <i>australis</i> (R. Fern.) Oberprieler & Greuter, comb. nova	41
<i>Cota tinctoria</i> subsp. <i>euxina</i> (Boiss.) Oberprieler & Greuter, comb. nova	41
<i>Cota tinctoria</i> subsp. <i>fussii</i> (Griseb. & Schenk) Oberprieler & Greuter, comb. nova	41
<i>Cota tinctoria</i> subsp. <i>gaudium-solis</i> (Velen.) Oberprieler & Greuter, comb. nova	41
<i>Cota tinctoria</i> subsp. <i>parnassica</i> (Boiss. & Heldr.) Oberprieler & Greuter, comb. nova	41
<i>Cota tinctoria</i> subsp. <i>sancti-johannis</i> (Stoj. & al.) Oberprieler & Greuter, comb. nova	41
<i>Cota tinctoria</i> subsp. <i>virescens</i> (Bornm.) Oberprieler & Greuter, comb. nova	41
<i>Cousinia gatchsaranica</i> I. Mehregan, M. Assadi & F. Attar, sp. nova	108
<i>Cyanus albofimbriatus</i> (Stef. & T. Georgiev) Greuter, comb. nova	57
<i>Cyanus bourgaei</i> (Boiss.) Wagenitz & Greuter, comb. nova	57
<i>Cyanus cyanooides</i> (Wahlenb.) Wagenitz & Greuter, comb. nova	57
<i>Cyanus elbrusensis</i> (Boiss. & Buhse) Wagenitz & Greuter, comb. nova	57
<i>Cyanus fuscomarginatus</i> (K. Koch) Greuter, comb. nova	57
<i>Cyanus mathiolifolius</i> (Boiss.) Wagenitz & Greuter, comb. nova	57

<i>Cyanus novakii</i> (Dostál) Greuter, comb. nova	57
<i>Cyanus pichleri</i> subsp. <i>extrarosularis</i> (Hayek & Siehe) Wagenitz & Greuter, comb. nova	57
<i>Cyanus pinnatifidus</i> subsp. <i>sooanus</i> (Borhidi) Greuter, comb. nova	57
<i>Cyanus tchihatcheffii</i> (Fisch. & C. A. Mey.) Wagenitz & Greuter, comb. nova	57
<i>Cyanus velenovskyi</i> (Adamovic) Wagenitz & Greuter, comb. nova	57
<i>Echinops ritro</i> subsp. <i>siculus</i> (Strobl) Greuter, comb. nova	58
<i>Echinops spinosissimus</i> subsp. <i>bithynicus</i> (Boiss.) Greuter, comb. nova	58
<i>Echinops spinosissimus</i> subsp. <i>bovei</i> (Boiss.) Greuter, comb. nova	58
<i>Echinops spinosissimus</i> subsp. <i>fontqueri</i> (Pau) Greuter, comb. nova	58
<i>Echinops spinosissimus</i> subsp. <i>macrolepis</i> (Boiss.) Greuter, comb. nova	58
<i>Echinops spinosissimus</i> subsp. <i>spinosus</i> Greuter, subsp. nova	58
<i>Erigeron acris</i> subsp. <i>serotinus</i> (Weihe) Greuter, comb. nova	46
<i>Erigeron primulifolius</i> (Lam.) Greuter, comb. nova	46
<i>Erythroxylum banaoense</i> R. Oviedo, sp. nova	189
<i>Erythroxylum domingense</i> R. Oviedo, sp. nova	191
<i>Erythroxylum mogotense</i> R. Oviedo, sp. nova	189
<i>Eurybia sibirica</i> subsp. <i>subintegerrima</i> (Trautv.) Greuter, comb. nova	47
<i>Galatella linosyris</i> subsp. <i>armoricana</i> (Rouy) Greuter, comb. nova	47
<i>Galatella sedifolia</i> (L.) Greuter, comb. nova	47
<i>Galatella sedifolia</i> subsp. <i>dracunculoides</i> (Lam.) Greuter, comb. nova	47
<i>Galatella sedifolia</i> subsp. <i>illyrica</i> (Murb.) Greuter, comb. nova	47
<i>Galatella sedifolia</i> subsp. <i>rigida</i> (Cass.) Greuter, comb. nova	47
<i>Heracleum oncosepalum</i> (Hand.-Mazz.) Pimenov & Kljuykov, comb. nova	132
<i>Hypochaeris sardoa</i> Bacchetta, Brullo & Terrasi, sp. nova	72
<i>Jurinea moschus</i> subsp. <i>pinnatisecta</i> (Boiss.) Greuter, comb. nova	58
<i>Jurinea neicevii</i> (Ko uharov) Greuter, comb. nova	58
<i>Klasea aznavouriana</i> (Bornm.) Greuter & Wagenitz, comb. nova	58
<i>Klasea bornmuelleri</i> (Azn.) Greuter & Wagenitz, comb. nova	58
<i>Klasea cerinthifolia</i> (Sm.) Greuter & Wagenitz, comb. nova	58
<i>Klasea erucifolia</i> (L.) Greuter & Wagenitz, comb. nova	58
<i>Klasea flavescens</i> subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz, comb. nova	59
<i>Klasea flavescens</i> subsp. <i>cretica</i> (Turrill) Greuter & Wagenitz, comb. nova	59
<i>Klasea flavescens</i> subsp. <i>neglecta</i> (Iljin) Greuter & Wagenitz, comb. nova	59
<i>Klasea grandifolia</i> (P. H. Davis) Greuter & Wagenitz, comb. nova	59
<i>Klasea hakkiarica</i> (P. H. Davis) Greuter & Wagenitz, comb. nova	59
<i>Klasea kotschyi</i> (Boiss.) Greuter & Wagenitz, comb. nova	59
<i>Klasea kurdica</i> (Post) Greuter & Wagenitz, comb. nova	59
<i>Klasea lasiocephala</i> (Bornm.) Greuter & Wagenitz, comb. nova	59
<i>Klasea monardii</i> subsp. <i>algarbiensis</i> (Cantó) Greuter & Wagenitz, comb. nova	59
<i>Klasea mouterdei</i> (Arènes) Greuter & Wagenitz, comb. nova	59
<i>Klasea oligocephala</i> (DC.) Greuter & Wagenitz, comb. nova	59
<i>Klasea pusilla</i> (Labill.) Greuter & Wagenitz, comb. nova	59
<i>Klasea quinquefolia</i> (Willd.) Greuter & Wagenitz, comb. nova	59
<i>Klasea radiata</i> subsp. <i>cetinjensis</i> (Rohlena) Greuter & Wagenitz, comb. nova	59
<i>Klasea serratulooides</i> (DC.) Greuter & Wagenitz, comb. nova	59
<i>Leucanthemum coronopifolium</i> subsp. <i>ceratophylloides</i> (All.) Vogt & Greuter, comb. nova	41
<i>Leucanthemum coronopifolium</i> subsp. <i>tenuifolium</i> (Guss.) Vogt & Greuter, comb. nova	41
<i>Leucanthemum illyricum</i> (Horvatić) Vogt & Greuter, comb. nova	41

<i>Leucanthemum ircutianum</i> subsp. <i>asperulum</i> (N. Terracc.) Vogt & Greuter, comb. nova . . .	41
<i>Leucanthemum ircutianum</i> subsp. <i>leucolepis</i> (Briq. & Cavill.) Vogt & Greuter, comb. nova . . .	41
<i>Leucanthemum rohlena</i> (Horvatić) Vogt & Greuter, comb. nova	41
<i>Leucanthemum visianii</i> (Gjurašin) Vogt & Greuter, comb. nova	42
<i>Leucanthemum vulgare</i> subsp. <i>parviceps</i> (Briq. & Cavill.) Vogt & Greuter, comb. nova . . .	42
<i>Mecomischus pedunculatus</i> (Coss. & Durieu) Oberprieler & Greuter, comb. nova	42
<i>Miconia chapensis</i> E. Cotton & W. Meier, sp. nova	201
<i>Myrsine bissei</i> Panfet, sp. nova	175
<i>Myrsine pipolyi</i> Panfet, sp. nova	177
<i>Ostericum longipedicellatum</i> (H. Wolff) Pimenov & Kljuykov, comb. nova	128
<i>Ostericum muliense</i> (R. H. Shan & F. T. Pu) Pimenov & Kljuykov, comb. nova	129
<i>Ouratea schizostyla</i> Berazaín, sp. nova	183
<i>Phalacrocarpum oppositifolium</i> subsp. <i>anomalum</i> (Lag.) Vogt & Greuter, comb. nova . . .	42
<i>Pinguicula cubensis</i> Urquiola & Casper, sp. nova	170
<i>Plagiopus maghrebinus</i> Vogt & Greuter, sp. nova	42
<i>Psephellus araxinus</i> (Gabrieljan) Greuter, comb. nova	59
<i>Psephellus atropatanus</i> (Grossh.) Greuter, comb. nova	59
<i>Psephellus carbonatus</i> (Klokov) Greuter, comb. nova	60
<i>Psephellus erivanensis</i> subsp. <i>holargyreus</i> (Bornm. & Woronow) Greuter, comb. nova . . .	60
<i>Psephellus fajvuschi</i> (Gabrieljan) Greuter, comb. nova	60
<i>Psephellus sumensis</i> (Kalen.) Greuter, comb. nova	60
<i>Psephellus xanthocephalus</i> subsp. <i>xanthocephaloides</i> (Tzvelev) Greuter, comb. nova . . .	60
<i>Pulicaria uniseriata</i> N. Kilian, nom. nov.	106
<i>Rhaponticoides africana</i> (Lam.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides alpina</i> (L.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides amasiensis</i> (Bornm.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides amplifolia</i> (Boiss. & Heldr.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides carrissoi</i> (Rothm.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides centaurium</i> (L.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides eriosiphon</i> (Emb. & Maire) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides fraylensis</i> (Nyman) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides hajastana</i> (Tzvelev) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides iconiensis</i> (Hub.-Mor.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides kasakorum</i> (Iljin) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides linaresii</i> (Lázaro Ibiza) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides mykalea</i> (Hub.-Mor.) M. V. Agab. & Greuter, comb. nova	60
<i>Rhaponticoides pythiae</i> (Azn. & Bornm.) M. V. Agab. & Greuter, comb. nova	61
<i>Rhaponticoides ruthenica</i> (Lam.) M. V. Agab. & Greuter, comb. nova	61
<i>Rhaponticoides taliewii</i> (Kleopow) M. V. Agab. & Greuter, comb. nova	61
<i>Rhaponticoides tamaniana</i> (M. V. Agab.) M. V. Agab. & Greuter, comb. nova	61
<i>Rhaponticum coniferum</i> (L.) Greuter, comb. nova	61
<i>Rhaponticum coniferum</i> subsp. <i>berardioides</i> (Battand.) Greuter, comb. nova	61
<i>Rhaponticum cossonianum</i> (Ball) Greuter, comb. nova	61
<i>Rhaponticum exaltatum</i> (Willk.) Greuter, comb. nova	61
<i>Rhaponticum helenifolium</i> subsp. <i>bicknellii</i> (Briq.) Greuter, comb. nova	61
<i>Rhaponticum longifolium</i> subsp. <i>ericeticola</i> (Font Quer) Greuter, comb. nova	61
<i>Rhaponticum scariosum</i> subsp. <i>lamarckii</i> (Dittrich) Greuter, comb. nova	61
<i>Rhodanthemum gayanum</i> subsp. <i>antiatlanticum</i> (Emb. & Maire) Vogt & Greuter, comb. nova . . .	43

<i>Sedum mucizonia</i> subsp. <i>abylaeum</i> (Font Quer & Maire) Marhold, comb. nova	70
<i>Selaginella caluffii</i> Shelton, sp. nova	159
<i>Selaginella ivanii</i> Shelton & Caluff, sp. nova	162
<i>Selaginella achotalensis</i> Shelton & Caluff, sp. nova	163
<i>Suaeda tschujensis</i> Lomon. & Freitag, sp. nova	140
<i>Symphyotrichum parviflorum</i> (Nees) Greuter, comb. nova	47
<i>Tanacetum corymbosum</i> subsp. <i>achilleae</i> (L.) Greuter, comb. nova	43
<i>Tanacetum polycephalum</i> subsp. <i>filipendulinum</i> (Boiss.) Greuter, comb. nova	43
<i>Tripolium pannonicum</i> subsp. <i>tripolium</i> (L.) Greuter, comb. nova	47
<i>Volutaria saharae</i> (L. Chevall.) Wagenitz, comb. nova	61
<i>Wallenia jacquinioides</i> subsp. <i>montecristensis</i> Panfet & Ventosa, subsp. nova	179
<i>Wallenia lepperi</i> Panfet & Ventosa, sp. nova	182