

Index to new names and combinations appearing in Willdenowia 33(2)

Source: Willdenowia, 33(2) : 483-486

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.33.33223>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index to new names and combinations appearing in Willdenowia 33(2)

| | |
|---|-----|
| <i>Adenostyles alpina</i> subsp. <i>australis</i> (Ten.) Greuter, comb. in stat. novo | 247 |
| <i>Aliella ballii</i> (Klatt) Greuter, comb. nova | 241 |
| <i>Aliella ballii</i> subsp. <i>nitida</i> (Emb.) Greuter, comb. nova | 241 |
| <i>Allagopappus canariensis</i> (Willd.) Greuter, comb. nova | 241 |
| <i>Amorphophallus mangelsdorffii</i> Bogner, sp. nova | 299 |
| <i>Andryala glandulosa</i> subsp. <i>cheiranthifolia</i> (L'Hér.) Greuter, comb. nova | 232 |
| <i>Andryala laevitomentosa</i> (Sennikov) Greuter, comb. nova | 232 |
| <i>Andryala pinnatifida</i> subsp. <i>ducellieri</i> (Batt.) Greuter, comb. nova | 232 |
| <i>Andryala pinnatifida</i> subsp. <i>jahandiezii</i> (Maire) Greuter, comb. nova | 232 |
| <i>Andryala pinnatifida</i> subsp. <i>maroccana</i> (Maire) Greuter, comb. nova | 232 |
| <i>Andryala pinnatifida</i> subsp. <i>mogadorensis</i> (Hook. f.) Greuter, comb. nova | 232 |
| <i>Artemisia pancicii</i> Ronniger ex Danihelka & Marhold, sp. nova | 253 |
| <i>Astragalus akhundzadahensis</i> Podlech & Zarre, sp. nova | 341 |
| <i>Astragalus ammodendroides</i> Podlech & Zarre, sp. nova | 342 |
| <i>Astragalus bazarganii</i> Podlech & Zarre, sp. nova | 343 |
| <i>Astragalus biarjmandicus</i> Podlech & Zarre, sp. nova | 343 |
| <i>Astragalus darrehbidensis</i> Podlech & Zarre, sp. nova | 344 |
| <i>Astragalus nowroozii</i> Podlech & Zarre, sp. nova | 345 |
| <i>Astragalus pseudoarvatensis</i> Podlech & Sytin, sp. nova | 346 |
| <i>Astragalus similissimus</i> Podlech & Zarre, sp. nova | 346 |
| <i>Astragalus strictissimus</i> Podlech & Zarre, sp. nova | 347 |
| <i>Astragalus tenuiramosus</i> Podlech & Zarre, sp. nova | 348 |
| <i>Astragalus zurmatensis</i> Podlech & Zarre, sp. nova | 348 |
| <i>Byssoloma carneum</i> Schubert, Greber & Lücking, sp. nova | 460 |
| <i>Centaurea aplolepa</i> subsp. <i>bertolonii</i> (Arrigoni) Greuter, comb. nova | 249 |
| <i>Centaurea aplolepa</i> subsp. <i>levantina</i> (Arrigoni) Greuter, comb. nova | 249 |
| <i>Centaurea arrigonii</i> Greuter, nom. nov. | 249 |
| <i>Chiliadenus sericeus</i> subsp. <i>virescens</i> (Maire) Greuter, comb. nova | 242 |
| <i>Cleome procumbens</i> subsp. <i>obtusa</i> (Urb.) R. Rankin, comb. & stat. novi | 441 |
| <i>Cleome procumbens</i> subsp. <i>wrightii</i> (Urb.) R. Rankin, comb. & stat. novi | 442 |
| <i>Cleome procumbens</i> (subsp. <i>wrightii</i>) var. <i>arenaria</i> (Urb.) R. Rankin, comb. & stat. novi | 442 |
| <i>Cleome procumbens</i> (subsp. <i>wrightii</i>) var. <i>wrightii</i> (Urb.) R. Rankin, comb. & stat. novi | 442 |
| <i>Conioselinum nematophyllum</i> Pimenov & Kljuykov, nom. nov. | 361 |
| <i>Conioselinum nepalense</i> Pimenov & Kljuykov, sp. nova | 361 |
| <i>Conioselinum pseudoangelica</i> (H. Boissieu) Pimenov & Kljuykov, comb. nova | 362 |
| <i>Conioselinum reflexum</i> Pimenov & Kljuykov, sp. nova | 365 |
| <i>Conioselinum shanii</i> Pimenov & Kljuykov, sp. nova | 265 |
| <i>Conioselinum sinchianum</i> (K. T. Fu) Pimenov & Kljuykov, comb. nova | 367 |
| <i>Conioselinum sinomedicum</i> Pimenov & Kljuykov, nom. nov. | 367 |
| <i>Conioselinum smithii</i> (H. Wolff) Pimenov & Kljuykov, comb. nova | 369 |
| <i>Conioselinum tenuisectum</i> (H. Boissieu) Pimenov & Kljuykov, comb. nova | 372 |
| <i>Conioselinum tenuissimum</i> (Nakai) Pimenov & Kljuykov, comb. nova | 373 |
| <i>Crepis arenaria</i> subsp. <i>suberostris</i> (Batt.) Greuter, comb. & stat. novi | 232 |
| <i>Crepis gussonei</i> Greuter, nom. nov. | 232 |
| <i>Dittrichia viscosa</i> subsp. <i>angustifolia</i> (Bég.) Greuter, comb. & stat. novi | 242 |
| <i>Dittrichia viscosa</i> subsp. <i>maritima</i> (Brullo & De Marco) Greuter, comb. & stat. novi | 242 |
| <i>Doronicum plantagineum</i> subsp. <i>atlanticum</i> (Rouy) Greuter, comb. & stat. novi | 247 |
| <i>Fellhanera tubulifera</i> Schubert & Lücking, sp. nova | 461 |
| <i>Filago libyaca</i> (Alavi) Greuter & Wagenitz, comb. nova | 242 |

| | |
|--|-----|
| <i>Filago lojacanoi</i> (Brullo) Greuter, comb. nova | 242 |
| <i>Filago longilanata</i> (Maire & Wilczek) Greuter, comb. nova | 242 |
| <i>Filago nevadensis</i> (Boiss.) Wagenitz & Greuter, comb. nova | 242 |
| <i>Frolovia frolovii</i> (Ledeb.) Raab-Straube, comb. nova | 391 |
| <i>Frolovia gorbunovae</i> (Kamelin) Raab-Straube, comb. nova | 392 |
| <i>Gnomophalium</i> Greuter, gen. nov. | 242 |
| <i>Gnomophalium pulvinatum</i> (Delile) Greuter, comb. nova | 242 |
| <i>Helichrysum pomelianum</i> Greuter, nom. nov. | 242 |
| <i>Helminthotheca aculeata</i> subsp. <i>maroccana</i> (Sauvage) Greuter, comb. nova | 233 |
| <i>Helminthotheca glomerata</i> (Pomel) Greuter, comb. nova | 233 |
| <i>Himalaiella</i> Raab-Straube, gen. nov. | 390 |
| <i>Himalaiella abnormis</i> (Lipsch.) Raab-Straube, comb. nova | 390 |
| <i>Himalaiella afghana</i> (Lipsch.) Raab-Straube, comb. nova | 390 |
| <i>Himalaiella albescens</i> (DC.) Raab-Straube, comb. nova | 390 |
| <i>Himalaiella auriculata</i> (DC.) Raab-Straube, comb. nova | 390 |
| <i>Himalaiella chenopodiifolia</i> (Klatt) Raab-Straube, comb. nova | 390 |
| <i>Himalaiella chitralica</i> (Duthie) Raab-Straube, comb. nova | 390 |
| <i>Himalaiella deltoidea</i> (DC.) Raab-Straube, comb. nova | 391 |
| <i>Himalaiella foliosa</i> (Edgew.) Raab-Straube, comb. nova | 391 |
| <i>Himalaiella heteromalla</i> (D. Don) Raab-Straube, comb. nova | 391 |
| <i>Himalaiella nivea</i> (DC.) Raab-Straube, comb. nova | 391 |
| <i>Himalaiella peguensis</i> (C. B. Clarke) Raab-Straube, comb. nova | 391 |
| <i>Indigofera brachyphylla</i> Al-Turki, sp. nova | 339 |
| <i>Lactuca cyprica</i> (Rech. f.) N. Kilian & Greuter, comb. nova | 234 |
| <i>Lactuca czerepanovii</i> (Kirp.) N. Kilian & Greuter, comb. nova | 234 |
| <i>Lactuca fenzlii</i> N. Kilian & Greuter, nom. nov. | 234 |
| <i>Lactuca kirpicznikovii</i> (Grossh.) N. Kilian & Greuter, comb. nova | 234 |
| <i>Lactuca macrophylla</i> subsp. <i>uralensis</i> (Rouy) N. Kilian & Greuter, comb. nova | 234 |
| <i>Lactuca pancicii</i> (Vis.) N. Kilian & Greuter, comb. nova | 234 |
| <i>Laphangium teydeum</i> Wildpret & Greuter, sp. nova | 243 |
| <i>Leontodon hispidus</i> subsp. <i>montanus</i> (Ball) Greuter, comb. nova | 234 |
| <i>Leontodon hyoseroides</i> subsp. <i>pseudocrispus</i> (Bisch.) Greuter, comb. nova | 234 |
| <i>Leontodon muelleri</i> subsp. <i>reboudianus</i> (Pomel) Greuter, comb. nova | 234 |
| <i>Leontopodium nivale</i> subsp. <i>alpinum</i> (Cass.) Greuter, comb. & stat. novi | 244 |
| <i>Limbarda crithmoides</i> subsp. <i>longifolia</i> (Arcang.) Greuter, comb. nova | 244 |
| <i>Limonium cypricum</i> (Meikle) Hand & Buttler, comb. & stat. novi | 315 |
| <i>Pallenis teknensis</i> (Dobignard & Jacquemoud) Greuter & Jury, comb. nova | 244 |
| <i>Phlomis cyprica</i> subsp. <i>occidentalis</i> (Meikle) Hand, comb. & stat. novi | 318 |
| <i>Porina flavopapillata</i> Schubert & Lücking, sp. nova | 463 |
| <i>Potentilla bidentula</i> Soják, sp. nova | 409 |
| <i>Potentilla brassii</i> var. <i>giluwensis</i> Soják, var. nova | 413 |
| <i>Potentilla grisea</i> var. <i>ripicola</i> Soják, var. nova | 422 |
| <i>Potentilla hooglandii</i> var. <i>rufa</i> Soják, var. nova | 412 |
| <i>Potentilla hubsugulica</i> Soják, sp. nova | 417 |
| <i>Potentilla papuana</i> var. <i>celebica</i> Soják, var. nova | 413 |
| <i>Potentilla papuana</i> var. <i>victoralis</i> Soják, var. nova | 413 |
| <i>Potentilla peduncularis</i> var. <i>subcontigua</i> Soják, var. nova | 417 |
| <i>Potentilla pycnophylla</i> Soják, sp. nova | 411 |
| <i>Potentilla spectabilis</i> Businský & Soják, sp. nova | 415 |

| | |
|---|-----|
| <i>Potentilla sumatrana</i> var. <i>achillea</i> Soják, var. nova | 414 |
| <i>Potentilla</i> × <i>ala-arcaezae</i> Soják, nothosp. nova | 417 |
| <i>Potentilla</i> × <i>aurantiaca</i> Soják, nothosp. nova | 415 |
| <i>Potentilla</i> × <i>bishkekensis</i> Soják, nothosp. nova | 419 |
| <i>Potentilla</i> × <i>pantotricha</i> Soják, nothosp. nova | 412 |
| <i>Potentilla</i> × <i>recensita</i> Soják, nothosp. nova | 421 |
| <i>Potentilla</i> × <i>solitaria</i> Soják, nothosp. nova | 420 |
| <i>Potentilla</i> × <i>tundricola</i> Soják, nothosp. nova | 422 |
| <i>Psephellus yildizii</i> (Civelek & al.) Greuter, comb. nova | 250 |
| <i>Pulicaria decumbens</i> (Litard. & Maire) Greuter, comb. & stat. novi | 244 |
| <i>Ranunculus monspeliacus</i> subsp. <i>aspromontanus</i> (Huter) Peruzzi & N. G. Passal., comb. nova | 263 |
| <i>Rhaponticum longifolium</i> subsp. <i>ericeticola</i> (Font Quer) Greuter, comb. & stat. novi | 250 |
| <i>Scorzonera hispanica</i> subsp. <i>neapolitana</i> (Grande) Greuter, comb. & stat. novi | 236 |
| <i>Scorzonera karabelensis</i> Parolly & N. Kilian, sp. nova | 328 |
| <i>Scorzonera laciniata</i> subsp. <i>decumbens</i> (Guss.) Greuter, comb. nova | 237 |
| <i>Scorzonera longifolia</i> (Emb. & Maire) Greuter, comb. & stat. novi | 237 |
| <i>Scorzonera rosea</i> subsp. <i>peristerica</i> (Formánek) Greuter, comb. nova | 237 |
| <i>Selaginella cristalensis</i> Shelton & Caluff, sp. nova | 435 |
| <i>Selaginella orbiculifolia</i> Shelton & Caluff, sp. nova | 430 |
| <i>Selaginella undata</i> Shelton & Caluff, sp. nova | 427 |
| <i>Senecio ambiguus</i> subsp. <i>taygeteus</i> (Boiss. & Heldr.) Greuter, comb. nova | 247 |
| <i>Senecio hercynicus</i> subsp. <i>dacicus</i> (Hodálová & Marhold) Greuter, comb. & stat. novi | 247 |
| <i>Senecio hercynicus</i> subsp. <i>dalmaticus</i> (Griseb.) Greuter, comb. nova | 247 |
| <i>Senecio hercynicus</i> subsp. <i>ucranicus</i> (Hodálová) Greuter, comb. & stat. novi | 247 |
| <i>Senecio leucanthemifolius</i> subsp. <i>cyrenaicus</i> (E. A. Durand & Barratte) Greuter, stat. nov. | 247 |
| <i>Senecio leucanthemifolius</i> subsp. <i>mauritanicus</i> (Pomel) Greuter, comb. nova | 247 |
| <i>Senecio leucanthemifolius</i> subsp. <i>vernalis</i> (Waldst. & Kit.) Greuter, comb. & stat. novi | 247 |
| <i>Senecio nemorensis</i> subsp. <i>apuanus</i> (Tausch) Greuter, comb. & stat. novi | 247 |
| <i>Senecio nemorensis</i> subsp. <i>bulgaricus</i> (Velen.) Greuter, comb. nova | 247 |
| <i>Senecio nevadensis</i> subsp. <i>malacitanus</i> (Huter) Greuter, comb. & stat. novi | 248 |
| <i>Senecio ovatus</i> subsp. <i>stabianus</i> (Lacaita) Greuter, comb. nova | 248 |
| <i>Senecio samnitum</i> (Nyman) Greuter, comb. & stat. novi | 248 |
| <i>Senecio scopolii</i> subsp. <i>floccosus</i> (Bertol.) Greuter, comb. nova | 248 |
| <i>Senecio squalidus</i> subsp. <i>aethnensis</i> (DC.) Greuter, comb. & stat. novi | 248 |
| <i>Senecio squalidus</i> subsp. <i>chrysanthemifolius</i> (Poir.) Greuter, comb. & stat. novi | 248 |
| <i>Sonchus beltraniae</i> (U. Reifemb. & A. Reifemb.) N. Kilian & Greuter, comb. nova | 237 |
| <i>Sonchus bulbosus</i> (L.) N. Kilian & Greuter, comb. nova | 237 |
| <i>Sonchus bulbosus</i> subsp. <i>microcephalus</i> (Rech. f.) N. Kilian & Greuter, comb. nova | 237 |
| <i>Sonchus bulbosus</i> subsp. <i>willkommii</i> (Burnat & Barbey) N. Kilian & Greuter, comb. nova | 237 |
| <i>Sonchus bupleuroides</i> (Font Quer) N. Kilian & Greuter, comb. nova | 237 |
| <i>Sonchus filifolius</i> N. Kilian & Greuter, nom. nov. | 237 |
| <i>Sonchus pendulus</i> subsp. <i>flaccidus</i> (Svent.) N. Kilian & Greuter, comb. nova | 237 |
| <i>Stachyphrynium lancifolium</i> Suksathan & Borchs., sp. nova | 406 |
| <i>Stachyphrynium longispicatum</i> Suksathan & Borchs., sp. nova | 404 |
| <i>Tephrosieris integrifolia</i> subsp. <i>caucasigena</i> (Schischk.) Greuter, comb. & stat. novi | 248 |
| <i>Tephrosieris integrifolia</i> subsp. <i>jailicola</i> (Juz.) Greuter, comb. & stat. novi | 248 |
| <i>Tephrosieris longifolia</i> subsp. <i>brachychaeta</i> Greuter, subsp. nova | 248 |

| | |
|---|-----|
| <i>Tephrosia longifolia</i> subsp. <i>pseudocrispa</i> (Fiori) Greuter, comb. nova | 249 |
| <i>Tragopogon porrifolius</i> subsp. <i>longirostris</i> (Sch. Bip.) Greuter, comb. & stat. novi | 237 |
| <i>Tragopogon pratensis</i> subsp. <i>leiocarpus</i> (Trnka) Greuter, comb. nova | 237 |
| <i>Trichothelium chlorinum</i> Schubert & Lücking, sp. nova | 463 |
| <i>Xanthium orientale</i> subsp. <i>californicum</i> (Greene) Greuter, comb. & stat. novi | 249 |
| <i>Xanthium orientale</i> subsp. <i>italicum</i> (Moretti) Greuter, comb. nova | 249 |
| <i>Xanthium orientale</i> subsp. <i>riparium</i> (Čelak.) Greuter, comb. nova | 249 |
| <i>Xanthium strumarium</i> subsp. <i>sibiricum</i> (Widder) Greuter, comb. & stat. novi | 249 |