

## **Index to new names and combinations appearing in Willdenowia 35(2)**

Source: Willdenowia, 35(2) : 377-379

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.35.35220>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## Index to new names and combinations appearing in Willdenowia 35(2)

<i>Afrothismia korupensis</i> Sainge & T. Franke, <b>sp. nov.</b> . . . . .	289
<i>Anthurium effusilobum</i> Croat, <b>sp. nov.</b> . . . . .	347
<i>Anthurium effusilobum</i> subsp. <i>pallidispadix</i> Croat, <b>subsp. nov.</b> . . . . .	348
<i>Anthurium fornicifolium</i> Croat, <b>sp. nov.</b> . . . . .	350
<i>Anthurium macdanielii</i> Croat, <b>sp. nov.</b> . . . . .	352
<i>Carduus malyi</i> Greuter, <b>nom. nov.</b> . . . . .	227
<i>Carduus nutans</i> subsp. <i>maurus</i> (Emb. & Maire) Greuter, <b>comb. nov.</b> . . . . .	227
<i>Caucasalia pontica</i> (K. Koch) Greuter, <b>comb. nov.</b> . . . . .	227
<i>Centaurea alba</i> subsp. <i>ciliata</i> (O. Bolòs & Vigo) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	227
<i>Centaurea kochiana</i> (Holub) Greuter, <b>comb. nov.</b> . . . . .	227
<i>Centaurea oranensis</i> Greuter & M. V. Agab., <b>nom. nov.</b> . . . . .	228
<i>Centaurea phrygia</i> subsp. <i>abnormis</i> (Czerep.) Greuter, <b>comb. nov.</b> . . . . .	229
<i>Centaurea resupinata</i> subsp. <i>saguntina</i> (Mateo & M. B. Crespo) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	229
<i>Croatiella</i> E. G. Gonç., <b>gen. nov.</b> . . . . .	323
<i>Croatiella integrifolia</i> (Madison) E. G. Gonç., <b>comb. nov.</b> . . . . .	325
<i>Cyanus cheiranthifolius</i> subsp. <i>willdenowii</i> (Czerep.) Greuter, <b>comb. nov.</b> . . . . .	229
<i>Cyanus triumfettii</i> subsp. <i>axillaris</i> (Čelak.) Greuter, <b>comb. nov.</b> . . . . .	229
<i>Cyanus triumfettii</i> subsp. <i>nanus</i> (Ten.) Greuter, <b>comb. nov.</b> . . . . .	229
<i>Drymochloa donax</i> (Lowe) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	242
<i>Drymochloa drymeja</i> subsp. <i>exaltata</i> (C. Presl) Foggi & Signorini, <b>comb. nov.</b> . . . . .	242
<i>Elymus alopec</i> B. Salomon, <b>sp. nov.</b> . . . . .	248
<i>Erigeron acris</i> subsp. <i>botschantzevii</i> Greuter, <b>nom. nov.</b> . . . . .	229
<i>Erysimum mongolicum</i> D. German, <b>sp. nov.</b> . . . . .	307
<i>Euphorbia</i> × <i>fernandez-lopezii</i> Molero & Rovira, <b>nothosp. nov.</b> . . . . .	279
<i>Euphorbia</i> × <i>marreroi</i> Molero & Rovira, <b>nothosp. nov.</b> . . . . .	276
<i>Festuca gautieri</i> subsp. <i>lutea</i> (Hack.) Foggi & Signorini, <b>comb. nov.</b> . . . . .	242
<i>Festuca kozanensis</i> Foggi & J. Müller, <b>nom. nov.</b> . . . . .	242
<i>Festuca nitida</i> subsp. <i>macrathera</i> (Hack.) Foggi & Signorini, <b>comb. nov.</b> . . . . .	242
<i>Festuca ovina</i> subsp. <i>molineri</i> (Litard.) Foggi & J. Müller, <b>comb. nov.</b> . . . . .	242
<i>Festuca plonkae</i> Foggi & Signorini, <b>nom. nov.</b> . . . . .	242
<i>Festuca polita</i> subsp. <i>cretica</i> (Markgr.-Dann.) Foggi & H. Scholz, <b>comb. nov.</b> . . . . .	242
<i>Festuca pseudovaria</i> subsp. <i>winnebachensis</i> (Wallosek) J. Müller, <b>comb. nov.</b> . . . . .	242
<i>Festuca romoi</i> Foggi & Valdés, <b>nom. nov.</b> . . . . .	242
<i>Festuca stojanovii</i> (Acht.) Kožuharov ex Foggi & Petrova, <b>comb. nov.</b> . . . . .	242
<i>Festuca stricta</i> subsp. <i>saxatilis</i> (Schur) Foggi & Signorini, <b>comb. nov.</b> . . . . .	242
<i>Galatella linosyris</i> subsp. <i>fominii</i> (Kem.-Nath.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	230
<i>Haplophyllum bakhteganicum</i> Soltani & Khosravi, <b>sp. nov.</b> . . . . .	293
<i>Hieracium albopellitum</i> (Zahn) Niketić, <b>comb. &amp; stat. nov.</b> . . . . .	230
<i>Hieracium bertisceum</i> Niketić, <b>sp. nov.</b> . . . . .	265
<i>Hieracium karaulanum</i> (O. Behr & al.) Niketić, <b>comb. &amp; stat. nov.</b> . . . . .	232
<i>Hieracium macropannosum</i> (Rech. f. & Zahn) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	232
<i>Hieracium megalosvaneticum</i> Sennikov, <b>nom. nov.</b> . . . . .	232
<i>Hieracium orosense</i> Gottschl., <b>nom. nov.</b> . . . . .	233
<i>Hieracium petiolinum</i> Sennikov, <b>nom. nov.</b> . . . . .	233
<i>Hieracium schmidtii</i> subsp. <i>neodontotrichodes</i> Gottschl., <b>nom. nov.</b> . . . . .	234
<i>Hieracium sternbergianum</i> Chrtek f., <b>nom. nov.</b> . . . . .	234
<i>Hieracium tompannosum</i> (Pawl.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	234
<i>Hieracium tommasinianum</i> subsp. <i>castelli-novi</i> (K. Malý & Zahn) Gottschl., <b>comb. nov.</b> . . . . .	234
<i>Hieracium tommasinianum</i> subsp. <i>setosissimum</i> (Nägeli & Peter) Gottschl., <b>comb. nov.</b> . . . . .	234

<i>Hieracium wiesbaurianum</i> subsp. <i>semiwiesbaurianum</i> Gottschl., <b>subsp. nov.</b> . . . . .	235
<i>Incarum</i> E. G. Gonç., <b>gen. nov.</b> . . . . .	319
<i>Incarum pavonii</i> (Schott) E. G. Gonç., <b>comb. nov.</b> . . . . .	321
<i>Klasea caucasica</i> (Boiss.) Greuter, <b>comb. nov.</b> . . . . .	235
<i>Klasea integrifolia</i> (Vahl) Greuter, <b>comb. nov.</b> . . . . .	235
<i>Klasea integrifolia</i> subsp. <i>algarbiensis</i> (Cantó) Greuter, <b>comb. nov.</b> . . . . .	235
<i>Klasea radiata</i> subsp. <i>biebersteiniana</i> (Grossh.) Greuter, <b>comb. nov.</b> . . . . .	236
<i>Leucopoa calabrica</i> (Hack.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	242
<i>Leucopoa carpatica</i> (F. Dietr.) H. Scholz, <b>comb. nov.</b> . . . . .	242
<i>Leucopoa dimorpha</i> (Guss.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa laxa</i> (Host) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa pulchella</i> (Schrad.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa pulchella</i> subsp. <i>jurana</i> (Gren.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa spectabilis</i> (Bertol.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa spectabilis</i> subsp. <i>affinis</i> (Hack.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa spectabilis</i> subsp. <i>carniolica</i> (Hack.) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Leucopoa stygia</i> (H. Scholz & Strid) H. Scholz & Foggi, <b>comb. nov.</b> . . . . .	243
<i>Linaria khorasanensis</i> Hamdi & Assadi, <b>sp. nov.</b> . . . . .	299
<i>Lolium saxatile</i> H. Scholz & S. Scholz, <b>sp. nov.</b> . . . . .	281
<i>Omphalodes verna</i> subsp. <i>graeca</i> Greuter, <b>nom. nov.</b> . . . . .	226
<i>Philodendron parvilobum</i> Croat, <b>sp. nov.</b> . . . . .	355
<i>Philodendron pedunculatum</i> Croat & Grayum, <b>sp. nov.</b> . . . . .	356
<i>Pojarkovia pojarkovae</i> (Schischk.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Psephellus bagadensis</i> (Woronow.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Psephellus caucasicus</i> (Sosn.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Psephellus czirkezensis</i> (Husseinov) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Psephellus holophyllus</i> (Sosn.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Psephellus kolakovskii</i> (Sosn.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Psephellus ruprechtii</i> (Boiss.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Rhaponticoides razdorskyi</i> (Sosn.) M. V. Agab. & Greuter, <b>comb. nov.</b> . . . . .	237
<i>Rhaponticum scariosum</i> subsp. <i>rhaponticum</i> (L.) Greuter, <b>comb. nov.</b> . . . . .	237
<i>Salicornia heterantha</i> S. S. Beer & Demina, <b>sp. nov.</b> . . . . .	255
<i>Schedonorus arundinaceus</i> subsp. <i>cirtensis</i> (St.-Yves) H. Scholz & Valdés, <b>comb. nov.</b> . . . . .	243
<i>Schedonorus arundinaceus</i> subsp. <i>corsicus</i> Foggi & Signorini, <b>comb. nov.</b> . . . . .	243
<i>Schedonorus arundinaceus</i> subsp. <i>mediterraneus</i> (Hack.) H. Scholz & Valdés, <b>comb. nov.</b> . . . . .	243
<i>Schedonorus arundinaceus</i> subsp. <i>orientalis</i> (Hack.) H. Scholz & B. Valdés, <b>comb. nov.</b> . . . . .	243
<i>Schedonorus fontqueri</i> (St.-Yves) H. Scholz & Valdés, <b>comb. nov.</b> . . . . .	243
<i>Schedonorus pauneroi</i> (Cebolla & al.) H. Scholz, <b>comb. nov.</b> . . . . .	243
<i>Schedonorus pratensis</i> subsp. <i>apenninus</i> (De Not.) H. Scholz & Valdés, <b>comb. nov.</b> . . . . .	243
<i>Senecio leucanthemifolius</i> subsp. <i>caucasicus</i> (DC.) Greuter, <b>comb. nov.</b> . . . . .	238
<i>Senecio squalidus</i> subsp. <i>rupestris</i> (Waldst. & Kit.) Greuter, <b>comb. nov.</b> . . . . .	238
<i>Senecio squalidus</i> subsp. <i>sardous</i> (Fiori) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	238
<i>Solidago virgaurea</i> subsp. <i>armena</i> (Grossh.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	238
<i>Solidago virgaurea</i> subsp. <i>caucasica</i> (Kem.-Nath.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	239
<i>Solidago virgaurea</i> subsp. <i>turfosa</i> (Grossh.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	239
<i>Surirella africana-orientalis</i> Cocquyt & R. Jahn, <b>nom. nov.</b> . . . . .	364
<i>Surirella likomensis</i> Cocquyt & R. Jahn, <b>nom. nov.</b> . . . . .	361
<i>Surirella tumida</i> (O. Müll.) Cocquyt & R. Jahn, <b>comb. nov.</b> . . . . .	361
<i>Symphyotrichum patulum</i> (Lam.) Karlsson, <b>comb. nov.</b> . . . . .	239
<i>Tephroses cladobotrys</i> subsp. <i>subfloccosa</i> (Schischk.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	239
<i>Tephroses integrifolia</i> subsp. <i>primulifolia</i> (Cufod.) Greuter, <b>comb. &amp; stat. nov.</b> . . . . .	239

<i>Xanthosoma feuersteiniae</i> Croat & Bogner, <b>sp. nov.</b> . . . . .	327
<i>Xanthosoma latestigmatum</i> Bogner & E. G. Gonç., <b>sp. nov.</b> . . . . .	338
<i>Xanthosoma mariae</i> Bogner & E. G. Gonç., <b>sp. nov.</b> . . . . .	335
<i>Xanthosoma paradoxum</i> (Bogner & Mayo) Bogner, <b>comb. nov.</b> . . . . .	341