



Lista de las Aves de los Tepuyes de la Cuenca Alta del Río Nangaritza, Cordillera del Cóndor.

Authors: Freile, Juan F., Piedrahita, Paolo, Buitrón-Jurado, Galo, Rodríguez, Carlos A., and Bonaccorso, Elisa

Source: Evaluación Ecológica Rápida de la Biodiversidad de los Tepuyes de la Cuenca Alta del Río Nangaritza, Cordillera del Cóndor, Ecuador: 119

Published By: Conservation International

URL: <https://doi.org/10.1896/054.058.0114>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Apéndice 5

Lista de las aves de los Tepuyes de la Cuenca Alta del Río Nangaritza, Cordillera del Cóndor.

Juan F. Freile, Paolo Piedrahita, Galo Buitrón-Jurado, Carlos A. Rodríguez y Elisa Bonaccorso

| no.1 | Orden | Familia | Especie | Nombre en inglés | Sitio 1 | Sitio 2 | Global ² | Nacional ² |
|------|-------------------------|----------------|----------------------------------|-------------------------------|---------|---------|---------------------|-----------------------|
| 3 | Tinamiformes | Tinamidae | <i>Tinamus tao</i> | Grey Tinamou | 1 | 0 | | |
| 5 | | | <i>Tinamus major</i> | Great Tinamou | 1 | 0 | | |
| 9 | | | <i>Crypturellus soui</i> | Little Tinamou | 1 | 1 | | |
| 10 | | | <i>Crypturellus obsoletus</i> | Brown Tinamou | 1 | 1 | | |
| 43 | Galliformes | Cracidae | <i>Aburria aburri</i> | Wattled Guan | 1 | 0 | NT | VU |
| 52 | | Odontophoridae | <i>Odontophorus speciosus</i> | Rufous-breasted Wood-Quail | 1 | 1 | | NT |
| 127 | Cathartiformes | Cathartidae | <i>Cathartes aura</i> | Turkey Vulture | 1 | 1 | | |
| 128 | | | <i>Cathartes melambrotus</i> | Greater Yellow-headed Vulture | 1 | 0 | | |
| 129 | | | <i>Coragyps atratus</i> | Black Vulture | 1 | 0 | | |
| 136 | Falconiformes | Accipitridae | <i>Elanoides forficatus+</i> | Swallow-tailed Kite | 0 | 1 | | |
| 162 | | | <i>Harpyhaliaetus solitarius</i> | Solitary Eagle | 1 | 0 | NT | VU |
| 170 | | | <i>Buteo brachyurus</i> | Short-tailed Hawk | 1 | 0 | | |
| 182 | | Falconidae | <i>Ibycter americanus*</i> | Red-throated Caracara | 1 | 0 | | |
| 192 | | | <i>Micrastur ruficollis</i> | Barred Forest-Falcon | 1 | 0 | | |
| 328 | Columbiformes | Columbidae | <i>Patagioenas speciosa*</i> | Scaled Pigeon | 1 | 1 | | |
| | | | <i>Patagioenas plumbea</i> | Plumbeous Pigeon | 1 | 0 | | |
| 333 | | | <i>Patagioenas subvinacea</i> | Ruddy Pigeon | 1 | 0 | | |
| 339 | | | <i>Leptotila rufaxilla</i> | Gray-fronted Dove | 1 | 0 | | |
| 343 | | | <i>Geotrygon frenata</i> | White-throated Quail-Dove | 1 | 0 | | |
| 345 | | | <i>Geotrygon montana*</i> | Ruddy Quail-Dove | 0 | 1 | | |
| 347 | Psittaciformes | Psittacidae | <i>Ara militaris</i> | Military Macaw | 1 | 0 | VU | EN |
| 356 | | | <i>Aratinga leucophthalma</i> | White-eyed Parakeet | 0 | 1 | | |
| 371 | | | <i>Touit stictopterus+</i> | Spot-winged Parrotlet | 0 | 1 | VU | VU |
| 382 | | | <i>Pionus menstruus</i> | Blue-headed Parrot | 1 | 1 | | |
| 399 | Cuculiformes | Cuculidae | <i>Piaya cayana</i> | Squirrel Cuckoo | 1 | 0 | | |
| 416 | Strigiformes | Strigidae | <i>Megascops petersoni</i> | Cinnamon Screech-Owl | 0 | 1 | | |
| 418 | | | <i>Megascops guatemalae*</i> | Vermiculated Screech-Owl | 0 | 1 | | |
| 422 | | | <i>Pulsatrix melanota</i> | Band-bellied Owl | 1 | 0 | | |
| 430 | | | <i>Glaucidium parkeri*</i> | Subtropical Pygmy-Owl | 0 | 1 | | |
| 453 | Caprimulgiformes | Caprimulgidae | <i>Nyctiphrynus ocellatus*</i> | Ocellated Poorwill | 1 | 0 | | |
| 468 | Apodiformes | Apodidae | <i>Streptoprocne zonaris</i> | White-collared Swift | 1 | 0 | | |
| 470 | | | <i>Chaetura cinereiventris</i> | Gray-rumped Swift | 1 | 0 | | |
| 471 | | | <i>Chaetura egregia</i> | Pale-rumped Swift | 0 | 1 | | |

continúa

| no.1 | Orden | Familia | Especie | Nombre en inglés | Sitio 1 | Sitio 2 | Global ² | Nacional ² |
|------|----------------------|--------------|--------------------------------------|-------------------------------|---------|---------|---------------------|-----------------------|
| 481 | | Trochilidae | <i>Eutoxeres aquila</i> | White-tipped Sicklebill | 1 | 1 | | |
| 489 | | | <i>Phaethornis griseogularis</i> | Gray-chinned Hermit | 1 | 1 | | |
| 493 | | | <i>Phaethornis guy</i> | Green Hermit | 1 | 1 | | |
| 497 | | | <i>Phaethornis malaris</i> | Great-billed Hermit | 1 | 0 | | |
| 498 | | | <i>Doryfera ludovicae</i> | Green-fronted Lancebill | 0 | 1 | | |
| 499 | | | <i>Doryfera johannae</i> | Blue-fronted Lancebill | 1 | 1 | | |
| 501 | | | <i>Colibri delphinae*</i> | Brown Violetear | 0 | 1 | | |
| 506 | | | <i>Heliobryx auritus</i> | Black-eared Fairy | 1 | 0 | | |
| 515 | | | <i>Heliangelus regalis</i> | Royal Sunangel | 1 | 1 | EN | |
| 522 | | | <i>Phlogophilus hemileucurus</i> | Ecuadorian Piedtail | 1 | 1 | NT | NT |
| 523 | | | <i>Adelomyia melanogenys</i> | Speckled Hummingbird | 1 | 1 | | |
| 524 | | | <i>Agelaiocercus kingi</i> | Long-tailed Sylph | 0 | 1 | | |
| 560 | | | <i>Ocreatus underwoodii</i> | Booted Racket-tail | 0 | 1 | | |
| 561 | | | <i>Urochroa bougueri*</i> | White-tailed Hillstar | 0 | 1 | | |
| 563 | | | <i>Urosticte ruficrissa</i> | Rufous-vented Whitetip | 0 | 1 | | |
| 570 | | | <i>Heliodoxa leadbeateri</i> | Violet-fronted Brilliant | 0 | 1 | | |
| 586 | | | <i>Klais guimeti</i> | Violet-headed Hummingbird | 1 | 1 | | |
| 587 | | | <i>Campylopterus largipennis</i> | Gray-breasted Sabrewing | 1 | 1 | | |
| 589 | | | <i>Campylopterus villaviscensio*</i> | Napo Sabrewing | 1 | 1 | NT | DD |
| 593 | | | <i>Thalunania furcata</i> | Fork-tailed Woodnymph | 1 | 1 | | |
| 605 | | | <i>Chrysuronia oenone</i> | Golden-tailed Sapphire | 1 | 0 | | |
| 612 | Trogoniformes | Trogonidae | <i>Pharomachrus antisianus</i> | Crested Quetzal | 1 | 0 | | |
| 618 | | | <i>Trogon viridis</i> | White-tailed Trogon | 0 | 1 | | |
| 622 | | | <i>Trogon rufus*</i> | Black-throated Trogon | 1 | 0 | | |
| 623 | | | <i>Trogon collaris</i> | Collared Trogon | 1 | 1 | | |
| 624 | | | <i>Trogon personatus+</i> | Masked Trogon | 0 | 1 | | |
| 631 | Coraciiformes | Momotidae | <i>Electron platyrhynchum*</i> | Broad-billed Motmot | 1 | 0 | | |
| 633 | | | <i>Momotus momota</i> | Blue-crowned Motmot | 1 | 0 | | |
| 650 | Galbuliformes | Bucconidae | <i>Nystalus striolatus</i> | Striolated Puffbird | 1 | 0 | | |
| 667 | Piciformes | Capitonidae | <i>Eubucco bourcierii</i> | Red-headed Barbet | 1 | 0 | | |
| 669 | | Ramphastidae | <i>Ramphastos ambiguus</i> | Black-mandibled Toucan | 1 | 1 | | NT |
| 670 | | | <i>Ramphastos tucanus</i> | White-throated Toucan | 1 | 0 | | |
| 672 | | | <i>Ramphastos vitellinus</i> | Channel-billed Toucan | 1 | 0 | | |
| 674 | | | <i>Aulacorhynchus derbianus</i> | Chestnut-tipped Toucanet | 1 | 0 | | |
| 691 | | Picidae | <i>Melanerpes cruentatus</i> | Yellow-tufted Woodpecker | 1 | 0 | | |
| 693 | | | <i>Picoides fumigatus</i> | Smoky-brown Woodpecker | 1 | 0 | | |
| 701 | | | <i>Piculus leucolaemus</i> | White-throated Woodpecker | 0 | 1 | | |
| 705 | | | <i>Colaptes rubiginosus</i> | Golden-olive Woodpecker | 0 | 1 | | |
| 718 | | | <i>Campephilus haematogaster</i> | Red-necked Woodpecker | 1 | 0 | | |
| 736 | Passeriformes | Furnariidae | <i>Synallaxis albigularis</i> | Dark-breasted Spinetail | 0 | 1 | | |
| 762 | | | <i>Premnoplex brunnescens</i> | Spotted Barbtail | 0 | 1 | | |
| 770 | | | <i>Syndactyla subalaris+</i> | Lineated Foliage-gleaner | 1 | 1 | | |
| 777 | | | <i>Philydor erythrocercum</i> | Rufous-rumped Foliage-gleaner | 1 | 0 | | |
| 779 | | | <i>Philydor rufum</i> | Buff-fronted Foliage-gleaner | 0 | 1 | | |
| 787 | | | <i>Automolus ochrolaemus</i> | Buff-throated Foliage-gleaner | 1 | 1 | | |
| 790 | | | <i>Automolus rubiginosus</i> | Ruddy Foliage-gleaner | 1 | 0 | | |

continúa

| no.1 | Orden | Familia | Especie | Nombre en inglés | Sitio 1 | Sitio 2 | Global ² | Nacional ² |
|------|-------|----------------|-------------------------------------|------------------------------|---------|---------|---------------------|-----------------------|
| 793 | | | <i>Lochmias nematura</i> * | Sharp-tailed Streamcreeper | 1 | 0 | | |
| 796 | | | <i>Xenops minutus</i> | Plain Xenops | 0 | 1 | | |
| 797 | | | <i>Xenops rutilans</i> | Streaked Xenops | 1 | 1 | | |
| 804 | | | <i>Glyphorhynchus spirurus</i> | Wedge-billed Woodcreeper | 1 | 0 | | |
| 814 | | | <i>Xiphorhynchus ocellatus</i> | Ocellated Woodcreeper | 1 | 0 | | |
| 816 | | | <i>Xiphorhynchus guttatus</i> | Buff-throated Woodcreeper | 1 | 1 | | |
| 819 | | | <i>Xiphorhynchus triangularis</i> | Olive-backed Woodcreeper | 1 | 1 | | |
| 827 | | Thamnophilidae | <i>Cymbilaimus lineatus</i> | Fasciated Antshrike | 1 | 0 | | |
| 837 | | | <i>Thamnophilus unicolor</i> | Uniform Antshrike | 1 | 1 | | |
| 846 | | | <i>Dysithamnus mentalis</i> | Plain Antwren | 1 | 1 | | |
| 856 | | | <i>Epinecrophylla spodionota</i> | Foothill Antwren | 1 | 0 | | |
| 863 | | | <i>Myrmotherula longicauda</i> | Stripe-chested Antwren | 0 | 1 | | |
| 865 | | | <i>Myrmotherula axillaris</i> | White-flanked Antwren | 1 | 0 | | |
| 874 | | | <i>Herpsilochmus axillaris</i> * | Yellow-breasted Antwren | 1 | 0 | | |
| 879 | | | <i>Terenura callinota</i> * | Rufous-rumped Antwren | 0 | 1 | | |
| 880 | | | <i>Terenura humeralis</i> | Rufous-rumped Antwren | 1 | 0 | | |
| 884 | | | <i>Cercomacra nigrescens</i> | Blackish Antbird | 0 | 1 | | |
| 885 | | | <i>Cercomacra serva</i> | Black Antbird | 1 | 1 | | |
| 887 | | | <i>Pyriglena leuconota</i> | White-backed Fire-eye | 1 | 1 | | |
| 888 | | | <i>Myrmoborus leucophrys</i> | White-browed Antbird | 1 | 1 | | |
| 897 | | | <i>Schistocichla leucostigma</i> | Spot-winged Antbird | 0 | 1 | | |
| 901 | | | <i>Myrmeciza castanea</i> | Zimmer's Antbird | 0 | 1 | | |
| 914 | | | <i>Hylophylax naevius</i> | Spot-backed Antbird | 1 | 0 | | |
| 916 | | | <i>Dichropogon poecilinotus</i> | Scale-backed Antbird | 1 | 1 | | |
| 921 | | Formicariidae | <i>Formicarius analis</i> | Black-faced Antthrush | 1 | 0 | | |
| 923 | | | <i>Formicarius rufipectus</i> | Rufous-breasted Antthrush | 1 | 0 | | |
| 924 | | | <i>Chamaeza campanisona</i> | Short-tailed Antthrush | 1 | 0 | | |
| 945 | | Grallariidae | <i>Myrmothera campanisona</i> | Thrush-like Antpitta | 0 | 1 | | |
| 946 | | | <i>Grallaricula flavirostris</i> * | Ochre-breasted Antpitta | 1 | 0 | | |
| 953 | | Conopophagidae | <i>Conopophaga castaneiceps</i> + | Chestnut-crowned Gnateater | 0 | 1 | | |
| 959 | | Rhinocryptidae | <i>Scyalopus atratus</i> | White-crowned Tapaculo | 1 | 1 | | |
| 969 | | Tyrannidae | <i>Phyllomyias burmeisteri</i> | Rough-legged Tyrannulet | 1 | 0 | | |
| 974 | | | <i>Phyllomyias plumbeiceps</i> + | Plumbeous-crowned Tyrannulet | 0 | 1 | | |
| 988 | | | <i>Elaenia obscura</i> * | Highland Elaenia | 0 | 1 | | |
| 1008 | | | <i>Corythopis torquatus</i> | Ringed Antpipit | 1 | 0 | | |
| 1012 | | | <i>Zimmerius cinereicapilla</i> | Red-billed Tyrannulet | 1 | 0 | | |
| 1015 | | | <i>Zimmerius chrysops</i> | Golden-faced Tyrannulet | 1 | 1 | | |
| 1017 | | | <i>Phylloscartes ophthalmicus</i> * | Marble-faced Bristle-Tyrant | 1 | 0 | | |
| 1018 | | | <i>Phylloscartes orbitalis</i> | Spectacled Bristle-Tyrant | 1 | 0 | | NT |
| 1019 | | | <i>Phylloscartes gualaquizae</i> | Ecuadorian Tyrannulet | 1 | 1 | | |
| 1020 | | | <i>Phylloscartes superciliaris</i> | Rufous-browed Tyrannulet | 0 | 1 | | |
| 1021 | | | <i>Mionectes striaticolis</i> + | Streak-necked Flycatcher | 0 | 1 | | |
| 1022 | | | <i>Mionectes olivaceus</i> | Olive-striped Flycatcher | 1 | 1 | | |
| 1025 | | | <i>Leptopogon superciliaris</i> | Slaty-capped Flycatcher | 1 | 1 | | |
| 1028 | | | <i>Myiorticicus ornatus</i> | Ornate Flycatcher | 1 | 1 | | |
| 1031 | | | <i>Lophotriccus pileatus</i> | Scale-crested Pygmy-Tyrant | 1 | 1 | | |

continúa

| no.1 | Orden | Familia | Especie | Nombre en inglés | Sitio 1 | Sitio 2 | Global ² | Nacional ² |
|------|-------|---------------|-------------------------------------|-------------------------------|---------|---------|---------------------|-----------------------|
| 1037 | | | <i>Hemitriccus cinnamomeipectus</i> | Cinnamon-breasted Tody-Tyrant | 0 | 1 | NT | VU |
| 1038 | | | <i>Hemitriccus rufigularis</i> | Buff-throated Tody-Tyrant | 0 | 1 | NT | |
| 1040 | | | <i>Poecilatriccus capitalis</i> | Black-and-white Tody-Tyrant | 1 | 1 | | |
| 1044 | | | <i>Todirostrum cinereum</i> | Common Tody-Flycatcher | 1 | 0 | | |
| 1055 | | | <i>Tolmomyias flaviventer</i> | Yellow-breasted Flycatcher | 1 | 0 | | |
| 1057 | | | <i>Platyrinchus mystaceus</i> | White-throated Spadebill | 1 | 1 | | |
| 1064 | | | <i>Myiophobus roraimae</i> | Roraiman Flycatcher | 0 | 1 | | |
| 1069 | | | <i>Myiobius villosus</i> * | Tawny-breasted Flycatcher | 1 | 0 | | |
| 1075 | | | <i>Hirundinea ferruginea</i> | Cliff Flycatcher | 1 | 1 | | |
| 1076 | | | <i>Lathrotriccus euleri</i> | Euler's Flycatcher | 0 | 1 | | |
| 1084 | | | <i>Contopus sordidulus</i> | Western Wood-Pewee | 1 | 1 | | |
| 1093 | | | <i>Knipolegus poecilurus</i> | Rufous-tailed Tyrant | 1 | 1 | | |
| 1116 | | | <i>Colonia colonus</i> | Long-tailed Tyrant | 1 | 0 | | |
| 1121 | | | <i>Myiozetetes similis</i> | Social Flycatcher | 1 | 0 | | |
| 1129 | | | <i>Conopias cinchoneti</i> | Lemon-browed Flycatcher | 1 | 0 | | |
| 1130 | | | <i>Myiodynastes chrysocephalus</i> | Golden-crowned Flycatcher | 0 | 1 | | |
| 1140 | | | <i>Tyrannus melancholicus</i> | Tropical Kingbird | 1 | 0 | | |
| 1147 | | | <i>Myiarchus tuberculifer</i> | Dusky-capped Flycatcher | 1 | 0 | | |
| 1151 | | | <i>Myiarchus cephalotes</i> | Pale-edged Flycatcher | 0 | 1 | | |
| 1160 | | | <i>Attila spadiceus</i> | Bright-rumped Attila | 0 | 1 | | |
| 1161 | | Oxyruncidae | <i>Oxyruncus cristatus</i> | Sharpbill | 1 | 1 | | |
| 1171 | | Cotingidae | <i>Ampelioides tshudii</i> * | Scaled Fruiteater | 1 | 0 | | |
| 1172 | | | <i>Rupicola peruvianus</i> | Andean Cock-of-the-rock | 1 | 1 | | |
| 1180 | | | <i>Snowornis subalaris</i> | Gray-tailed Piha | 0 | 1 | | |
| 1188 | | | <i>Cephalopterus ornatus</i> | Amazonian Umbrellabird | 0 | 1 | | |
| 1191 | | Pipridae | <i>Masius chrysopterus</i> | Golden-winged Manakin | 1 | 0 | | |
| 1198 | | | <i>Xenopipo holochlora</i> + | Green Manakin | 0 | 1 | | |
| 1202 | | | <i>Pipra pipra</i> | White-crowned Manakin | 1 | 1 | | |
| 1205 | | | <i>Pipra erythrocephala</i> | Golden-headed Manakin | 0 | 1 | | |
| 1208 | | Tityriidae | <i>Tityra semifasciata</i> | Masked Tityra | 1 | 0 | | |
| 1210 | | | <i>Schiffornis turdina</i> | Thrush-like Schiffornis | 1 | 0 | | |
| | | | <i>Piprites chloris</i> | Wing-barred Piprites | 0 | 1 | | |
| 1230 | | Vireonidae | <i>Vireolanus leucotis</i> | Slaty-capped Shrike-Vireo | 1 | 1 | | |
| 1238 | | | <i>Hylophilus hypoxanthus</i> | Dusky-capped Greenlet | 1 | 0 | | |
| 1239 | | | <i>Hylophilus olivaceus</i> | Olivaceous Greenlet | 1 | 0 | | |
| 1245 | | Corvidae | <i>Cyanocorax violaceus</i> | Violaceous Jay | 0 | 1 | | |
| 1247 | | | <i>Cyanocorax yncas</i> | Green Jay | 1 | 1 | | |
| 1255 | | Hirundinidae | <i>Pygochelidon cyanoleuca</i> | Blue-and-white Swallow | 1 | 0 | | |
| 1259 | | | <i>Atticora tibialis</i> | White-thighed Swallow | 1 | 0 | | |
| 1260 | | | <i>Stelgidopteryx ruficollis</i> | Southern Rough-winged Swallow | 1 | 1 | | |
| 1265 | | Troglodytidae | <i>Microcerculus marginatus</i> | Scaly-breasted Wren | 0 | 1 | | |
| 1268 | | | <i>Troglodytes aedon</i> | House Wren | 1 | 0 | | |
| 1269 | | | <i>Troglodytes solstitialis</i> | Mountain Wren | 1 | 0 | | |
| 1273 | | | <i>Campylorhynchus turdinus</i> | Thrush-like Wren | 0 | 1 | | |
| 1283 | | | <i>Cinnycerthia olivascens</i> | Sharpe's Wren | 0 | 1 | | |
| 1284 | | | <i>Henicorhina leucosticta</i> | White-breasted Wood-Wren | 1 | 0 | | |

continúa

| no. ¹ | Orden | Familia | Especie | Nombre en inglés | Sitio 1 | Sitio 2 | Global ² | Nacional ² |
|------------------|-------|----------------|-----------------------------------|---------------------------------|---------|---------|---------------------|-----------------------|
| 1285 | | | <i>Henicorhina leucoptera</i> | Bar-winged Wood-Wren | 1 | 1 | NT | |
| 1297 | | Turdidae | <i>Catharus fuscater</i> * | Slaty-backed Nightingale-Thrush | 1 | 1 | | |
| 1298 | | | <i>Catharus ustulatus</i> | Swainson's Thrush | 1 | 0 | | |
| 1301 | | | <i>Turdus leucops</i> | Pale-eyed Thrush | 1 | 1 | | |
| 1304 | | | <i>Turdus fulviventris</i> | Chestnut-bellied Thrush | 0 | 1 | | |
| 1311 | | | <i>Turdus albicollis</i> | White-necked Thrush | 1 | 1 | | |
| 1318 | | Thraupidae | <i>Hemispingus atropileus</i> * | Black-capped Hemispingus | 0 | 1 | | |
| 1329 | | | <i>Ramphocelus carbo</i> | Silver-beaked Tanager | 1 | 0 | | |
| 1346 | | | <i>Calochaetes coccineus</i> | Vermilion Tanager | 1 | 1 | | |
| 1352 | | | <i>Anisognathus somptuosus</i> | Blue-winged Mountain-Tanager | 0 | 1 | | |
| 1361 | | | <i>Iridosornis analis</i> | Yellow-throated Tanager | 1 | 1 | | |
| 1366 | | | <i>Pipraeidea melanonota</i> * | Fawn-breasted Tanager | 1 | 0 | | |
| 1368 | | | <i>Chlorochrysa calliparaea</i> | Orange-eared Tanager | 1 | 0 | | |
| 1370 | | | <i>Tangara mexicana</i> | Turquoise Tanager | 0 | 1 | | |
| 1372 | | | <i>Tangara chilensis</i> | Paradise Tanager | 1 | 1 | | |
| 1373 | | | <i>Tangara schrankii</i> | Green-and-gold Tanager | 0 | 1 | | |
| 1375 | | | <i>Tangara arthus</i> | Golden Tanager | 1 | 1 | | |
| 1379 | | | <i>Tangara xanthocephala</i> | Saffron-crowned Tanager | 0 | 1 | | |
| 1381 | | | <i>Tangara parzudakii</i> | Flame-faced Tanager | 0 | 1 | | |
| 1377 | | | <i>Tangara gyrola</i> | Bay-headed Tanager | 1 | 0 | | |
| 1386 | | | <i>Tangara cyanotis</i> * | Blue-browed Tanager | 1 | 0 | | |
| 1391 | | | <i>Cyanerpes caeruleus</i> | Purple Honeycreeper | 1 | 1 | | |
| 1410 | | | <i>Diglossa glauca</i> | Deep-blue Flowerpiercer | 1 | 1 | | |
| 1430 | | Insertae sedis | <i>Chlorospingus flavigularis</i> | Yellow-throated Bush-Tanager | 1 | 1 | | |
| 1438 | | | <i>Chlorospingus canigularis</i> | Ashy-throated Bush-Tanager | 1 | 1 | | |
| 1440 | | | <i>Piranga flava</i> * | Hepatic Tanager | 1 | 1 | | |
| 1441 | | | <i>Piranga leucoptera</i> + | White-winged Tanager | 0 | 1 | | |
| 1445 | | | <i>Coereba flaveola</i> | Bananaquit | 1 | 1 | | |
| 1451 | | Emberizidae | <i>Ammodramus aurifrons</i> | Yellow-browed Sparrow | 1 | 0 | | |
| 1456 | | | <i>Arremon aurantiirostris</i> | Orange-billed Sparrow | 1 | 0 | | |
| 1491 | | | <i>Arremon brunneinucha</i> | Chestnut-capped Brush-Finch | 1 | 0 | | |
| 1493 | | Cardinalidae | <i>Saltator grossus</i> | Slate-coloured Grosbeak | 1 | 0 | | |
| 1512 | | | <i>Saltator maximus</i> | Buff-throated Saltator | 1 | 0 | | |
| 1513 | | | <i>Saltator coerulescens</i> | Grayish Saltator | 1 | 1 | | |
| 1515 | | | <i>Cyanocopsa cyanoides</i> | Blue-black Grosbeak | 0 | 1 | | |
| 1519 | | Parulidae | <i>Parula pitiaiyumi</i> | Tropical Parula | 1 | 1 | | |
| 1524 | | | <i>Myioborus miniatus</i> | Slate-throated Redstart | 1 | 1 | | |
| 1544 | | | <i>Basileuterus tristriatus</i> | Three-striped Warbler | 1 | 1 | | |
| 1552 | | | <i>Phaeothlypis fulvicauda</i> | Buff-rumped Warbler | 1 | 0 | | |
| 1553 | | Icteridae | <i>Psarocolius angustifrons</i> | Russet-backed Oropendola | 1 | 0 | | |
| 1554 | | | <i>Psarocolius decumanus</i> | Crested Oropendola | 1 | 0 | | |
| 1557 | | Fringillidae | <i>Euphonia mesochrysa</i> | Bronze-green Euphonia | 1 | 1 | | |
| 1595 | | | <i>Euphonia xanthogaster</i> | Orange-bellied Euphonia | 1 | 1 | | |
| | | | | | 155 | 127 | | |

¹ Los números representan un código único para cada especie según su orden sistemático (Remsen et al. 2009).

² Las categorías de amenaza global corresponden a BirdLife International (2009); las nacionales a Granizo *et al.* (2002).

EN (En Peligro); **VU** (Vulnerable); **NT** (Casi Amenazada); **DD** (Datos Insuficientes). - Las especies marcadas con un * se registran por primera vez en la Cordillera del Cóndor. Las especies marcadas con un + fueron registradas únicamente por N. Krabbe.