

Preliminary Bird Species Checklist of the Konashen COCA, Southern Guyana

Author: O'Shea, Brian J.

Source: A Rapid Biological Assessment of the Konashen Community Owned Conservation Area, Southern Guyana: 78

Published By: Conservation International

URL: <https://doi.org/10.1896/054.051.0116>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Appendix 3

Preliminary Bird Species Checklist of the Konashen COCA, Southern Guyana

Brian J. O'Shea

Birds observed in the Konashen COCA between October 6th and 28th, 2006. Taxonomy, nomenclature, and order of the list follow the most current information provided by the American Ornithologists' Union South American Checklist Committee (Remsen et al. 2008). Abundance codes are given in the Methods section (Chapter 7). Abundances refer to the habitat in which a given species is most common.

Species that were only seen while traveling between the Acarai and Kamoia sites are listed in the "Transit" column. Habitat codes are as follow:

TF: terra firme; tall forest on well-drained soil, never inundated, up to 800 m
 RF: riverine forest; seasonally inundated, sparse understory, many lianas
 RI: immediate vicinity of rivers; on or over water, at edge or close to it (Kamoia only)
 MT: montane forest; above 800 m (Acarai only)
 SF: savanna forest (seasonally inundated, < 300 m, "palm swamp") (Kamoia only)
 SG: secondary growth along creeks, dominated by *Guadua* bamboo (Acarai only)
 OV: overhead; no specific habitat

REFERENCES

Remsen, J.V., Jr., C.D. Cadena, A. Jaramillo, M. Nores, J.F. Pacheco, M.B. Robbins, T.S. Schulenberg, F.G. Stiles, D.F. Stotz and K.J. Zimmer. 2008. A classification of the bird species of South America. American Ornithologists' Union. <http://www.museum.lsu.edu/~Remsen/SACCBaseline.html>

Scientific name	English common name	Acarai	Kamoia	Transit	Habitat	Abundance	Elevation
Tinamidae	Tinamous						
<i>Tinamus major</i>	Great Tinamou	X	X		TF, RF	F	
<i>Crypturellus cinereus</i>	Cinereous Tinamou	X	X		RF	U	
<i>Crypturellus soui</i>	Little Tinamou	X			MT	U	
<i>Crypturellus undulatus</i>	Undulated Tinamou		X		RF, SF	U	
<i>Crypturellus variegatus</i>	Variegated Tinamou	X	X		TF, RF	F	
<i>Crypturellus brevirostris</i>	Rusty Tinamou	X			TF	U	
Anatidae	Ducks, Geese						
<i>Cairina moschata</i>	Muscovy Duck		X		RI	U	
Cracidae	Curassows, Guans						
<i>Ortalis motmot</i>	Variable Chachalaca	X	X		RF, TF, SG, SF	F	
<i>Penelope jacquacu</i>	Spix's Guan	X	X		RF, TF, MT	C	
<i>Pipile cumanensis</i>	Blue-throated Piping-Guan	X	X		RF	F	
<i>Crax alector</i>	Black Curassow	X	X		RF, TF, MT	F	
Odontophoridae	Quails						

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Odontophorus gujanensis</i>	Marbled Wood-Quail	X	X		TF, RF	F	
Anhingidae	Anhingas						
<i>Anhinga anhinga</i>	Anhinga		X		RI	C	
Ardeidae	Hérons						
<i>Zebrilus undulatus</i>	Zigzag Heron	X	X		TF, RF	U	
<i>Tigrisoma lineatum</i>	Rufescent Tiger-Heron		X		RI	F	
<i>Ardea cocoi</i>	Cocoi Heron		X		RI	U	
<i>Butorides striata</i>	Striated Heron		X		RI	U	
<i>Agamia agami</i>	Agami Heron		X		RI	U	
<i>Ardea alba</i>	Great Egret			X	RI		
<i>Egretta caerulea</i>	Little Blue Heron			X	RI		
Threskiornithidae	Ibises						
<i>Mesembrinibis cayennensis</i>	Green Ibis	X	X		RI, RF	F	
Cathartidae	Vultures						
<i>Sarcoramphus papa</i>	King Vulture	X	X		OV	U	
<i>Cathartes melambrotus</i>	Greater Yellow-headed Vulture	X	X		OV	F	
Pandionidae	Ospreys						
<i>Pandion haliaetus</i>	Osprey		X		RI	U	
Accipitridae	Hawks, Eagles						
<i>Chondobierax uncinatus</i>	Hook-billed Kite		X		OV	U	
<i>Leucopternis albicollis</i>	White Hawk		X		RI	U	
<i>Leucopternis melanops</i>	Black-faced Hawk	X			RF	U	
<i>Buteogallus urubitinga</i>	Great Black Hawk	X	X		OV, RI	U	
<i>Buteo brachyurus</i>	Short-tailed Hawk	X	X		OV	U	
<i>Spizaetus tyrannus</i>	Black Hawk-Eagle		X		RF	U	
<i>Spizaetus ornatus</i>	Ornate Hawk-Eagle	X	X		OV	U	
Falconidae	Falcons, Caracaras						
<i>Daptrius ater</i>	Black Caracara			X	RI		
<i>Ibycter americanus</i>	Red-throated Caracara	X	X		TF, RF	F	
<i>Micrastur ruficollis</i>	Barred Forest-falcon		X		RF	U	
<i>Micrastur gilvicollis</i>	Lined Forest-falcon	X	X		TF, RF	F	
<i>Micrastur mirandollei</i>	Slaty-backed Forest-falcon	X	X		RF, TF	F	
<i>Falco rufigularis</i>	Bat Falcon		X		OV	U	
Heliornithidae	Sungrebes						
<i>Heliornis fulica</i>	Sungrebe		X		RI	F	
Eurypygidae	Sunbitterns						
<i>Eurypyga belias</i>	Sunbittern	X	X		RI	U	
Psophiidae	Trumpeters						
<i>Psophia crepitans</i>	Gray-winged Trumpeter	X	X		TF, RF	U	
Scolopacidae	Sandpipers						
<i>Tringa solitaria</i>	Solitary Sandpiper			X			
<i>Actitis macularia</i>	Spotted Sandpiper		X		RI	U	
Columbidae	Pigeons, Doves						
<i>Patagioenas subvinacea</i>	Ruddy Pigeon	X	X		RF, TF	F	
<i>Patagioenas plumbea</i>	Plumbeous Pigeon	X	X		RF, TF	F	
<i>Leptotila rufaxilla</i>	Gray-fronted Dove	X	X		RF	U	
<i>Geotrygon montana</i>	Ruddy Quail-Dove	X			RF	U	
Psittacidae	Parrots						
<i>Ara ararauna</i>	Blue-and-yellow Macaw	X	X		RF, OV	F	
<i>Ara macao</i>	Scarlet Macaw	X	X		RF, OV	U	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Ara chloropterus</i>	Red-and-green Macaw	X	X		RF, TE, MF, OV	F	
<i>Aratinga leucophthalmus</i>	White-eyed Parakeet	X	X		OV	U	
<i>Pyrrhura picta</i>	Painted Parakeet	X	X		RF	U	
<i>Brotogeris chrysoptera</i>	Golden-winged Parakeet	X	X		RF	U	
<i>Touit purpuratus</i>	Sapphire-rumped Parrotlet	X	X		RF	F	
<i>Pionites melanocephalus</i>	Black-headed Parrot		X		RE, SF	U	
<i>Pionopsitta caica</i>	Caica Parrot	X	X		RF, TF	C	
<i>Pionus menstruus</i>	Blue-headed Parrot	X	X		RF, TE, OV	F	
<i>Pionus fuscus</i>	Dusky Parrot	X	X		RF, TE, OV	F	
<i>Amazona dufresniana</i>	Blue-cheeked Parrot		X		RF	U	
<i>Amazona amazonica</i>	Orange-winged Parrot	X	X		RF, TF	F	
<i>Derophtyx accipitrinus</i>	Red-fan Parrot	X	X		RF, TF	U	
Cuculidae	Cuckoos						
<i>Piaya melanogaster</i>	Black-bellied Cuckoo	X	X		RF, TF	U	
<i>Dromococcyx pavoninus</i>	Pavonine Cuckoo	X	X		TF	U	
<i>Neomorphus rufipennis</i>	Rufous-winged Ground-Cuckoo	X			TF	U	
Strigidae	Typical Owls						
<i>Megascops watsonii</i>	Tawny-bellied Screech-Owl	X			RF	U	
<i>Megascops guatemalae</i>	Vermiculated Screech-Owl	X			MT	U	
<i>Glaucidium hardyi</i>	Amazonian Pygmy-Owl	X	X		RF, TF	U	
<i>Lophotrix cristata</i>	Crested Owl	X	X		RF, TF	U	
<i>Pulsatrix perspicillata</i>	Spectacled Owl		X		RF	U	
Nyctibiidae	Potoos						
<i>Nyctibius griseus</i>	Common Potoo	X	X		RF, TF	F	
<i>Nyctibius leucopterus</i>	White-winged Potoo		X		RF	U	
<i>Nyctibius brachyotus</i>	Rufous Potoo		X		RF	U	
Caprimulgidae	Nighthawks, Nightjars						
<i>Lurocalis semitorquatus</i>	Semicollared Nighthawk		X		RF	U	
<i>Caprimulgus nigrescens</i>	Blackish Nightjar	X	X		RI, SF	U	
Apodidae	Swifts						
<i>Streptoprocne zonaris</i>	White-collared Swift	X	X		OV	U	
<i>Cypseloides cryptus</i>	White-chinned Swift	X			OV, MT	U	
<i>Chaetura chapmani</i>	Chapman's Swift	X	X		OV	C	
<i>Chaetura spinicaudus</i>	Band-rumped Swift	X	X		OV	C	
<i>Aeronautes montivagus</i>	White-tipped Swift	X			OV, MT	C	
<i>Panyptila cayennensis</i>	Lesser Swallow-tailed Swift		X		OV, RI	U	
<i>Tachornis squamata</i>	Fork-tailed Palm-Swift			X	OV, RI		
Trochilidae	Hummingbirds						
<i>Phaethornis superciliosus</i>	Eastern Long-tailed Hermit	X	X		RF, TE, SG	F	
<i>Phaethornis bourcierii</i>	Straight-billed Hermit	X	X		RF, TE, SF, SG, MT	C	
<i>Phaethornis ruber</i>	Reddish Hermit	X	X		RF, TE, SF, SG	C	
<i>Campylopterus largipennis</i>	Gray-breasted Sabrewing	X	X		RF, TF	U	
<i>Florisuga mellivora</i>	White-necked Jacobin	X	X		RI, RF	C	
<i>Colibri delphinae</i>	Brown Violetear	X			MT	C	
<i>Topaza pella</i>	Crimson Topaz	X	X		RI, RF	F	
<i>Lophornis ornatus</i>	Tufted Coquette			X	RI		
<i>Thalurania furcata</i>	Fork-tailed Woodnymph	X	X		TE, RE, SG, MT	F	
<i>Hylocharis sapphirina</i>	Rufous-throated Sapphire		X		RE, SF	F	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Amazilia versicolor</i>	Versicolored Emerald		X		RI	U	
<i>Amazilia viridigaster</i>	Green-bellied Emerald	X			MT	U	
<i>Heliothryx auritus</i>	Black-eared Fairy	X	X		RF, TE, SG	U	
Trogonidae	Trogons						
<i>Trogon melanurus</i>	Black-tailed Trogon	X	X		TE, RF	F	
<i>Trogon viridis</i>	White-tailed Trogon	X	X		RF, TE, SG	F	
<i>Trogon collaris</i>	Collared Trogon	X			MT	F	min elev 540 m
<i>Trogon rufus</i>	Black-throated Trogon	X	X		RF	U	
<i>Trogon violaceus</i>	Violaceous Trogon	X	X		RF, SG	F	
Alcedinidae	Kingfishers						
<i>Megaceryle torquata</i>	Ringed Kingfisher		X		RI	C	
<i>Chloroceryle amazona</i>	Amazon Kingfisher		X		RI	C	
<i>Chloroceryle americana</i>	Green Kingfisher		X		RI	C	
<i>Chloroceryle inda</i>	Green-and-rufous Kingfisher	X	X		RF, RI, SG	F	
<i>Chloroceryle aenea</i>	Pygmy Kingfisher	X	X		RF, RI, SG	F	
Momotidae	Motmots						
<i>Momotus momota</i>	Blue-crowned Motmot	X	X		RF, SG, TF	F	
Galbulidae	Jacamars						
<i>Galbula albirostris</i>	Yellow-billed Jacamar	X			TF	F	
<i>Galbula leucogastra</i>	Bronzy Jacamar		X		SE, RI	F	
<i>Galbula dea</i>	Paradise Jacamar	X	X		RF, TE, RI	C	
<i>Jacamerops aureus</i>	Great Jacamar	X	X		TE, RF	U	
Bucconidae	Puffbirds						
<i>Notharchus macrorhynchos</i>	Guianan Puffbird		X		RF	U	
<i>Bucco tamatia</i>	Spotted Puffbird	X	X		SE, RI	F	
<i>Bucco capensis</i>	Collared Puffbird	X			TF	U	
<i>Malacoptila fusca</i>	White-chested Puffbird	X			TF	U	
<i>Nonnula rubecula</i>	Rusty-breasted Nunlet		X		RF	U	
<i>Monasa atra</i>	Black Nunbird	X	X		RF, TF	F	
<i>Chelidoptera tenebrosa</i>	Swallow-winged Puffbird			X	RI		
Capitonidae	New World Barbets						
<i>Capito niger</i>	Black-spotted Barbet	X	X		RF, TF	U	
Ramphastidae	Toucans						
<i>Aulacorhynchus derbianus</i>	Chestnut-tipped Toucanet	X			MT	F	
<i>Selenidera culik</i>	Guianan Toucanet	X	X		TE, RF	U	
<i>Pteroglossus aracari</i>	Black-necked Araçari	X	X		RF	U	
<i>Pteroglossus viridis</i>	Green Araçari	X	X		RF, TF	U	
<i>Ramphastos vitellinus</i>	Channel-billed Toucan	X	X		TE, RF, MT	C	
<i>Ramphastos tucanus</i>	White-throated Toucan	X	X		TE, RF, MT	C	
Picidae	Woodpeckers						
<i>Picumnus exilis</i>	Golden-spangled Piculet			X	RI		
<i>Piculus rubiginosus</i>	Golden-olive Woodpecker	X			MT	F	
<i>Piculus flavigula</i>	Yellow-throated Woodpecker		X		RF	U	
<i>Celeus elegans</i>	Chestnut Woodpecker	X	X		RF, TF	U	
<i>Celeus undatus</i>	Waved Woodpecker	X	X		RF, TF	F	
<i>Celeus flavus</i>	Cream-colored Woodpecker	X	X		RF	U	
<i>Celeus torquatus</i>	Ringed Woodpecker		X		RF	U	
<i>Dryocopus lineatus</i>	Lineated Woodpecker	X			RF	U	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Veniliornis cassini</i>	Golden-collared Woodpecker	X	X		TF, RF, SG, MT	C	
<i>Campephilus melanoleucos</i>	Crimson-crested Woodpecker	X			RF	F	
<i>Campephilus rubricollis</i>	Red-necked Woodpecker	X	X		TF, RF, MT	F	
Furnariidae	Ovenbirds						
<i>Synallaxis rutilans</i>	Ruddy Spinetail	X			RF	U	
<i>Philydor pyrrhodes</i>	Cinnamon-rumped Foliage-gleaner		X		RF	U	
<i>Philydor ruficaudatum</i>	Rufous-tailed Foliage-gleaner	X			TF	U	
<i>Philydor erythrocerum</i>	Rufous-rumped Foliage-gleaner	X			TF	F	
<i>Automolus infuscatus</i>	Olive-backed Foliage-gleaner	X	X		TF, RF	F	
<i>Automolus ochrolaemus</i>	Buff-throated Foliage-gleaner	X	X		RF, TF	F	
<i>Automolus rufipileatus</i>	Chestnut-crowned Foliage-gleaner	X			SG, RF	F	
<i>Automolus rubiginosus</i>	Ruddy Foliage-gleaner	X			SG	U	
<i>Xenops minutus</i>	Plain Xenops	X	X		TF, RF	F	
<i>Xenops milleri</i>	Rufous-tailed Xenops	X	X		TF, RF	U	
<i>Sclerurus</i> sp.	Leaf-tosser sp.	X	X		TF, RF	U	
<i>Dendrocincla fuliginosa</i>	Plain-brown Woodcreeper	X	X		TF, RF	C	
<i>Dendrocincla merula</i>	White-chinned Woodcreeper		X		RF	U	
<i>Glyphorhynchus spirurus</i>	Wedge-billed Woodcreeper	X	X		TF, RF, MT	C	
<i>Sittasomus griseicapillus</i>	Olivaceous Woodcreeper		X		SF	U	
<i>Dendrexetastes rufigula</i>	Cinnamon-throated Woodcreeper	X			RF	U	
<i>Hylexetastes perrotii</i>	Red-billed Woodcreeper	X			TF	U	
<i>Xiphocolaptes promeropirhynchus</i>	Strong-billed Woodcreeper		X		RF	U	
<i>Dendrocolaptes certhia</i>	Amazonian Barred-Woodcreeper		X		TF, RF	U	
<i>Dendrocolaptes picumnus</i>	Black-banded Woodcreeper	X	X		TF, RF	U	
<i>Xiphorhynchus obsoletus</i>	Striped Woodcreeper	X	X		RF	C	
<i>Xiphorhynchus pardalotus</i>	Chestnut-rumped Woodcreeper	X	X		TF, RF, MT	C	
<i>Xiphorhynchus guttatus</i>	Buff-throated Woodcreeper	X	X		RF	U	
<i>Lepidocolaptes albolineatus</i>	Lineated Woodcreeper	X			TF	U	
<i>Campyloramphus procurvoides</i>	Curve-billed Scythebill	X	X		RF, TF	U	
Thamnophilidae	Typical Antbirds						
<i>Cymbilaimus lineatus</i>	Fasciated Antshrike	X	X		RF, TF	F	
<i>Frederickena viridis</i>	Black-throated Antshrike	X			RF	U	
<i>Sakesphorus canadensis</i>	Black-crested Antshrike		X		RF	U	
<i>Sakesphorus melanothorax</i>	Band-tailed Antshrike	X			SG	U	
<i>Thamnophilus murinus</i>	Mouse-colored Antshrike	X	X		TF, RF	F	
<i>Thamnophilus punctatus</i>	Guianan Slaty-Antshrike		X		SF	F	
<i>Thamnophilus amazonicus</i>	Amazonian Antshrike	X	X		RF, TF	C	
<i>Pygiptila stellaris</i>	Spot-winged Antshrike	X	X		RF	F	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Dysithamnus mentalis</i>	Plain Antwreio	X			MT	U	min elev 570 m
<i>Thamnomanes ardesiacus</i>	Dusky-throated Antshrike	X	X		TF, RF	C	
<i>Thamnomanes caesi</i>	Cinereous Antshrike	X	X		TF, RF	C	
<i>Myrmotherula brachyura</i>	Pygmy Antwren	X	X		RE, SG, TF	C	
<i>Myrmotherula surinamensis</i>	Guianan Streaked-Antwren	X	X		RE, RI	C	
<i>Myrmotherula guttata</i>	Rufous-bellied Antwren	X	X		RF	U	
<i>Myrmotherula gutturalis</i>	Brown-bellied Antwren	X	X		TF, RF	F	
<i>Myrmotherula axillaris</i>	White-flanked Antwren	X	X		TF, RE, SG, SF	C	
<i>Myrmotherula longipennis</i>	Long-winged Antwren	X	X		TF, RF	F	
<i>Myrmotherula menetriesii</i>	Gray Antwren	X	X		TF, RF	F	
<i>Herpilochmus sticturus</i>	Spot-tailed Antwren	X	X		RF	F	
<i>Herpilochmus stictocephalus</i>	Todd's Antwren	X	X		TF, MT, SF	C	
<i>Herpilochmus rufomarginatus</i>	Rufous-winged Antwren	X			MT	C	
<i>Microrhopias quixensis</i>	Dot-winged Antwren	X	X		SG, RI	C	
<i>Terenura callinota</i>	Rufous-rumped Antwren	X			MT	U	
<i>Terenura podioptila</i>	Ash-winged Antwren	X	X		TF, RF	F	
<i>Cercomacra cinerascens</i>	Gray Antbird	X	X		TF, RF	F	
<i>Cercomacra tyrannina</i>	Dusky Antbird	X	X		RE, SG	F	
<i>Myrmoborus leucophrys</i>	White-browed Antbird	X			SG, RF	F	
<i>Hypocnemis cantator</i>	Guianan Warbling-Antbird	X	X		TF, RE, SG, MT	F	
<i>Hypocnemoides melanopogon</i>	Black-chinned Antbird	X	X		RI	C	
<i>Hylophylax naevius</i>	Spot-backed Antbird	X			TF, RF	C	
<i>Hylophylax poecilonotus</i>	Scale-backed Antbird	X			TF	F	
<i>Schistocichla leucostigma</i>	Spot-winged Antbird	X			RF	U	
<i>Sclateria naevia</i>	Silvered Antbird	X			SG	U	
<i>Percnostola rufifrons</i>	Black-headed Antbird	X	X		TF, RE, MT	F	
<i>Myrmeciza ferruginea</i>	Ferruginous-backed Antbird	X	X		TF, RF	F	
<i>Pithys albifrons</i>	White-plumed Antbird	X	X		TF, RF	F	
<i>Gymnopithys rufigula</i>	Rufous-throated Antbird	X	X		TF, RF	F	
Formicariidae	Ground Antbirds						
<i>Formicarius colma</i>	Rufous-capped Antthrush	X			RF	U	
<i>Formicarius analis</i>	Black-faced Antthrush	X			RE, TF	U	
<i>Grallaria varia</i>	Variegated Antpitta	X	X		TF, RF	U	
<i>Hylopezus macularius</i>	Spotted Antpitta	X	X		RF	U	
<i>Myrmothera campanisona</i>	Thrush-like Antpitta	X	X		TF, RF	F	
Tyrannidae	Tyrant Flycatchers						
<i>Phyllomyias griseiceps</i>	Sooty-headed Tyrannulet	X			TF	U	
<i>Zimmerius gracilipes</i>	Slender-footed Tyrannulet	X	X		TF, RE, MT, SF	C	
<i>Ornithion inermis</i>	White-lored Tyrannulet	X	X		RE, TF	U	
<i>Camptostoma obsoletum</i>	Southern Beardless-Tyrannulet	X			TF	U	
<i>Tyrannulus elatus</i>	Yellow-crowned Tyrannulet	X	X		RE, TF	F	
<i>Myiopagis caniceps</i>	Gray Elaenia	X	X		TF, RF	U	
<i>Myiopagis gaimardii</i>	Forest Elaenia	X	X		TF, RF	F	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Myiopagis flavivertex</i>	Yellow-crowned Elaenia		X		RF, RI	F	
<i>Mionectes macconnelli</i>	McConnell's Flycatcher	X	X		TF	F	
<i>Leptopogon amaurocephalus</i>	Sepia-capped Flycatcher	X			TF	U	
<i>Corythopis torquatus</i>	Ringed Antpiper	X			RF, TF	F	
<i>Myiornis ecaudatus</i>	Short-tailed Pygmy-Tyrant	X	X		RF, TF	U	
<i>Lophotriccus vitiosus</i>	Double-banded Pygmy-Tyrant	X	X		TF, RF, SG	C	
<i>Lophotriccus galeatus</i>	Helmeted Pygmy-Tyrant	X	X		TF	F	
<i>Hemitriccus josephinae</i>	Boat-billed Tody-Tyrant	X	X		RF	U	
<i>Hemitriccus zosterops</i>	White-eyed Tody-Tyrant	X	X		TF	F	
<i>Todirostrum pictum</i>	Painted Tody-Flycatcher		X		TF	U	
<i>Ramphotrigon megacephalum</i>	Large-headed Flatbill	X			SG	U	
<i>Ramphotrigon ruficauda</i>	Rufous-tailed Flatbill	X	X		RF, SG	C	
<i>Rhynchocyclus olivaceus</i>	Olivaceous Flatbill	X			TF	U	
<i>Tolmomyias assimilis</i>	Yellow-margined Flycatcher	X	X		TF, RF	F	
<i>Tolmomyias poliocephalus</i>	Gray-crowned Flycatcher	X	X		RF, TF	F	
<i>Platyrinchus saturatus</i>	Cinnamon-crested Spadebill	X	X		TF, RF	U	
<i>Platyrinchus coronatus</i>	Golden-crowned Spadebill	X	X		TF, RF	U	
<i>Myiobius barbatus</i>	Whiskered Flycatcher	X			TF, RF	U	
<i>Neopipo cinnamomea</i>	Cinnamon Manakin-Tyrant	X			TF, RF	U	
<i>Contopus nigrescens</i>	Blackish Pewee	X			MT	U	min elev 580 m
<i>Contopus cinereus</i>	Tropical Pewee	X			MT	U	
<i>Lathrotriccus eulerei</i>	Euler's Flycatcher		X		RF, RI	F	
<i>Hirundinea ferruginea</i>	Cliff Flycatcher	X			MT	U	
<i>Attila spadiceus</i>	Bright-rumped Attila	X	X		TF, RF	F	
<i>Attila cinnamomeus</i>	Cinnamon Attila	X	X		RF	C	
<i>Rhytipterna simplex</i>	Grayish Mourner	X	X		TF, RF	F	
<i>Myiarchus tuberculifer</i>	Dusky-capped Flycatcher	X	X		TF, RF, MT, SF	U	
<i>Pitangus sulphuratus</i>	Great Kiskadee		X		RF	U	
<i>Myiozetetes luteiventris</i>	Dusky-chested Flycatcher	X			TF	U	
<i>Conopias albobittatus</i>	White-ringed Flycatcher	X	X		TF, RF	U	
<i>Legatus leucophaius</i>	Piratic Flycatcher	X	X		RF, RI	U	
<i>Tyrannus melancholicus</i>	Tropical Kingbird			X	RI		
Oxyruncidae	Sharpbills						
<i>Oxyruncus cristatus</i>	Sharpbill	X			TF	U	
Cotingidae	Cotingas						
<i>Cotinga cayana</i>	Spangled Cotinga		X		RF	U	
<i>Lipaugus vociferans</i>	Screaming Piha	X	X		TF, RF	C	
<i>Xipholena punicea</i>	Pompadour Cotinga	X	X		TF, RF, SF	U	
<i>Procnias albus</i>	White Bellbird	X	X		TF	U	
<i>Querula purpurata</i>	Purple-throated Fruitcrow	X			TF	F	
<i>Perissocephalus tricolor</i>	Capuchinbird	X	X		TF, RF	U	
<i>Phoenicercus carnifex</i>	Guianan Red-Cotinga	X	X		RF, TF	F	
<i>Rupicola rupicola</i>	Guianan Cock-of-the-Rock	X	X		RF, MT	F	
Pipridae	Manakins						
<i>Xenopipo atronitens</i>	Black Manakin		X		SF	F	
<i>Manacus manacus</i>	White-bearded Manakin		X		RF	U	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Corapipo gutturalis</i>	White-throated Manakin	X	X		TF, MT	C	min elev 380 m
<i>Pipra erythrocephala</i>	Golden-headed Manakin	X	X		TF, RF, SG	C	
<i>Pipra pipra</i>	White-crowned Manakin	X	X		TF, RF	C	
<i>Lepidothrix serena</i>	White-fronted Manakin	X			RF, TF	C	
<i>Tyrannetes virescens</i>	Tiny Tyrant-Manakin	X	X		TF, RF	C	
<i>Neopelma chrysocephalus</i>	Saffron-crested Tyrant-Manakin		X		SF	F	
Incertae Sedis	Taxonomic placement uncertain						
<i>Schiffornis turdina</i>	Thrush-like Schiffornis	X	X		TF, RF	F	
<i>Piprites chloris</i>	Wing-barred Piprites	X	X		TF, RF	U	
<i>Laniocera hypopyrra</i>	Cinereous Mourner		X		RF	U	
<i>Pachyramphus marginatus</i>	Black-capped Becard	X	X		TF, RF	F	
Vireonidae	Vireos						
<i>Cyclarhis gujanensis</i>	Rufous-browed Peppershrike	X			MT	F	
<i>Vireolanus leucotis</i>	Slaty-capped Shrike-Vireo	X	X		TF, RF	F	
<i>Vireo olivaceus</i>	Red-eyed Vireo	X			TF	U	
<i>Hylophilus thoracicus</i>	Lemon-chested Greenlet	X	X		RF, TF	F	
<i>Hylophilus sclateri</i>	Tepui Greenlet	X	X		MT	F	min elev 530 m
<i>Hylophilus muscicapinus</i>	Buff-cheeked Greenlet	X	X		TF, RF	C	
<i>Hylophilus ochraceiceps</i>	Tawny-crowned Greenlet	X			TF, RF	U	
Corvidae	Jays						
<i>Cyanocorax cayanus</i>	Cayenne Jay	X	X		SE, RI	F	
Hirundinidae	Swallows						
<i>Progne tapera</i>	Brown-chested Martin			X	RI		
<i>Progne chalybea</i>	Gray-breasted Martin			X	RI		
<i>Tachycineta albiventer</i>	White-winged Swallow			X	RI		
<i>Atticora fasciata</i>	White-banded Swallow		X		RI	U	
<i>Neochelidon tibialis</i>	White-thighed Swallow	X			MT	C	
<i>Hirundo rustica</i>	Barn Swallow			X	RI		
Troglodytidae	Wrens						
<i>Thryothorus coraya</i>	Coraya Wren	X	X		TF, RF, SG, MT	F	
<i>Henicorhina leucosticta</i>	White-breasted Wood-Wren	X			MT	F	min elev 600 m
<i>Cyborhinus arada</i>	Musician Wren	X			TF, RF	U	
<i>Microcerculus bambla</i>	Wing-banded Wren	X			TF	U	
Sylviidae	Gnatwrens, Gnatcatchers						
<i>Microbates collaris</i>	Collared Gnatwren	X			TF	U	
<i>Ramphocaenus melanurus</i>	Long-billed Gnatwren	X	X		RF, TF, MT, SG	C	
Turdidae	Thrushes						
<i>Turdus fumigatus</i>	Cocoa Thrush	X	X		RF	F	
<i>Turdus albicollis</i>	White-necked Thrush	X	X		TF, RF	F	
Thraupidae	Tanagers						
<i>Lamprospiza melanoleuca</i>	Red-billed Pied Tanager	X			TF	U	
<i>Hemithraupis flavicollis</i>	Yellow-backed Tanager	X	X		TF	U	
<i>Lanio fulvus</i>	Fulvous Shrike-Tanager	X			TF	F	
<i>Tachyphonus cristatus</i>	Flame-crested Tanager	X			TF	U	
<i>Tachyphonus surinamus</i>	Fulvous-crested Tanager	X	X		TF, RF	F	

Scientific name	English common name	Acarai	Kamoa	Transit	Habitat	Abundance	Elevation
<i>Ramphocelus carbo</i>	Silver-beaked Tanager			X	RI		
<i>Cyanicterus cyanicterus</i>	Blue-backed Tanager	X	X		TF, RF	U	
<i>Tangara velia</i>	Opal-rumped Tanager	X	X		TF	U	
<i>Tangara chilensis</i>	Paradise Tanager		X		RF	F	
<i>Tangara punctata</i>	Spotted Tanager	X	X		TF, MT	F	
<i>Tangara gyrola</i>	Bay-headed Tanager	X	X		TF, RF	F	
<i>Dacnis cayana</i>	Blue Dacnis	X	X		TF, RF	U	
<i>Dacnis lineata</i>	Black-faced Dacnis	X			TF	U	
<i>Chlorophanes spiza</i>	Green Honeycreeper	X	X		TF, RF	F	
<i>Cyanerpes caeruleus</i>	Purple Honeycreeper	X	X		TF, RF	F	
<i>Cyanerpes cyaneus</i>	Red-legged Honeycreeper	X	X		TF, RF	F	
<i>Tersina viridis</i>	Swallow-Tanager	X	X		RI, RF	C	
Incertae Sedis	Taxonomic placement uncertain						
<i>Coereba flaveola</i>	Bananaquit	X	X		TF, RF, MT, SG, SF	C	
Emberizidae	Emberizine Finches						
<i>Arremon taciturnus</i>	Pectoral Sparrow	X			TF	U	
<i>Paroaria gularis</i>	Red-capped Cardinal		X		RI	U	
Cardinalidae	Grosbeaks, Saltators						
<i>Saltator maximus</i>	Buff-throated Saltator	X			RF, SG	U	
<i>Saltator grossus</i>	Slate-colored Grosbeak	X	X		TF, RE, SG	F	
<i>Cyanocompsa cyanoides</i>	Blue-black Grosbeak	X	X		TF, RE, SG	F	
<i>Caryothraustes canadensis</i>	Yellow-green Grosbeak	X	X		TF, RF	F	
Parulidae	Wood Warblers						
<i>Parula pitiayumi</i>	Tropical Parula	X			TF, MT	F	
<i>Dendroica striata</i>	Blackpoll Warbler		X		RF	U	
<i>Setophaga ruticilla</i>	American Redstart	X			MT	F	min elev 640 m
<i>Phaeothlypis rivularis</i>	River Warbler	X	X		RI, SG	F	
Incertae Sedis	Taxonomic placement uncertain						
<i>Granatellus pelzelni</i>	Rose-breasted Chat	X	X		RF, SG	F	
Icteridae	New World Blackbirds						
<i>Icterus cayanensis</i>	Epulet Oriole	X			RF	U	
<i>Cacicus cela</i>	Yellow-rumped Cacique		X		RI, RF	F	
<i>Cacicus haemorrhous</i>	Red-rumped Cacique		X		RI, RF	F	
<i>Psarocolius viridis</i>	Green Oropendola	X	X		TF, RF	F	
Fringillidae	Cardueline Finches						
<i>Euphonia cayennensis</i>	Golden-sided Euphonia	X	X		TF, RF	F	
<i>Euphonia chrysopasta</i>	Golden-bellied Euphonia		X		RF	U	
<i>Euphonia</i> sp.	unidentified Euphonia	X			TF	F	
<i>Chlorophonia cyanea</i>	Blue-naped Chlorophonia	X			MT	F	
Species totals		250	232				