## Acknowledgments

This study would not have been possible without the encouragement and advice of numerous colleagues. George Eickwort's (Cornell University) support and encouragement of N.L.J. during her graduate work were especially appreciated. We benefitted from discussions of noctuoid morphology with D. Ferguson (USDA), J. Franclemont (Cornell University), J. Holloway (The Natural History Museum, London), I. Kitching (The Natural History Museum, London), J. Miller (American History Museum), R. Poole (formerly USDA), and J. Rawlins (Carnegie Museum of Natural History). We also thank the following people at Cornell University for their comments on various drafts and sections of the manuscript: J. Franclemont, J. Liebherr, C. Tauber, and M. Tauber. And we thank the two anonymous reviewers for their insightful comments. Specimens were borrowed from the Carnegie Museum of Natural History, Cornell University Insect Collection, Ray Nagle (personal collection), The National Museum of Natural History (Washington, DC), and The Natural History Museum (London). Special thanks go to Ray Nagle for his generosity. Funding for this study was obtained from the following sources: National Science Foundation (NSF) dissertation-improvement grant BSR-8700892 (N.L.J.), Smithsonian post-doctoral award (S.J.W.), NSF grant BSR-9006273 (S.J.W.), and grants from the Tinker Foundation (N.L.J. and S.J.W.) and Sigma Xi (N.L.J.).