

List of Bird Species Recorded in the Atewa Range Forest Reserve, Ghana

Authors: Demey, Ron, and Ossom, William

Source: A Rapid Biological Assessment of the Atewa Range Forest Reserve, Eastern Ghana: 173

Published By: Conservation International

URL: <https://doi.org/10.1896/054.047.0125>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Appendix 6

List of bird species recorded in the
Atewa range reserves, Suriname

Ron Demey and William Ossom

		Encounter Rate	Threat Status	Endemism	GC Forests Biome	Habitat
ACCIPITRIDAE (7)						
<i>Gypohierax angolensis</i>	Palm-nut Vulture	R				a
<i>Dryotriorchis spectabilis</i>	Congo Serpent Eagle	U			GC	f
<i>Polyboroides typus</i>	African Harrier Hawk	U				f, a
<i>Accipiter tachiro</i>	African Goshawk	U				f
<i>Urotriorchis macrourus</i>	Long-tailed Hawk	U			GC	f
<i>Spizaetus africanus</i>	Cassin's Hawk Eagle	R			GC	f
<i>Stephanoaetus coronatus</i>	Crowned Eagle	U				f, a
PHASIANIDAE (1)						
<i>Francolinus lathamii</i>	Latham's Forest Francolin	F			GC	f
NUMIDIDAE (1)						
<i>Guttera pucherani</i>	Crested Guineafowl	R				f
RALLIDAE (2)						
<i>Himantornis haematopus</i>	Nkulengu Rail	R			GC	f
<i>Sarothrura pulchra</i>	White-spotted Flufftail	C			GC	w
COLUMBIDAE (4)						
<i>Treron calvus</i>	African Green Pigeon	C				f, e
<i>Turtur brehmeri</i>	Blue-headed Wood Dove	C			GC	f
<i>Turtur tympanistria</i>	Tambourine Dove	U				f, e
<i>Columba iriditorques</i>	Western Bronze-naped Pigeon	F			GC	f
PSITTACIDAE (1)						
<i>Poicephalus gulielmi</i>	Red-fronted Parrot	R				f, a
MUSOPHAGIDAE (2)						
<i>Corythaeola cristata</i>	Great Blue Turaco	U				f
<i>Tauraco macrorhynchus</i>	Yellow-billed Turaco	C			GC	f
CUCULIDAE (6)						
<i>Cuculus clamosus</i>	Black Cuckoo	R				f
<i>Chrysococcyx cupreus</i>	African Emerald Cuckoo	U				f
<i>Chrysococcyx klaas</i>	Klaas's Cuckoo	U				f, e
<i>Ceuthmochares aereus</i>	Yellowbill	C				f, e
<i>Centropus leucogaster</i>	Black-throated Coucal	U			GC	f, e
<i>Centropus monachus</i>	Blue-headed Coucal	R				e
STRIGIDAE (1)						
<i>Strix woodfordii</i>	African Wood Owl	R				f
CAPRIMULGIDAE (1)						

		Encounter Rate	Threat Status	Endemism	GC Forests Biome	Habitat
<i>Veles binotatus</i>	Brown Nightjar	R			GC	f
APODIDAE (5)						
<i>Rhaphidura sabini</i>	Sabine's Spinetail	R			GC	a
<i>Neafrapus cassini</i>	Cassin's Spinetail	R			GC	a
<i>Cypsiurus parvus</i>	African Palm Swift	R				a
<i>Apus batesi</i>	Bates's Swift	R			GC	a
<i>Apus affinis</i>	Little Swift	U				a
TROGONIDAE (1)						
<i>Apaloderma narina</i>	Narina's Trogon	F				f
ALCEDINIDAE (5)						
<i>Halcyon badia</i>	Chocolate-backed Kingfisher	C			GC	f
<i>Halcyon malimbica</i>	Blue-breasted Kingfisher	R				f
<i>Ceyx lecontei</i>	African Dwarf Kingfisher	R			GC	f
<i>Ceyx pictus</i>	African Pygmy Kingfisher	R				o
<i>Alcedo leucogaster</i>	White-bellied Kingfisher	U			GC	f, w
MEROPIIDAE (1)						
<i>Merops muelleri</i>	Blue-headed Bee-eater	F			GC	f, e
CORACIIDAE (1)						
<i>Eurystomus gularis</i>	Blue-throated Roller	R			GC	f
PHOENICULIDAE (1)						
<i>Phoeniculus bollei</i>	White-headed Wood-hoopoe	R				f
BUCEROTIDAE (4)						
<i>Tropicranus albo cristatus</i>	White-crested Hornbill	F			GC	f
<i>Tockus camurus</i>	Red-billed Dwarf Hornbill	U			GC	f
<i>Tockus fasciatus</i>	African Pied Hornbill	F			GC	f, e
<i>Bycanistes cylindricus</i>	Brown-cheeked Hornbill	U	NT	UG	GC	f
CAPITONIDAE (7)						
<i>Gymnobucco calvus</i>	Naked-faced Barbet	C			GC	f, e
<i>Pogoniulus scolopaceus</i>	Speckled Tinkerbird	C			GC	f, e
<i>Pogoniulus atroflavus</i>	Red-rumped Tinkerbird	C			GC	f
<i>Pogoniulus subsulphureus</i>	Yellow-throated Tinkerbird	C			GC	f, e
<i>Buccanodon duchailui</i>	Yellow-spotted Barbet	C			GC	f
<i>Tricholaema hirsuta</i>	Hairy-breasted Barbet	C			GC	f
<i>Trachylaemus purpuratus</i>	Yellow-billed Barbet	C			GC	f
INDICATORIDAE (3)						
<i>Prodotiscus insignis</i>	Cassin's Honeybird	U			GC	e
<i>Indicator (minor) conirostris</i>	Thick-billed Honeyguide	U				f
<i>Indicator willcocksi</i>	Willcock's Honeyguide	R			GC	e
PICIDAE (4)						
<i>Campethera nivosus</i>	Buff-spotted Woodpecker	U			GC	f
<i>Campethera caroli</i>	Brown-eared Woodpecker	U			GC	f
<i>Dendropicus gabonensis</i>	Gabon Woodpecker	F			GC	f, e
<i>Dendropicus pyrrhogaster</i>	Fire-bellied Woodpecker	U			GC	f, e
EURYLAIMIDAE (1)						
<i>Smithornis rufolateralis</i>	Rufous-sided Broadbill	U			GC	f
HIRUNDINIDAE (2)						
<i>Psalidoprocne nitens</i>	Square-tailed Saw-wing	F			GC	o

		Encounter Rate	Threat Status	Endemism	GC Forests Biome	Habitat
<i>Hirundo abyssinica</i>	Lesser Striped Swallow	R				a
CAMPEPHAGIDAE (2)						
<i>Campephaga quiscalina</i>	Purple-throated Cuckoo-shrike	F				f
<i>Coracina azurea</i>	Blue Cuckoo-shrike	U			GC	f
PYCNONOTIDAE (19)						
<i>Andropadus virens</i>	Little Greenbul	C				e
<i>Andropadus gracilis</i>	Little Grey Greenbul	U			GC	e
<i>Andropadus ansorgei</i>	Ansorge's Greenbul	F			GC	f
<i>Andropadus curvirostris</i>	Cameroon Sombre Greenbul	C			GC	f
<i>Andropadus gracilirostris</i>	Slender-billed Greenbul	C				f, e
<i>Andropadus latirostris</i>	Yellow-whiskered Greenbul	C				f
<i>Calyptocichla serina</i>	Golden Greenbul	C			GC	f, e
<i>Baeopogon indicator</i>	Honeyguide Greenbul	C			GC	f, e
<i>Chlorocichla simplex</i>	Simple Leaflove	R			GC	o
<i>Thescelocichla leucopleura</i>	Swamp Palm Bulbul	U			GC	f
<i>Phyllastrephus icterinus</i>	Icterine Greenbul	C			GC	f
<i>Bleda syndactylus</i>	Red-tailed Bristlebill	F			GC	f
<i>Bleda eximius</i>	Green-tailed Bristlebill	R	VU	UG	GC	f
<i>Bleda canicapillus</i>	Grey-headed Bristlebill	C			GC	f
<i>Criniger barbatus</i>	Western Bearded Greenbul	C			GC	f
<i>Criniger calurus</i>	Red-tailed Greenbul	C			GC	f
<i>Criniger olivaceus</i>	Yellow-bearded Greenbul	U	VU	UG	GC	f
<i>Pycnonotus barbatus</i>	Common Bulbul	U				o
<i>Nicator chloris</i>	Western Nicator	C			GC	f
TURDIDAE (6)						
<i>Stiphrornis erythrothorax</i>	Forest Robin	C			GC	f
<i>Sheppardia cyornithopsis</i>	Lowland Akalat	R			GC	f
<i>Alethe diademata</i>	White-tailed (Fire-crested) Alethe	C / b			GC	f
<i>Alethe poliocephala</i>	Brown-chested Alethe	R				f
<i>Neocossyphus poensis</i>	White-tailed Ant Thrush	F			GC	f
<i>Stizorhina finschi</i>	Finsch's Flycatcher Thrush	C			GC	f
SYLVIIDAE (12)						
<i>Apalis nigriceps</i>	Black-capped Apalis	C			GC	f, e
<i>Apalis sharpii</i>	Sharpe's Apalis	C		UG	GC	f, e
<i>Camaroptera brachyura</i>	Grey-backed Camaroptera	R				e, o
<i>Camaroptera superciliaris</i>	Yellow-browed Camaroptera	C			GC	e
<i>Camaroptera chloronota</i>	Olive-green Camaroptera	C			GC	f, e
<i>Macrosphenus kempii</i>	Kemp's Longbill	C			GC	f, e
<i>Macrosphenus concolor</i>	Grey Longbill	C / b			GC	f, e
<i>Eremomela badiceps</i>	Rufous-crowned Erememela	C / b			GC	f, e
<i>Sylvietta virens</i>	Green Crombec	F			GC	e
<i>Sylvietta denti</i>	Lemon-bellied Crombec	U			GC	f, e
<i>Hyliota violacea</i>	Violet-backed Hyliota	R			GC	f, e
<i>Hylia prasina</i>	Green Hylia	C			GC	f, e
MUSCICAPIDAE (6)						
<i>Fraseria ocreata</i>	Fraser's Forest Flycatcher	U			GC	f, e

		Encounter Rate	Threat Status	Endemism	GC Forests Biome	Habitat
<i>Melaenornis annamarulae</i>	Nimba Flycatcher	R	VU	UG	GC	f
<i>Muscicapa epulata</i>	Little Grey Flycatcher	U / b			GC	f
<i>Muscicapa ussheri</i>	Ussher's Flycatcher	U			GC	f, e
<i>Myioparus griseigularis</i>	Grey-throated Flycatcher	R			GC	e
<i>Myioparus plumbeus</i>	Lead-coloured Flycatcher	R				e
MONARCHIDAE (4)						
<i>Erythrocerus mccallii</i>	Chestnut-capped Flycatcher	F			GC	f
<i>Elminia nigromitrata</i>	Dusky Crested Flycatcher	F			GC	f
<i>Trochocercus nitens</i>	Blue-headed Crested Flycatcher	F			GC	f, e
<i>Terpsiphone rufiventer</i>	Red-bellied Paradise Flycatcher	C			GC	f, e
PLATYSTEIRIDAE (4)						
<i>Megabyas flammulatus</i>	Shrike Flycatcher	U			GC	f
<i>Dyaphorophya castanea</i>	Chestnut Wattle-eye	C / b			GC	f
<i>Dyaphorophya blissetti</i>	Red-cheeked Wattle-eye	U			GC	f
<i>Batis poensis</i>	Bioko Batis	U			GC	f, e
TIMALIIDAE (4)						
<i>Illadopsis rufipennis</i>	Pale-breasted Illadopsis	C				f
<i>Illadopsis fulvescens</i>	Brown Illadopsis	F			GC	e
<i>Illadopsis cleaveri</i>	Blackcap Illadopsis	C			GC	f
<i>Illadopsis rufescens</i>	Rufous-winged Illadopsis	C	NT	UG	GC	f
PARIDAE (1)						
<i>Parus funereus</i>	Dusky Tit	R / b			GC	f, e
REMIZIDAE (1)						
<i>Pholidornis rusbiae</i>	Tit-hylia	U			GC	f, e
NECTARINIIDAE (10)						
<i>Anthreptes rectirostris</i>	Green Sunbird	C			GC	f, e
<i>Anthreptes seimundi</i>	Little Green Sunbird	R			GC	f
<i>Deleornis fraseri</i>	Fraser's Sunbird	C / b			GC	f
<i>Cyanomitra cyanolaema</i>	Blue-throated Brown Sunbird	C			GC	f, e
<i>Cyanomitra olivacea</i>	Olive Sunbird	C				f, e
<i>Chalcomitra adelberti</i>	Buff-throated Sunbird	U			GC	f, e
<i>Hedydipna collaris</i>	Collared Sunbird	F				f, e, o
<i>Cinnyris chloropygius</i>	Olive-bellied Sunbird	U				o
<i>Cinnyris johannae</i>	Johanna's Sunbird	U			GC	f
<i>Cinnyris superbus</i>	Superb Sunbird	R			GC	e
ZOSTEROPIDAE (1)						
<i>Zosterops senegalensis</i>	Yellow White-eye	R				e
MALACONOTIDAE (4)						
<i>Malaconotus cruentus</i>	Fiery-breasted Bush-shrike	U			GC	f
<i>Malaconotus multicolor</i>	Many-coloured Bush-shrike	F				f
<i>Dryoscopus sabinii</i>	Sabine's Puffback	U			GC	f
<i>Laniarius leucorhynchus</i>	Sooty Boubou	U			GC	f, e
PRIONOPIDAE (1)						
<i>Prionops caniceps</i>	Red-billed Helmet-shrike	U			GC	f
ORIOOLIDAE (2)						
<i>Oriolus nigripennis</i>	Black-winged Oriole	U			GC	f

		Encounter Rate	Threat Status	Endemism	GC Forests Biome	Habitat
<i>Oriolus brachyrhynchus</i>	Western Black-headed Oriole	C			GC	f
DICRURIDAE (2)						
<i>Dicrurus atripennis</i>	Shining Drongo	C			GC	f
<i>Dicrurus modestus</i>	Velvet-mantled Drongo	F				f, e
STURNIDAE (3)						
<i>Poeyptera lugubris</i>	Narrow-tailed Starling	R			GC	f, e
<i>Onychognathus fulgidus</i>	Forest Chestnut-winged Starling	U			GC	f
<i>Lamprotornis cupreocauda</i>	Copper-tailed Glossy Starling	F	NT	UG	GC	f, e
PLOCEIDAE (8)						
<i>Malimbus malimbicus</i>	Crested Malimbe	F			GC	f
<i>Malimbus nitens</i>	Blue-billed Malimbe	U			GC	f
<i>Malimbus rubricollis</i>	Red-headed Malimbe	F			GC	f, e
<i>Ploceus nigricollis</i>	Black-necked Weaver	R			GC	o
<i>Ploceus nigerrimus</i>	Vieillot's Black Weaver	R			GC	o
<i>Ploceus tricolor</i>	Yellow-mantled Weaver	U / b			GC	f, e
<i>Ploceus albinucha</i>	Maxwell's Black Weaver	F / b			GC	f, e
<i>Ploceus preussi</i>	Preuss's Weaver	U / b			GC	f
ESTRILDIDAE (4)						
<i>Nigrita canicapillus</i>	Grey-headed Negrofinch	C				f, e
<i>Nigrita bicolor</i>	Chestnut-breasted Negrofinch	C			GC	f, e
<i>Parmoptila rubrifrons</i>	Red-fronted Antpecker	R / b			GC	f
<i>Pyrenestes ostrinus</i>	Black-bellied Seedcracker	U			GC	e

Encounter rate:

C = Common: encountered daily, either singly or in significant numbers

F = Fairly common: encountered on most days

U = Uncommon: irregularly encountered and not on the majority of days

R = Rare: rarely encountered, one or two records of single individuals

Breeding:

b = evidence of breeding observed (juveniles with parents)

Threat Status:

VU = Vulnerable

NT = Near Threatened

Endemism:

UG = endemic to the Upper Guinea forest block

Biome:

GC = restricted to the Guinea-Congo Forests biome

Habitat:

f = forest interior

e = forest edge

o = open areas (large clearings, cultivation, etc)

w = streams, swamps and ponds

a = aerial and flying overhead