



## Appendix 2. Ant Species Recorded

Authors: Zhenghui, Xu, and Alonso, LEEANNE

Source: A Rapid Biological Assessment of three sites in the Mountains of Southwest China Hotspot, Ganzi Prefecture, Sichuan Province, China: 149

Published By: Conservation International

URL: <https://doi.org/10.1896/054.052.0111>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## 附件 2. 蚂蚁物种名录 Appendix 2. Ant species recorded

徐正会 *Leeanne Alonso*  
Xu Zhenghui and *Leeanne Alonso*

亚科 (Family)	属 (Genus)	种 (Species)	地理分布及海拔范围 / m (Distribution and elevation range / m)		
			丹巴 (Danba)	康定 (Kangding)	雅江 (Yajiang)
猛蚁亚科 <i>Ponerinae</i>					
		1) 厚结猛蚁属 <i>Pachycondyla</i> Smith			
		(1) 爪哇厚结猛蚁 <i>P. javana</i> (Mayr)	--	2250	--
切叶蚁亚科 <i>Myrmicinae</i>					
		2) 隆头蚁属 <i>Strumigenys</i> Smith			
		(2) 隆头蚁待定种1 <i>Strumigenys</i> sp.1	--	2450	--
		3) 塔蚁属 <i>Pyramica</i> Roger			
		(3) 塔蚁待定种1 <i>Pyramica</i> sp.1	--	2450	--
		4) 举腹蚁属 <i>Crematogaster</i> Lund			
		(4) 立毛举腹蚁 <i>C. ferrarii</i> Emery	--	2485	--
		(5) 沃尔什举腹蚁 <i>C. walshi</i> Smith	--	2450	--
		5) 切叶蚁属 <i>Myrmecina</i> Curtis			
		(6) 切叶蚁待定种1 <i>Myrmecina</i> sp.1	--	2400-2500	--
		6) 窄结蚁属 <i>Stenammina</i> Westwood			
		(7) 窄结蚁待定种2 <i>Stenammina</i> sp.2	3380	2400-2500	--
		(8) 窄结蚁待定种3 <i>Stenammina</i> sp.3	2877	--	--
		7) 铺道蚁属 <i>Tetramorium</i> Mayr			
		(9) 草地铺道蚁 <i>T. caespitum</i> (Linnaeus)	--	2242	--
		8) 大头蚁属 <i>Pheidole</i> Westwood			
		(10) 尼特纳大头蚁 <i>P. nietneri</i> Emery	--	2250-2485	--
		9) 细胸蚁属 <i>Leptothorax</i> Mayr			
		(11) 细胸蚁待定种1 <i>Leptothorax</i> sp.1	--	2250	--
		(12) 细胸蚁待定种2 <i>Leptothorax</i> sp.2	--	2400-2500	--
		(13) 细胸蚁待定种3 <i>Leptothorax</i> sp.3	--	2400-2500	--
		(14) 细胸蚁待定种5 <i>Leptothorax</i> sp.5	--	2400-2500	--
		(15) 细胸蚁待定种6 <i>Leptothorax</i> sp.6	--	2500	--
		10) 盘腹蚁属 <i>Aphaenogaster</i> Mayr			
		(16) 雕刻盘腹蚁 <i>A. exasperata</i> Wheeler	1850-3425	2125-2800	--
		(17) 盘腹蚁待定种2 <i>Aphaenogaster</i> sp.2	--	--	3725-3800
		(18) 盘腹蚁待定种6 <i>Aphaenogaster</i> sp.6	--	--	3660-4205
		11) 红蚁属 <i>Myrmica</i> Latreille			
		(19) 吉市红蚁 <i>M. jessensis</i> Forel	3244	2550-2740	3800
		(20) 丽塔红蚁 <i>M. ritae</i> Emery	--	2460-2720	--

亚科 (Family)	属 (Genus)	种 (Species)	地理分布及海拔范围 / m (Distribution and elevation range / m)		
			丹巴 (Danba)	康定 (Kangding)	雅江 (Yajiang)
		(21) 伊内兹红蚁 <i>M. inezae</i> Forel	--	2630-2810	--
		(22) 红蚁待定种3 <i>Myrmica</i> sp.3	3285-3905	--	3650-4205
		(23) 红蚁待定种4 <i>Myrmica</i> sp.4	--	--	3660
		(24) 红蚁待定种5 <i>Myrmica</i> sp.5	3325-3780	--	3660-4285
		(25) 红蚁待定种8 <i>Myrmica</i> sp.8	1810-3850	2550	3630-3800
		(26) 红蚁待定种9 <i>Myrmica</i> sp.9	3325-3756	--	--
		(27) 红蚁待定种10 <i>Myrmica</i> sp.10	--	2630-2800	--
臭蚁亚科 Dolichoderinae					
	12) 酸臭蚁属 <i>Tapinoma</i> Foerster				
		(28) 吉氏酸臭蚁 <i>T. geei</i> Wheeler	2830	2125-2690	--
蚁亚科 Formicinae					
	13) 平结蚁属 <i>Prenolepis</i> Mayr				
		(29) 平结蚁待定种2 <i>Prenolepis</i> sp.2	--	2410-2645	--
	14) 毛蚁属 <i>Lasius</i> Fabricius				
		(30) 黄毛蚁 <i>L. flavus</i> (Fabricius)	--	2415	--
		(31) 奇异毛蚁 <i>L. alienus</i> (Foerster)	--	2160-2510	--
		(32) 毛蚁待定种1 <i>Lasius</i> sp.1	--	2800	3725
		(33) 毛蚁待定种2 <i>Lasius</i> sp.2	3280	2530-2800	--
	15) 立毛蚁属 <i>Paratrechina</i> Motschoulsky				
		(34) 泰勒立毛蚁 <i>P. taylori</i> (Forel)	1850	2400-2730	--
		(35) 黄足立毛蚁 <i>P. flavipes</i> (Smith)	--	2250-2585	--
		(36) 立毛蚁待定种5 <i>Paratrechina</i> sp.5	--	2400-2500	--
	16) 弓背蚁属 <i>Camponotus</i> Mayr				
		(37) 西姆森弓背蚁 <i>C. siemseni</i> Forel	1860-3400	2465-2810	3660
		(38) 日本弓背蚁 <i>C. japonicus</i> Mayr	--	2610-2550	--
		(39) 弓背蚁待定种1 <i>Camponotus</i> sp.1	--	--	3660-3750
	17) 蚁属 <i>Formica</i> Linnaeus				
		(40) 深井凹头蚁 <i>F. fukaii</i> Wheeler	--	--	3600-3630
		(41) 四川凹唇蚁 <i>F. sentschuensis</i> Ruzsky	3244-3385	--	--
		(42) 中华红林蚁 <i>F. sinensis</i> Wheeler	3020	2500	3630-3840
		(43) 亮腹黑褐蚁 <i>F. gagatoides</i> Ruzsky	--	--	3630-4205
		(44) 丝光蚁 <i>F. fusca</i> Linnaeus	1810-3810	2125-2780	3630-4180
		(45) 莱曼蚁 <i>F. lemani</i> Bondroit	3290-3810	2400-2750	--