



Nuevos Registros de Flora para el Estado Barinas del RAP Calderas 2008, Partiendo del Listado General de Hokche et al. (2008) o por Citación Omisa del Taxón.

Authors: Stergios, Basil, and Miguel Niño, Santos

Source: Rapid Assessment of the Biodiversity of the Ramal Calderas, Venezuelan Andes: 132

Published By: Conservation International

URL: <https://doi.org/10.1896/054.056.0122>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Apéndice 3.

Nuevos registros de flora para el estado Barinas del RAP Calderas 2008, partiendo del listado general de Hokche *et al.* (2008) o por citación omisa del taxón.

Basil Stergios y Santos Miguel Niño

| Especie | Área Focal |
|-----------------------------------|-------------------------|
| <i>Achyrocline satureioides</i> | Agua Blanca |
| <i>Acnistus arborescens</i> | La Volcanera |
| <i>Aegiphila membranacea</i> | La Volcanera |
| <i>Aegiphila moldenkeana</i> | General |
| <i>Aegiphila racemosa</i> | San Ramón |
| <i>Actanthus nodosus</i> | General |
| <i>Ageratina neriifolia</i> | General |
| <i>Ageratina ibaguensis</i> | General |
| <i>Ageratum conyzoides</i> | General |
| <i>Agrostis subrepens</i> | Páramo |
| <i>Aioea dubia</i> | General |
| <i>Aiphanes stergiosii</i> | Agua Blanca |
| <i>Alchornea grandiflora</i> | General |
| <i>Allophylus glabratus</i> | General |
| <i>Alsophila engelli</i> | General |
| <i>Alternanthera mexicana</i> | La Volcanera |
| <i>Amaranthus dubius</i> | La Volcanera |
| <i>Anaetocalyx bracteosa</i> | General |
| <i>Anathallis sclerophylla</i> | Agua blanca |
| <i>Andropogon bicornis</i> | San Ramón |
| <i>Anthurium bernardii</i> | La Volcanera |
| <i>Anthurium eminens</i> | San Ramón, Agua Blanca. |
| <i>Anthurium scandens</i> | San Ramón |
| <i>Anthurium smaragdinum</i> | San Ramón |
| <i>Arthrostylidium venezuelae</i> | Agua Blanca |
| <i>Asclepias curassavica</i> | General |
| <i>Asplenium abscissum</i> | General |
| <i>Asplenium cuspidatum</i> | General |
| <i>Asplundia vagans</i> | San Ramón |
| <i>Baccharis brachylaenoides</i> | General |
| <i>Baccharis prunifolia</i> | Páramo |
| <i>Bactris macana</i> | San Ramón |
| <i>Begonia brevipetala</i> | San Ramón, Agua Blanca |

| Especie | Área Focal |
|----------------------------------|------------------------|
| <i>Begonia dichotoma</i> | La Volcanera |
| <i>Begonia urophylla</i> | San Ramón |
| <i>Beilschmiedia tovarensis</i> | General |
| <i>Bejaria aestuans</i> | Páramo |
| <i>Bidens decussata</i> | San Ramón |
| <i>Billia columbiana</i> | General |
| <i>Blechnum meridense</i> | General |
| <i>Blechnum schomburgkii</i> | Páramo |
| <i>Bocconia integrifolia</i> | General |
| <i>Bomarea amilcariana</i> | Agua Blanca |
| <i>Borreria laevis</i> | General |
| <i>Brachitia grumacea</i> | General |
| <i>Bunchosia armeniaca</i> | General |
| <i>Calamagrostis bogotensis</i> | Páramo |
| <i>Calamagrostis planifolia</i> | Páramo |
| <i>Calatola venezolana</i> | Agua Blanca |
| <i>Calceolaria mutis</i> | General |
| <i>Campyloneurum amphostenon</i> | General |
| <i>Canna paniculata</i> | La Volcanera |
| <i>Cardamine ovata</i> | General |
| <i>Carex bonplandii</i> | General |
| <i>Carex tamana</i> | General |
| <i>Carramboa trujillensis</i> | General |
| <i>Casearia tachirensis</i> | General |
| <i>Cassipourea guianensis</i> | San Ramón |
| <i>Cattleya mossiae</i> | San Ramón |
| <i>Cavendishia bracteata</i> | Bosque nublado |
| <i>Cecropia sararensis</i> | La Volcanera |
| <i>Cecropia telenitida</i> | Agua Blanca |
| <i>Cedrella montana</i> | San Ramón |
| <i>Centropagon elmanus</i> | Agua Blanca |
| <i>Cestrum darcyanum</i> | General |
| <i>Chamaedorea pinnatifrons</i> | San Ramón, Agua Blanca |

| Espece | Área Focal |
|----------------------------------|------------------------|
| <i>Chromolaena meridensis</i> | General |
| <i>Chusquea angustifolia</i> | Páramo |
| <i>Chusquea fendleri</i> | Bosque nublado |
| <i>Chusqueaserpens</i> | Bosque nublado |
| <i>Chysophyllum cainito</i> | General |
| <i>Cissus obliqua</i> | General |
| <i>Clethra fagifolia</i> | Subpáramo |
| <i>Clidemia montantha</i> | General |
| <i>Clusia alata</i> | Agua Blanca |
| <i>Coccocypselum lanceolatum</i> | San Ramón |
| <i>Coffea arabica</i> | San Ramón |
| <i>Commelina obliqua</i> | San Ramón |
| <i>Cortederia hapalotricha</i> | Páramo |
| <i>Corynaea crassa</i> | San Ramón |
| <i>Coussarea moriziana</i> | General |
| <i>Crocodeilanthus galeata</i> | Agua Blanca |
| <i>Croizatia brevipetiolata</i> | San Ramón, Agua Blanca |
| <i>Cyarhea caracasana</i> | Agua Blanca |
| <i>Cyarhea decomposita</i> | Agua Blanca |
| <i>Cyarhea pungens</i> | Agua Blanca |
| <i>Cybianthus cuspidatus</i> | General |
| <i>Cybianthus marginatus</i> | Agua Blanca |
| <i>Dennstaedtia arborescens</i> | Agua Blanca |
| <i>Desmodium intortum</i> | General |
| <i>Dichaea camaridioides</i> | General |
| <i>Dichaea mossisii</i> | General |
| <i>Dichaea latifolia</i> | Agua Blanca |
| <i>Dichaea robusta</i> | Agua Blanca |
| <i>Dichapetalum pedunculatum</i> | General |
| <i>Disterigma alaternoides</i> | Bosque nublado |
| <i>Drosera cendensis</i> | Páramo |
| <i>Diplazium hians</i> | General |
| <i>Drimys grandensis</i> | General |
| <i>Drymaria villosa</i> | Agua Blanca |
| <i>Elaphoglossum affine</i> | General |
| <i>Eleocharis flavescens</i> | General |
| <i>Eleocharis stenocarpa</i> | Agua Blanca |
| <i>Elleanthus flavescens</i> | Agua Blanca |
| <i>Epidendrum cereiflorum</i> | General |
| <i>Epidendrum cernuum</i> | General |
| <i>Epidendrum pseudocernuum</i> | General |
| <i>Epidendrum repens</i> | General |

| Espece | Área Focal |
|-----------------------------------|--------------|
| <i>Equisetum bogotense</i> | La Volcanera |
| <i>Eriosorus flexuosus</i> | Páramo |
| <i>Erythrina berteroana</i> | General |
| <i>Eschweilera antioquensis</i> | General |
| <i>Eschweilera perumbonata</i> | Agua Blanca |
| <i>Faramea killipii</i> | General |
| <i>Ficus eximia</i> | San Ramón |
| <i>Fuschia magellanica</i> | General |
| <i>Gaiadendron punctatum</i> | General |
| <i>Gamochaeta americana</i> | San Ramón |
| <i>Gaultheria alnifolia</i> | General |
| <i>Gaultheria buxifolia</i> | General |
| <i>Gaultheria hapalotricha</i> | Páramo |
| <i>Gaultheria myrsinoides</i> | Páramo |
| <i>Gentianella nevadensis</i> | General |
| <i>Geonoma jussieuana</i> | San Ramón |
| <i>Geonoma orbigniana</i> | Agua Blanca |
| <i>Geonoma weberbaueri</i> | Agua Blanca |
| <i>Gnaphalium gaudichaudianum</i> | General |
| <i>Gnaphalium moritzianum</i> | General |
| <i>Gomphichis costaricensis</i> | La Volcanera |
| <i>Greigia albo-rosea</i> | General |
| <i>Guattarda crispiflora</i> | General |
| <i>Guarea kunthiana</i> | General |
| <i>Guatteria pilosula</i> | San Ramón |
| <i>Gunnera venezolana</i> | General |
| <i>Guzmania mitis</i> | General |
| <i>Gymnosiphon suaveolens</i> | General |
| <i>Habenaria parviflora</i> | General |
| <i>Hedyosmum crenatum</i> | General |
| <i>Hedyosmum goudotianum</i> | Agua Blanca |
| <i>Hedyosmum translucidum</i> | General |
| <i>Helicocarpus americanus</i> | General |
| <i>Hoffmannia pauciflora</i> | General |
| <i>Huperzia capellae</i> | Páramo |
| <i>Hypericum cardonae</i> | General |
| <i>Hyperonyma moritziana</i> | San Ramón |
| <i>Hyperonyma oblonga</i> | San Ramón |
| <i>Hypericum juniperinum</i> | General |
| <i>Hypericumthesiifolium</i> | General |
| <i>Hyptis atrorubens</i> | General |
| <i>Ilex laurina</i> | Agua Blanca |
| <i>Impatiens walleriana</i> | San Ramón |

| Espece | Área Focal |
|---------------------------------|----------------|
| <i>Ipomoea trichocarpa</i> | General |
| <i>Iresine diffusa</i> | La Volcanera |
| <i>Isidrogalvia robustior</i> | Páramo |
| <i>Jacquinia teretifolia</i> | Agua Blanca |
| <i>Jaegaria hirta</i> | General |
| <i>Jamesonia imbricata</i> | Páramo |
| <i>Juncus bufonius</i> | General |
| <i>Kalanchoe pinnata</i> | San Ramón |
| <i>Lachemilla moritziana</i> | Páramo |
| <i>Lachemilla verticillata</i> | General |
| <i>Lasiacis nigra</i> | Bosque nublado |
| <i>Libanothamnus griffinii</i> | General |
| <i>Lophosoria quadripinnata</i> | Agua Blanca |
| <i>Lozanella enantiophylla</i> | General |
| <i>Ludwigia peruviana</i> | General |
| <i>Lycopodium clavatum</i> | Páramo |
| <i>Lycopodium complanatum</i> | Páramo |
| <i>Lycopodium contiguum</i> | Agua Blanca |
| <i>Maclaenia penduliflora</i> | Agua Blanca |
| <i>Maclaenia rupestris</i> | Subpáramo |
| <i>Macrocarpaea bracteata</i> | General |
| <i>Matayba camproneura</i> | General |
| <i>Maxillaria miniata</i> | General |
| <i>Melinis minutiflora</i> | San Ramón |
| <i>Meliosma meridensis</i> | General |
| <i>Meliosma tachirensis</i> | General |
| <i>Meriania grandidens</i> | General |
| <i>Micania banisterie</i> | General |
| <i>Micania bogotensis</i> | General |
| <i>Miconia aeruginosa</i> | San Román |
| <i>Miconia lonchophylla</i> | Agua Blanca |
| <i>Miconia lucida</i> | Agua Blanca |
| <i>Miconia meridensis</i> | General |
| <i>Miconia rheaezans</i> | Agua Blanca |
| <i>Miconia tinifolia</i> | General |
| <i>Microgramma percussa</i> | General |
| <i>Monnieria meridensis</i> | General |
| <i>Monochaetum bomplandii</i> | San Ramón |
| <i>Monochaetum discolor</i> | Agua Blanca |
| <i>Myrcia acuminata</i> | San Ramón |
| <i>Myrcia pubescens</i> | General |
| <i>Nertera granadensis</i> | Agua Blanca |
| <i>Neurolepis aperta</i> | Subpáramo |

| Espece | Área Focal |
|--|---|
| <i>Neurolepis mollis</i> | Subpáramo |
| <i>Ocimum campechianum</i> | General |
| <i>Ocotea floribunda</i> | Agua Blanca |
| <i>Ocotea rubrinervis</i> | La Volcanera |
| <i>Oncidium abortivum</i> | General |
| <i>Oreopanax discolor</i> | General |
| <i>Ornithidium (= Maxillaria) miniatum</i> | Agua Blanca |
| <i>Orthosanthus acorifolius</i> | General |
| <i>Paepalanthus pilosus</i> | Páramo |
| <i>Palicourea andaluciana</i> | General |
| <i>Palicourea angustifolia</i> | San Ramón |
| <i>Palicourea apicata</i> | Agua Blanca |
| <i>Palicourea buntingii</i> | La Volcanera |
| <i>Palicourea puberulenta</i> | General |
| <i>Panicum polygonatum</i> | General |
| <i>Panopsis suaveolens</i> | San Ramón |
| <i>Paspalum macrophyllum</i> | General |
| <i>Passiflora bogotensis</i> | General |
| <i>Paullinia rubiginosa</i> | Bosque nublado |
| <i>Pentacalia apiculata</i> | General |
| <i>Pentacalia cachacoensis</i> | Páramo |
| <i>Pentacalia theaefolia</i> | Páramo |
| <i>Peperomia acuminata</i> | Agua Blanca |
| <i>Peperomia tetraphylla</i> | San Ramón |
| <i>Phenax hirtus</i> | General |
| <i>Philodendron fraternus</i> | San Ramón |
| <i>Philodendron tuerckheimii</i> | San Ramón |
| <i>Phytolacca rivinoides</i> | General |
| <i>Phytolacca rugosa</i> | General |
| <i>Phytolacca sanguinea</i> | General |
| <i>Pilea microphylla</i> | General |
| <i>Pilea rhombea</i> | General |
| <i>Piper hispidum</i> | La Volcanera |
| <i>Piper longispicum</i> | General |
| <i>Plantago australis</i> | General |
| <i>Pleurothallis bivalvis</i> | Agua Blanca |
| <i>Pleurothallis strobilifera</i> | General |
| <i>Poa annua</i> | Agua Blanca |
| <i>Podocarpus sp.</i> | Ninguna de las especies citadas son reportadas para el estado Barinas |
| <i>Polypodium eleutherophlebium</i> | General |

| Especie | Área Focal |
|------------------------------------|----------------|
| <i>Porrottetia quinduensis</i> | Agua Blanca |
| <i>Pouteria baehniana</i> | San Ramón |
| <i>Protium tovarensense</i> | Agua Blanca |
| <i>Psammisia hookeriana</i> | General |
| <i>Pseudolmedia rigida</i> | General |
| <i>Pteridium arachnoideum</i> | General |
| <i>Puya aristiguietii</i> | General |
| <i>Quararibea magnifica</i> | San Ramón |
| <i>Racinaea tetrantdra</i> | San Ramón |
| <i>Randia dioica</i> | General |
| <i>Relbunium hypocarpum</i> | Agua Blanca |
| <i>Rhipidocladum germinatum</i> | Subpáramo |
| <i>Rhynchospora gollmeri</i> | Agua Blanca |
| <i>Rhynchospora hieronymii</i> | General |
| <i>Rhynchospora macrochaeta</i> | San Ramón |
| <i>Rhynchospora rugosa</i> | General |
| <i>Rhynchospora tuerckhimii</i> | Agua Blanca |
| <i>Richeria grandis</i> | San Ramón |
| <i>Ruagea pubescens</i> | Agua Blanca |
| <i>Rudgea tayloriae</i> | General |
| <i>Rubus floribundus</i> | General |
| <i>Rubus nubigenus</i> | General |
| <i>Rubus robustus</i> | San Ramón |
| <i>Ruellia tubiflora</i> | San Ramón |
| <i>Ruizlopezia paltonioides</i> | Páramo |
| <i>Saurauia meridensis</i> | General |
| <i>Scaphyglottis summerii</i> | Agua Blanca |
| <i>Schefflera ferruginea</i> | General |
| <i>Senna bacillaris</i> | General |
| <i>Senna pendula</i> | General |
| <i>Sida acuta</i> | La Volcanera |
| <i>Sida rhombifolia</i> | La Volcanera |
| <i>Simira lezamae</i> | San Ramón |
| <i>Siparuna thecaphora</i> | La Volcanera |
| <i>Siphocampylus odontosepalus</i> | General |
| <i>Sloanea laurifolia</i> | General |
| <i>Solanum acerifolium</i> | General |
| <i>Solanum aturense</i> | San Ramón |
| <i>Solanum volubile</i> | Bosque nublado |
| <i>Smilax kunthii</i> | General |
| <i>Spaeradenia laucheana</i> | Bosque nublado |
| <i>Stelis hallii</i> | General |
| <i>Sticherus revolutus</i> | General |

| Especie | Área Focal |
|---------------------------------|------------------------|
| <i>Sticherus rubiginosus</i> | Subpáramo |
| <i>Sticherus tomentosus</i> | Subpáramo |
| <i>Stromanthe tonckat</i> | San Ramón |
| <i>Symbolanthus vasculosus</i> | General |
| <i>Thamistoclea dependens</i> | Bosque nublado |
| <i>Tibouchina geitneriana</i> | San Ramón |
| <i>Tibouchina longifolia</i> | General |
| <i>Tillandsia compacta</i> | General |
| <i>Tithonia diversifolia</i> | General |
| <i>Tournifortia scabrida</i> | General |
| <i>Tovaria pendula</i> | General |
| <i>Tovomita glauca</i> | San Ramón |
| <i>Trichocentrum pulchrum</i> | Agua blanca |
| <i>Urera caracasana</i> | San Ramón |
| <i>Utricularia alpina</i> | General |
| <i>Vaccinium corymbodendron</i> | General |
| <i>Vernonia brachiata</i> | La Volcanera |
| <i>Viola stipularis</i> | Agua Blanca |
| <i>Vochysia meridensis</i> | La Volcanera |
| <i>Voyria apbylla</i> | La Volcanera |
| <i>Weinmannia balbisiana</i> | Bosque nublado |
| <i>Weinmannia lechleriana</i> | Bosque nublado |
| <i>Wettinia praemorsa</i> | San Ramón, Agua Blanca |
| <i>Witheringia solanacea</i> | San Ramón |
| <i>Xyris subulata</i> | General |