



Index to Volume 111

Source: The Condor, 111(4) : 774-788

Published By: American Ornithological Society


URL: <https://doi.org/10.1525/cond.2009.index>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-o-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.



INDEX TO VOLUME 111

The Condor 111(4):774–788
© The Cooper Ornithological Society 2009

Proposed new taxa are highlighted in **bold**

A

- Abraham, K. F., see Sharp, C. M., 361
Acanthisa pusilla, 680
Accipiter chilensis, 144
 cooperii, 7, 152, 155, 250
 gentilis, 181, 666
 ninus, 177
 striatus, 7, 44, 46, 48, 50, 51, 52, 53, 54, 55, 217
 virgatus, 200
Ackerman, J. T., J. D. Bluso-Demers, and J. Y. Takekawa, Post-fledging Forster's Tern Movements, Habitat Selection, and Colony Attendance in San Francisco Bay, 100
Acrocephalus bistrigiceps, 186
 sechellensis, 186, 680
Aegithalos caudatus, 186
 concinus, 186
Aegolius funereus, 667
Agelaioides badius, 34, 718
Agelaius phoeniceus, 6, 7, 8, 9, 11, 14, 38, 39, 40, 471, 515, 538–544, 740–751, 758
 tricolor, 6, 8, 9
agriculture, effects of, 21–35, 538–544, 611–623
Aimophila bachmani, 352, 515
Aix sponsa, 377–381
Akresh, M. E., K. Dinse, J. Foufopoulos, S. C. Schubel, and T. Kowalezyk, Passerine Breeding and Post-fledgling Habitat Use in Riparian and Upland Temperate Forests of the American Midwest, 756
Alaska, 266–275
Albatross, Black-browed, 425
 Gray-headed, 425
 Wandering, 425
Alberta, 479–487
Aleixo, A., T. C. T. Burlamaqui, M. P. C. Schneider, and E. C. Gonçalves, Molecular Systematics and Plumage Evolution in the Monotypic Obligate Army-Ant-Following Genus *Skutchia* (Thamnophilidae), 382
allofeeding, 662–667
Alophoixus pallidus, 675–682
Alopochen fucata, 27, 34
Amat, J., see Castro, M., 624
Amazilia tzacatl, 233, 237
Amazona auropalliata, 311
 finschi, 305–313
 vittata, 311
Ammodramus henslowii, 515, 517, 730–739
 humeralis, 28, 34, 35
 leconteii, 732
 savannarum, 37, 349–360, 370–375, 395–399, 511–522, 732
Amphispiza belli, 370–374, 404, 408, 410
 bilineata, 404, 407
Anas acuta, 591–598
 platyrhynchos, 7, 8, 255–265
 rufipes, 75
Anderson, D. L., Ground versus Canopy Methods for the Study of Birds in Tropical Forest Canopies: Implications for Ecology and Conservation, 226
Anich, N. M., see Benson, T. J., 694
Annumbius annumbi, 33
ant, fire, 534–537, 557
Antbird, Bare-eyed, 383, 384, 385
 Bicolored, 383, 384, 385
 Hairy-crested, 383, 384, 385
 Lunulated, 383, 384, 385
 Ocellated, 383, 384, 385
 Rufous-throated, 383, 384, 385
 Scale-backed, 383, 384
 White-breasted, 383, 384, 385
 White-masked, 383, 384, 385
 White-plumed, 383, 384, 385
 White-throated, 383, 384, 385
Anteau, M. J., see Wiltermuth, M. T., 550
Anthus furcatus, 27, 28, 30, 34, 35
 hellmayri, 27, 28, 34, 35
 nattereri, 21, 27, 28, 30, 34, 35
 pratensis, 194
 spinolletta, 156
Anticosti Island, 71–80
Aphelocoma californica, 1, 6, 7, 8, 9, 10, 11, 12, 14, 15, 252
Apostlebird, 680
Aptenodytes patagonicus, 81–87
Apus apus, 509
Aquila chrysaetos, 46, 50, 51
Ara militaris, 306
Araçari, Collared, 233, 237
Aratinga nana, 233, 237
Archilochus alexandri, 641–652
Arctic, 59–70, 111–119, 414–423
Ardea alba, 250
 herodias, 250
Ardia, D. R., see Stenzler, L. M., 470
Areta, J. I., and M. Pearman, Natural History, Morphology, Evolution and Taxonomic Status of the Earthcreeper *Upucerthia saturator* (Furnariidae) from the Patagonian Forests of South America, 135
Argentina, 135–149, 715–721
Arizona, 392–395
Arkansas, 538–544, 694–705
Armijos, M. V., see Wheeler, S. S., 1
Asio flammeus, 397
Asthenes modesta, 142

The Condor, Vol. 111, Number 4, pages 774–788. ISSN 0010-5422, electronic ISSN 1938-5422. © 2009 by The Cooper Ornithological Society. All rights reserved. Please direct all requests for permission to photocopy or reproduce article content through the University of California Press's Rights and Permissions website, <http://www.ucpressjournals.com/reprintInfo.asp>. DOI: 10.1525/cond.2009.index

- asynchrony, 668–674
Athene cunicularia, 33, 180, 556–569
Attila spadiceus, 233, 237
Attila, Bright-rumped, 233, 237
attraction, conspecific, 722–729
Auklet, Rhinoceros, 438, 439
Avilez-Teran, F., see Pyle, P., 583
Aythya americana, 76, 189
Azpiroz, A. B., and J. G. Blake, Avian Assemblages in Altered and Natural Grasslands in the Northern Campos of Uruguay, 21
- B**
- Babbler, Arabian, 160
Baeolophus bicolor, 15
inornatus, 7, 9, 11, 15, 16
Banerjee, S., see Zimmerman, G. S., 294
Bare-eye, Black-spotted, 382, 383, 385, 386
 Pale-faced, 382–387
 Reddish-winged, 383, 384, 385, 386
Barker, C. M., see Wheeler, S. S., 1
Barrow, M. V. Jr., *John Kirk Townsend: Collector of Audubon's Western Birds and Mammals*, by Barbara and Richard Mearns, 581
Bart, J., see Smith, P. A., 414
Bearhop, S., see Mainwaring, M. C., 668
Becard, Rose-throated, 237
Bednarz, J. C., see Benson, T. J., 694
Beissinger, S. R., see Peery, M. Z., 120
Bélisle, M., see Berthiaume, É., 43
Benkman, C. W., J. W. Smith, P. C. Keenan, T. L. Parchman, and L. Santisteban, A New Species of the Red Crossbill (*Fringillidae: Loxia*) from Idaho, 169
Benson, T. J., N. M. Anich, J. D. Brown, and J. C. Bednarz, Swainson's Warbler Nest-Site Selection in Eastern Arkansas, 694
Berthiaume, É., M. Bélisle, and J.-P. Savard, Incorporating Detectability into Analyses of Population Trends Based on Hawk Counts: A Double-Observer Approach, 43
Besra, 200
biogeography, island, 575–579
Bittern, Least, 6
Blackbird, Brewer's, 6, 7, 8, 9, 11, 14, 404
 Red-winged, 6, 7, 8, 9, 11, 14, 38, 39, 40, 471, 515, 538–544, 740–751, 758
 Tricolored, 6, 8, 9
 White-browed, 27, 29, 30, 34, 35
Blackcap, 218, 573
Blake, J. G., see Azpiroz, A. B., 21
blow fly, 193–197, 479–487
Bluebird, Eastern, 156, 515, 752–755
 Mountain, 480
 Western, 7, 9, 11
Bluethroat, 194
Bluso-Demers, J. D., see Ackerman, J. T., 100
Bobolink, 37, 38, 39, 557, 726
Bobwhite, Northern, 396, 515, 534
Bombycilla cedrorum, 7, 9, 241, 242, 243, 758
Bonasa umbellus, 294–304
Bowerbird, Spotted, 748
Brachyramphus marmoratus, 120–134
Branta canadensis, 7, 61, 276–282
Brazil, 382–387, 706–714
- Brocca, J., see Townsend, J. M., 565
brood parasitism, 36–42, 570–574
 intraspecific, 377–381
Brooks, T. M., *Birds of Ethiopia and Eritrea*, by John Ash and John Atkins, 763
Brown, J. D., see Benson, T. J., 694
Brown, S., see Smith, P. A., 414
Bubo bubo, 180
 virginianus, 7, 8, 160, 180
Buehler, D. A., see Stodola, K. W., 497
Bubulcus ibis, 8
Bucephala albeola, 380
 clangula, 77, 377, 379, 380
 islandica, 74, 76, 380
Bufflehead, 380
Buhl, D. A., see Pietz, P. J., 36
Bulbul, Puff-throated, 675–682
Bunting, Indigo, 241, 242, 586, 588, 758
 Lark, 680
 Lazuli, 214, 584, 586, 587, 588, 589
 Painted, 586, 587, 588
Burlamaqui, T. C. T., see Aleixo, A., 382
Burness, G., see Sharp, C. M., 361
Bush-Warbler, Japanese, 186
Butastur indicus, 200
Buteo jamaicensis, 7, 10, 11, 13, 157, 46, 48, 50, 51, 52, 53, 54, 55, 250
 lagopus, 46, 50, 51, 52
 lineatus, 7, 11, 15, 177–182, 150
 platypterus, 46, 48, 50, 51, 53, 54, 55
Butorides virescens, 7
Butler, A. B., J. A. Martin, W. E. Palmer, and J. P. Carroll, Winter Use of South Florida Dry Prairie by Two Declining Grassland Passerines, 511
Buzzard, Gray-faced, 200
- C**
- Calamospiza melanocorys*, 680
Calidris alpina, 417, 418, 419
 canutus, 88–99
 fuscicollis, 417, 418, 419, 420, 421
 himantopus, 417, 418
 mauri, 89, 108, 415, 417, 418, 419, 420, 421
 melanotos, 417, 418, 419
 ptilocnemis, 417, 418
 pusilla, 417, 418
California, 1–20, 247–254, 488–496, 591–598
Callipepla californica, 6, 7, 8, 10, 11, 13, 14, 15
 gambelii, 6
Calonectris diomedea, 424–432
Calypte anna, 7
Campomizzi, A. J., M. L. Morrison, S. L. Farrell, R. N. Wilkins, B. M. Drees, and J. M. Packard, Red Imported Fire Ants Can Decrease Songbird Nest Survival, 534
Campylopterus curvipennis, 633–640
Campylorhynchus rufinucha, 450
Canary, 12
Canastero, Cordilleran, 142
canopy, survey methods, 226–237
Cardellina rubrifrons, 392–395
Cardinal, Northern, 663, 690
Cardinalis cardinalis, 663, 690

- Carduelis pinus*, 7
psaltria, 7, 215, 586, 587, 588
tristis, 6, 7, 672, 690, 758
- Carlisle, J. D., S. K. Skagen, B. E. Kus, C. van Riper III, K. L. Paxton, and J. F. Kelly, Landbird Migration in the American West: Recent Progress and Future Research Directions, 211
- carotenoid, 684–693
- Carpodacus mexicanus*, 1, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 690, 741
pureus, 7, 758
- Carroll, B. D., see Wheeler, S. S., 1
- Carroll, J. P., see Butler, A. B., 511
- Caryothraustes poliogaster*, 233, 237
- Castro, M., J. A. Masero, A. Pérez-Hurtado, J. Amat, and C. Megin, Sex-Related Seasonal Differences in the Foraging Strategy of the Kentish Plover, 624
- Catbird, Gray, 241, 242, 515, 570–574, 758
- Cathartes aura*, 7, 250
- Catharus bicknelli*, 565–569
fuscescens, 758
guttatus, 7, 241, 758
ustulatus, 7, 216, 217, 237, 241
- Catry, P., see Ramos, R. A., 424
- cavity nesting, 305–313, 462–469
- Cerorhinca monocerata*, 438, 439
- Ceryle alcyon*, 250
- Cettia diphone*, 186
- Chamaea fasciata*, 488–496, 524
- Chambers, M. K., see Pyle, P., 583
- Charadrius alexandrinus*, 624–632
melodus, 550–555
vociferus, 250, 554
- Charif, R. A., see Hochachka, W. M., 349
- Chat, Yellow-breasted, 216, 241, 242, 588
- Chen canagica*, 377
- Chickadee, Black-capped, 399, 560–564, 758
- Chicken, Domestic, 8, 361–365
- Chile, 135–149, 544–550
- Chilia melanura*, 142, 146
- Chilia*, Crag, 142, 146
- China, 197–201, 662–667
- Chiroxiphia pareola*, 460
- Chlamydera maculata*, 748
- Chlorophanes spiza*, 232, 233, 235, 237
- Chondestes grammacus*, 215, 370–374, 586, 587
- Chordeiles minor*, 404
- chorus, dawn, 560–564
- Ciconia maguari*, 33
- Cinclodes nigrofumosus*, 138
patagonicus, 139
- Cinclodes, Dark-bellied, 139
 Seaside, 138
- Circus aeruginosus*, 620
cinereus, 33
cyaneus, 46, 58, 50, 51, 52, 53, 54, 55, 250
- Cistothorus palustris*, 6
platensis, 188–192, 511–522, 732
- Clark, R. G., see Coulton, D. W., 255
- climate change, 59–70, 111–119, 255–265, 392–395
- clustering, of territories, 706–714, 722–729
- clutch size, 523–533, 752–755
- Colaptes auratus*, 7, 8, 252
campestris, 33
- Colibri coruscans*, 638
thalassinus, 638
- Colinus virginianus*, 396, 515, 534
- Columba livia*, 1, 6, 7, 8, 14, 250, 252
maculosa, 27, 33
picazuro, 33
- Columbia, basin, 370–376
 British, 433–441, 560–564, 722–729
- Columbina passerina*, 6, 8, 13, 515
- connectivity, migratory, 216–217, 283–293
- Conover, M. R., Gang Brooding in Canada Geese: Role of Parental Condition and Experience, 276
- conspecific attraction, 722–729
- Contopus sordidulus*, 215
virens, 241, 758
- Conway, C. J., see Decker, K. L., 392
- Cooper, C. B., M. A. Voss, and B. Zivkovic, Extended Laying Interval of Ultimate Eggs of the Eastern Bluebird, 752
- Cooper, R. J., see Stodola, K. W., 497
- cooperative breeding, 182–188, 276–282, 662–667, 675–683
- Coot, American, 7, 8
- coprophagy, 503–510
- Corapipo gutturalis*, 460
leucorrhoa, 460
- Cormorant, Double-crested, 250
- Coro Arizmendi, M. del, see García-Trejo, E. A., 442
- Corvus brachyrhynchos*, 1, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 159–168, 247–254, 387–392
caurinus, 391
corax, 7, 9, 11, 12, 249, 250, 253
frugilegus, 391
- Cotinga amabilis*, 233, 235, 237
nattereri, 235, 237
- Cotinga, Blue, 235, 237
 Lovely, 233, 235, 237
- Coturnicops noveboracensis*, 515
- Coturnix japonica*, 189
- Coulon, A., see Stenzler, L. M., 470
- Coulton, D. W., R. G. Clark, K. A. Hobson, L. I. Wassenaar, and C. E. Hebert, Temporal Sources of Deuterium (δD) Variability in Waterfowl Feathers across a Prairie-to-Boreal Gradient, 255
- Cowbird, Bay-winged, 34, 718
 Brown-headed, 7, 8, 9, 11, 14, 15, 36–42, 404, 508, 570–574
 Shiny, 25, 34
- Craik, S. R., J.-P. L. Savard, and R. D. Titman, Wing and Body Molts of Male Red-breasted Mergansers in the Gulf of St. Lawrence, Canada, 71
- Crane, Sandhill, 249, 250, 253, 613, 619
 Sarus, 611–623
 White-naped, 613, 619
- creching, 276–282
- Crossbill, Parrot, 170
 Red, 169–176
 Scottish, 170
- South Hills**, 169–176
- Crossoptilon harmani*, 183
- Crow, American, 1, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 159–168, 247–254, 387–392
 Northwestern, 391
- Crozet Archipelago, 81–87
- Cuckoo, Common, 573
 Guira, 377
 Squirrel, 233, 237
- Cuculus canorus*, 573
- Culex* spp., 1–20, 253

Curlew, Long-billed, 250
Cyanerpes cyaneus, 233, 237
lucidus, 233, 237

Cyanistes caeruleus, 476, 673
Cyanocitta stelleri, 7, 11, 12
Cyanocorax morio, 232, 233, 237
Cyanoliseus patagonus, 306
Cygnus buccinator, 266–275

D

Dalley, K. L., P. D. Taylor, and D. Shutler, Success of Migratory Songbirds Breeding in Harvested Boreal Forests of Northwestern Newfoundland, 314
 Davis, W. E. Jr., *Birdwatcher: The Life of Roger Tory Peterson*, by Elizabeth J. Rosenthal, 204
 dawn chorus, 560–564
 Decker, K. L., and C. J. Conway, Effects of an Unseasonable Snowstorm on Red-faced Warbler Nesting Success, 392
 demography, 81–87, 177–182, 314–325, 433–441, 488–496, 534–537, 611–623, 675–683, 706–714, 730–739
Dendroica caerulescens, 212, 241, 242, 497–502, 726, 727
castanea, 233, 237
coronata, 7, 219, 314–325, 515
discolor, 241, 242
magnolia, 233, 237
occidentalis, 215
palmarum, 515
pensylvanica, 233, 235, 237, 242, 758, 761
petechia, 6, 7, 8, 9, 14, 217, 233, 237, 241, 321, 572
striata, 242, 314–325
townsendi, 194, 215
virens, 233, 237
 Derksen, D. V., see Flint, P. L., 591
 Descamps, S., C. Le Bohec, Y. Le Maho, J.-P. Gendner, and M. Gauthier-Clerc, Relating Demographic Performance to Breeding-Site Location in the King Penguin, 81
 detectability, 43–58, 414–423
 deuterium, 188–192, 255–265
 dialect, 633–640
 Dias, R. I., M. Kuhlmann, L. R. Lourenço, and R. H. Macedo, Territorial Clustering in the Blue-black Grassquit: Reproductive Strategy in Response to Habitat and Food Requirements?, 706
 Dickcissel, 538–544
Dicrurus hottentottus, 197–201
 diet, 556–559
 Dietz, M. W., S. Jenni-Eiermann, and T. Piersma, The Use of Plasma Metabolites to Predict Weekly Body-Mass Change in Red Knots, 88
 DiMiceli, J. K., see Johnson, E. I., 730
 dimorphism, sexual, 424–432
 Dinse, K., see Akresh, M. E., 756
Diomedea exulans, 425
 dismantling, nest, 197–201
 dispersal, post-breeding, 756–762
 displacement, of nest, 550–555
 display, courtship, 453–461
Dixiphia pipra, 460
Dolichonyx oryzivorus, 37, 38, 39, 557, 726
 dominance hierarchy, 730–739, 740–751
 Dominican Republic, 565–569
Donacospiza albifrons, 29, 34
 Dotterel, Tawny-throated, 33

double brooding, 341–348, 497–502
Dove, Common Ground, 6, 8, 13, 515
Eared, 24, 27, 28, 30, 33, 35
Mourning, 6, 7, 8, 9, 10, 11, 13, 14, 250, 404
Dowitcher, Long-billed, 417, 418
 Drees, B. M., see Campomizzi, A. J., 534
Drongo, Hair-crested, 197–201
Dryocopus pileatus, 444, 448
 Dubach, J., see Simeone, A., 544
Duck, American Black, 75
 Wood, 377–381
Dumetella carolinensis, 241, 242, 515, 570–574, 758
Dunlin, 417, 418, 419
Durães, R., Lek Structure and Male Display Repertoire of Blue-crowned Manakins in eastern Ecuador, 453
 Dykstra, C. R., J. L. Hays, and M. M. Simon, Spatial and Temporal Variation in Reproductive Rates of the Red-shouldered Hawk in Suburban and Rural Ohio, 177

E

Eagle, Bald, 46, 50, 51
 Golden, 46, 50, 51
 Earnst, S. L., H. L. Newsome, W. L. LaFramboise, and N. LaFramboise, Avian Response to Wildfire in Interior Columbia Basin Shrubsteppe, 370
Earthcreeper, Band-tailed, 146
 Buff-breasted, 135, 142, 145, 146
 Patagonian Forest, 135–149
 Plain-breasted, 135, 141, 142, 144, 145, 146
 Rock, 146
 Scale-throated, 135–149
 Straight-billed, 146
 Striated, 136, 137, 145
 White-throated, 136, 141, 145, 146
Eclectus roratus, 311
 ectoparasitism, 193–197, 479–487
 Ecuador, 453–461
 egg displacement, 550–555
 laying, 523–533, 752–755
 morphology, 377–381
 patterning, 550–555
 Egge, A., see Worthington, A., 202
Egret, Cattle, 8
 Great, 250
 Snowy, 6, 7, 9, 250
Egretta thula, 6, 7, 9, 250
Eider, Common, 59–70, 78, 754
 King, 66, 77
 Steller's, 77
 ejection, of parasitic eggs, 570–574
Elanus leucurus, 33, 250
Emberiza citrinella, 691
Embernagra platensis, 25, 27, 29, 34
 embryo development, 361–365
Empidonax difficilis, 215, 587
minimus, 663, 669, 707, 711, 758
oberholseri, 215
occidentalis, 215, 587
trailii, 212, 241, 242, 587, 727
virescens, 241, 242, 653–661
wrightii, 215
 Enstrom, D. A., see Yasukawa, K., 740
Eremobius phoenicurus, 146

Eremophila alpestris, 370–375, 404, 408, 410
Espinosa de los Monteros, A., see García-Trejo, E. A., 442
Eudyptes chrysocome, 545
 chrysolophus, 545
Eunymphicus cornutus, 311
Eupetomena macroura, 638
Euphagus cyanocephalus, 6, 7, 8, 9, 11, 14, 404
Euphonia gouldi, 233, 237
 hirundinacea, 233, 237
Euplectes ardens, 690, 741
 axillaris, 741
Euphonia, Olive-backed, 233, 237
 Yellow-throated, 233, 237
Evens, J. G., see Tsao, D. C., 599
extra-pair copulation, 365–369, 387–392, 653–661, 684–693, 706–714, 740–751

F

Fairy, Purple-crowned, 233, 235, 237
Fairy-Wren, Red-backed, 741
 Superb, 663
Falco mexicanus, 250
 naumanni, 180
 rufigularis, 235, 237
 sparverius, 7, 8, 9, 11, 14, 15, 46, 48, 50, 51, 52, 53, 54, 55, 152, 250
 tinnunculus, 680, 754
Falcon, Bat, 235, 237
 Prairie, 250
Fang, Ying, see Wheeler, S. S., 1
Fang, Yun, see Jing, Y., 662
Farrell, S. L., see Campomizzi, A. J., 534
fecal sac, 503–510
Fernández-Juricic, E., see Gall, M. D., 150
Ficedula albicollis, 672
 hypoleuca, 194, 706
fidelity, site, 238–246, 276–282, 583–590
Fieldfare, 82
Finch, D. M., see Smith, D. M., 641
Finch, Grassland Yellow, 27, 29, 30, 34, 35
 Great Pampa, 25, 27, 29, 34
 House, 1, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 690, 741
 Long-tailed Reed, 29, 34
 Purple, 7, 758
 Saffron, 715–721
fire, 370–376, 523–533, 730–739
Firewood-Gatherer, 33
Fleskes, J. P., see Flint, P. L., 591
Flicker, Field, 33
 Northern, 7, 8, 252
Flint, P. L., K. Ozaki, J. M. Pearce, B. Guzzetti, H. Higuchi, J. P.
 Fleskes, T. Shimada, and D. V. Derksen, Breeding-Season Sympatry Facilitates Genetic Exchange among Allopatric Wintering Populations of Northern Pintails in Japan and California, 591
Florida, 511–522, 556–559
Florisuga mellivora, 233, 237
fly, blow, 193–197, 479–487
Flycatcher, Acadian, 241, 242, 653–661
 Ash-throated, 6, 215, 586, 587, 588
 Boat-billed, 233, 237
 Collared, 672
 Cordilleran, 215
 Dusky, 215

Fork-tailed, 34
Gray, 215
Great Crested, 233, 237, 241, 758
Least, 663, 669, 707, 711, 758
Nutting's, 589
Pacific-slope, 215
Pied, 194, 706
Western, 587
Willow, 212, 241, 242, 587, 727
Yellow-olive, 233, 237
foraging, 120–134, 150–158, 556–559, 624–632
forest, boreal, 294–304, 314–325
 bottomland hardwood, 694–705
 cloud, 565–569
 coniferous, 523–533, 565–569
 riparian, 341–348, 641–652, 765–762
 subalpine, 326–340, 662–667
 temperate deciduous, 756–762
 tropical evergreen, 226–237, 675–683
 tropical semideciduous, 305–313
Foufopoulos, J., see Akresh, M. E., 756
Franzreb, K. A., see Stodola, K. W., 497
Fratercula arctica, 437, 438
 cirrhata, 433–441
fuel reduction, 641–652
Fulica americana, 7, 8
Furnarius rufus, 33, 716

G

Gale, G. A., see Sankamethawee, W., 675
Gall, M. D., and E. Fernández-Juricic, Effects of Physical and Visual Access to Prey on Patch Selection and Food-Search Effort in a Sit-and-Wait Predator, the Black Phoebe, 150
Gallinago gallinago, 515
 paraguaiae, 27
Gallinula chloropus, 377
Gallus gallus, 8, 361–365
gang brooding, 276–282
Gannet, Northern, 425
Gansu, 662–667
García-Trejo, E. A., A. Espinosa de los Monteros, M. del Coro Arizmendi, and A. G. Navarro-Sigüenza, Molecular Systematics of the Red-bellied and Golden-fronted Woodpeckers, 442
Gardali, T., see Jennings, S., 488
Garrulus glandarius, 200
Gaston, A. J., H. G. Gilchrist, M. L. Mallory, and P. A. Smith, Changes in Seasonal Events, Peak Food Availability and Consequent Breeding Adjustment in a Marine Bird: A Case of Progressive Mismatching, 111
Gates, R. J., see Roy, C. L., 377
Gauthier-Clerc, M., see Descamps, S., 81
Geist, N. R., *Feathered Dinosaurs: The Origin of Birds*, by John Long and Peter Schouten, 203
Gendner, J.-P., see Descamps, S., 81
genetics, 283–293, 365–369, 470–478, 591–598
Geositta cunicularia, 27, 33, 142
Geothlypis trichas, 6, 216, 217, 241, 242, 515, 663, 758, 761
Geupel, G. R., see Jennings, S., 488
Giant Petrel, Northern, 82
 Southern, 82
Gilchrist, H. G., see Gaston, A. J., 111
Gjerdrum, C., see Morrison, K. W., 433

- Gnatcatcher, Tropical, 232, 233, 237
 Goldcrest, 706
 Goldeneye, Barrow's, 74, 76, 380
 Common, 77, 377, 379, 380
 Golden-Plover, American, 23, 28, 33, 35, 417, 418
 Goldfinch, American, 6, 7, 672, 690, 758
 Lesser, 7, 215, 586, 587, 588
 Gómez-Limón, E., see Pyle, P., 583
 Gonçalves, E. C., see Aleixo, A., 382
 Gong, G., see Lu, X., 182
 González, C., and J. F. Ornelas, Song Variation and Persistence of Song Neighborhoods in a Lekking Hummingbird, 633
 Goose, Canada, 7, 61, 276–282
 Emperor, 377
 Goshawk, Northern, 181, 301, 666
 Grackle, Common, 758
 Great-tailed, 571
 Granadeiro, J. P., see Ramos, J. A., 424
 Grassbird, Marsh, 186
 grassland, 21–42, 395–399, 511–522, 706–714
 Grassquit, Blue-black, 706–714
 Grava, A., see Grava, T., 560
 Grava, T., A. Grava, and K. A. Otter, Supplemental Feeding and Dawn Singing in Black-capped Chickadees, 560
 Grebe, Eared, 82, 215
 Green, D. J., see Morrison, K. W., see Harrison, M. L., 722
 Greenlet, Lesser, 232, 233, 237
 Grigione, M. M., see Myrakalo, R. J., 556
 Grosbeak, Black-faced, 233, 237
 Black-headed, 6, 7, 11, 14, 215, 586, 587, 588
 Blue, 587
 Rose-breasted, 241, 758
 Ground-Dove, Common, 6, 8, 13, 515
 Grouse, Ruffed, 294–304
 growth, of nestlings, 668–674
Grus antigone, 611–623
 canadensis, 249, 250, 253
 vipio, 613, 619
 Guan, Crested, 232, 233, 237
Guira guira, 377
 Gull, Glaucous, 66
 Herring, 377
 Laughing, 82
 Ring-billed, 82, 377
 Gutiérrez, R. J., see Zimmerman, G. S., 294
 Guzzetti, B., see Flint, P. L., 591
Gymnopithys leucaspis, 383, 384, 385
 lunulatus, 383, 384, 385
 rufigula, 383, 384, 385
 salvini, 383, 384, 385
Gymnorhinus cyanocephalus, 327
- H**
- habitat use, 21–35, 266–275, 294–304, 401–413, 511–522, 599–610, 624–632, 730–739, 756–762
Haematopus palliatus, 554
Haliaeetus leucocephalus, 46, 50, 51
 Halpern, M., see Simeone, A., 544
 Hannon, S., see Stephenson, S., 479
 Hardesty, B. D., see Sankamethawee, W., 675
 Harrier, Cinereous, 33
 Northern, 46, 58, 50, 51, 52, 53, 54, 55, 250
 Western Marsh, 620
- Harrison, M. L., D. J. Green, and P. G. Krannitz, Conspecifics Influence the Settlement Decisions of Male Brewer's Sparrows at the Northern Edge of Their Range, 722
 Hartley, I. R., see Mainwaring, M. C., 668
 Hawk, Broad-winged, 46, 48, 50, 51, 53, 54, 55
 Chilean, 144
 Cooper's, 7, 152, 155, 250
 Eurasian Sparrow, 177, 666
 Red-shouldered, 7, 11, 15, 177–182, 250
 Red-tailed, 7, 10, 11, 13, 15, 46, 48, 50, 51, 52, 53, 54, 55, 250
 Rough-legged, 46, 50, 51, 52
 Sharp-shinned, 7, 44, 46, 48, 50, 51, 52, 53, 54, 55, 217
 White, 235, 237
 Hawksworth, D. L., see Smith, D. M., 641
 Hays, J. L., see Dykstra, C. R., 177
 Hebert, C. E., see Coulton, D. W., 255
Heliothryx barroti, 233, 235, 237
Helmintheros vermivorum, 241, 242
 Henan, 197–201
 Hermit, Green, 638
 Little, 633
 Long-tailed, 633, 638
 Heron, Black-crowned Night, 1, 6, 7, 8, 9, 13, 14, 250, 252
 Great Blue, 250
 Green, 7
 Whistling, 33
Heteroxolmis dominicana, 27, 29, 33
 Higuchi, H., see Flint, P. L., 591
 Hipfner, J. M., see Morrison, K. W., 433
 Hiriart-Bertrand, L., see Simeone, A., 544
Hirundo rustica, 7, 196, 377, 501, 534, 668–675
 Hobson, K. A., and M. B. Robbins, Origins of Late-Breeding Nomadic Sedge Wrens in North America: Limitations and Potential of Hydrogen-Isotope Analyses of Soft Tissue, 188; see Coulton, D. W., 255
 Hochachka, W. M., M. Winter, and R. A. Charif, Sources of Variation in Singing Probability of Florida Grasshopper Sparrows, and Implications for Design and Analysis of Auditory Surveys, 349
 home range, 100–110, 326–340
 Honduras, 226–237
 Honeycreeper, Green, 232, 233, 235, 237
 Red-legged, 233, 237
 Shining, 233, 237
 Hoopoe, Eurasian, 302
 Hornero, Rufous, 33, 716
 Hummingbird, Anna's, 7
 Black-chinned, 641–652
 Rufous-tailed, 233, 237
 Sparkling-tailed, 233, 237
 Swallow-tailed, 638
 Hung, S., S. A. Tarof, and B. J. M. Stutchbury, Extra-Pair Mating Tactics and Vocal Behavior of Female Acadian Flycatchers, 653
 Husted, S., see Wheeler, S. S., 1
 hybridization, 544–550
Hylocichla mustelina, 241, 242, 680
Hylophilus decurtatus, 232, 233, 237
- I**
- Ibis, White-faced, 249, 250, 253
Icteria virens, 216, 241, 242, 588

Icterus abeillei, 577
auratus, 577
auricapillus, 575, 576, 577, 578
bonana, 577, 578
bullockii, 6, 7, 214, 571, 577, 586, 587, 588
cayanensis, 576, 577, 578
chrysater, 577
chrysocephalus, 576, 577, 578
croconotus, 577
cucullatus, 215, 577, 578
dominicensis, 575, 576, 577, 578
fuertesi, 577, 578
galbula, 233, 237, 571, 572, 573
graceannae, 577
graduacauda, 577
gularis, 577
icterus, 577
laudabilis, 576, 577, 578
leucopteryx, 577
maculilatus, 577
mesomelas, 577
nigrogularis, 577
oberi, 576, 577, 578
parisorum, 577
pectoralis, 577
prosthemelas, 577, 578
pustulatus, 577, 586, 587, 589
spurius, 215, 577, 578, 586, 588
wagleri, 577

Ictinia mississippiensis, 180

Idaho, 169–176

India, 611–623

island biogeography, 575–579

isotopes, stable, 188–192, 255–265, 361–365

Ixobrychus exilis, 6, 9

J

Jacobin, White-necked, 233, 237

Jacobsen, F., see Sturge, R. J., 575

Jalisco, 305–313

Jamieson, I., see Rhodes, B., 462

Japan, 591–598

Jay, Brown, 232, 233, 237
 Eurasian, 200
 Gray, 663, 665, 666, 667
 Pinyon, 327
 Steller's, 7, 11, 12
 Siberian, 663, 665, 666, 667
 Sichuan, 662–667
 Western Scrub, 1, 6, 7, 8, 9, 10, 11, 12, 14, 15, 16, 252

Jenni-Eiermann, S., see Dietz, M. W., 88

Jennings, S., T. Gardali, N. E. Seavy, and G. R. Geupel, Effects of Mist Netting on Reproductive Performance of Wrentits and Song Sparrows in Central Coastal California, 488

Jensen, W. E., see Long, A. M., 395

Jing, Y., Y. Fang, D. Strickland, N. Lu, and Y.-H. Sun, Alloparenting in the Rare Sichuan Jay (*Perisoreus internigrans*), 662

Johnson, B. G. P., see Masters, B. S., 365

Johnson, D. H., see Pietz, P. J., 36

Johnson, E. I., J. K. DiMiceli, and P. C. Stouffer, Timing of Migration and Patterns of Winter Settlement by Henslow's Sparrows, 730

Johnson, D. S., see Schmidt, J. H., 266

Johnson, L. S., see Masters, B. S., 365

Johnson, W. O., see Wheeler, S. S., 1

Jones, T. C., see Yasukawa, K., 740

Junco hyemalis, 7, 241, 523–533

Junco, Dark-eyed, 7, 241, 523–533

K

Kapfer, P. M., see Streby, H. M., 193

Kappes, P. J., B. J. M. Stutchbury, and B. E. Woolfenden, The Relationship between Carotenoid-Based Coloration and Pairing, Within- and Extra-Pair Mating Success in the American Redstart, 684

Ke, D., see Lu, X., 182

Keenan, P. C., see Benkman, C. W., 169

Kelly, D. J., see Mainwaring, M. C., 668

Kelly, J. F., see Carlisle, J. D., 211

Kestrel, American, 7, 8, 9, 11, 14, 15, 46, 48, 50, 51, 52, 53, 54, 55, 152, 250
 Eurasian, 680, 754
 Lesser, 180

Killdeer, 250, 554

Kingbird, Eastern, 571, 669
 Thick-billed, 589
 Tropical, 589
 Western, 6, 7, 215, 586, 588

Kingfisher, Belted, 250

Kinglet, Ruby-crowned, 6, 241, 243

Kite, Black, 180
 Mississippi, 180
 White-tailed, 33, 250

Kittiwake, Black-legged, 66, 82, 131, 377

Knot, Red, 88–99

Kodiak, 283–293

Kowalczyk, T., see Akresh, M. E., 756

Krannitz, P. G., see Harrison, M. L., 722

Kuhlmann, M., see Dias, R. I., 706

Kus, B. E., see Carlisle, J. D., 211

L

LaFramboise, N., see Earnst, S. L., 370

LaFramboise, W. L., see Earnst, S. L., 370

Lanctot, R. B., see Smith, P. A., 414

Lanius ludovicianus, 6, 8, 11, 250, 252, 253, 404

Lapwing, Northern, 156
 Southern, 27, 28, 30, 33, 35

Lark, Horned, 370–375, 404, 408, 410

Larus argentatus, 377
delawarensis, 82, 377
hyperboreus, 66

Laterallus jamaicensis, 599–610

Latta, S. C., see Mulvihill, R. S., 341

Le Bohec, C., see Descamps., S., 81

Le Maho, Y., see Descamps, S., 81

Leaf-Warbler, Hume's, 186
 Tickell's, 186

Leitner, W. A., see Pyle, P., 583

lek, 453–461, 633–640

Lepidothrix coronata, 453–461
isidorei, 460
serena, 453, 454, 460

Leptasthenura aegithaloides, 142

Leptopoecile elegans, 182, 187
sophiae, 182–188

- Leucophaeus atricilla*, 82
Leucophaeus albicollis, 235, 237
 Li, J., S. Lin, Y. Wang, and Z. Zhang, Nest-Dismantling Behavior of the Hair-crested Drongo in Central China: An Adaptive Behavior for Increasing Fitness?, 197
Limnodromus scolopaceus, 417, 418
Limnothlypis swainsonii, 694–705
 Lin, S., see Li, J., 197
 Lindberg, M. S., see Schmidt, J. H., 266
 Linder, E. T., see Stodola, K. W., 497
 Lloyd-Evans, T. L., Identification Guide to North American Birds, Part II, by Peter Pyle, 763
Locustella fasciolata, 186
 Long, A. M., W. E. Jensen, and K. A. With, Orientation of Grasshopper Sparrow and Eastern Meadowlark Nests in Relation to Wind Direction, 395
 Lorenz, T. J., and K. A. Sullivan, Seasonal Differences in Space Use by Clark's Nutcrackers in the Cascade Range, 326
 Louisiana, 730–739
 Lourenço, L. R., see Dias, R. I., 706
 Lovette, I. J., see Stenzler, L. M., 470
Loxia curvirostra, 169–176
pytyopsittacus, 170
scotica, 170
sinesciurus, 169–176
 Lozano-Angulo, L., see Pyle, P., 583
 Lu, N., see Jing, Y., 662
 Lu, X., G. Gong, X. Ma, and D. Ke, Breeding Biology of White-browed Tit-Warbler (*Leptopoecile sophiae*) in Alpine Shrubs, Southern Tibet, 182
 Luscier, J. D., and W. L. Thompson, Short-Term Responses of Breeding Birds of Grassland and Early Successional Habitat to Timing of Haying in Northwestern Arkansas, 538
Luscinia svecica, 194
 Lüthi, B., see Simeone, A., 544
- M**
- Ma, X., see Lu, X., 182
 Macaw, Military, 306
 Macedo, R. H., see Dias, R. I., 706
Machaeropterus deliciosus, 460
Machetornis rixosus, 34
Macronectes giganteus, 82, 424
halli, 82
 Magpie, Yellow-billed, 1, 6, 7, 9, 10, 11, 12, 14, 16, 247–254
 Mainwaring, M. C., L. V. Rowe, D. J. Kelly, J. Grey, S. Bearhop, and I. R. Hartley, Hatching Asynchrony and Growth Trade-offs within Barn Swallow Broods, 668
 Makarewich, C. A., see Stenzler, L. M., 470
 Mallard, 7, 8, 255–265
 Mallory, M. L., see Gaston, A. J., 111
Malurus cyaneus, 663
melanocephalus, 741
 Manakin, Band-tailed, 460
 Blue-backed, 460
 Blue-crowned, 453–461
 Blue-rumped, 460
 Club-winged, 460
 Crimson-hooded, 460
 Golden-collared, 690
 Golden-headed, 460
 Golden-winged, 460
 Red-capped, 460
 Red-headed, 460
 Round-tailed, 460
 Scarlet-horned, 460
 White-bibbed, 460
 White-crowned, 460
 White-fronted, 453, 454, 460
 White-throated, 460
 Wire-tailed, 460
 marsh, 611–623
 tidal, 599–610
 Marshbird, Brown-and-yellow, 34
 Marsh-Warbler, Japanese, 186
 Martin, Brown-chested, 27, 28, 34, 35
 Gray-breasted, 34
 Purple, 718
 Martin, J. A., see Butler, A. B., 511
 Maryanski, N., see Pearce, J. M., 283
 Masero, J. A., see Castro, M., 624
Masius chrysopterus, 460
 Massoni, V., see Palmerio, A. G., 715
 Masters, B. S., L. S. Johnson, B. G. P. Johnson, C. J. Neely, and K. L. Williams, "Compatible Alleles" and Extra-Pair Paternity: Conclusions Depend on the Microsatellite Loci Used, 365
 maturation, delayed plumage, 715–721
 McCaffery, B. J., see Smith, P. A., 414
 McFarland, K. P., see Townsend, J. M., 565
 McKay, J. E., M. T. Murphy, S. B. Smith, and J. K. Richardson, Fecal-Sac Ingestion by Spotted Towhees, 503
 McKechnie, A. E., *Handbook of the Birds of the World. Volume 13: Penduline-tits to Shrikes*, edited by Josep del Hoyo, Andrew Elliott, and David A. Christie, 580
 Meadowlark, Eastern, 351, 395–399, 515, 538–544
 Pampas, 21, 27, 29, 30, 34, 35
 Western, 37, 250, 370–375, 404, 407, 408
Megalurus pryeri, 186
Megarhynchus pitangua, 233, 237
Megascops kennicottii, 7
 Megina, C., see Castro, M., 624
Melanerpes cactorum, 443, 444, 445, 447, 448, 449
candidus, 443, 444, 445, 447, 448, 449
carolinus, 442–452
chrysogenys, 443, 444, 445, 447, 448, 449, 450
cruentatus, 450
formicivorus, 7, 196, 198
hoffmannii, 442, 443, 444, 447, 448, 449, 450
hypopolius, 443, 444, 447, 448, 449, 450
pucherani, 233, 237
pygmaeus, 443, 444, 447, 448, 449
rubricapillus, 444
rubricapillus, 443, 449
santacruzi, 442–452
superciliaris, 442, 443, 444, 447, 448, 449, 450
uropygialis, 442, 443, 444, 447, 448, 449, 450
Melanitta nigra, 77
Meleagris gallopavo, 7
Melospiza georgiana, 191, 515, 731, 758
lincolni, 6, 241, 242
melodia, 6, 7, 8, 9, 10, 11, 14, 241, 242, 488–496, 524, 572, 758
 Merganser, Common, 75, 276–282
 Red-breasted, 71–80
Mergus merganser, 75, 276–282
serrator, 71–80
 metabolite, plasma, 88–99
 microclimate, nest, 462–469, 479–487

- microsatellites, 365–369
 migration, 188–192, 211–225, 591–598
 molt, 71–80, 214–215, 583–590
 monitoring, 43–58
 strategies, 59–70, 730–739
Milvus migrans, 180
Mimus polyglottos, 6, 7, 8, 11, 12, 14, 16, 515
Miner, Common, 27, 33, 142
Minnesota, 294–304
 mismatch hypothesis, 111–119
Mniotilla varia, 233, 237, 758
Mockingbird, Northern, 6, 7, 8, 11, 12, 14, 16, 515
Molothrus ater, 7, 8, 9, 11, 14, 15, 36–42, 404, 508, 570–574
 bonariensis, 25, 34
 molt, 71–80, 276–282, 341–348, 583–590
 monsoon, Mexican, 583–590
Monjita, Black-and-white, 27, 29, 33
 Gray, 27, 33
 White, 33
Moorhen, Common, 377
Morrison, K. W., J. M. Hipfner, C. Gjerdrum, and D. J. Green, Wing Length and Mass at Fledging Predict Local Juvenile Survival and Age at First Return in Tufted Puffins, 433
Morrison, M. L., see *Campomizzi, A. J.*, 534
Morus bassanus, 425
 mosquitoes, 1–20, 253
 movement, of nest, 550–555
 post-migration, 730–739
Mrykalo, R. J., M. M. Grigione, and R. J. Sarno, A Comparison of Available Prey and Diet of Florida Burrowing Owls in Urban and Rural Environments: A First Study, 556
 mudflats, 624–632
Mulvihill, R. S., S. C. Latta, and F. L. Newell, Temporal Constraints on the Incidence of Double Brooding in the Louisiana Waterthrush, 341
Murphy, M. T., see *McKay, J. E.*, 503
Murre, Common, 131
 Thick-billed, 66, 111–119, 131, 439
Murrelet, Marbled, 120–134
Myiarchus cinerascens, 6, 215, 586, 587, 588
 crinitus, 233, 237, 241, 758
 nuttingi, 589
Myiopsitta monachus, 33, 306
- N**
- Nakamoto, B.*, see *Smallwood, S.*, 246
Navarro-Sigüenza, A. G., see *García-Trejo, E. A.*, 442
Neale, R. J., see *Sturge, R. J.*, 575
Neely, C. J., see *Masters, B. S.*, 365
Neoxolmis rufiventris, 23, 34
 nest dismantling, 197–301
 displacement, 550–555
 failure, 392–395
 orientation, 395–399
 site selection, 182–188, 81–87, , 611–623, 641–652, 694–705
 spacing, 305–313
 success, 314–325, 611–623, 641–652, 715–721
New Mexico, 641–652
Newell, F. L., see *Mulvihill, R. S.*, 341
Newfoundland, 314–325
Newman, S. H., see *Peery, M. Z.*, 120
Newsome, H. L., see *Earnst, S. L.*, 370
New Zealand, 462–469
- Night-Heron, Black-crowned*, 1, 6, 7, 8, 9, 13, 14, 250, 252
Nighthawk, Common, 404
 Nacunda, 23, 33
 nomadism, 188–192
North Carolina, 497–502
North Dakota, 36–42, 550–555
Notharchus macrorhynchos, 233, 237
Nothura maculosa, 27, 28, 33, 35
Nothura, Spotted, 27, 28, 33, 35
Notiochelidon cyanoleuca, 34
Nucifraga columbiana, 326–340
Numenius americanus, 250
Nutcracker, Clark's, 326–340
Nuthatch, Red-breasted, 562
 White-breasted, 758
Nycticorax nycticorax, 1, 6, 7, 8, 9, 13, 14, 250, 252
- O**
- Ochetorhynchus andaecola*, 146
 melanura, 142, 146
 ruficauda, 146
O'Donnell, C., see *Rhodes, B.*, 462
Ohio, 177–182
 oil wells, 255–265
Omland, K. E., see *Sturge, R. J.*, 575
Oporornis formosus, 241, 242
 philadelphus, 758
 tolmiei, 6, 217, 587
Oreopholus ruficollis, 33
Oreoscopetes montanus, 194, 404, 408, 410
Oriole, Altamira, 577
 Audubon's, 577
 Baltimore, 233, 237, 571, 572, 573, 577
 Bar-winged, 576, 577
 Black-backed, 577
 Black-cowled, 577, 578
 Black-vented, 577, 578
 Bullock's, 6, 7, 214, 571, 577, 586, 587, 588
 Epaulet, 576, 577, 578
 Fuertes's, 577, 578
 Greater Antillean, 575, 576, 577, 578
 Hooded, 215, 577, 578
 Jamaican, 577
 Montserrat, 576, 577, 578
 Orange, 577
 Orange-crowned, 575, 576, 577, 578
 Orchard, 215, 577, 578, 586, 588
 Scott's, 577
 Spot-breasted, 577
 St. Lucia, 576, 577, 578
 Streak-backed, 577, 586, 587, 589
 White-edged, 577
 Yellow, 577
 Yellow-backed, 577
 Yellow-tailed, 577
Ornelas, J. F., see *González, C.*, 633
Ornithion semiflavum, 233, 237
Oropendola, Chestnut-headed, 232, 233, 237
 oscillation, North Atlantic, 111–119
Osprey, 46, 50, 51, 53
Otter, K. A., see *Grava, T.*, 560
Ovenbird, 193–197, 241, 242, 345, 399, 568, 756, 757, 758, 759, 760, 761

ovulation, 752–755
 Owl, Barn, 7
 Boreal, 667
 Burrowing, 33, 180, 556–569
 Eurasian Eagle, 180
 Great Horned, 7, 8, 160, 180
 Short-eared, 397
 Sichuan Wood, 667
 Western Screech, 7
 Oystercatcher, American, 554
 Ozaki, K., see Flint, P. L., 591

P

Pachyramphus aglaiae, 237
 Packard, J. M., see Campomizzi, A. J., 534
 Palmer, W. E., see Butler, A. B., 511
 Palmerio, A. G., and V. Massoni, Reproductive Biology of Female Saffron Finches Does Not Differ by the Plumage of the Mate, 715
 Pampa-Finch, Great, 25, 27, 29, 34
Pandion haliaetus, 46, 50, 51, 53
Panurus biarmicus, 712
 Parakeet, Horned, 311
 Monk, 33, 306
 Olive-throated, 233, 237
 parasitism, brood, 36–42, 570–574
 Parchman, T. L., see Benkman, C. W., 169
 Parker, P. G., see Roy, C. L., 377, see Yasukawa, K., 740
 Parrot, Brown-hooded, 233, 237
 Burrowing, 306
 Eclectus, 311
 Lilac-crowned, 305–313
 Maroon-fronted, 306
 Puerto Rican, 311
 Thick-billed, 306
 Yellow-naped, 311
 Partridge, Tibetan, 183
Parus major, 493, 680
Passer domesticus, 6, 7, 8, 10, 11, 13, 14, 571
Passerculus sandwichensis, 6, 37, 38, 39, 40, 515, 517, 557
Passerella iliaca, 7
Passerina amoena, 214, 584, 586, 587, 588, 589
 ciris, 586, 587, 588
 caerulea, 587
 cyanea, 241, 242, 586, 588, 758
Patagioenas fasciata, 7
 maculosa, 27, 33
 nigrirostris, 233, 237
 picazuro, 33
 Paxton, K. L., see Carlisle, J. D., 211
 Pearce, J. M., D. Zwiefelhofer, and N. Maryanski, Mechanisms of Population Heterogeneity among Molting Common Mergansers on Kodiak Island, Alaska: Implications for Genetic Assessments of Migratory Connectivity, 283; see Flint, P. L., 591
 Pearman, M., see Areta, J. I., 135
 Peery, M. Z., S. H. Newman, C. D. Storlazzi, and S. R. Beissinger, Meeting Reproductive Demands in a Dynamic Upwelling System: Foraging Strategies of a Pursuit-Diving Seabird, the Marbled Murrelet, 120
Penelope purpurascens, 232, 233, 237
 Penguin, Adélie, 85
 African, 546, 549
 Galapagos, 549

Humboldt, 544–550
 King, 81–87
 Macaroni, 545
 Magellanic, 82, 544–550
 Rockhopper, 545
 Pennsylvania, 341–348
Perdix hodgsoniae, 183
 Pérez-Hurtado, A., see Castro, M., 624
Perisoreus canadensis, 663, 665, 666, 667
 infuscatus, 663, 665, 666, 667
 internigrans, 662–667
 Petersen, M. R., Multiple Spring Migration Strategies in a Population of Pacific Common Eiders, 59
 Peterson, S. M., see Streby, H. M., 193
 Petrel, Giant, 424
Petrochelidon pyrrhonota, 7, 377
 Pewee, Eastern Wood, 241, 758
 Western Wood, 215
Phaenostictus mcleannani, 383, 384, 385
Phaethornis guy, 638
 longuemareus, 633
 superciliosus, 633, 638
Phainopepla nitens, 586, 587, 588
Phainopepla, 586, 587, 588
Phalacrocorax aristotelis, 82
 auritus, 250
Phalarope, Red, 417, 418, 419, 421
 Red-necked, 417, 418, 419, 421
Phalaropus fulicarius, 417, 418, 419, 421
 lobatus, 417, 418, 419, 421
Phasianus colchicus, 250
 Pheasant, Ring-necked, 250
 Tibetan Eared, 183
Pheucticus ludovicianus, 241, 758
 melenocephalus, 6, 7, 11, 14, 215, 586, 587, 588
Philesturnus carunculatus, 462–469
 Phillips, R. A., see Ramos, J. A., 424
 philopatry, 238–246
Phlegopsis borbae, 382–387
 erythroptera, 383, 384, 385, 386
 nigromaculata, 382, 383, 385, 386
 Phoebe, Black, 7, 150–158
 Eastern, 665, 706, 758
 photoperiod, 349–360, 752–755
Phylloscopus affinis, 186
 humei, 186
 inornatus, 186
 sibilatrix, 707
 physiology, 88–99
Phytotoma rara, 138
Piaya cayana, 233, 237
Pica nuttalli, 1, 6, 7, 9, 10, 11, 12, 14, 16, 247–254
Picoideas nuttallii, 7
 Piersma, T., see Dietz, M. W., 88
 Pietz, P. J., D. A. Buhl, J. A. Shaffer, M. Winter, and D. H. Johnson, Influence of Trees in the Landscape on Parasitism Rates of Grassland Passerine Nests in Southeastern North Dakota, 36
 Pigeon, Rock, 1
 Pigeon, Band-tailed, 7
 Picazuro, 33
 Rock, 1, 6, 7, 8, 14, 250, 252
 Short-billed, 233, 237
 Spot-winged, 27, 33
 pigmentation, 684–693

- Pintail, Northern, 591–598
Pipilo aberti, 6
 chlorurus, 404, 586, 587, 588
 crissalis, 7, 11
 erythrophthalmus, 241, 242, 515
 maculatus, 7, 503–510
Pipit, Hellmayr's, 27, 28, 34, 35
 Meadow, 194
 Ochre-breasted, 21, 27, 28, 30, 34, 35
 Short-billed, 27, 28, 30, 34, 35
 Water, 156
Pipra aureola, 460
 chloromeros, 460
 cornuta, 460
 erythrocephala, 460
 fascicauda, 460
 filicauda, 460
 mentalis, 460
 pipra, 460
 rubrocipilla, 460
Piranga flava, 215
 leucoptera, 237
 ludoviciana, 7, 11, 14, 215, 586, 587, 588
 olivacea, 233, 237, 241
 rubra, 215, 232, 233, 237
Pithys albifrons, 383, 384, 385
 castaneus, 383, 384, 385
Plantcutter, Rufous-tailed, 138
Plegadis chihi, 249, 250, 253
Ploceus cucullatus, 690
 taeniopterus, 377
Plover, American Golden, 23, 28, 33, 35, 417, 418
 Black-bellied, 417, 418
 Kentish, 624–632
 Piping, 550–555
 Snowy, 625
Pluvialis dominica, 23, 28, 33, 35, 417, 418
Pluvialis squatarola, 417, 418
Podager nacunda, 23, 33
Podiceps nigricollis, 82, 215
Poecile atricapillus, 399, 560–564, 758
Polioptila plumbea, 232, 233, 237
Polypticula stelleri, 77
Polypticulus pectoralis, 27, 29, 33
Pooecetes gramineus, 37, 370, 372–375, 404, 470, 515
Possession Island, 81–87
predation, 565–569
Proctor, H., see Stephenson, S., 479
Progne chalybea, 34
 subis, 718
 tapera, 27, 28, 34, 35
Protonotaria citrea, 241
Psarocolius wagleri, 232, 233, 237
Pseudoleistes virescens, 34
Pteroglossus torquatus, 233, 237
Puffbird, White-necked, 233, 237
Puffin, Atlantic, 437, 438
 Tufted, 433–441
Puffinus puffinus, 425
Pütz, K., see Simeone, A., 544
Pygarrhichas albogularis, 144, 146
Pygoscelis adeliae, 85
Pyle, P., W. A. Leitner, L. Lozano-Angulo, F. Avilez-Teran, H. Swanson, E. Gómez-Limón, and M. K. Chambers, Temporal, Spatial, and Annual Variation in the Occurrence of Molt-Migrant Passerines in the Mexican Monsoon Region, 583
Pyrilia haematotis, 233, 237
- Q**
- Quail, California, 6, 7, 8, 10, 11, 13, 14, 15
 Gambel's, 6
 Japanese, 189
Québec, 43–58, 71–80
Quiscalus mexicanus, 571
 quiscula, 758
- R**
- radiotelemetry, 100–110, 120–134, 326–340, 599–610, 653–661
Rail, Black, 599–610
 Clapper, 101
 King, 620
 Yellow, 515
Rallus elegans, 620
 longirostris, 101
Ramos, J. A., J. P. Granadeiro, R. A. Phillips, and P. Catry, Flight Morphology and Foraging Behavior of Male and Female Cory's Shearwaters, 424
Ramphastos sulfuratus, 232, 233, 237
Rasmussen, J. L., S. G. Sealy, and T. J. Underwood, Method of Ejection of Brown-headed Cowbird Eggs and Associated Costs for American Robins and Gray Catbirds, 570
Raven, Common, 7, 9, 11, 12, 249, 250, 253
Redhead, 76, 189
Redstart, American, 233, 237, 241, 242, 262, 684–693, 736, 757, 758, 759, 760, 761
Reed-Finch, Long-tailed, 29, 34
Reed-Warbler, Black-browed, 186
Reedling, Bearded, 712
Regulus calendula, 6, 241, 243
 regulus, 706
Reisen, W. K., see Wheeler, S. S., 1
Renton, K., see Salinas-Melgoza, A., 305
Reyes-Arriagada, see Simeone, A., 544
Rhea americana, 23, 25, 28, 30, 33, 35
Rhea, Greater, 23, 25, 28, 30, 33, 35
Rhegmatorhina gymnops, 383, 384, 385
 hoffmannsi, 383, 384, 385
 melanosticta, 383, 384, 385
Rhodes, B., C. O'Donnell, and I. Jamieson, Microclimate of Natural Cavity Nests and Its Implications for a Threatened Secondary-Cavity-Nesting Passerine of New Zealand, the South Island Saddleback, 462
Rhynchositta pachyrhyncha, 306
 terrisi, 306
Richardson, J. K., see McKay, J. E., 503
Rimmer, C. C., see Townsend, J. M., 565
riparian, 341–348, 641–652
Rissa tridactyla, 66, 82, 131, 377
Robbins, M. R., see Hobson, K. A., 188
Robertson, B. A., The Influence of Spatio-temporal Variation in Food Availability and Nest-Predation Risk on Clutch-Size Decisions, 523
Robin, American, 7, 8, 11, 14, 250, 515, 570–574, 758
 European, 663, 706
 White-throated, 680
Rook, 391
roosting behavior, 565–569

- Rosensteel, B. B., see Sturge, R. J., 575
 Rotenberry, J. T., and J. A. Wiens, Habitat Relations of Shrubsteppe Birds: A 20-Year Retrospective, 401
 Rowe, L. V., see Mainwaring, M. C., 668
 Roy, C. L., P. G. Parker, and R. J. Gates, Egg Morphology Is an Unreliable Indicator of Intraspecific Nest Parasitism in Wood Ducks, 377
 Russia, 591–598
Rynchotus rufescens, 33

S

- Sabrewing, Wedge-tailed, 633–640
 Salinas-Melgoza, A., V. Salinas-Melgoza, and Katherine Renton, Factors Influencing Nest Spacing of a Secondary Cavity-Nesting Parrot: Habitat Heterogeneity and Proximity of Conspecifics, 305
 Salinas-Melgoza, V., see Salinas-Melgoza, A., 305
 salt works, 624–632
 Salvage Islands, 424–432
Salpinctes obsoletus, 404, 407
 San Francisco Bay, 100–110, 599–610
 Sandpiper, Buff-breasted, 27, 28, 33, 35
 Pectoral, 417, 418, 419
 Rock, 417, 418
 Semipalmated, 417, 418
 Stilt, 417, 418
 Western, 89, 108, 415, 417, 418, 419, 420, 421
 White-rumped, 417, 418, 419, 420, 421
 sanitation, nest, 503–510
 Sankamethawee, W., G. A. Gale, and B. D. Hardesty, Post-Fledgling Survival of the Cooperatively Breeding Puff-throated Bulbul (*Alophoixus pallidus*), 675
 Santisteban, L., see Benkman, C. W., 169
 Sapsucker, Red-naped, 444
 Williamson's, 444, 447, 448
 Sarno, R. J., see Myrykalo, R. J., 556
 savanna, 730–739
 Savard, J.-P. L., see Bertiaume, É., 43; see Craik, S. R., 71
Sayornis nigricans, 7, 150–158
 phoebe, 665, 758
Schiffornis turdina, 237
Schiffornis, Thrushlike, 237
 Schlossberg, S., Site Fidelity of Shrubland and Forest Birds, 238
 Schmidt, J. H., M. S. Lindberg, D. S. Johnson, and J. A. Schmutz, Environmental and Human Influences on Trumpeter Swan Habitat Occupancy in Alaska, 266
 Schmutz, J. A., see Schmidt, J. H., 266
 Schneider, M. P. C., see Aleixo, A., 382
 Schubel, S. C., see Akresh, M. E., 756
 Scoter, Black, 77
 Common, 77
 Screech-Owl, Western, 7
 Scrub-Jay, Western, 1, 6, 7, 8, 9, 10, 11, 12, 14, 15, 16, 252
 Sealy, S. G., see Rasmussen, J. L., 570
 Seavy, N. E., see Jennings, S., 488
 Seedeater, Dark-throated, 27, 29, 34
 Double-collared, 712
 Yellow-bellied, 712
Seiurus aurocapilla, 193–197, 241, 242, 345, 399, 568, 756, 757, 758, 759, 760, 761
 motacilla, 241, 341–348
 noveboracensis, 758
 selection, sexual, 740–751

- Serinus canaria*, 12
Setophaga ruticilla, 233, 237, 241, 242, 262, 684–693, 736, 757, 758, 759, 760, 761
 Shaffer, J. A., see Pietz, P. J., 36
 Shaffer, T. L., see Wiltermuth, M. T., 550
 Shag, European, 82
 Sharp, C. M., K. F. Abraham, and G. Burness, Embryo Development Influences the Isotopic Signatures of Egg Components in Incubated Eggs, 361
 Shearwater, Cory's, 424–432
 Manx, 425
 Sherfy, M. H., see Wiltermuth, M. T., 550
 Shimada, T., see Flint, P. L., 591
 Shrike, Loggerhead, 6, 8, 11, 250, 252, 253, 404
 Shrike-Vireo, Green, 233, 237
 shrubland, 238–246, 370–376, 401–413, 722–729
 Shutler, D., see Dalley, K. L., 314
Sialia currucoides, 480
 mexicana, 7, 9, 11
 sialis, 156, 515, 752–755
Sicalis flaveola, 715–721
 luteola, 27, 29, 30, 34, 35
 Sichuan, 662–667
 Simeone, A. L. Hiriart-Bertrand, R. Reyes-Arriagada, M. Halpern, J. Dubach, R. Wallace, K. Pütz, and B. Lüthi, Heterospecific Pairing and Hybridization between Wild Humboldt and Magellanic Penguins in Southern Chile, 544
 Simon, M. M., see Dykstra, C. R., 177
 Siskin, Pine, 7
Sitta canadensis, 562
 carolinensis, 758
 Skagen, S. K., see Carlisle, J. D., 211
Skutchia borbae, 382–387
 Smallwood, K. S., and B. Nakamoto, Impacts of the West Nile Virus Epizootic on the Yellow-billed Magpie, American Crow, and Other Birds in the Sacramento Valley, California, 246
 Smith, D. M., D. M. Finch, and D. L. Hawksworth, Black-chinned Hummingbird Nest-Site Selection and Nest Survival in Response to Fuel Reduction in a Southwestern Riparian Forest, 641
 Smith, J. W., see Benkman, C. W., 169
 Smith, P. A., J. Bart, R. B. Lanctot, B. J. McCaffery, and S. Brown, Probability of Detection of Nests and Implications for Survey Design, 414; see Gaston, A. J., 111
 Smith, S. B., see McKay, J. E., 503
 Snipe, South American, 27
 Wilson's, 515
Somateria mollissima, 59–70, 78, 754
 spectabilis, 66, 77
 space use, 100–110, 305–313, 326–340, 706–714
 Spain, 624–632
 Sparrow, Bachman's, 352, 515
 Black-throated, 404, 407
 Brewer's, 302, 404, 407, 408, 410, 722–729
 Chipping, 215, 586, 587, 588
 Clay-colored, 37, 38, 39, 40, 241, 242
 Field, 241, 242, 538–544
 Fox, 7
 Golden-crowned, 6, 7
 Grasshopper, 37, 349–360, 370–375, 395–399, 511–522, 732
 Grassland, 28, 34, 35
 Henslow's, 515, 517, 730–739
 House, 6, 7, 8, 10, 11, 13, 14, 571

- Sparrow (*continued*)
Lark, 215, 370–374, 586, 587
Le Conte's, 732
Lincoln's, 6, 241, 242
Rufous-collared, 34
Sage, 370–374, 404, 408, 410
Savannah, 6, 37, 38, 39, 40, 515, 517, 557
Song, 6, 7, 8, 9, 10, 11, 14, 241, 242, 488–496, 524, 572, 758
Swamp, 191, 515, 731, 758
Vesper, 37, 370, 372–375, 404, 470, 515
White-crowned, 6, 7, 8, 14, 639
White-throated, 241, 242, 314–325, 758
- Sparrowhawk, Eurasian, 177, 666
speciation, 169–176
- Spheniscus demersus*, 546, 549
humboldti, 544–550
magellanicus, 82, 544–550
mendiculus, 549
- Sphyrapicus nuchalis*, 444
thyroideus, 444, 447, 448
- Spinetail, Plain-mantled Tit, 142
- Spiza americana*, 538–544
- Spizella breweri*, 302, 404, 407, 408, 410, 722–729
pallida, 37, 38, 39, 40, 241, 242
passerina, 215, 586, 587, 588
pusilla, 241, 242, 538–544
- Sporophila caerulescens*, 712
nigriceps, 712
ruficollis, 27, 29, 34
- Starling, European, 7, 8, 14, 250, 252
- Stelgidopteryx ruficollis*, 34
- Stenzl, L. M., C. A. Makarewicz, A. Coulon, D. R. Ardia, I. J. Lovette, and D. W. Winkler, Subtle Edge-of-Range Genetic Structuring in Transcontinentally Distributed North American Tree Swallows, 470
- Stephenson, S., S. Hannon, and H. Proctor, The Function of Feathers in Tree Swallow Nests: Insulation or Ectoparasite Barrier?, 479
- Sterna forsteri*, 100–110
hirundo, 106
- Sternula albifrons*, 108
antillarum, 82, 534, 551, 557
- Stodola, K. W., E. T. Linder, D. A. Buehler, K. E. Franzreb, and R. J. Cooper, Parental Care in the Multi-Brooded Black-throated Blue Warbler, 497
- stopover ecology, 215–216, 219–221
- Stork, Maguari, 33
- Storlazzi, C. D., see Peery, M. Z., 120
- Stouffer, P. C., see Johnson, E. I., 730
- Streby, H. M., S. M. Peterson, and P. M. Kapfer, Fledgling Success is a Poor Indicator of the Effects of Bird Blow Flies on Ovenbird Survival, 193
- Strickland, D., see Jing, Y., 662
- Strix davidi*, 667
- structure, genetic, 283–293, 470–478
- Struthidea cinerea*, 680
- Sturge, R. J., F. Jacobsen, B. B. Rosensteel, R. J. Neale, and K. E. Omland, Colonization of South America from Caribbean Islands Confirmed by Molecular Phylogeny with Increased Taxon Sampling, 575
- Sturnella defilippii*, 21, 27, 29, 30, 34, 35
magna, 351, 395–399, 515, 538–544
neglecta, 37, 250, 370–375, 404, 407, 408
superciliaris, 27, 29, 30, 34, 35
- Sturnus vulgaris*, 7, 8, 14, 250, 252
- Stutchbury, B. J. M., see Hung, S., 653, see Kappes, P. J., 684
- Sullivan, K. A., see Lorenz, T. J., 326
- Sun, Y.-H., see Jing, Y., 662
- Sundar, K. S. G., Are Rice Paddies Suboptimal Breeding Habitat for Sarus Cranes in Uttar Pradesh, India?, 611
- survey design, 226–237, 349–360, 414–423, 488–496
- Swallow, Barn, 7, 196, 377, 501, 534, 668–675
Blue-and-white, 34
Cliff, 7, 377
Southern Rough-winged, 34
Tawny-headed, 27, 34
Tree, 6, 470–487, 672
White-rumped, 27, 28, 34, 35, 718
- Swan, Trumpeter, 266–275
- Swanson, H, see Pyle, P., 583
- Swift, Common, 509
- Sylvia atricapilla*, 218, 573
- Syrigma sibilatrix*, 33
- systematics, antbird, 382–387
crossbill, 169–176
earthcreeper, 135–149
oriole, 575–579
- penguin, 554–555
- woodpecker, 442–452

T

- Tachuri, Bearded, 27, 29, 33
- Tachycineta bicolor*, 6, 470–487, 672
leucorrhoa, 27, 28, 34, 35, 718
- Takekawa, J. Y., see Ackerman, J. T., 100, see Tsao, D. C., 599
- Tanager, Hepatic, 215
Scarlet, 233, 237, 241
Summer, 215, 232, 233, 237
Western, 7, 11, 14, 215, 586, 587, 588
White-winged, 237
- Tarof, S. A., see Hung, S., 653
- Taylor, P. D., see Dalley, K. L., 314
- Tern, Common, 106
Forster's, 100–110
Least, 82, 534, 551, 557
Little, 108
- territory clustering, 706–714, 722–729
- Texas, 534–537
- Thailand, 675–683
- Thalassarche chrysostoma*, 425
melanophrys, 425
- Thalurania colombica*, 232, 233, 237
- Thogmartin, W. E., see Zimmerman, G. S., 294
- Thompson, W. L., see Luscier, J. D., 538
- Thornbill, Brown, 680
- Thrasher, Brown, 242, 571
California, 6
Crissal, 571
Sage, 194, 404, 408, 410
- Thrush, Bicknell's, 565–569
Hermit, 7, 241, 758
Swainson's, 7, 216, 217, 237, 241
White-throated, 680
Wood, 241, 242, 680
- Thryomanes bewickii*, 6
- Thryothorus ludovicianus*, 515
maculipectus, 233, 237

- Tibet, 182–188
Tilmatura dupontii, 233, 237
 Tinamou, Red-winged, 33
 Tit, Bearded, 712
 Black-throated, 186
 Blue, 476, 673
 Great, 493, 680
 Long-tailed, 186
 Titman, R. D., see Craik, S. R., 71
 Titmouse, Oak, 9, 15, 16
 Titmouse, Oak, 7, 9, 11, 15, 16
 Tufted, 15
 Tit-Spinetail, Plain-mantled, 142
 Tit-Warbler, Crested, 182, 187
 Tit-Warbler, White-browed, 182–188
Tityra inquisitor, 237
 semifasciata, 233, 237
 Tityra, Black-crowned, 237
 Masked, 233, 237
Tolmomyias sulphurescens, 233, 237
 Toucan, Keel-billed, 232, 233, 237
 Towhee, Abert's, 6
 California, 7, 11
 Eastern, 241, 242, 515
 Green-tailed, 404, 586, 587, 588
 Spotted, 7, 503–510
 Townsend, A. K., Extra-Pair Copulations Predict Extra-Pair Fertilizations in the American Crow, 387; see Townsend, J. M., 565
 Townsend, J. M., C. C. Rimmer, J. Brocca, K. P. McFarland, and A. K. Townsend, Predation of a Wintering Migratory Songbird by Introduced Rats: Can Nocturnal Roosting Behavior Serve as Predator Avoidance?, 565
Toxostoma crissale, 571
 redivivum, 6
 rufum, 242, 571
 Treerunner, White-throated, 144, 146
Troglodytes aedon, 11, 193, 241, 242, 365–369, 672, 718
 musculus, 718
Trogon violaceus, 233, 237
 Trogon, Violaceous, 233, 237
 Troupial, Orange-backed, 577
 Venezuelan, 577
Tryngites subruficollis, 27, 28, 33, 35
 Tsao, D. C., J. Y. Takekawa, I. Woo, J. L. Yee, and J. G. Evens, Home Range, Habitat Selection, and Movements of California Black Rails at Tidal Marshes at San Francisco Bay, California, 599
 tundra, 414–423
Turdoides squamiceps, 160
Turdus assimilis, 680
 migratorius, 7, 8, 11, 14, 250, 515, 570–574, 758
 pilaris, 82
 Turkey, Wild, 7
 Tyrannulet, Paltry, 233, 237
 Yellow-bellied, 233, 237
Tyrannus crassirostris, 589
 melancholicus, 589
 savana, 34
 tyrannus, 571, 669
 verticalis, 6, 7, 215, 586, 588
 Tyrant, Cattle, 34
 Chocolate-vented, 23, 34
Tyto alba, 7
- U**
- Underwood, T. J., see Rasmussen, J. L., 570
Upucerthia albogula, 136, 141, 145, 146
 dumetaria, 135–149
 jelskii, 135, 141, 142, 144, 145, 146
 saturatior, 135–149
 serrana, 136, 137, 145
 validirostris, 135, 142, 145, 146
Upupa epops, 302
 upwelling, 120–134
 urbanization, 556–559
Uria aalge, 131
 lomvia, 66, 111–119, 131, 439
 Uruguay, 21–35
- V**
- Vanellus chilensis*, 27, 28, 30, 33, 35
 vanellus, 156
 Van Riper, C. III, see Carlisle, J. D., 211
 Veery, 758
 Vehrencamp, S. L, see Yorzinski, J. L., 159
 Veracruz, 633–640
Vermivora celata, 7, 8, 9, 11, 14, 15, 216, 217
 chrysoptera, 241, 242, 758
 luciae, 586, 587, 588
 pinus, 241, 242
 ruficapilla, 215, 217, 586, 587, 588, 758, 761
 Violetear, Green, 638
 Sparkling, 638
Vireo atricapilla, 534–537, 707, 726
 bellii, 241, 242, 588
 cassinii, 215
 flavifrons, 233, 237
 flavoviridis, 586, 587, 589
 gilvus, 215, 571, 572, 573, 586, 587, 588
 griseus, 241, 242, 515, 534–537
 olivaceus, 233, 237, 241, 589, 758
 philadelphicus, 233, 237
 Vireo, Bell's, 241, 242, 588
 Black-capped, 534–537, 707, 726
 Cassin's, 215
 Green Shrike, 233, 237
 Philadelphia, 233, 237
 Red-eyed, 233, 237, 241, 589, 758
 Warbling, 215, 571, 572, 573, 586, 587, 588
 White-eyed, 241, 242, 515, 534–537
 Yellow-green, 586, 587, 589
 Yellow-throated, 233, 237
Vireolanius pulchellus, 233, 237
 virus, West Nile, 1–20, 247–254
 vision, 150–158
 vocalizations, 142–144, 159–168, 169–176, 633–640, 653–661
Volatinia jacarina, 706–714
 Voss, M. A., see Cooper, C. B., 752
 Vulture, Turkey, 7, 250
- W**
- Wallace, R., see Simeone, A., 544
 Wang, Y., see Li, J., 197
 Warbler, Bay-breasted, 233, 237
 Black-and-white, 233, 237, 758
 Black-browed Reed, 186

- Warbler (*continued*)
 Blackpoll, 242, 314–325
 Black-throated Blue, 212, 241, 242, 497–502, 726, 727
 Black-throated Green, 233, 237
 Blue-winged, 241, 242
 Canada, 758
 Chestnut-sided, 233, 235, 237, 242, 758, 761
 Golden-winged, 241, 242, 758
 Gray's, 186
 Hermit, 215
 Hooded, 196, 241, 242, 347, 663, 691, 727
 Hume's Leaf, 186
 Inornate, 186
 Japanese Bush, 186
 Japanese Marsh, 186
 Kentucky, 241, 242
 Lucy's, 586, 587, 588
 MacGillivray's, 6, 217, 587
 Magnolia, 233, 237
 Mourning, 758
 Nashville, 215, 217, 586, 587, 588, 758, 761
 Orange-crowned, 7, 8, 9, 11, 14, 15, 216, 217
 Palm, 515
 Prairie, 241, 242
 Prothonotary, 241
 Red-faced, 392–395
 Seychelles, 186, 680
 Swainson's, 694–705
 Tickell's Leaf, 186
 Townsend's, 194, 215
 Wilson's, 6, 7, 98, 213, 216, 217, 221, 241, 587
 Wood, 707
 Worm-eating, 241, 242
 Yellow, 6, 7, 8, 9, 14, 217, 233, 237, 241, 321, 572
 Yellow-browed, 186
 Yellow-rumped, 7, 219, 314–325, 515
 Washington state, 326–340, 370–376
 Wassenaar, L. I., see Coulton, D. W., 255
 Waterthrush, Louisiana, 241, 341–348
 Northern, 758
 Waxwing, Cedar, 7, 9, 241, 242, 243, 758
 Weaver, Northern Masked, 377
 Village, 690
 Wheeler, S. S., C. M. Barker, Y. Fang, M. V. Armijos, B. D. Carroll, S. Husted, W. O. Johnson, and W. K. Reisen, Differential Impact of West Nile Virus on California Birds, 1
 Widowbird, Red-collared, 690, 741
 Red-shouldered, 741
 Wiens, J. A., see Rotenberry, J. T., 401
 Wilkins, R. N., see Campomizzi, A. J., 534
 Williams, K. L., see Masters, B. S., 365
Willisornis poecilontotus, 383, 384
Wilsonia canadensis, 758
 citrina, 196, 241, 242, 347, 663, 691, 727
 pusilla, 6, 7, 98, 213, 216, 217, 221, 241, 587
 Wiltermuth, M. T., M. J. Anteau, M. H. Sherfy, and T. L. Shaffer, Nest Movement by Piping Plovers in Response to Changing Habitat Conditions, 550
 wing loading, 424–432
 Winkler, D. M., see Stenzler, L. M., 470
 Winter, M., see Pietz, P. J., 36; see Hochachka, W. M., 349
 With, K. A., see Long, A. M., 395
 Woo, I., see Tsao, D. C., 599
 Wood-Pewee, Eastern, 241, 758
 Western, 215
 Woodnymph, Violet-crowned, 232, 233, 237
 Woodpecker, Acorn, 7, 196, 198
 Black-cheeked, 233, 237
 Cuban Green, 444, 449
 Gila, 442, 443, 444, 447, 448, 449, 450
 Golden-cheeked, 443, 444, 445, 447, 448, 449, 450
 Golden-fronted, 442–452
 Gray-breasted, 443, 444, 447, 448, 449, 450
 Hoffmann's, 442, 443, 444, 447, 448, 449, 450
 Nuttall's, 7
 Pileated, 444, 448
 Red-bellied, 442–452
 Red-crowned, 443, 444
 Red-crowned, 443, 449
 Velásquez's, 442–452
 West Indian, 442, 443, 444, 447, 448, 449, 450
 White, 443, 444, 445, 447, 448, 449
 White-fronted, 443, 444, 445, 447, 448, 449
 Yellow-tufted, 450
 Yucatan, 443, 444, 447, 448, 449
 Woolfenden, B. E., see Kappes, P. J., 684
 Worthington, A., and A. Egge, *Quantifying Behavior the JWatcher Way*, by Daniel T. Blumstein and Janice C. Daniel, 202
 Wren, Bewick's, 6
 Carolina, 515
 House, 11, 193, 241, 242, 365–369, 672, 718
 Marsh, 6
 Red-backed Fairy, 741
 Rock, 404, 407
 Rufous-naped, 450
 Sedge, 188–192, 511–522, 732
 Southern House, 718
 Spot-breasted, 233, 237
 Superb Fairy, 663
 Wrentit, 488–496, 524
- X, Y, Z**
- Xiphidiopicus percussus*, 444, 449
Xolmis cinerea, 27, 33
 irupero, 33
 Yasukawa, K., D. A. Enstrom, P. G. Parker, and T. C. Jones, Epaulet Color and Sexual Selection in the Red winged Blackbird: A Field Experiment, 740
 Yellow-Finch, Grassland, 27, 29, 30, 34, 35
 Yellowhammer, 691
 Yellowthroat, Common, 6, 216, 217, 241, 242, 515, 663, 758, 761
 Yorzinski, J. L., and S. L. Vehrencamp, The Effect of Predator Type and Danger Level on the Mob Calls of the American Crow, 159
Zenaida auriculata, 24, 27, 28, 30, 33, 35
 macroura, 6, 7, 8, 9, 10, 11, 13, 14, 250, 404
 Zhang, Z., see Li, J., 197
Zimmerius vilissimus, 233, 237
 Zimmerman, G. S. R. J. Gutiérrez, W. E. Thogmartin, and S. Banerjee, Multiscale Habitat Selection by Ruffed Grouse at Low Population Densities, 294
 Zivkovic, B., see Cooper, C. B., 752
Zonotrichia albicollis, 241, 242, 314–325, 758
 atricapilla, 6, 7
 capensis, 34
 leucophrys, 6, 7, 8, 14, 639
 Zwiefelhofer, D., see Pearce, J. M., 283