



Subject Index, 2013

Source: Avian Diseases, 57(4) : 835-841

Published By: American Association of Avian Pathologists

URL: <https://doi.org/10.1637/0005-2086-57.4.835>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Subject Index, 2013

A

- adenovirus-1
 - causes gizzard erosion in broilers in Germany, 159
- aerosol transmission
 - of H9N2 AI virus in chickens, 645
- aflatoxins
 - effects on broiler performance and pancreatic function, 280
- Agelaius phoeniceus*
 - immune response to West Nile virus, 285
- Alectoris rufa*
 - colibacillosis outbreak on farm, 143
- Anas platyrhynchos*
 - infectivity and pathogenicity of Newcastle disease viruses, 8
- anomalous pulmonary venous connection
 - in a chicken, 140
- antibiotics
 - in broiler feed in southeastern US, 640
- antibody response
 - to turkey herpesvirus vector Newcastle disease vaccine, 750
- antimicrobial resistance
 - of avian pathogenic *E. coli* in Egypt, 602
- anti-reticuloendotheliosis virus antibody
 - detection with blocking ELISA, 71
- Ardea cinerea*
 - mycobacteriosis, 703
- Argentina
 - mixed Marek's disease and reticuloendotheliosis infections, 569
 - normal blood values for imperial cormorants, 737
- arthropods
 - ectoparasites in wild birds in Italy, 756
- artificial insemination
 - turkeys infected with *Pasteurella multocida*, 693
- astrovirus
 - recent progress in characterization, 573
- avian enteric viruses
 - recent progress in characterization, 573
- avian influenza, H5N1
 - transmission by houseflies to chickens, 266
 - transmission from tree sparrows to chickens, 205
- avian influenza, H9N2
 - conjunctivitis model for vaccine efficacy, 83
- avian influenza, highly pathogenic
 - transmission by houseflies to chickens, 266
 - transmission from tree sparrows to chickens, 205
- avian influenza, low pathogenic
 - prevalence in eastern Chinese live bird markets, 155
- avian influenza viruses
 - isolated in wild ducks and feathers in Minnesota, 677
- avian influenza viruses, H5N1
 - variations in HA, NA, and NS genes found in Romania, 612
- avian influenza viruses, H6N2
 - response to inoculation in wild water birds, 581
- avian influenza viruses, H7N1
 - virulence of isolates from mallards in turkeys, 790
- avian influenza viruses, H9N2
 - aerosol transmission in chickens, 645
- avian influenza viruses, highly pathogenic
 - variations in HA, NA, and NS genes found in Romania, 612
- avian influenza viruses, low pathogenicity
 - aerosol transmission in chickens, 645
 - presence in zoos in Ohio, 657
 - response to inoculation in wild water birds, 581
 - virulence of isolates from mallards in turkeys, 790
- avian leukosis viruses
 - isolation and sequence analysis in Taiwan, 172
- avian paramyxovirus-1
 - in tracheas of experimentally and naturally infected chickens, 36
 - isolates from pigeons in Russian Federation, 2

- avian paramyxovirus-2
 - detection in wild birds in Rio de Janeiro, Brazil, 780
- avian reovirus
 - and *Mycoplasma synoviae* rapid detection with multiplex PCR, 220
- avipoxviruses
 - and avian malaria co-infections in passerines in New Zealand, 109
 - and REV provirus cause lymphomas, 812

B

- backyard poultry flocks
 - causes of mortality in northern California, 311
 - monitoring diseases in Maryland, 233
 - surveillance for diseases in Maryland, 587
- bacterial artificial chromosome
 - developed from very virulent 686 strain of Marek's disease virus, 469
 - transposition in *Meleagrid herpesvirus* 1, 380
- bacterin-toxoid
 - use in vaccine for clostridial dermatitis, 214
- baculoviruses
 - use in a multivalent infectious bursal disease vaccine, 41
- biosecurity practices
 - monitoring backyard poultry flocks in Maryland, 233
- blackbird, red-winged
 - immune response to West Nile virus, 285
- blocking enzyme-linked immunosorbent assay
 - for REV antibody using envelope protein, 71
- blood chemistry
 - baseline values for imperial cormorants, 737
- Bordetella hinzii*
 - PCR for identification, 307
- Brazil
 - detection of avian paramyxoviruses in resident and migratory birds, 780
 - new genotype of infectious bronchitis virus, 225
- broiler chickens
 - Campylobacter* infections in fast- and slow-growing breeds, 238
 - characterization of *E. coli* isolates in Egypt, 602
 - effects of aflatoxins on pancreas and performance, 280
 - effects of medication in feed on *Salmonella* sp., 640
 - failure of Arkansas-type infectious bronchitis vaccine, 248
 - gizzard erosions caused by fowl adenovirus-1, 159
 - in ovo* vaccination for infectious laryngotracheitis, 523
 - nephropathogenic infectious bronchitis outbreak, 65
 - parvovirus-induced runting-stunting syndrome, 123
 - pathogenicity of *Chlamydia psittaci* isolates, 242
 - persistence and tissue distribution of infectious bursal disease viruses, 759
 - preventing outbreaks of infectious laryngotracheitis, 803
 - reovirus infection causes pancreatic damage, 321
 - susceptibility and response of different breeds to necrotic enteritis infection, 684
 - use of DEXA for assessing *Eimeria* infection, 199
- broiler breeders
 - prevalence of *Salmonella* sp. in environment, 634
- brown-headed cowbirds
 - infested with hunchback mites, 818

C

- Caco-2 cells, polarized
 - role of *motAB* in adherence and internalization, 116
- California
 - Egg Quality Assurance Program, 51
- California, northern
 - causes of mortality in backyard flocks, 311
 - very virulent infectious bursal disease outbreak, 76
- Callipepla californica*
 - Clostridium sordellii* causes ulcerative enteritis, 698

- Campylobacter jejuni*
 role of *motAB* in adherence and internalization, 116
- Campylobacter* spp.
 outcomes of infection in different broiler breed, 238
- cardiac abnormality, congenital
 chicken with total anomalous pulmonary venous connection, 140
- ceftiofur
 influence on survival of herpesvirus of turkeys in vaccines, 437
- cell-associated vaccines
 against Marek's disease virus, 448
- cellulitis
 in male turkeys, 730
 vaccine from *Clostridium septicum* bacterin-toxoid, 214
- chicken anemia virus
 quantitation of viruses in organs of chickens, 532
- chickens
 aerosol transmission of H9N2 AI virus, 645
 antimicrobial resistance in *Escherichia coli* isolates in Zimbabwe, 152
 contaminated infectious anemia vaccines, 15
 cross-protective immune responses to Korean variant of IBV, 667
 efficacy of *Escherichia coli* O78:K80 vaccine, 273
 H9N2 AI virus in respiratory tract, 645
 new genotype of infectious bronchitis in Brazil, 225
 pathogenicity of *Chlamydia psittaci* isolates, 242
 role of ribonuclease reductase in Marek's disease, 178
 shedding of very virulent Newcastle disease viruses, 303
 source of *Mycobacterium avium* subsp. *avium* infection in raptors, 688
 transmission of avian influenza by houseflies, 266
 transmission of HPAI from Eurasian tree sparrows, 205
 use of turkey herpesvirus vector vaccine, 192
 vaccine for laryngotracheitis, 192
 with total anomalous pulmonary venous connection, 140
- China
 prevalence of low pathogenic avian influenza in live bird markets, 155
- Chinese ring-necked pheasants
 safety of lasalocid for coccidiosis, 188
- Chlamydia psittaci*
 virulence in chickens, 242
- cleavage/packaging signals
 in Marek's disease viruses, 401
- clostridial dermatitis
 immunosuppression and stress in male turkeys, 730
 vaccine from *Clostridium septicum* bacterin-toxoid, 214
- Clostridium perfringens*
 response in various broiler breeds to necrotic enteritis, 684
- Clostridium septicum*
 vaccine using bacterin-toxoid, 214
- Clostridium sordellii*
 enteritis in quail, 698
- Clostridium* spp.
 stress and cellulitis in male turkeys, 730
- coccidiosis
 protecting chickens using gel beads or spray vaccination, 622
 safety of lasalocid in Chinese ring-necked pheasants, 188
 use of DEXA to assess impact in broilers, 199
- colibacillosis
 antimicrobial resistance in chickens from Zimbabwe, 152
 outbreak in farmed red-legged partridges, 143
 vaccine using attenuated *Salmonella* delivery system, 88
- Colinus virginianus*
Clostridium sordellii causes ulcerative enteritis, 698
- Columba livia*
 naturally occurring neoplasms in research colony, 133
 pigeon paramyxoviruses-1 isolated in Russia, 2
 rapid test for detecting *Trichomonas* spp., 800
- conjunctivitis
 H9N2 avian influenza vaccine model, 83
- coronavirus, turkey
 effect on egg production in turkeys, 650
 infections in quail with respiratory and reproductive signs, 295
 recent progress in characterization, 573
- Coturnix coturnix japonica*
 coronavirus infections, 295
 protection against nephrotoxicity by sea buckthorn, 767
- cowbirds, brown-headed
 immune response to West Nile virus, 285
- cross protection
 elicited by Korean variant of infectious bronchitis virus, 667
- cross-species infection
 H7N1 AIV from mallards to turkeys, 790
- Cygnus olor*
 deaths caused by *Streptocara incognita*, 147
- ## D
- degranulation
 immune response in cowbirds to West Nile virus, 285
- Delmarva Peninsula
 nephropathogenic infectious bronchitis outbreak in broilers, 65
- dexamethasone
 immunosuppression model for clostridial dermatitis, 730
- diagnostic test
 for *Ornithobacterium rhinotracheale*, 663
- digestive enzymes
 effect of aflatoxins in broilers, 280
- disease prevalence
 in backyard poultry in Maryland, 587
- disinfection
 of farm after infectious laryngotracheitis outbreak, 803
- DNA methylation
 and gene expression, 366
 down-regulates EGRF, 366
- drag swab sampling
 for detection of environmental *Salmonella*, 22
- dual-energy X-ray absorptiometry (DEXA)
 assessing the impact of *Eimeria* infections, 199
- duck Tembusu virus
 detection with one step SYBR Green RT-PCR test, 595
- ducks
 infectivity and pathogenicity of Newcastle disease viruses, 8
 isolation and genotyping of *Toxoplasma gondii*, 128
 role in spread of Newcastle disease, 8
- ducks, wild
 response to inoculation with H6N2 avian influenza viruses, 581
- dust, poultry house
 monitoring for Marek's disease using qPCR, 544
- ## E
- eastern equine encephalomyelitis virus
 leukocyte response in wild passerine birds, 744
- egg production
 effect of coronavirus infection in turkeys, 650
- Egypt
 characterization of *E. coli* isolates in broilers, 602
 Marek's disease characterization and phylogenetic analysis, 555
- Eimeria maxima*
 response in various broiler breeds to necrotic enteritis, 684
- Eimeria* spp.
 protecting chickens using gel beads or spray vaccination, 622
 safety of lasalocid in Chinese ring-necked pheasants, 188
 use of DEXA to assess impact in broilers, 199
- ELISA, glycoprotein-specific
 detection of infectious laryngotracheitis virus antibodies, 432
- enteritis
 in quail caused by *Clostridium sordellii*, 698
- env* gene
 cloning and expression for REV antibody detection, 71
 prevalence of *Salmonella* sp. in broiler breeder houses, 634

environmental sampling
 pooled and individual samples for *Salmonella*, 22
 using qPCR for Marek's disease detection, 544
 environmental surveillance
 California Egg Quality Assurance Program, 51
 FDA Egg Safety Rule, 51
 for *Salmonella* Enteritidis, 51
 using qPCR for Marek's disease detection, 544
 epidemiology
 of Marek's disease worldwide, 483
 very virulent infectious bursal disease in California, 76
 epidermal growth factor receptor
 DNA methylation down-regulation, 366
 effect of Marek's disease viruses, 366
Escherichia coli
 antimicrobial resistance in chickens from Zimbabwe, 152
 immune response to spray vaccine in poultry, 671
Escherichia coli, avian pathogenic
 characterization of broiler infections in Egypt, 602
 outbreak in farmed red-legged partridges, 143
 vaccine using attenuated *Salmonella* delivery system, 88
Escherichia coli, extraintestinal pathogenic
 multilocus sequence analysis and virulence genotyping, 104
Escherichia coli O78:K80 vaccine
 efficacy in chickens and turkeys, 273
 esophagitis, fatal
 caused by *Streptocara incognita* in mute swans, 147
 Eurasian tree sparrows
 transmission of H5N1 avian influenza to chickens, 205

F

feather tips
 Marek's disease virus levels in vaccinated chickens, 440
 feathers
 isolation of influenza A viruses in Minnesota, 677
 floor litter
 role in controlling coccidiosis in newly-hatched chickens, 622
 flow cytometry
 use in assessing response to live *E. coli* vaccine, 671
 Food and Drug Administration
 Egg Safety Rule, 51
 fowl adenovirus
 identification using 52K gene region, 290
 fowl adenovirus-1
 causes gizzard erosion in broilers in Germany, 159
 fowl typhoid
 efficacy of metabolic drift live attenuated vaccine, 29
 fowlpox virus
 and malaria co-infections in New Zealand birds, 109
 with integrated REV provirus cause lymphomas, 812

G

gD glycoprotein
 analysis and identification in ILT, 416
 gE glycoprotein
 analysis and identification in ILT, 416
 geese, domestic
 detection of *Goose hemorrhagic polyomavirus*, 797
 gel beads
 comparison with spray vaccination for controlling coccidiosis, 622
 genetic variability
 in Romanian H5N1 avian influenza, 612
 genomic termini
 identification and characterization in Marek's disease viruses, 401
 gentamycin
 influence on survival of herpesvirus of turkeys in vaccines, 437
 geographic restriction
 unique population of infectious bursal disease viruses, 57

Germany
 broiler gizzard erosions caused by fowl adenovirus-1, 159
 gI glycoprotein
 analysis and identification in ILT, 416
 gizzard erosion
 caused by fowl adenovirus-1 in broilers, 159
 glycoprotein J gene
 deletion in infectious laryngotracheitis vaccines, 523
 glycoprotein L gene
 effect of deletion in field strains of Marek's disease viruses, 509
Goose hemorrhagic polyomavirus
 detection in domestic geese, 797
 grey heron
 mycobacteriosis, 703
 gulls
 response to inoculation with H6N2 avian influenza viruses, 581

H

Harpirhynchos quasimodo
 cause lesions in brown-headed cowbirds, 818
 helminth infections
 in wild birds in Italy, 756
 hematology
 baseline values for imperial cormorants, 737
 hemorrhagic enteritis
 detection in domestic geese, 797
 real-time PCR for detection in turkeys, 300
 herpesvirus
 proteomics, 351
 role of microRNAs in pathogenicity, 332
 herpesvirus of turkeys (HVT)
 inactivation with Marek's disease virus, 372
 inhibition of Toll-like receptor 2-mediated NF- κ B, 409
 resistance of genome to transposition, 380
 survival in presence of antibiotics in vaccines, 437
Hippophae rhamnoides
 protection from nephrotoxicity in Japanese quail, 767
 hock joint swelling
 caused by reovirus in turkeys, 97
 houseflies
 as vectors for H5N1 avian influenza to chickens, 266
 hunchback mites
 cause lesions in brown-headed cowbirds, 818

I

immune response
 against *E. coli* with a spray vaccine, 671
 immunohistochemistry
 detection of Newcastle disease viruses in tracheas, 36
 immunosuppression
 stress and clostridial dermatitis in turkeys, 730
 imperial cormorants
 normal hematologic and blood chemistry values, 737
 incidence
 of Marek's disease worldwide, 483
 infectious anemia virus
 contaminated commercial vaccines, 15
 infectious bronchitis vaccine
 and bivalent Marek's disease vaccine, 498
 infectious bronchitis virus
 characterization of nephropathogenic strain, 65
 cross-protective immune responses to Korean variant, 667
 new genotype in Brazil, 225
 infectious bronchitis virus, Arkansas-type
 vaccine failure in broilers, 248
 infectious bursal disease
 multivalent virus-like-particle vaccine, 41
 infectious bursal disease, very virulent
 epidemiological study of California outbreak, 76

- infectious bursal disease viruses
 geographically restricted populations in Ohio, 57
 persistence and tissue distribution in broilers, 759
 virus isolation and presence of viral RNA, 759
- infectious laryngotracheitis
 detection of virus and prevention of new outbreak, 803
 prevalence in Maryland backyard poultry, 587
- infectious laryngotracheitis virus
 analysis and identification of membrane proteins, 416
 detection of antibodies by glycoprotein-specific ELISA, 432
in ovo vaccination of broilers, 523
 use of glycoprotein J gene-deleted strain for vaccination, 523
 use of turkey herpesvirus vector vaccine in chickens, 192
- insect vectors
 role in avipoxvirus and malaria infections in passerines in New Zealand, 109
- interstitial nephritis
 caused by nephropathogenic infectious bronchitis virus, 65
- Iraq
 prevalence of Marek's disease in different provinces, 562
- J**
- Japanese quail
 coronavirus infections, 295
 protection against nephrotoxicity by sea buckthorn, 767
- JBJ-1 cell lines
 use for growing vaccine strains against Marek's disease, 448
- L**
- lameness in turkeys
 isolation and characterization of reovirus, 97
- lasalocid
 safety in Chinese ring-necked pheasants, 188
- latency
 in Marek's disease, 360
- layer houses
 surveillance for *Salmonella* Enteritidis, 51
- layers
 genetic resistance to Marek's disease in different lines, 519
 lymphomas caused by REV-integrated fowlpox virus, 812
 Marek's disease and reticuloendotheliosis mixed infections, 569
 Marek's disease mortality, 395
- lentivirus vector
 inhibits Newcastle disease virus replication, 260
- leukocyte profile
 in eastern equine encephalomyelitis infections in birds, 744
- live bird markets
 prevalence of low pathogenic avian influenza in China, 155
- loop-mediated isothermal amplification
 for differentiation of Marek's disease serotypes, 539
- lymphoid organ atrophy
 and *meq*-deleted rMd5 Marek's disease vaccine, 491
- lymphomas
 in layers with reticuloendotheliosis virus-integrated fowlpox virus infection, 812
- M**
- major histocompatibility complex
 increase in virulence of Marek's disease virus, 474
- major histocompatibility complex haplotypes
 increased resistance to Marek's disease, 519
- malaria, avian
 and poxvirus co-infections in passerines in New Zealand, 109
- Malaysia
Toxoplasma gondii in free-range ducks, 128
- mallard
 transmission of low pathogenic avian influenza to turkeys, 790
- mallard ducklings
 infectivity and pathogenicity of Newcastle disease viruses, 8
 role in spread of Newcastle disease, 8
- Marek's disease
 current state of research in microRNAs, 332
 genomic regions associated with mortality in layers, 395
 identification and characterization of ribonuclease reductase, 178
 increasing resistance by selective breeding of layers, 519
 interplay of MDV and HVT on expression, 372
 PCR test for detecting viruses in formalin-fixed, paraffin-embedded tissues, 785
 quantitation of viruses in organs of chickens, 532
 review of latency, 360
 review of tumorigenesis, 360
 status in United States and worldwide, 483
- Marek's disease vaccine
 properties of *meq*-deleted rMd5, 491
- Marek's disease vaccine, bivalent
 does not interfere with other vaccines, 498
- Marek's disease vaccine, Rispens/CVI988
 viral kinetics, shedding profile, and transmission, 454
- Marek's disease virus
 and epidermal growth factor receptor in chickens, 366
 cleavage/packaging signals, 401
 deletion of ribonucleotide reductase, 464
 effect of deletion of glycoprotein L gene, 509
 identification and characterization of genomic termini, 401
 identification of neurovirulence factor, 387
 influence of host genetics on evolution of virulence, 474
 insertion of reticuloendotheliosis virus LTR, 427
 interaction with herpesvirus of turkeys, 372
meq gene sequences in Iraqi strains, 562
 mixed infections with reticuloendotheliosis virus, 569
 molecular characterization of Egyptian strains, 555
 pathogenesis and pp38 gene, 503
 review of morphogenesis, 340
- Marek's disease virus serotypes
 detection and differentiation methods, 539
- Marek's disease virus, very virulent
 levels in poultry dust and feather tips in vaccinated chickens, 440
 effect of vaccine strains on shedding and replication, 440
- Marek's disease virus, very virulent 686 strain
 development of a bacterial artificial chromosome, 469
- Maryland
 monitoring backyard poultry flock for diseases, 233
 surveillance for poultry diseases, 587
- mass spectrometry
 use in proteomics, 351
- Meleagris herpesvirus-1*
 resistance of genome to transposition, 380
- meq*-deleted rMd5 Marek's disease vaccine
 protection against very virulent form, 491
- meq* gene
 sequence variation in Iraqi Marek's disease viruses, 562
- metabolic drift mutation
 use in live vaccine for fowl typhoid, 29
- microRNA
 research into pathogenicity of Marek's disease viruses, 332
- Minnesota
 isolation of influenza A viruses in wild ducks and feathers, 677
- mites, harpirhynchid
 infestation in brown-headed cowbirds, 818
- Molothrus ater*
 immune response to West Nile virus, 285
 infested with hunchback mites, 818
- monitoring methods
 using qPCR for Marek's disease detection, 544
- morphogenesis
 in Marek's disease virus, review, 340
- mortality
 and genomic regions in Marek's disease viruses, 395
 backyard flocks in northern California, 311

- motAB*
 role in adherence and internalization in Caco-2 cells, 116
 role in cecal colonization of *Campylobacter jejuni*, 116
 multilocus sequence typing
 of extraintestinal pathogenic *E. coli*, 104
 multiplex PCR
 test for rapid detection of *Mycoplasma synoviae* and avian reovirus, 220
 multiplex real-time PCR
 for quantification of virus in herpesvirus infections, 532
- Musca domestica*
 as vectors for H5N1 avian influenza to chickens, 266
- mute swans
 deaths caused by *Streptocara incognita*, 147
- mycobacteriosis
 in grey heron, 703
- Mycobacterium avium* complex
 infection in ostriches with *M. bovis*, 808
- Mycobacterium avium* subsp. *avium*
 infection in grey heron, 703
 infection in raptors from infected chickens, 688
- Mycobacterium bovis*
 infection in ostriches, 808
- Mycoplasma gallisepticum*
 prevalence in Maryland backyard poultry, 587
- Mycoplasma synoviae*
 and avian reovirus rapid detection with multiplex PCR, 220
- N**
- necrotic enteritis
 response of different broilers to infection, 684
- neoplasms
 naturally occurring in pigeons, 133
- nephrotoxicity
 caused by ochratoxin A in Japanese quail, 767
 protective effect of sea buckthorn in Japanese quail, 767
- neurovirulence protein
 identified in Marek's disease virus, 387
- New Zealand, North Island
 avipoxvirus and malaria infections in introduced passerines, 109
- Newcastle disease
 isolates found in pigeons from Russia, 2
 prevalence in Maryland backyard poultry, 587
- Newcastle disease vaccine
 and bivalent Marek's disease vaccine, 498
- Newcastle disease vaccine, LaSota
 contains virulent Newcastle virus strains, 316
- Newcastle disease vaccine, turkey herpesvirus vector
 protection and antibody response, 750
- Newcastle disease virus
 infectivity and pathogenicity in mallard ducklings, 8
 replication inhibition using RNA interference, 260
 virus shedding in ducklings, 8
- Newcastle disease virus, lentogenic
 in tracheas of experimentally and naturally infected chickens, 36
- Newcastle disease virus, very virulent
 shedding of viruses in vaccinated chickens, 303
- Newcastle disease virus, virulent
 found in APMV-1 vaccine, 316
- nuclear factor- κ B
 inhibition of activation by HVT, 409
- O**
- ochratoxin A
 causes nephrotoxicity in quail, 767
- Ohio
 spread of avian influenza from wild birds to zoo collections, 657
 unique infectious bursal disease group identified, 57
- Ornithobacterium rhinotracheale*
 real time-polymerase chain reaction assay, 663
- ostriches
 mycobacteriosis caused by *M. bovis* and *M. avium*, 808
 oxidative burst
 immune response in cowbirds to West Nile virus, 285
- P**
- pancreas
 degeneration caused by reovirus infections in broilers, 321
 effect of aflatoxins in broilers, 280
- parasites
 on synanthropic birds in Italy, 756
- parvovirus
 recent progress in characterization, 573
- parvovirus, chicken
 induced runting-stunting syndrome in broilers, 123
- Passer montanus*
 transmission of H5N1 avian influenza to chickens, 205
- passerine birds
 leukocyte response to eastern equine encephalomyelitis, 744
- Pasteurella multocida*
 transmission during artificial insemination in turkeys, 693
- pasteurellosis, genital
 caused by artificial insemination in turkeys, 693
- pathogenicity
 effect of glycoprotein L gene deletion in Marek's disease virus, 509
- Phalacrocorax atriceps*
 normal hematologic and blood chemistry values, 737
- pharyngitis, fatal
 caused by *Streptocara incognita* in mute swans, 147
- Phasianus colchicus*
 safety of lasalocid for coccidiosis, 188
- phylogenetic analysis
 of fowl adenoviruses using 52 K region, 290
- phylogeography
 study of a unique group of infectious bursal disease viruses, 57
- picornavirus
 recent progress in characterization, 573
- pigeons
 naturally occurring neoplasms in research colony, 133
 pigeon paramyxoviruses-1 isolated in Russia, 2
 rapid test for detecting *Trichomonas* spp., 800
- pigeon paramyxovirus serotype 1
 isolates from Russia, 2
- Plasmodium* spp.
 and poxvirus co-infections in passerines in New Zealand, 109
- pododermatitis
 in fast- vs. slow-growing broiler chickens, 238
- polymerase chain reaction (PCR)
 for detecting Marek's disease and reticuloendotheliosis viruses in tissue samples, 785
 for differentiation of Marek's disease serotypes, 539
 for identifying *Bordetella hinzii* from *B. avium*, 307
- polymerase chain reaction, quantitative real-time
 new test for hemorrhagic enteritis virus in turkeys, 300
- poultry
 test for *Ornithobacterium rhinotracheale*, 663
- poultry biologics
 history of regulatory requirements, 167
- poultry house dust
 monitoring for Marek's disease using qPCR, 544
- poultry houses
 Marek's disease virus levels in dust from vaccinated chickens, 440
 prevalence of *Salmonella* sp., 634
- poxvirus
 and malaria co-infections in passerines in New Zealand, 109
- pp14
 neurovirulence protein in Marek's disease virus, 387
- pp38 gene
 expression and pathogenesis in Marek's disease, 503

prevalence
 of *Salmonella* in broiler breeder houses and scratch areas, 634
 of *Salmonella* in broilers in southeastern US, 640

proteomics
 applied to avian herpesviruses, 351
 review of basic concepts and technologies, 351

pUS9 membrane protein
 analysis and identification in ILT, 416

Q

QT35 cell lines
 use for growing vaccines strains against Marek's disease, 448

quail, bobwhite
Clostridium sordellii causes ulcerative enteritis, 698

quail, California Valley
Clostridium sordellii causes ulcerative enteritis, 698

quail, Japanese
 coronavirus infections, 295
 protection against nephrotoxicity by sea buckthorn, 767

R

raptors
 infection with *Mycobacterium avium* subsp. *avium*, 688

real-time polymerase chain reaction assay
 for detection of *Salmonella* in environmental samples, 22
 for *Goose hemorrhagic polyomavirus*, 797
 serotype-specific for *Salmonella*, 22
 test for *Ornithobacterium rhinotracheale*, 663

real-time quantitative polymerase chain reaction assay
 testing for Marek's disease viruses in dust, 544

real-time reverse transcription-polymerase chain reaction, SYBR Green
 for detection of duck Tembusu virus, 595

red-legged partridges
 colibacillosis outbreak on farm, 143

regulatory requirements
 of poultry biologics, 167

reovirus
 cause of turkey arthritis, 97
 causes pancreatic degeneration in broilers, 321

respiratory tract
 H9N2 AI infections in chickens, 645

reticuloendotheliosis provirus
 in fowlpox virus causes lymphomas in layers, 812

reticuloendotheliosis virus
 and Marek's disease infections in layers, 569
 detection of antibody using blocking ELISA, 71
 PCR test for detecting viruses in formalin-fixed, paraffin-embedded tissues, 785

reticuloendotheliosis virus long terminal repeat
 insertion into Marek's disease virus, 427

ribonuclease reductase
 identification and characterization in Marek's disease virus, 178

ribonucleotide reductase
 deletion in Marek's disease virus inhibits growth, 464

Rio de Janeiro State, Brazil
 detection of avian paramyxoviruses in resident and migratory birds, 780

risk management
 backyard poultry flocks for diseases, 233

RNA interference
 inhibits Newcastle disease virus replication, 260

Romania
 variations in HA, NA, and NS genes in H5N1 avian influenza, 612

rotavirus
 recent progress in characterization, 573

runting-stunting syndrome
 caused by chicken parvovirus, 123

Russian Federation
 phylogenetic analysis of avian paramyxoviruses from pigeons, 2

S

Salmonella delivery system
 for avian pathogenic *Escherichia coli* vaccine, 88

Salmonella enterica Enteritidis
 detection in environmental samples, 22
 environmental surveillance techniques, 51
 vaccination using liposome-associated recombinant SefA, 627

Salmonella enterica Gallinarum
 efficacy of metabolic drift live attenuated vaccine, 29

Salmonella sp.
 effect of medication in broiler feed, 640
 prevalence in broiler breeder houses, 634
 prevalence of infections in Maryland backyard poultry, 587

sanitation
 of farm after infectious laryngotracheitis outbreak, 803

sea buckthorn
 protection from nephrotoxicity in Japanese quail, 767

SefA, recombinant
 vaccination for *Salmonella enterica* Enteritidis, 627

sequence analysis
 Taiwanese avian leukosis virus, 172

species determination
 for fowl adenoviruses using 52K gene region, 290

splice variants
 of Marek's disease virus gene pp38, 503

Streptocara incognita
 infections and deaths in mute swans, 147

stress
 and incidence of clostridial dermatitis in male turkeys, 730

Struthio camelus
 mycobacteriosis caused by *M. bovis* and *M. avium*, 808

surveillance
 backyard flocks in northern California, 311
 backyard flocks in Maryland, 233, 587

synanthropic birds
 presence of arthropods and helminths, 756

T

Taiwan
 avian leukosis virus in chickens, 172

temporal spatial clustering
 study of infectious bursal disease outbreak, 76

tissues samples, formalin-fixed, paraffin-embedded
 for detection of Marek's disease and reticuloendotheliosis viruses, 785

Toll-like receptor 2
 effect of HVT on NF- κ B activation, 409

Toxoplasma gondii
 isolation and genotyping in Malaysian ducks, 128

tracheas
 detection of Newcastle disease viruses using immunohistochemistry, 36

transposition
 in *Meleagrid herpesvirus 1*, 380

Trichomonas gallinae
 persistence in distilled and chlorinated water, 681

Trichomonas spp.
 detection in pigeons using OSOM *Trichomonas* Rapid Test, 800

tumorigenesis
 in Marek's disease, 360

turkey arthritis reovirus
 isolation and characterization, 97

turkey herpesvirus vector
 used in Newcastle disease vaccine, 750

turkey herpesvirus vector vaccine
 for laryngotracheitis, 192

turkeys
 clostridial dermatitis and immunosuppression with dexamethasone, 730
 effect of coronavirus infections on egg production, 650
 efficacy of *Escherichia coli* O78:K80 vaccine, 273

genital pasteurellosis caused by artificial insemination, 693
 real-time PCR detection for hemorrhagic enteritis, 300
 vaccine for cellulitis using bacterin-toxoid, 214
 virulence of LPAIV from mallards, 790
 Tyzzer, Ernest Edward, 716

U

United States Department of Agriculture
 history of poultry biologic regulations, 167

V

vaccination
 for *Salmonella enterica* Enteritidis using rSefA, 627
 vaccination, *in ovo*
 for infectious laryngotracheitis in broilers, 523
 vaccines
 efficacy of attenuated *Escherichia coli* O78:K80, 273
 for clostridial dermatitis using bacterin-toxoid, 214
 H9N2 avian influenza efficacy testing, 83
 history of regulatory requirements, 167
 insertion of REV long terminal repeat in Marek's disease virus, 427
 viral kinetics, shedding profile, and transmission of Rispens/CVI988, 454
 vaccine, contaminated
 with chicken infectious anemia viruses, 15
 vaccine failure
 Arkansas-type infectious bronchitis, 248
 vaccine, illegal
 found to contain virulent Newcastle virus strains, 316
 vaccine immunity
 viral shedding after challenge with very virulent Newcastle disease viruses,
 303
 vaccine, live
 for *Salmonella* Gallinarum, 29
 vaccine, live commercial
 contaminated with infectious anemia viruses, 15
 vaccine, multivalent virus-like-particle
 against infectious bursal disease, 41
 vaccine, Newcastle disease
 turkey herpesvirus vectored, 750
 vaccine, spray
 comparison with gel beads for controlling coccidiosis, 622
 efficacy against colibacillosis, 671

vector vaccine
 for laryngotracheitis, 192
 viral kinetics
 of Rispens/CVI988 Marek's disease vaccine, 454
 virulence
 increase in Marek's disease caused by host genetics, 474
 virulence factors
 construction of attenuated *Salmonella* delivery system for vaccines, 88
 virulence genotyping
 of extraintestinal pathogenic *E. coli*, 104
 virus isolation
 Taiwanese avian leukosis virus, 172
 virus-like particles
 in a multivalent infectious bursal disease vaccine, 41
 virus shedding
 by ducklings infected with Newcastle disease viruses, 8
 in vaccinated chickens after challenge with vvNDV, 303
 of Rispens/CVI988 Marek's disease vaccine, 454

W

wading birds
 response to inoculation with H6N2 avian influenza viruses, 581
 waterers, contaminated
 persistence of *Trichomonas gallinae*, 681
 West Nile virus
 immune response in cowbirds, 285
 wild birds
 arthropod and helminth infections in Italy, 756
 contaminated waterers and spread of *Trichomonas gallinae*, 681
 detection of avian paramyxoviruses in Rio de Janeiro, Brazil, 780
 leukocyte response to eastern equine encephalomyelitis, 744
 spread of avian influenza to zoos in Ohio, 657
 wild ducks
 isolation of influenza A viruses in Minnesota, 677
 wild water birds
 response to inoculation with H6N2 avian influenza viruses, 581

Z

Zimbabwe
 antimicrobial resistance in *Escherichia coli* isolates, 152
 zoological collections
 spread of avian influenza from wild birds to captive birds, 657