

## Erratum

Source: Arctic, Antarctic, and Alpine Research, 38(3) : 479

Published By: Institute of Arctic and Alpine Research (INSTAAR), University of Colorado

URL: [https://doi.org/10.1657/1523-0430\(2006\)38\[479:E\]2.0.CO;2](https://doi.org/10.1657/1523-0430(2006)38[479:E]2.0.CO;2)

---

BioOne Complete ([complete.BioOne.org](http://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-o-use](http://www.bioone.org/terms-o-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.


---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## ERRATUM

Epilithic Lichen Communities in High Arctic Greenland: Physical, Environmental, and Geological Aspects of Their Ecology in Inglefield Land (78°–79°N). Eric Steen Hansen, Peter Robert Dawes, and Bjørn Thomassen 38(1): 72–81.

On page 73, replace Figure 1 and its caption with the following:



**FIGURE 1.** Location and geological map of Inglefield Land showing the sample localities from 1999 (1–5). The simplified geology is based on Dawes et al. (2000), with the widespread Quaternary surficial deposits that blanket large areas omitted. Blank areas represent the Paleoproterozoic crystalline shield, with the Minturn syenite body marked MS; dark shading marks the Mesoproterozoic to Lower Paleozoic sedimentary cover; light shading shows the ice cover. MC marks the fan-shaped distribution of Minturn circles taken from Appel (1996). Inset map: 1—Nares Strait, 2—Ellesmere Island, 3—Washington Land, 4—Peary Land.