



## **High Species Turnover and Decreasing Plant Species Richness on Mountain Summits in Sweden: Reindeer Grazing Overrides Climate Change? Comment**

Author: Kullman, Leif

Source: Arctic, Antarctic, and Alpine Research, 41(1) : 151

Published By: Institute of Arctic and Alpine Research (INSTAAR),  
University of Colorado

URL: <https://doi.org/10.1657/1523-0430-41.1.151>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# High Species Turnover and Decreasing Plant Species Richness on Mountain Summits in Sweden: Reindeer Grazing Overrides Climate Change? Comment

Leif Kullman

Department of Ecology and  
Environmental Science, Umeå  
University, SE-901 87 Umeå, Sweden  
leif.kullman@emg.umu.se

DOI: 10.1657/1938-4246(2008-1)[COMMENT]2.0.CO;2

In a recent paper in this journal, Moen and Lagerström (2008) reported a study on changes in plant species richness in alpine summit areas in the Swedish Scandes. Historical data on species numbers around 1950 (Kilander, 1955) were compared with counts performed in 2002 at the same locations.

The main finding was a net decline in species richness and a high species turnover, which were attributed to increased reindeer trampling. There are potential complications concerning the interpretations of this study, as it fails to consider previously published and conflicting reports.

Well in advance of the acceptance date of the concerned study, I had published papers (Kullman 2006a, 2006b, 2007a) with the same basic methodology and performed on two of the mountain summits investigated by Moen and Lagerström (2008). The only difference was that my study was carried out two years later, i.e. in 2004. In great contrast to the results reported by Moen and Lagerström, it was shown that species richness had increased substantially (58 and 67%) without any loss of the initial species pool. The alpine flora had become richer, possibly in response to climate warming, and despite quite intensive reindeer grazing and trampling. In a later paper, this trend has been further substantiated by analogous studies on other high mountains in the same area (Kullman 2007b).

It seems highly unlikely that there could be such discrepancy in species numbers over such a short period of time (i.e. 2 years). One possible explanation for the difference between my results and those of Moen and Lagerström (2008) may be that their study was carried out at a too early stage of the season (3–15 July), prior to the emergence of many species. Several of the “summit invaders”

disclosed by Kullman (2007a), were “forest species,” which require a longer growing season prior to emergence.

## References Cited

- Kilander, S., 1955: Kärleväxternas övre gränser på fjäll i sydvästra Jämtland samt angränsande delar av Härjedalen och Norge. *Acta Phytogeographica Suecica*, 35: 1–198.
- Kullman, L., 2006a: Increase in plant species richness on alpine summits in the Swedish Scandes—Impacts of recent climate change. In Price, M. F. (ed.), *Global Change in Mountain Regions*. Duncow: Sapiens Publishing, 168–169.
- Kullman, L., 2006b: Transformation of alpine and subalpine vegetation in a potentially warmer future, the Anthropocene era. Tentative projections based on long-term observations and paleovegetation records. *Current Trends in Ecology*, 1: 1–16.
- Kullman, L., 2007a: Long-term geobotanical observations of climate change impacts in the Scandes of west-central Sweden. *Nordic Journal of Botany*, 24: 445–467.
- Kullman, L., 2007b: Modern climate change and shifting ecological states of the subalpine/alpine landscape in the Swedish Scandes. *Geoöko*, 28: 187–221.
- Moen, J., and Lagerström, A., 2008: High species turnover and decreasing plant species richness on mountain summits in Sweden: reindeer grazing overrides climate change? *Arctic, Antarctic, and Alpine Research*, 40: 382–389.

MS accepted November 2008