

Does Black-crested Antshrike *Sakesphorus canadensis* occur south of the Amazon in Brazil?

Author: Rocha Brito, Guilherme Renzo

Source: Bulletin of the British Ornithologists' Club, 140(3) : 359-363

Published By: British Ornithologists' Club

URL: <https://doi.org/10.25226/bboc.v140i3.2020.a9>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Does Black-crested Antshrike *Sakesphorus canadensis* occur south of the Amazon in Brazil?

by Guilherme Renzo Rocha Brito

Received 5 May 2020; revised 8 June 2020; published 21 September 2020

<http://zoobank.org/urn:lsid:zoobank.org:pub:AF6F0CDC-2E3F-4407-A4F0-BE8D54CD4B33>

Over much of its range, Black-crested Antshrike *Sakesphorus canadensis* is locally common in semi-open habitats such as lighter woodland, arid scrub, savannas and even mangroves. It is largely restricted to northern South America, north of the Amazon River, across the Guiana Shield, with populations in north-east and central-east Peru penetrating south of the Amazon in its headwaters (Ridgely & Tudor 1994, Sick 1997, Zimmer & Isler 2003, Zimmer *et al.* 2020). Here I draw attention to a specimen of this species at the Museu Nacional, Universidade Federal do Rio de Janeiro ornithological collection (MN), allegedly from the Serra do Cachimbo, southern Pará, which has not been previously mentioned in the ornithological literature. My aim here is to clarify the distribution of the species.

Other specimens housed at MN, and the field diaries belonging to the Cachimbo specimen's most likely collectors (Helmut Sick and José Hidasi) at MN and in Dr L. P. Gonzaga's personal library were examined.

Meyer de Schauensee & Eisenmann (1966: 269) were the first authors to attest to the Serra do Cachimbo being part of the species' known range: '...and south of the Amazon in northern Mato Grosso (Serra do Cachimbo, *vide* Sick).' Subsequent general works followed this statement, by including the Serra do Cachimbo, Pará state, Brazil, within the range of *S. canadensis* (Meyer de Schauensee 1970, Pinto 1978¹, Ridgely & Tudor 1994, Sick 1997), but neither Zimmer & Isler (2003) nor Zimmer *et al.* (2020) mentioned it south of the Amazon in Brazil, nor do recent world checklists (Dickinson & Christidis 2014, del Hoyo & Collar 2016) and an updated work on South American passerines (Ridgely & Tudor 2009).

However, a specimen of the species (Fig. 1), labelled as being from the Serra do Cachimbo, Pará, and collected in June 1956, was found within the series of *S. canadensis* at MN, along with six others from north of the Amazon: two from northern Amazonas (MN 29635–636) and four from Roraima (MN 30205, 30207, 50019, 50020). Unlike these other specimens, the specimen purported to have been collected in Cachimbo lacks an accession number, despite being the oldest of the seven. The label data provide the locality, date and species identification alone.

Until recently, at least half of the specimens at MN from Fundação Brasil Central's Roncador-Xingú-Tapajós expedition (mainly Passeriformes), on which Helmut Sick was the naturalist, have lacked accession numbers, and are only now being studied, registered and catalogued. All of the ornithological specimens from this expedition are easily identified, bearing labels stamped 'Fundação Brasil Central', with the data in Helmut Sick's distinctive handwriting. The great majority of the estimated >3,400 specimens (Gonzaga 1991, Sick 1997) possess the same general data: locality, date, sex, collector, field number and identification on the reverse (Fig. 2). The *S. canadensis* specimen is now registered as MN 52533.

¹ In the final version of his catalogue, Pinto (1978), the first author after Meyer de Schauensee's general works (1966, 1970) to review the species' range in Brazil, considered the Serra do Cachimbo population to involve *S. c. loretoyacuensis*, without indicating the material concerned, nor providing any explanatory footnote. Given that Pinto (1937, 1938) did not examine any specimens of *S. canadensis*, the update appears to have been exclusively based on Meyer de Schauensee & Eisenmann (1966).



Figure 1. Black-crested Antshrike *Sakesphorus canadensis* specimen, allegedly from the Serra do Cachimbo, Pará, Brazil; note the label lacks any field or accession numbers, only reporting the locality (Serra do Cachimbo), date (June 1956) and, on the reverse, species identification, all in Helmut Sick's handwriting (G. R. R. Brito)



Figure 2. Examples of specimens from the Expedição Roncador-Xingú-Tapajós housed in Museu Nacional's ornithological collection: (A) specimen with no accession number; *Dendrocincla fuliginosa* (on the reverse), Jacaré, Alto Xingú, Mato Grosso; 14 September 1951; H. Sick; A.1780 (field number); female; (B) MN30723; *Cypseloides senex* (on the reverse), Serra do Cachimbo, Pará; 29 November 1954; A.2632 (field number); male (G. R. R. Brito)




Figure 3. Examples of Helmut Sick's diary entries for specimens collected during the Expedição Roncador-Xingú-Tapajós: (A) *Aburria mattereri*, A.197 (field number), bird from Chavantina, currently at Museu de Zoologia, Universidade de São Paulo, with detailed drawing of bare parts, gonads and other information usually not recorded on the specimen labels; (B–C) specimen MN35444 *Chordeiles pusillus*, A.603 (field number), and entry and more detailed information in the diary.

It is worth stressing the importance of the field numbers to these specimens. Helmut Sick and his assistants were punctilious, and practically every specimen has much more complete data in the original field diaries than were noted on the labels (Fig. 3).

Because the Cachimbo specimen may represent the only record from south of the Amazon in Brazil, and, because other expeditions to the Serra do Cachimbo, including one fairly recent MN-sponsored survey that collected birds in September–October 2010 did not record the species (Pinto & Camargo 1957, Santos *et al.* 2011), nor are there any recent south-bank records documented in citizen science platforms such as Wikiaves and eBird, it is worth examining some possibilities for the specimen's provenance.

1. *Sick personally collected the bird in Serra do Cachimbo.*—This is the most parsimonious hypothesis. Sick visited the Serra do Cachimbo in June 1956. There is a mounted Tiny Hawk *Accipiter superciliosus* collected by him on 15 June 1956 in Rio (MN 22379), but unlike the Black-crested Antshrike, it has a field number and detailed entry in the diary (A.2767). The absence of a field number, a diary entry and the poor condition of the *S. canadensis* (lacking almost all of the right wing, right leg and damage to the right flank) raises the question of how Sick obtained the specimen. All of the expedition diary entries from 1956 have been reviewed, and no information about the species has been found (L. P. Gonzaga pers. comm.).

2. *Sick received the specimen from a third party.*—Given the bird's condition, Sick might have received this poorly prepared specimen from a third party, and, considering the importance of the record, incorporated it into the collection with the available data. Why he elected not to publish the record is unknown, but the fact that the species' presence in the Serra do Cachimbo was clearly reported to Meyer de Schauensee by Sick and that a specimen in such poor condition was not discarded provide clear indication that Sick believed the provenance to be correct. The absence of a field number belonging to Sick or one of his assistants, and the specimen's poor preparation compared to the expedition's other material (all in very good condition) mean this assumption is also plausible.

3. *José Hidasi collected the specimen.*—José Hidasi is one of the most prolific of recent Brazilian collectors and for several years was Sick's assistant on the Roncador-Xingu expedition, undertaking some surveys alone, sending the material either to Sick or to the Museu Paraense Emílio Goeldi, Belém (Santos *et al.* 2011). However, Hidasi's diaries reveal that he visited the Serra do Cachimbo only in late 1955 (December) returning to Aragarças

(the only available route to central Brazil at the time) in January 1956, making collection of the *S. canadensis* by him improbable. Hidasi visited Roraima (where *S. canadensis* is fairly common) only in 1962, making the possibility that MN 52533 is mislabelled also unlikely (Novaes 1965, Santos & Silva 2007).

The Cachimbo specimen is indistinguishable from the remaining northern Brazilian specimens of this species at MN (all tentatively assigned to *S. c. loretoyacuensis* given the grey flanks and browner back, but no comparable material from the nominate race is available).

While it is plausible that *S. canadensis* occurs in the Serra do Cachimbo, the lack of a clear trail of evidence must leave some doubts as to the specimen's provenance. Several other common birds of savanna and *campina* / *campinarana* habitats on white-sand soils, which were previously believed to be restricted to the Guianan Shield and north bank of the Solimões / Amazon River, are now known to be present in savanna enclaves on white-sand soils throughout the Amazon Basin (Sanaïotti & Cintra 2001, Vasconcelos *et al.* 2011, Borges *et al.* 2016). As *S. canadensis* is a more generalist species of scrubby, second-growth habitats in both semi-arid and humid areas, as well as riverine and nearby forests in parts of its range, to some extent competition with Glossy Antshrike *S. luctuosus* in this region of Amazonian Brazil might explain the rarity or even displacement of *S. canadensis* to white-sand habitats in Serra do Cachimbo. Efforts to re-encounter Black-crested Antshrike south of the Amazon in Brazil, in sandy soil *campinarana* woodland and arid scrub, as well riverine forests, might further elucidate the true range of this species.

Acknowledgements

I thank Luis Pedreira Gonzaga for information, access to and discussions concerning Helmut Sick's diaries in his possession, José Fernando Pacheco for early discussions that led to this manuscript and help with literature, Guy Kirwan and Gustavo Bravo for their input, and Tomas Capdeville for curatorial assistance. Fernando Pacheco and Kevin Zimmer reviewed the submitted version, and proffered useful and constructive criticism. I am grateful to the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior (CAPES) for the Programa de Apoio ao Pós-doutorado (PAPD) scholarship.

References:

- Borges, S. H., Cornelius, C., Ribas, C., Almeida, R., Guilherme, E., Aleixo, A., Dantas, S., Santos, M. P. & Moreira, M. 2016. What is the avifauna of Amazonia white-sand vegetation? *Bird Conserv. Intern.* 26: 192–204.
- Dickinson, E. C. & Christidis, L. (eds.) 2014. *The Howard and Moore complete checklist of the birds of the world*, vol. 2. Fourth edn. Aves Press, Eastbourne.
- del Hoyo, J. & Collar, N. J. 2016. *The HBW and BirdLife International illustrated checklist of the birds of the world*, vol. 2. Lynx Edicions, Barcelona.
- Meyer de Schauensee, R. M. 1970. *A guide to the birds of South America*. Livingston Publishing Co., Wynnewood, PA.
- Meyer de Schauensee, R. M. & Eisenmann, E. 1966. *The species of birds of South America with their distribution*. Academy of Natural Sciences, Philadelphia.
- Novaes, F. C. 1965. Notas sobre algumas aves da Serra Parima, território de Roraima (Brasil). *Bol. Mus. Para. E. Goeldi, N. Sér. Zool.* 54: 1–10.
- Pinto, O. M. O. 1937. Nova contribuição à ornithologia amazonica. *Rev. Paulista* 23: 495–604.
- Pinto, O. M. O. 1938. *Catálogo das aves do Brasil e lista dos exemplares que as representam no Museu Paulista*. Museu Paulista, São Paulo.
- Pinto, O. M. O. 1978. *Novo catálogo das aves do Brasil. Primeira parte*. Empr. Gráf. Revistados Tribunais, São Paulo.
- Pinto, O. M. O. & Camargo, E. A. 1957. Sobre uma coleção de aves da região de Cachimbo (Sul do Estado do Pará). *Pap. Avuls. Zool., São Paulo* 13: 51–69.
- Ridgely, R. S. & Tudor, G. 1994. *The birds of South America*, vol. 2. Univ. of Texas Press, Austin.
- Ridgely, R. S. & Tudor, G. 2009. *Field guide to the songbirds of South America: the passerines*. Univ. of Texas Press, Austin.
- Sanaïotti, T. M. & Cintra, R. 2001. Breeding and migrating birds in an Amazonian savanna. *Stud. Neotrop. Fauna Environ.* 36: 23–32.
- Santos, M. P. D. & Silva, J. M. C. 2007. As aves das savanas de Roraima. *Rev. Bras. Orn.* 15: 189–207.

- Santos, M. P. D., Silveira, L. F. & Silva, J. M. C. 2011. Birds of Serra do Cachimbo, Pará state, Brazil. *Rev. Bras. Orn.* 19: 244–259.
- Sick, H. 1997. *Ornitologia brasileira*. Ed. Nova Fronteira, Rio de Janeiro.
- Vasconcelos, M. F., Dantas, S. M. & Silva, J. M. C. 2011. Avifaunal inventory of the Amazonian savannas and adjacent habitats of the Monte Alegre region (Pará, Brazil), with comments on biogeography and conservation. *Bol. Mus. Para. E. Goeldi, Ciênc. Natur.* 6: 119–145.
- Zimmer, K. J. & Isler, M. L. 2003. Family Thamnophilidae (typical antbirds). Pp. 448–681 in del Hoyo, J., Elliott, A. & Christie, D. A. (eds.) *Handbook of the birds of the world*, vol. 8. Lynx Edicions, Barcelona.
- Zimmer, K. J., Isler, M. L. & Kirwan, G. M. 2020. Black-crested Antshrike (*Sakesphorus canadensis*). In del Hoyo, J., Elliott, A., Sargatal, J., Christie, D. A. & de Juana, E. (eds.) *Handbook of the birds of the world Alive*. Lynx Edicions, Barcelona (retrieved from <http://www.hbw.com/node/56655> on 10 March 2020).
- Addresses:* Depto. de Ecologia e Zoologia, Centro de Ciências Biológicas, Universidade Federal de Santa Catarina, Brazil; and Setor de Ornitologia, Departamento de Vertebrados, Museu Nacional, Universidade Federal do Rio de Janeiro, Brazil, e-mail: g.brito@ufsc.br