

Books

Source: Neotropical Primates, 16(1) : 47-50

Published By: Conservation International

URL: <https://doi.org/10.1896/044.016.0112>

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

applications for funding support from conservationists based in all parts of the world, and will potentially support projects focused on any and all kinds of plant and animal species, subject to the approval of an independent evaluation committee. For more information visit: www.mbzspeciesconservation.org/

SEED DISPERSAL BY GOLDEN-HANDED TAMARINS (*SAGUINUS MIDAS*) IN BROWNSBERG NATUURPARK, SURINAME: PRELIMINARY RESULTS

Brian W. Grafton, Ph.D and E. Natasha Vanderhoff, Ph.D conducted a preliminary study of seed dispersal by golden-handed tamarins (*Saguinus midas*) during June 2008 in Brownsberg Natuurpark, Suriname in preparation for a long-term study of the importance of small-bodied primates as seed dispersers. We collected 22 dung samples containing the seeds of 11 plant species from an unhabituated group at a single dispersal site (a *Ficus* spp. tree used as a feeding tree). The recovered seeds varied in size from 0.48 cm to more than 1.5 cm (largest dimension), and belonged to a minimum of six plant families (Apocynaceae, Caesalpiniaceae, Chrysobalanaceae, Elaeocarpaceae, Rubiaceae, and Verbenaceae). Research on primate seed dispersal in the Neotropics is biased toward large-bodied primates, which may lead to an incomplete picture of seed dispersal in many Neotropical primate communities. We plan to investigate the potentially important ecological role small primates like *Saguinus* may play in tropical ecosystems. For more information, contact Brian W. Grafton and E. Natasha Vanderhoff, at bgrafton@kent.edu and nvander4@ju.edu.

RECENT PUBLICATIONS

BOOKS

Best Practice Guidelines for the Prevention and Mitigation of Conflict between Humans and Great Apes, by K. Hockings and T. Humle. 2009. IUCN/SSC Primate Specialist Group. 40pp. ISBN: 978-2-8317-11331. The IUCN/SSC Primate Specialist Group is developing a series of guidelines to address critical issues in great ape conservation, drawing on the expertise of PSG members to create a consensus of best practices for field conservationists. Each publication in the new series will provide up-to-date guidance for scientists working on a daily basis with great apes, as well as for the many development organizations, donors and government agencies that are involved in great ape conservation. *Contents*: 1. Summary; 2. Introduction, review and use of these guidelines; 3. Assessment of human-great ape conflict (HGAC): Preparatory

issues; 4. Review of potential HGAC counter measures and their effectiveness; 5. Planning a HGAC management strategy; 6. Conclusions. <http://www.primates-g.org/best-practices.htm>

Ameranthropoides loysi Montandon 1929: the History of a Primatological Fraud, by B. Urbani and A. L. Vilorio. 2009. Libros en red. 296pp. ISBN: 978-1597544450. This history reviews the information published on the controversy of the discovery of an alleged Neotropical ape that resulted in one of the most notorious scientific frauds of the 20th Century. Such finding supposedly occurred either in 1917 or 1918 while oil prospecting in the forests of the Tarra River region, located in the southwestern part of Lake Maracaibo, Zulia state, Venezuela. This case was as much discussed as it was unresolved. Detailed analysis of the archival sources suggested that the naming of such a primate was a fraud orchestrated by the Swiss physician George Montandon and de Loys himself, resulting in one of the most notorious scientific frauds of the 20th Century. This investigation provides previously unpublished information about this case -whose development seems to be resolved in Venezuela, through the account of a third witness, the Venezuelan physician Enrique Tejera.

Tinbergen's Legacy: Function and Mechanism in Behavioral Biology, edited by S. Verhulst and J. Bolhuis. 2009. Cambridge University Press. 262pp. ISBN: 978-0521697552. In this book, an international cast of leading animal biologists reflect on the enduring significance of Tinbergen's groundbreaking proposals for modern behavioural biology. It includes a reprint of Tinbergen's original article on the famous 'four whys' and a contemporary introduction, after which each of the four questions are discussed in the light of contemporary evidence. There is also a discussion of the wider significance of recent trends in evolutionary psychology and neuroecology to integrate the 'four whys'. With a foreword by one of Tinbergen's most prominent pupils, Aubrey Manning, this wide-ranging book demonstrates that Tinbergen's views on animal behaviour are crucial for modern behavioural biology. *Contents*: 1. On aims and methods of ethology – N. Tinbergen; 2. Tinbergen's four questions and contemporary behavioral biology – J. A. Hogan and J. J. Bolhuis; 3. Causation: the study of behavioral mechanisms – J. A. Hogan; 4. Tinbergen's fourth question, ontogeny: sexual and individual differentiation – D. Crews and T. Groothuis; 5. The development of behavior: trends since Tinbergen (1963) – J. A. Hogan and J. J. Bolhuis; 6. The study of function in behavioral ecology – I. Cuthill; 7. The evolution of behavior and integrating it towards a complete and correct understanding of behavioral biology – M. J. Ryan; 8. Do ideas about function help the study of causation? – D. F. Sherry; 9. Function and mechanism in neuroecology: looking for clues – J. J. Bolhuis.

Linking Conservation and Poverty Reduction: Landscapes, People and Power, by R. Fisher, S. Jeanrenaud, S. Maginnis,

W. Jackson, E. Barrow, A. Ingles, R. Friend, R. Mehortha, T. Farvar, M. Laurie and G. Oliviedo. 2008. Earthscan Publications & IUCN. 144pp. ISBN: 978-1844076369. This book provides a grand overview and a conceptual framework for addressing poverty reduction in the context of conservation and conservation in the context of poverty reduction, including recent developments in theory, fieldwork and new case studies from Francophone Africa and Latin America. The book begins by looking at the rationale for addressing the links between conservation and poverty reduction, arguing that such a focus is both ethically essential and a source of opportunities. This is followed by a review of experiences in dealing with people and conservation and identifies some key lessons and concepts. The next section presents key illustrative case studies followed by a discussion of some of the issues that appear when implementing combined conservation and poverty reduction. The emphasis is on the importance of multiple spatial scales and seeking negotiated trade-offs between scales. *Contents:* 1. Introduction; 2. Past Experiences; 3. Case Studies; 4. Scale, Landscapes, Boundaries and Negotiation; 5. Structures, Institutions and Rights; 6. Linking Conservation and Poverty Reduction.

ARTICLES

- Aguiar, L. M., Ludwig, G. and Passos, F. C. 2009. Group size and composition of black-and-gold howler monkeys (*Alouatta caraya*) on the Upper Parana River, Southern Brazil. *Primates*. 50(1). Pgs: 74–77.
- Amendola-Pimenta, M., Garcia-Feria, L., Serio-Silva, J. C. and Rico-Gray, V. 2009. Noninvasive collection of fresh hairs from free-ranging howler monkeys for DNA extraction. *Am. J. Prim.* 71(4). Pgs: 359–363.
- Asensio, N., Korstjens, A. H. and Aureli F. 2009. Fissioning minimizes ranging costs in spider monkeys: a multi-level approach. *Behav. Ecol. & Sociobio.* 63(5). Pgs: 649–659.
- Bezerra, B. M., Barnett, A. A., Souto, A. and Jones, G. 2009. Predation by the tayra on the common marmoset and the pale-throated three-toed sloth. *J. Ethol.* 27(1). Pgs: 91–96.
- Bower, B. 2009. Capuchin monkeys choose the right tool for the nut. *Science news*. 175(4). Pgs: 12.
- Campo, F. A. and Fedigan, L. M. 2009. Behavioral adaptations to heat stress and water scarcity in white-faced capuchins (*Cebus capucinus*) in Santa Rosa National Park, Costa Rica. *Am. J. Phys. Anthropol.* 138(1). Pgs: 101–111.
- de la Torre, S. and Snowdon, C. T. 2009. Dialects in pygmy marmosets? Population variation in call structure. *Am. J. Prim.* 71(4). Pgs: 333–342.
- Figueiredo, M. S. L. and Grelle, C. E. V. 2009. Predicting global abundance of a threatened species from its occurrence: implications for conservation planning. *Diver. & Distributions*. 15(1). Pgs: 117–121.
- Gonzalez-Zamora, A., Arroyo-Rodríguez, V., Chaves, O. M., Sánchez-López, S., Stoner, K. E. and Riba-Hernández, P. 2009. Diet of spider monkeys (*Ateles geoffroyi*) in Mesoamerica: current knowledge and future directions. *Am. J. Prim.* 71(1). Pgs: 8–20.
- Kay, R. F., Fleagle, J. G., Mitchell, T. R. T., Colbert, M., Bown, T. and Powers, D. W. 2009. The anatomy of *Dolichocebus gaimanensis*, a stem platyrrhine monkey from Argentina. *J. Hum. Evol.* 54(3). Pgs: 323–382.
- Liu, Q., Simpson, K. Izar, P., Ottoni, E., Visalberghi, E. and Fragaszy, D. 2009. Kinematics and energetics of nut-cracking in wild capuchin monkeys (*Cebus libidinosus*) in Piauí, Brazil. *Am. J. Phys. Anthropol.* 138(2). Pgs: 210–220.
- Mannu, M. and Ottoni, E. B. 2009. The enhanced toolkit of two groups of wild bearded capuchin monkeys in the Caatinga: tool making, associative use, and secondary tools. *Am. J. Prim.* 71(3). Pgs: 242–251.
- Marcili, A., Valente, V. C., Valente, S. A., Junqueira, A. C. V., Maia da Silva, F., Pinto A. Y. N., Maiff, R. D., Campaner, M., Coura, J. R., Camargo, E. P., Miles, M. A. and Teixeira, M. M. G. 2009. Trypanosoma cruzi in Brazilian Amazonia: lineages TCI and TCIIa in wild primates, *Rhodnius* spp. And in humans with Chagas disease associated with oral transmission. *Int. J. Parasitology*. 39(5). Pgs: 615–623.
- Menescal, L. A., Goncalves, E. C., Silva, A., Ferrari, S. F. and Schneider, M. P. C. 2009. Genetic diversity of red-bellied titi (*Callicebus moloch*) from Eastern Amazonia based on microsatellite markers. *Biochem. Gen.* 47(3–4). Pgs: 235–240.
- Milton, K., Loizer, J. D. and Lacey, E. A. 2009. Genetic structure of an isolated population of mantled howler monkeys (*Alouatta palliata*) on Barro Colorado Island, Panama. *Cons. Gen.* 10(2). Pgs: 347–358.
- Peker, S., Kowalewski, M. M., Pave, R. E. and Zunino, G. E. 2009. Births in wild black and gold howler monkeys (*Alouatta caraya*) in northern Argentina. *Am. J. Prim.* 71(3). Pgs: 261–265.
- Perini, E. S., Pessoa, V. F. and Pessoa, D. M. A. 2009. Detection of fruit by the Cerrado's marmoset (*Callithrix penicillata*): modeling color signals for different background scenarios and ambient light intensities. *J. Exp. Zool.* On line 1–14.
- Pesendorfer, M. B., Gunhold, T., Schiel, N., Souto, A., Huber, L. and Range, F. 2009. The maintenance of traditions in marmosets: individual habit, not social conformity? A field experiment. *Plos one*. 4(2). Pgs: e4472(online 1–9).
- Porter, L. M., Garber, P. A. and Nacimento, E. 2009. Exudates as a fallback food for *Callimico goeldii*. *Am. J. Prim.* 71(2). Pgs: 120–129.
- Silva, S. S. B. and Ferrari, S. F. 2009. Behavior patterns of southern bearded sakis (*Chiropotes satanas*) in the fragmented landscape of eastern Brazilian Amazonia. *Am. J. Prim.* 71(1). Pgs: 1–7.
- Slater, K. Y., Schaffner, C. M. and Aureli, F. 2009. Sex differences in the social behavior of wild spider monkeys (*Ateles geoffroyi yucatanensis*). *Am. J. Prim.* 71(1). Pgs: 21–29.

- Van Belle, S., Estrada, A., Ziegler, T. E. and Strier, K. B. 2009. Sexual behavior across ovarian cycles in wild black howler monkeys (*Alouatta pigra*): male mate guarding and female mate choice. *Am. J. Prim.* 71(2). Pgs: 153–164.
- Visalberghi, E., Spagnoletti, N., Ramos da Silva, E. D., Andrade, F. R. D., Ottoni, E., Izar, P. and Fragaszy, D. 2009. Distribution of potential suitable hammers and transport of hammer tools and nuts by wild capuchin monkeys. *Primates*. 50(2). Pgs: 95–104.
- Visalberghi, E., Addessi, E., Truppa, V., Spagnoletti, N., Ottoni, E., Izar, P. and Fragaszy, D. 2009. Selection of effective stone tools by wild bearded capuchin monkeys. *Current Biol.* 19(3). Pgs: 213–217.
- Jasso, C. and Estrada, A. Tropical rain forest fragmentation and social interactions in young howler monkeys (*Alouatta palliata*).
- Juárez, C. P., Berg, W. J. and Fernandez-Duque, E. An evaluation of the potential long-term effects of radio-collars on the reproduction and demography of owl monkeys (*Aotus azarai*) in Formosa, Argentina.
- Kitzmann, C. D., Main, D. E., Mendoza, S. P. and Bales, K. L. Vocal behavior of adult titi monkeys (*Callicebus cupreus*) in a separation paradigm.
- Matthews, S. A. and French, J. A. Parental care influences on pubertal timing in female wied's black tufted-ear marmoset (*Callithrix kuhlii*).
- Parr, N., Campos, F., Childers, A., Fedigan, L. and Jack, K. Dry season ranging behavior and intergroup relations in white-faced capuchins (*Cebus capucinus*) at Santa Rosa national park, Costa Rica.
- Paukner, A., Huntsberry, M. E., Ferrari, P. F. and Suomi, S. J. Imitation recognition in capuchin monkeys.
- Perea-Rodríguez, J. P., Milano, A. M., Fernandez-Duque, E. and Osharov, B. E. Gastrointestinal parasites of owl monkeys (*Aotus azarai*) living in edge and non-edge territories in a gallery forest in northern Argentina.
- Phillips, K. A. and Liu, S. T. Sylvian fissure asymmetries in capuchin monkeys (*Cebus apella*).
- Pokorny, J. J. and de Waal, F. B. How capuchin monkeys (*Cebus apella*) categorize visual images of themselves: in-group vs. out-group.
- Pozo-Montuy, G., Serio-Silva, J. C. and Bonilla-Sánchez, Y. M. The effects of anthropogenic pressure on the behaviour and demography of the black howler monkey (*Alouatta pigra*) in south-eastern Mexico.
- Ross, C. N., Tardif, S., Davis, K., Dobek, G. and Brasky, K. Relations among body composition, activity, hematology, and age in male common marmosets: Toward a model of frailty.
- Rutherford, J. N. Placental insulin-like growth factor ii (igf-ii) and its relation to litter size and placental weight in captive common marmosets (*Callithrix jacchus*).
- Saltzman, W., Boettcher, C. A., Crosno, K. A. and Abbott, D. H. Effects of lactation on pituitary-adrenal responses to stress in laboratory-housed common marmosets (*Callithrix jacchus*).
- Savage, A., Thomas, L., Leighty, K., Soto, L., Causado, J. and Medina, F. The development of a census technique for cotton-top tamarins (*Saguinus oedipus*) in Colombia.
- Smith, A. S. and French, J. A. Maternal androgen levels during pregnancy are associated with early-life growth and aggressive behavior of offspring in geoffroy's marmosets (*Callithrix geoffroyi*).
- Smucny, D. A. When primatologists go public: applying "best practices" for informal science education to teaching the general public about primates.
- Stone, B. W., Menzel, C. R., Evans, T. A., Benoit, J. and Fragaszy D. M. Capuchin monkeys (*Cebus apella*) learn to point with a laser.
- Trejo-Macías, G., Estrada, A. and Mosqueda-Cabrera, M. Á. Preliminary study of gastrointestinal helminths in

ABSTRACTS

Selected abstracts from the 31st Meeting of the American Society of Primatologists. West Palm Beach, Florida, June 18–21, 2008 <http://www.asp.org/asp2008/showConfSchedule.cfm>

- Amendola-Pimenta, M., Rico-Gray, V. and Piñero-Dalmau, D. Habitat disturbance and genetic variability of populations of black howler monkey (*Alouatta pigra*) in Campeche, Mexico: Implications for conservation.
- Bonilla-Sanchez, Y. M., Serio-Silva, J. C., Pozo-Montuy, G. and Bynum, N. Demography of *Alouatta pigra* in threated habitat in south-eastern Mexico.
- Bustos, C. A., Corkum, L. D., Slater, K. Y. and Mennill, D. J. Acoustic characteristics of the vocalizations of mantled howler monkeys (*Alouatta palliata*) in the fragmented low-land forests of Honduras.
- Dampier, S. M. To see or not to see: factors affecting captive capuchin visibility (*Cebus apella robustus*).
- Depeine, C. D., Rotundo, M., Juarez, C. P. and Fernandez-Duque, E. Hoot calling in owl monkeys (*Aotus azarai*) of Argentina: Sex differences and function.
- Field, M. Y. Nursing behavior in a group of human-commensal white-fronted capuchins (*Cebus albifrons*) in Misahualli, Ecuador.
- Gibson, S. V., Tustin, G. W., Williams, L. E., Schuler, A. M., Brady, A. G. and Abee, C. R. Reproduction in an owl monkey breeding colony (*Aotus* sp.).
- Hooff, S. B. and Wolovich, C. K. Captive owl monkeys respond to novel flavors with neophobia, discrimination, and food sharing.
- Hores, R. M., Wolovich, C. K. and Evans S. Is it worth the risk? Novel food presentation affects behavior in captive owl monkeys (*Aotus* spp.).
- Ionica, C. S., Robbins, K. L., Novak, M. F. S. X. and Suomi, S. J. Multimodal data input using touchscreen technology, voice recording and speech recognition in adverse field conditions.
- Jarcho, M. R., Mason, W. A., Mendoza, S. P. and Bales, K. L. Intranasal vasopressin administration effects on pair-bonding and gene expression in monogamous titi monkeys (*Callicebus cupreus*).

howler monkeys (*Alouatta palliata*) living in a cacao plantation in southern Mexico.

Van Belle, S., Estrada, A., Ziegler, T. E. and Strier, K. B. Behavioral and endocrine characteristics of the ovarian cycle in black howler monkeys (*Alouatta pigra*).

Wolovich, C. K., Hooff, S. and Evans, S. Owl monkeys don't just give a hoot: Preferred food elicits trills.

MEETINGS

2009

Meeting cancelled: Neotropical Primate Husbandry, Research and Conservation Conference. October 13–15. The Neotropical Primate Husbandry, research and conservation conference, that was going to be held at the Brookfield Zoo was canceled.

IV Congreso Mexicano de Primatología. Junio 24–26, Villahermosa, Tabasco. La Asociación Mexicana de Primatología A.C. y la Universidad Juárez Autónoma de Tabasco, convocan. Para mayor información visite: <http://www.tierradeideas.com/amp/>

The 3rd Congress of the European Federation for Primatology. August 12–15, Irchel campus of the University of Zürich, Switzerland. The EFP is a federation of all national primatological societies and groups in Europe. The biennial meetings strive to bring together primatologists and biological anthropologists from all over Europe to encourage interdisciplinary and international exchanges. The registration and abstract submission deadline is April 15th, 2009. For more information visit the web site: www.aim.uzh.ch/EFP.html

The 32nd Meeting of the American Society of Primatologists. September 18–21, Bahia Resort Hotel, San Diego, California, USA. For further information check the web site: www.asp.org/asp2009/index.htm

The 7th International Conference on Behavior, Physiology and Genetics of Wildlife. September 21–24, Conference Centre BfR–Bundesinstitut für Risikobewertung, Berlin, Germany. The Leibniz Institute for Zoo and Wildlife Research and the European Association of Zoos and Aquaria invites. The main topics are: behavioural ecology, stress and disturbance, reproduction biology, conservation genetics, and conservation biology. The conference language is English. For more information and registration go to www.izw-berlin.de/de/flink/7thIZW-Conference.html

VI Congresso Brasileiro de Unidades de Conservação. Setembro 20–24, Expo Unimed Curitiba, Curitiba-PR, Brasil. A fundação O Boticário de Proteção à Natureza convida. Para mais informações visite:<http://www.itarget.com.br/newclients/fundacaoboticario.org.br/cbuc2009/>

II Iberian Primatological Conference. September 30–October 3, Residencia “la Cristalera” in Miraflores de la Sierra, Madrid, España. During the second edition of the Iberian Primatological Conference, the Asociación Primatológica Española (APE) is responsible for organizing and hosting the congress in straight co-operation with the Associação Portuguesa de Primatologia (APP). Deadlines for abstract submission June 30, 2009. For more information go to <http://www.uam.es/otros/ape/congresos/CIP2.html>

2010

The 23rd Congress of the International Primatological Society. September 12–18, Kyoto University, Japan. The theme of the conference will be ‘Quest for Coexistence with Nonhuman Primates.’ In line with IPS policy, the committee welcomes suggestions for symposia on any of the disciplines of primatology. The Symposium submission deadline is October 15th, 2009. The presentation submission deadline is January 15th, 2010. For more information go to: www.ips2010.jp/.