



## Errata

Source: Systematic and Applied Acarology, 18(4) : 424

Published By: Systematic and Applied Acarology Society

URL: <https://doi.org/10.11158/saa.18.4.11>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Errata

**Heath, A.C.G. (2013) Implications for New Zealand of potentially invasive ticks sympatric with *Haemaphysalis longicornis* Neumann, 1901 (Acari: Ixodidae). *Systematic & Applied Acarology*, 18(1), 1–26.**

Table 4 (pp. 12–13): delete the following host records: dog or cat for *Dermacentor taiwanensis*; human for *Haemaphysalis ias*; rodent or mustelid for *Haemaphysalis megaspinosa*; reptiles for *Ixodes acuminatus*; and ungulates for *Ixodes turdus*.

Acknowledgements (p. 20): Thanks are also owed to Scott Hardwick, AgResearch Lincoln, for allowing the use of unpublished material, and to Brian and Nancy Vander Velde, Guam, for alerting me to a Micronesian record of *H. longicornis*.

*Accepted by R.G. Robbins 18 Oct. 2013; published 24 Dec. 2013*