

## **Lectotypification of the N.L. Burman's fern name *Adiantum denticulatum***

Authors: Mazumdar, Jaideep, and Callmander, Martin W.

Source: Candollea, 73(2) : 217-220

Published By: The Conservatory and Botanical Garden of the City of Geneva (CJBG)

URL: <https://doi.org/10.15553/c2018v732a6>

---

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# Lectotypification of the N.L. Burman's fern name *Adiantum denticulatum*

Jaideep Mazumdar & Martin W. Callmander

## Abstract

MAZUMDAR, J. & M.W. CALLMANDER (2018). Lectotypification of the N.L. Burman's fern name *Adiantum denticulatum*. *Candollea* 73: 217–220. In English, English abstract. DOI: <http://dx.doi.org/10.15553/c2018v732a6>

The fern name *Adiantum denticulatum* Burm. f. was published by Nicolaas Laurens Burman (1734–1793) in his *Flora Indica: cui accedit series zoophytorum indicorum, nec non prodromus florum capensis* in 1768. Original material of this name included specimens from his own herbarium (now conserved in Geneva under the acronym G-PREL) and an illustration from Leonard Plukenet's *Phytographia*. The history of the typification of this fern name is reviewed and a Franciscus Albertus Pryon collection from Java in G-PREL is designated as second-step lectotype.

## Keywords

DAVALLIACEAE – *Adiantum* – *Davallia* – Flora Indica – Burman – Pryon – Typification

---

Addresses of the authors:

JM: Department of Biological Sciences, Burdwan Town School, Burdwan-713101, India. E-Mail: [jaideepmazumdar10@gmail.com](mailto:jaideepmazumdar10@gmail.com)

MWC: Conservatoire et Jardin botaniques de la Ville de Genève, C.P. 71, 1292 Chambésy, Genève, Switzerland.

Submitted on May 26, 2018. Accepted on August 24, 2018.

First published online on November 5, 2018.

ISSN: 0373-2967 – Online ISSN: 2235-3658 – *Candollea* 73(2): 217–220 (2018)

© CONSERVATOIRE ET JARDIN BOTANQUES DE GENÈVE 2018

## Introduction

BURMAN (1768)'s *Flora Indica: cui accedit series zoophytorum indicorum, nec non prodromus florae capensis* [*Flora Indica*] represents an early and important contribution to what was known of the flora of the South and Southeast Asia in the 18<sup>th</sup> Century. Nicolaas Laurens Burman (1734–1793), son of Johannes Burman (1706–1779), described in this work c. 1350 species, of which 241 were proposed as new (MERRILL, 1921). Burman filius went in 1760 to study under his father's friend, Carl Linnæus (1707–1778), in Uppsala (STAFLEU, 1971). Therefore, *Flora Indica* was published under the Linnaean system of binomial classification and several names published in this work are still in use.

The Burman herbarium was bought by Benjamin Delessert (1773–1847) in 1801 on the advice of Augustin-Pyramus de Candolle (1778–1841), who had heard about it during a trip to Holland in 1799 (see CANDOLLE, 2004). The 29,000 plants of the Burman herbarium included collections from the Burmans but also the main set of Martinus Houttuyn (1720–1798)'s herbarium (LASÈGUE, 1845; STAPLES & JACQUEMOUD, 2005; WIJNANDS et al., 2017). This herbarium is now stored as a separate historical herbarium in Geneva with the acronym G-PREL.

MERRILL (1921) was a pioneer in reviewing the names published in N.L. Burman's *Flora Indica*. Although none of the original material in the Delessert herbarium (now in G-PREL) was available to Merrill and his interpretations were based only on descriptions (see MERRILL, 1921: 331–332), he nevertheless reviewed the nomenclature and typification of 20 fern names out of the 25 proposed as new by N.L. Burman (MERRILL, 1921: 333–337). The first author has undertaken a complete review of all the new fern names published in *Flora Indica*, that will be ultimately published.

The fern *Adiantum denticulatum* Burm. f. (currently accepted under *Davallia denticulata* (Burm. f.) Mett. ex Kuhn (*Davalliaceae*)) was described by BURMAN (1768: 236) based on a Pryon collection from Java and an illustration from PLUKENET (1692: tab. 180, Fig. 4)'s *Phytographia*. However, as emphasized by MERRILL (1921: 333), Burman mentioned in the protologue that Pryon's collection differed slightly from Plukenet's illustration, but nonetheless cited both as original material.

MERRILL (1921) stated that “The actual type is a Javan specimen collected by Pryon,” but did not see the specimen. Subsequent floristic treatments for Africa and the Mascarenes followed Merrill by citing “Pryon s.n., holo., G-DEL” (e.g. VERDCOURT, 1999; BADRÉ, 2008). On the other hand, NOOTEBOOM (1994, 1998, 2013) in his various revisions of the genus *Davallia* Sm. in Southeast Asia considered PLUKENET (1692)'s illustration as type. Finally, MORTON (1974: 383) cited as holotype “Java, Burmann, Morton photograph 16909” in G. This photograph shows a label with the phrases “*Planta Ind.*

*Or. Javanica*” and “*Adiantum denticulatum*. Burm.” in Houttuyn's handwriting. It cannot be considered as original material, as it was part of Houttuyn's herbarium (see WIJNANDS et al., 2017 and citations herein).

MERRILL (1921: 333) was the first to select a Pryon specimen over Plukenet's illustration as type material, and this should be considered an implicit valid lectotypification under the ICN (TURLAND et al., 2018: Art. 9.19).

However, instead of one unambiguous specimen, two specimens collected by Pryon are present in G-PREL [G00800169, G00800170], both with Pryon's handwriting and representing original material. Thus a second-step lectotypification is necessary as recommended by ICN (TURLAND et al., 2018: Art. 9.17) and designated below.

## Lectotypification

*Adiantum denticulatum* Burm. f., Fl. Ind.: 236. 1768.

= *Davallia denticulata* (Burm. f.) Mett. ex Kuhn, Filic. Afr.: 27. 1868.

**Lectotypus** (first step designated by MERRILL, 1921: 333; second step designated here): INDONESIA. Java: s.d., Pryon s.n. (G-PREL [G00800170]!). **Syntypus**: INDONESIA. Java: s.d., Pryon s.n. (G-PREL [G00800169]!).

*Notes.* – *Davallia denticulata* has been considered as widely distributed from Africa to the Pacific Islands, including the Indian Ocean islands, India, Southeast Asia and Australia (VERDCOURT, 1999; NOTEBOOM, 2013; XING et al., 2013). However, recent molecular phylogenetic studies have concluded that the African plants are different and should be named *D. chaerophylloides* (Poir.) Steud. (TSUTSUMI et al., 2008, 2016). Therefore, the African and Occidental Indian Ocean Islands plants are treated as a distinct but allied species (ROUX, 2009; CROUCH et al., 2011; APD, 2018; MADAGASCAR CATALOGUE, 2018) and *D. denticulata* is restricted to Asia and the Pacific Islands.

In the preface of *Flora Indica*, N.L. Burman considered Pryon to be “among the most excellent botanists” (see FLORIJN, 1987: 35). Pryon is certainly identical to Franciscus Albertus Prayon, who died in Java in 1765. He was a native of Cologne and travelled to Java on December 1756 for the Dutch East India Company (VOC: Vereenigde Oostindische Compagnie). Correspondence between Pryon and N.L. Burman is kept in the archives of the University of Amsterdam (see VAN STEENIS-KRUSEMAN, 1958).

We designate the sheet G00800170 (Fig. 1) over G00800169, as it represents a more complete specimen and bears the name “*Adiantum* [sic] *denticulatum*” in N.L. Burman's handwriting.



Fig. 1. – Lectotype of *Adiantum denticulatum* Burm. f. in G-PREL.

## Acknowledgements

We thank Nicolas Fumeaux (G) for his great help in locating original material in G-PREL and fruitful discussions about this historical herbarium, Eric Schuettelpelz (US) for sending the Morton photograph, and France Rakotondrainibe (P) for discussion about the taxonomic status of *D. denticulata* vs *D. chaerophylloides* in Madagascar and for mentioning several publications related to this article. Finally we thank Michael H. Grayum (MO) and Nicolas Fumeaux for improving an earlier version of this manuscript.

## References

- APD (2018). *The African Plant database*. Conservatoire et Jardin botaniques de la Ville de Genève & South African National Biodiversity Institute, Pretoria [http://www.ville-ge.ch/musinfo/bd/cjb/africa].
- BADRÉ, F. (2008). Davalliaceae. In: BOSSER, J. et al. (ed.), *Fl. Mascareignes* 18: 217–232.
- BURMAN, N.L. (1768). *Flora Indica: cui accedit series zoophytorum indicorum, nec non prodromus florae capensis*. Amsterdam.
- CANDOLLE, A.P. DE (2004). *Mémoires et souvenirs (1778–1841)*, CANDAUX, J.D. et al. (ed.). Genève.
- CROUCH, N.R., R.R. KLOPPER, J.E. BURROWS & S.M. BURROWS (2011). *Ferns of Southern Africa: A comprehensive guide*. Cape Town.
- FLORIJS, P.J. (1987). Biographical notes about four plant collectors in Asia mentioned by N. L. Burman in his *Flora Indica* (1768). *Taxon* 36: 34–38.
- LASÈGUE, A. (1845). *Musée botanique de M. Benjamin Delessert*. Paris.
- MADAGASCAR CATALOGUE (2018). *Catalogue of the Plants of Madagascar*. Missouri Botanical Garden, Saint-Louis & Antananarivo [http://www.efloras.org/madagascar].
- MERRILL, E.D. (1921). A review of the new species of plants proposed by N. L. Burman in his *Flora Indica*. *Philipp. J. Sci.* 19: 329–388.
- MORTON, C.V. (1974). William Roxburgh's fern types. *Contr. U.S. Natl. Herb.* 38: 283–396.
- NOOTEBOOM, H.P. (1994). Notes on Davalliaceae II. A revision of the genus *Davallia*. *Blumea* 39: 151–214.
- NOOTEBOOM, H.P. (1998). Davalliaceae. *Fl. Males. Ser. II*, 3: 235–276.
- NOOTEBOOM, H.P. (2013). Davalliaceae. In: PARRIS, B.S. et al. (ed.), *Fl. Penins. Malaysia Ser. I: Ferns and Lycophytes* 2: 73–96. Forest Research Institute, Malaysia.
- PLUKENET, L. (1692). *Phytographia [...]. Pars tertia*. London.
- ROUX, J.P. (2009). Synopsis of the Lycopodiophyta and Pteridophyta of Africa, Madagascar, and neighbouring islands. *Strelitzia* 23.
- STAFLEU, F. (1971). *Linnaeus and the Linnaeans. The spreading of their ideas in systematic botany, 1753–1789*. Utrecht.
- STAPLES, G.W. & F. JACQUEMOUD (2005). Typification and nomenclature of the Convolvulaceae in N. L. Burman's *Flora Indica*, with an introduction to the Burman collection at Geneva. *Candollea* 60: 445–467.
- TSUTSUMI, C., C.-W. CHEN, A. LARSSON, Y. HIRAYAMA & M. KATO (2016). Phylogeny and classification of Davalliaceae on the basis of chloroplast and nuclear markers. *Taxon* 65: 1236–1248.
- TSUTSUMI, C., X.-C. ZHANG & M. KATO (2008). Molecular phylogeny of Davalliaceae and implications for generic classification. *Syst. Bot.* 33: 44–48.
- TURLAND, N.J., J.H. WIERSEMA, F.R. BARRIE, W. GREUTER, D.L. HAWKSWORTH, P.S. HERENDEEN, S. KNAPP, W.-H. KUSBER, D.-Z. LI, K. MARHOLD, T.W. MAY, J. MCNEILL, A.M. MONRO, J. PRADO, M.J. PRICE & G.F. SMITH (2018). International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code) adopted by the Nineteenth International Botanical Congress, Shenzhen, China, July 2017. *Regnum Veg.* 159.
- VAN STEENIS-KRUSEMAN M.J. (1958). Malesian Plant Collectors and Collections. Suppl. 2. *Fl. Males. Ser. I*, 5: [17]–[108].
- VERDCOURT, B. (1999). Davalliaceae. In: BEENTJE, H.J. (ed.), *Fl. Trop. E. Africa*.
- WIJNANDS, D.O., J. HENIGER, J.F. VELDKAMP, N. FUMEAUX & M.W. CALLMANDER (2017). The botanical legacy of Martinus Houttuyn (1720–1798) in Geneva. *Candollea* 72: 155–198.
- XING, F.W., F.G. WANG & H.P. NOOTEBOOM (2013). Davalliaceae. In: WU, Z.Y., P.H. RAVEN & D.Y. HONG (ed.), *Fl. China (Pteridophytes)* 2–3: 749–757.