

SURVEY OF THE TERMITES (ISOPTERA: KALOTERMITIDAE, RHINOTERMITIDAE, TERMITIDAE) OF NICARAGUA

Authors: Scheffrahn, Rudolf H., Krecek, Jan, Maharajh, Boudanath, Chase, James A., Mangold, John R., et al.

Source: Florida Entomologist, 88(4) : 549-552

Published By: Florida Entomological Society

URL: [https://doi.org/10.1653/0015-4040\(2005\)88\[549:SOTTIK\]2.0.CO;2](https://doi.org/10.1653/0015-4040(2005)88[549:SOTTIK]2.0.CO;2)

The BioOne Digital Library (<https://bioone.org/>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<https://bioone.org/subscribe>), the BioOne Complete Archive (<https://bioone.org/archive>), and the BioOne eBooks program offerings ESA eBook Collection (<https://bioone.org/esa-ebooks>) and CSIRO Publishing BioSelect Collection (<https://bioone.org/csiro-ebooks>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

SURVEY OF THE TERMITES (ISOPTERA: KALOTERMITIDAE, RHINOTERMITIDAE, TERMITIDAE) OF NICARAGUA

RUDOLF H. SCHEFFRAHN¹, JAN KŘEČEK¹, BOUDANATH MAHARAJH¹, JAMES A. CHASE²,
JOHN R. MANGOLD³, JORGE MORENO⁴ AND BAYARDO HERRERA⁵

¹Department of Entomology and Nematology, Fort Lauderdale Research and Education Center
University of Florida, Institute of Food and Agricultural Sciences
3205 College Avenue, Fort Lauderdale, FL 33314, U.S.A.

²Terminix International, 212 West Campground Rd., McDonough, GA 30253, U.S.A.

³Terminix International, 9051 Florida Mining Blvd., Suite 105, Tampa, FL 33634, U.S.A.

⁴Bayer Environmental Science, 95 Chestnut Ridge Road, Montvale, NJ 07645, U.S.A.

⁵Lesco, 1800 N. Commerce Parkway, Weston, FL 33326, U.S.A.

The termite fauna of Nicaragua is poorly known relative to that of other Central American countries such as Costa Rica and Panama (Constantino 1998; Nickle & Collins 1992). Maes (1990) published a list of 10 termite species from Nicaragua based on published records. Maes' 1990 list consists of termites that can be grouped as arboreal nesters (3 *Nasutitermes* spp.), epigeal or soil nesters (3 *Microcerotermes* spp.), structure-infesting subterranean species (2 *Coptotermes* spp., 1 *Heterotermes* sp.), and two drywood/dampwood species (1 *Incisitermes* sp. and 1 *Neotermes* sp.). Termites with more cryptic habits, such as those that nest and forage in the soil or solely in wood were underrepresented in Maes' list. This note presents the results of an initial survey of Nicaragua intended to systematically catalog all termite taxa of that country.

During 30 May-5 June 2004, we collected 938 termite colony samples from 46 localities along roadsides and trails in as many geographically and ecologically diverse habitats as time and accessibility permitted (Fig. 1). Our survey yielded 35 species in 19 genera and three families representing one of the more diverse termite faunas in Mesoamerica (Constantino 1998). All species listed by Maes (1990) were collected by us, however, the validity of *Coptotermes crassus* Snyder and *Cop. niger* Snyder remain uncertain (R. H. Scheffrahn, unpublished data). We have identified all 54 of our *Coptotermes* samples as *Co. testaceus* (Linnaeus), but we herein report all three as being present in Nicaragua based on their current status, bringing the total faunal count for Nicaragua to 37 species, including 27 new species records (Table 1). Identifications were made by Křeček and Scheffrahn, and specimens are housed in the University of Florida Termite Collection, Fort Lauderdale Research and Education Center.

Our survey established significant new southern range extensions for *Incisitermes nigrinus* (Snyder), *Marginitermes hubbardi* (Banks), *Tenuirostritermes briciae* (Snyder), *T. incisus* (Snyder), and *Amitermes cryptodon* Light (Table 1). We also report new northern range extensions

for *Calcaritermes brevicollis* (Banks), *Comatermes perfectus* (Hagen), *Cryptotermes dudleyi* Banks, *Glyptotermes angustus* (Snyder), *G. contracticornis* (Snyder), *Anoplotermes parvus* Snyder, *A. pyriformis* Snyder, *Atlantitermes kirbyi* (Snyder), and *Embiratermes chagresi* (Snyder). The collections of *Cryptotermes brevis* (Walker), *Cr. longicollis* Banks, *I. immigrans* (Snyder), *Neotermes castaneus* (Burmeister), *Amitermes beaumonti* Banks, *Coptotermes* spp., *Heterotermes convexinotatus* (Snyder), *Hoplotermes amplus* Light, *Microcerotermes arboreus* Emerson, *M. exiguus* (Hagen), and *M. gracilis* Light join previously known ranges north and south of Nicaragua. We collected three apparently new species of soldierless termites (Termitidae: Apicotermitinae) and a new species of *Nasutitermitinae* that are likely members of undescribed genera.

It is probable that several more described and new termite species remain to be discovered in Nicaragua considering the country's size, centralized location, diversity of habitat, and the geographically limited extent of the current survey (Fig. 1). We thank Jean-Michel Maes, Museo Entomológico, León for collecting permits and Danilo Barquero for logistical assistance while in Nicaragua. W. H. Kern Jr. and Brian J. Cabrera reviewed this contribution No. R-10475 of the University of Florida, Agricultural Experiment Station, Journal Series.

SUMMARY

A field survey of the termites of Nicaragua resulted in expansion of the country's fauna to 37 species in 19 genera and 3 families. Twenty-seven species records are added for Nicaragua and three apparently new species were discovered.

REFERENCES CITED

- ARAUJO, R. L. 1977. Catálogo dos Isoptera do Novo Mundo. Academia Brasileira de Ciências, Rio de Janeiro, Brazil. 92 pp.

TABLE 1. TERMITES SPECIES RECORDS FROM NICARAGUA LISTED ALPHABETICALLY BY FAMILY AND SUBFAMILY.

Taxon	Comments	Previous Nearest Locality	Previous Locality Reference
Kalotermitidae			
<i>Calcaritermes brevicollis</i> (Banks)*	Eastern lowland forest	Panama	Banks 1918
<i>Comatermes perfectus</i> (Hagen)*	Mountain rainforest species	Panama	Constantino 1998
<i>Cryptotermes brevis</i> (Walker)*	Structures only, pest species	Pantropical	Constantino 1998
<i>Cryptotermes dudleyi</i> Banks*	Introduced pest species, dead wood	Costa Rica	Snyder 1926a
<i>Cryptotermes longicollis</i> Banks*	Fence posts, dead wood	Panama	Banks 1918
<i>Glyptotermes angustus</i> (Snyder)*	Western alpine forest	Costa Rica	Araujo 1977
<i>Glyptotermes contracticornis</i> (Snyder)*	Western alpine forest	Costa Rica	Snyder 1925
<i>Incisitermes immigrans</i> (Snyder)	Fence posts, dead wood	Nicaragua	Maes 1990
<i>Incisitermes nigritus</i> (Snyder)*	Fence posts, dead wood, common	Guatemala	Snyder 1946
<i>Incisitermes tabogae</i> (Snyder)*	Fence posts, dead wood	Panama	Snyder 1924
<i>Marginitermes hubbardi</i> (Banks)*	Nearest record Mexico; dead wood; west, rare	Mexico	Myles 1997
<i>Neotermes castaneus</i> (Burmeister)	Live and dead mangroves; east	Nicaragua	Maes 1990
Rhinotermitidae			
<i>Coptotermes crassus</i> Snyder	Subterranean nester, pest species	Nicaragua	Maes 1990
<i>Coptotermes niger</i> Snyder	Subterranean nester, pest species	Nicaragua	Maes 1990
<i>Coptotermes testaceus</i> (Linnaeus)	Subterranean nester, pest species		
<i>Heterotermes convexinotatus</i> (Snyder)	Subterranean nester, pest species	Nicaragua	Maes 1990
Termitidae			
Apicotermitinae			
<i>Anoplotermes parvus</i> Snyder*	East coast ground nest at base of tree	Panama	Snyder 1923
<i>Anoplotermes</i> s.l. sp. A*	Western, under rocks, new sp.?		
<i>Anoplotermes</i> s.l. sp. B*	Western, under rocks, new sp.?		
<i>Anoplotermes</i> s.l. sp. C*	Western, under rocks, new sp.?		
<i>Anoplotermes</i> s.l. nr. <i>pyriformis</i> Snyder*	Western, under rocks	Costa Rica	Snyder 1934

*New record for Nicaragua.

TABLE 1. (CONTINUED) TERMITE SPECIES RECORDS FROM NICARAGUA LISTED ALPHABETICALLY BY FAMILY AND SUBFAMILY.

Taxon	Comments	Previous Nearest Locality	Previous Locality Reference
Nasutitermitinae			
<i>Atlantitermes kirbyi</i> (Snyder)*	Dead wood on ground, east and west, rare	Panama	Snyder 1926b
<i>Embiratermes chagresi</i> (Snyder)*	Under rocks, wood; east, rare	Costa Rica	Constantino 1998
<i>Nasutitermes corniger</i> (Motschulsky)	Arboreal nest, pest species	Nicaragua	Maes 1990
<i>Nasutitermes ephratae</i> (Holmgren)	Arboreal nest, pest species	Nicaragua	Maes 1990
<i>Nasutitermes nigriceps</i> (Haldeman)	Arboreal nest, pest species	Nicaragua	Maes 1990
<i>Subulitermes</i> s.l. n. sp.*	Under rocks, wood; west rare		
<i>Tenuirostritermes briciae</i> (Snyder)*	Western, under rocks, cow dung; common	Honduras	Snyder 1922
<i>Tenuirostritermes incisus</i> (Snyder)*	Eastern, under rocks, on fence post; common	Honduras	Snyder 1922
Termitinae			
<i>Amitermes beaumonti</i> Banks*	Dead wood on ground	Costa Rica	Constantino 1998
<i>Amitermes cryptodon</i> Light*	Nearest record Mexico, rare	Mexico	Light 1930
<i>Hoplotermes amplus</i> Light*	Under rocks, cow dung; widespread	Costa Rica	Constantino 1998
<i>Microcerotermes arboreus</i> Emerson	Ground nest	Nicaragua	Maes 1990
<i>Microcerotermes exiguus</i> (Hagen)	Ground nest	Nicaragua	Maes 1990
<i>Microcerotermes gracilis</i> Light*	Southwest, soil nester?	Costa Rica	Constantino 1998
<i>Termes hispaniolae</i> (Banks)*	Black carton nest in tree crotches, voids	Panama	Banks 1918
<i>Termes panamensis</i> (Snyder)*	Black carton nest in tree crotches, voids	Panama	Snyder 1923

*New record for Nicaragua.




Fig. 1. Collection sites (dark circles) represented in the current survey.

- BANKS, N. 1918. The termites of Panama and British Guiana. *Bull. American Museum Nat. Hist.* 38: 659-667.
- CONSTANTINO, R. 1998. Catalog of the living termites of the New World (Insecta: Isoptera). *Arq. Zool. (São Paulo)* 35: 135-231.
- LIGHT, S. F. 1930. The Mexican species of *Amitermes* Silvestri (Isoptera). *Univ. California Publ. Entomol.* 5: 215-232.
- MAES, J.-M. 1990. Catalogo de los Isoptera de Nicaragua. *Rev. Nicaragua Entomol.* 13: 13-20.
- MYLES, T. G. 1997. A second species of the drywood termite genus *Marginitermes* (Isoptera: Kalotermitidae). *Canadian Entomol.* 129: 757-768.
- NICKLE, D. A., AND M. S. COLLINS. 1992. The termites of Panama, pp. 208-241 *In* D. A. Quintero and A. Aiello [eds.], *Insects of Panama and Mesoamerica*. Oxford University Press, New York.
- SNYDER, T. E. 1922. New termites from Hawaii, Central and South America and the Antilles. *Proc. U.S. National Museum* 61: 1-32.
- SNYDER, T. E. 1923. Three new termites from the Canal Zone, Panama. *Proc. Entomol. Soc. Washington* 25: 126-131.
- SNYDER, T. E. 1924. Descriptions of new species and hitherto unknown castes of termites from America and Hawaii. *Proc. U.S. Nat. Mus.* 64(6): 1-45.
- SNYDER, T. E. 1925. New American termites including a new subgenus. *J. Washington Acad. Sci.* 15(17): 152-162.
- SNYDER, T. E. 1926a. New termites from Guatemala, Costa Rica, and Colombia. *J. Washington Acad. Sci.* 16(1): 18-28.
- SNYDER, T. E. 1926b. Five new termites from Panama and Costa Rica. *Proc. Entomol. Soc. Washington* 28: 7-16.
- SNYDER, T. E. 1934. Two new termites from Costa Rica. *Proc. Biol. Soc. Washington* 47: 95-98.
- SNYDER, T. E. 1946. A small, dark-colored new *Kalotermites* from Guatemala. *Proc. Entomol. Soc. Washington* 48: 158-160.