

## Subject to Vol. 92

Source: Florida Entomologist, 92(4) : 686-688

Published By: Florida Entomological Society

URL: <https://doi.org/10.1653/024.092.0435>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## SUBJECT INDEX, VOL. 92

- Acalitus vaccinei*—601  
 Accessory gland extracts, male—415  
 Address, Liburd to FES 2009—689  
 Adult mosquitoes, control—91  
*Aethina tumida*—165  
*Albizia julibrissin*—434  
*Aleochara claviger*—521  
*Aleochara niponenis*—521  
 Amino acids, nutrition—116  
*Anastrepha edentata*—173  
*Anastrepha fraterculus*—269  
 Ant tending—474, 563  
*Anthonomus elutus*—458  
*Antrusa curtitempus*, venom apparatus—255  
 Ants—309, 391  
 Ants/leafhopper interactions—563  
 Aphid, invasive, Costa Rica—396  
 Aphids—64, 569  
 Aradidae in Louisiana—199  
 Arthropods, ground dwelling—229  
 Artificial diets—656  
 Asian citrus psyllid—314  
 Asiatic garden beetle—670  
*Asphondylia websteri*—673  
*Aulacaspis yasumatsui*—578  
*Aulacorthum*, new species—64  
 Australian gall midge—593  
 Avocado lace bug—35, 54, 382, 394  
 Avocados—35, 382, 394,  
*Azolla pinnata*—153  
*Azolla* weevil—153  
 Bark beetles—506  
*Beauveria bassiana*—623  
 Beetles, acoustics—123  
*Bembix bidentata*—43  
*Bemisia tabaci*—538  
 Biological control agent—179, 450, 458, 593  
 Biological control, *Fenusa pusilla*—243  
 Biological control, peppertree—292  
 Biology, *Rhopalosiphum padi*—569  
 Blood meal identification—619  
 Blueberries—14, 147, 601  
 Blueberry maggot flies—377  
 Book review, agroecosistemas—189  
 Book review, biocontrol, natural enemies—406, 675  
 Book review, butterflies, Venezuela—407  
 Book review, dragonflies, damselflies—404  
 Book review, insect symbiosis—409  
 Book review, manual of acarology—526  
 Book review, microbes, biocontrol—524  
 Book review, pest thrips, world—530  
 Book review, scientific writing—186  
 Book review, superorganisms—527  
 Book review, thrips of California—529  
 Book review, toxicology textbook—187  
*Boophilus microplus*—661  
 Brazilian Cerrado—563  
 Brazilian peppertree—292  
*Brevicoryne brassicae*—635  
*Brevicoryne brassicae*, life history—635  
 Brown citrus aphid—497  
 Brown marmorated stink bug—483  
*Bruchidius terrenus*—434  
*Bryothinusa koreana*, description—367  
*Cactoblastis cactorum*—159, 208, 391  
*Camponotus pennsylvanicus*—304  
 Caribbean fruit fly—415, 535  
*Carmentia theobromae*, biology—355  
 Cattle ticks, infection, numatode—661  
*Chaenusa*, new spp.—139  
 Chlorpyrifos—150  
 Cicada,—87, 330, 338, 470  
 Cicadina, new genus—470  
*Cicindela scabrosa*—516  
 Citrus—74, 116, 150  
 Citrus root weevil—623  
*Coccobius* Nr. *fulvus*—645  
 Cocoa—355  
 Coffee leafminer moth—548  
*Commoptera solenopsidis*—309  
 Corporate members—191, 412, 532,  
 Cotton cultivars—538  
 Crustacea—503  
 Cycad *Aulacaspis* scale—578  
*Cyclargus thomasi bethunebakeri*—474  
*Cyphocleonus achetes*—656  
 Cytology, sperm bundles—80  
 Dacnusiini, new spp., descriptions—255  
*Dacus punctatifrons*—518  
*Dalbulus maidis*—508  
 Delphacidae, new genera—261  
*Diachasmimorpha longicaudata*—441  
*Diaphorina citri*—314, 608  
*Diaprepes abbreviatus*—74, 167, 623  
 Diet, influence—511  
*Dilobopyga*, genus, cicada—87  
 DNA sequence data, *B. koreana*—367  
*Doryctobracon areolatus*—535  
 Dryinidae, new spp., China—217  
 Dynastid beetle stridulations—123  
 Egg parasitoids—508  
 Emerald ash borer—588  
*Enaphalodes rufulus*—304  
 Entomopathogenic fungus—608, 623  
 Epizootic—601  
*Eragrostis curvula*—648  
 Erratum—531  
*Erythmelus klopomor*—394  
 Euonymus scale, MA—645  
*Euscepes postfasciatus*—221  
*Euschistus heros*—513  
*Fenusa pusilla*, 34-years results—243  
 Fire ants, molecular markers—107  
 Flight phenology—208  
 Florida scrub millipede—500  
*Floridobolus penneri*—500

- Fluorescent diet, marking—379  
*Frankliniella occidentalis*—1, 7, 14, 18, 24, 29, 664  
 Fruit fly female attractant—667  
 Grasses (Poaceae)—569, 648  
*Gratiana boliviana*—99, 450  
 Green stink bug—483  
*Greenidea psidii*, aphids—396  
 Guava—269  
*Halyomorpha halys*, exotic pest—177  
*Haphsa*, genus, new spp.—330  
 Hass avocados—673  
 Hibiscus cultivars—248  
*Hirsutiella thompsonii*—601  
*Homalodisca* spp., egg hatch—156  
*Homalodisca vitripennis*—116  
 Host size—441  
 Host specificity—458  
 House fly pupae—492  
*Hydrellia pakistanae*—139  
*Hydrellia sarahae laticapsula*—139  
*Hydrilla verticillata*—139  
*Hylobius transversovittatus*—656  
 Infection, fungus—601, 623  
 Insecticides—35, 91, 554  
 IPM—18, 24  
 Irradiated Lepidoptera, F1 progeny—80  
 Irradiation—159  
*Isaria fumosorosea*—608  
*Jacarantia mexicanana*—350  
 Juvenile crickets as host—598  
 Kairomones—554  
*Kneallhazia solenopsae*—344  
 Landscape fabric—74  
*Larra bicolor*, fecundity—58  
 Leaf morphology, cotton—538  
 Light traps—165  
*Lipolexis oregmae*—497  
 Litter, arthropods—163  
 Longleaf pine flatwoods—229  
*Lophodiplosis trifida*—593  
*Lysiphlebus testaceipes*—497  
*Maladera castanea* in Alabama—670  
 Male Oriental fruit fly—193  
*Manduca sexta*—374  
 Marking, insect—379  
*Mastigoproctus giganteus*—500  
 Maternal effects—635  
 Mating propensity—193, 350  
 Natural enemies, peppertree—292  
 Mediterranean fruit fly—193, 269  
*Melanotus communis*, control—629  
*Merocoris*, spp., keys—134  
 Methoprene—193  
 Miami blue butterfly—474  
 Mimosa—434  
 Mitochondrial DNA markers—518  
 Mole crickets—58  
 Molecular markers, fire ants—107, 167  
 Mosquitoes, Florida—619  
 Multiple-funnel traps—506  
*Muscidifurax raptor*—492  
*Myllocerus u. undatus*—150, 388  
*Narnia femorata* nymphs—511  
 Natural enemies—35  
 Natural selection—635  
 Neotropical brown stink bug—513  
*Nerthra fuscipes*—161  
 Nicotine feeding, *M. sexta*—374  
 Nutrients, assimilation—116  
*Onesia*, genus, new spp.—321  
*Opuntia stricta*—391  
*Orius* spp. sympatry—362, 399  
*Ormia ochracea*—598  
 Oviposition—415, 513  
 Papaya fruit fly—350  
 Paperbark tree—593  
 Parasitism—497  
 Parasitoid(s)—43, 58, 269, 394, 441, 508, 588  
 PCR—344  
 Peach—269  
 Pesticides—554  
*Pheidole dentata*—309  
*Phytoseiulus macropilis*—554  
 Pink hibiscus mealybug—248  
 Pioneer lect., Mellingers—400  
*Platylomia spinosa* group, new spp.—338  
 Population monitoring—382  
 Predatory mite—554  
*Prunus persica*—269  
*Pseudacteon curvatus*—344  
*Pseudacysta perseae*—35, 54, 382, 394  
 Pseudomyrmecine ant mimic—648  
*Psidium guajava*—269  
*Qurana ggoma*, cicada new sp.—470  
 Range expansion—503  
 Red oak borer—426  
 Red palm mite, biology—276  
 Red palm weevil—386, 421  
 Reovirus sequences in psyllid—314  
*Rhagoletis* sp.—379  
*Rhynchophorus ferrugineus*—386, 421  
 Rice, pest—503  
 Riparian arthropods—658  
 Sampling methods, cucurlionid—388  
 Sampling/flight-interception bottle—658  
 Sand wasp—43  
*Scapteriscus* spp.—58  
*Scirtothrips citri*—147  
 Scrub community—582  
 Seed beetle—434  
 Semiochemical monitoring—483  
 Semiochemical volatiles—548  
 Sex pheromone component—548  
 Sexual receptivity—415  
 Signal grass—569  
 skipper butterflies—653  
 Slash pine—506  
 Small hive beetle—165  
*Solanum viarum*—450  
 Southern highbush blueberry—601  
 Soybeans—181  
*Spalangia cameroni*—492

- Spartina* spp.—648  
Spider mite species—554  
Spores, entomopathogen—623, 608  
Startle reflexes, skippers—653  
*Steinernema diaprepesi*—661  
*Stenopelmus rufinasus*—153  
Stereoisomers—548  
Sterile insect technique—80  
*Stethoconus praefectus*—54  
Sugarcane—629  
Sustaining members—191, 412, 532  
Suterra biolure, attractant—667  
Sympatrically related hosts—635  
Synonymy, staphylinids—521  
Tephritid flies—173, 535  
Thrips, soybeans—181  
Toad bug—161  
*Toxotrypana curvicauda*, fecundity—350  
Trap, flight-interception—658  
*Triops longicaudatus*, crustacean—503  
Tri-trophic interactions—582  
Tropical soda apple—450  
Unipak fruit fly attractant—667  
Urbanization impact—582  
*Verodes aequalis* beetles—377  
Visualize infection sites—623  
*Vitis vinifera*—116  
Western flower thrips—1, 7, 14, 18, 24, 29, 664  
Wetland nightshade—458  
Whip scorpion—500  
*Wolcottia* (= *Isohydnocera*) *aegra*—648  
Wood boring beetles—506