

## Articles

Source: Neotropical Primates, 13(3) : 54-58

Published By: Conservation International

URL: <https://doi.org/10.1896/1413-4705.13.3.54>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

extinction of nonhuman primates from Costa Rica. *Rev. Biol. Trop.* 52(3): 679–693.

#### *Aotus*

- Nagao, K., Takenaka, N., Hirai, M. and Kawamura, S. 2005. Coupling and decoupling of evolutionary mode between X- and Y-chromosomal red-green opsin genes in owl monkeys. *Gene* (Amsterdam) 352: 82–91.
- Rotundo, M., Fernández-Duque, E. and Dixon, A. F. 2005. Infant development and parental care in free-ranging *Aotus azarai azarai* in Argentina. *Int. J. Primatol.* 26(6): 1459–1473.
- Santos, S. N. dos, Reis, J. W. L. dos, Silva-Filho, M. da, Kremers, J. and Silveira, L. C. L. 2005. Horizontal cell morphology in nocturnal and diurnal primates: A comparison between owl-monkey (*Aotus*) and capuchin monkey (*Cebus*). *Visual Neurosci.* 22(4): 405–415.
- Shmuel, A., Korman, M., Sterkin, A., Harel, M., Ullman, S., Malach, R. and Grinvald, A. 2005. Retinotopic axis specificity and selective clustering of feedback projections from V2 to V1 in the owl monkey. *J. Neurosci.* 25(8): 2117–2131.
- Spirig, R., Peduzzi, E., Patarroyo, M. E., Pluschke, G. and Daubenberger, C. A. 2005. Structural and functional characterisation of the Toll like receptor 9 of *Aotus nancymaae*, a non-human primate model for malaria vaccine development. *Immunogenetics* 57(3–4): 283–288.

#### *Ateles*

- Ramos-Fernandez, G. 2005. Vocal communication in a fission-fusion society: Do spider monkeys stay in touch with close associates? *Int. J. Primatol.* 26(5): 1077–1092.
- Riba-Hernandez, P., Stoner, K. E. and Lucas, P. W. 2005. Sugar concentration of fruits and their detection via color in the central American spider monkey (*Ateles geoffroyi*). *Am. J. Primatol.* 67(4): 411–423.
- Russo, S. E. 2005. Linking seed fate to natural dispersal patterns: Factors affecting predation and scatter-hoarding of *Virola calophylla* seeds in Peru. *J. Trop. Ecol.* 21(3): 243–253.
- Russo, S. E., Campbell, C. J., Dew, J. L., Stevenson, P. R. and Suarez, S. A. 2005. A multi-forest comparison of dietary preferences and seed dispersal by *Ateles* spp. *Int. J. Primatol.* 26(5): 1017–1037.
- Schaffner, C. M. and Aureli, F. 2005. Embraces and grooming in captive spider monkeys. *Int. J. Primatol.* 26(5): 1093–1106.
- Schmitt, D., Rose, M. D., Turnquist, J. E. and Lemelin, P. 2005. Role of the prehensile tail during ateline locomotion: Experimental and osteological evidence. *Am. J. Phys. Anthropol.* 126(4): 435–446.
- Tardona, D. R. 2005. Influence of waterborne observers on group spread among previously captive spider monkeys (*Ateles geoffroyi*). *Animal Keepers' Forum* 32(9): 434–441.
- Wallace, R. B. 2005. Seasonal variations in diet and foraging behavior of *Ateles chamek* in a southern Amazonian tropical forest. *Int. J. Primatol.* 26(5): 1053–1075.

## ARTICLES

### *Alouatta*

- Escobedo-Morales, L. A. and Mandujano, S. 2005. Assessing local extinction risk in howler monkeys groups (*Alouatta palliata mexicana*) in a highly fragmented landscape in Los Tuxtlas, Veracruz. *ASP Bulletin* 29(3): 8–9.
- Nieves, M., Ascunce, M. S., Rahn, M. I. and Mudry, M. D. 2005. Phylogenetic relationships among some *Ateles* species: The use of chromosomal and molecular characters. *Primates* 46(3): 155–164.
- Osorio, D., Smith, A. C., Vorobyev, M. and Buchanan-Smith, H. M. 2004. Detection of fruit and the selection of primate visual pigments for color vision. *Am. Nat.* 164(6): 696–708.
- Partridge, J. 2005. The European studbook for black howler monkeys – an update. *IZN – Int. Zoo News* 52(5): 272–275.
- Ribeiro, S. and Bicca-Marques, J. C. 2005. Características da paisagem e sua relação com a ocorrência de bugios-ruivos (*Alouatta guariba clamitans* Cabrera, 1940; Primates, Atelidae) em fragmentos florestais no Vale do Taquari, RS. *Natureza e Conservação* 3(2): 65–78. [English version, pp.168–181.]
- Snarr, K. A. 2005. Seismic activity response as observed in mantled howlers (*Alouatta palliata*), Cuero y Salado Wildlife Refuge, Honduras. *Primates* 46(4): 281–285.
- Villalobos, F., Valerio, A. A. and Retana, A. P. 2004. A phylogeny of howler monkeys (Cebidae: *Alouatta*) based on mitochondrial, chromosomal and morphological data. *Rev. Biol. Trop.* 52(3): 665–675.
- Zaldivar, M. E., Rocha, O., Glander, K. E., Aguilar, G., Huertas, A. S., Sanchez, R. and Wong, G. 2004. Distribution, ecology, life history, genetic variation, and risk of

*Brachyteles*

- Nascimento Borges, B. do and Harada, M. L. 2004. Divergent evolution and purifying selection of the H (FUT1) gene in New World monkeys (Primates, Platyrrhini). *Genetics Molec. Biol.* 27(3): 342–349.
- Srier, K. B. and Ziegler, T. E. 2005. Variation in the resumption of cycling and conception by fecal androgen and estradiol levels in female northern muriquis (*Brachyteles hypoxanthus*). *Am. J. Primatol.* 67(1): 69–81.
- Talebi, M., Bastos, A. and Lee, P. C. 2005. Diet of southern muriquis in continuous Brazilian Atlantic forest. *Int. J. Primatol.* 26(5): 1175–1187.

*Callithrix*

- O'Brien, J. K., Stojanov, T., Heffernan, S. J., Hollinshead, F. K., Vogelnest, L., Maxwell, W. M. C. and Evans, G. 2005. Flow cytometric sorting of non-human primate sperm nuclei. *Theriogenology* 63(1): 246–259.
- Pereira, M. M., Silva, J. J. P. da, Pinto, M. A., Silva, M. F. da, Machado, M. P., Lenzi, H. L. and Marchevsky, R. S. 2005. Experimental leptospirosis in marmoset monkeys (*Callithrix jacchus*): a new model for studies of severe pulmonary leptospirosis. *Am. J. Trop. Med. Hygiene* 72(1): 13–20.
- Philibert, B., Beitel, R. E., Nagarajan, S. S., Bonham, B. H., Schreiner, C. E. and Cheung, S. W. 2005. Functional organization and hemispheric comparison of primary auditory cortex in the common marmoset (*Callithrix jacchus*). *J. Comp. Neurol.* 487(4): 391–406.
- Pryce, C. R., Feldon, J., Fuchs, E., Knuesel, I., Oertle, T., Sengstag, C., Spengler, M., Weber, E., Weston, A. and Jongen-Relo, A. 2005. Postnatal ontogeny of hippocampal expression of the mineralocorticoid and glucocorticoid receptors in the common marmoset monkey. *European J. Neurosci.* 21(6): 1521–1535.
- Roe, A. W., Fritsches, K. and Pettigrew, J. D. 2005. Optical imaging of functional organization of V1 and V2 in marmoset visual cortex. *Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology* 287A(2): 1213–1225.
- Rosa, M. G. P., Palmer, S. M., Gamberini, M., Tweedale, R., Pinon, M. C. and Bourne, J. A. 2005. Resolving the organization of the New World monkey third visual complex: The dorsal extrastriate cortex of the marmoset (*Callithrix jacchus*). *J. Comp. Neurol.* 483(2): 164–191.
- Rukstalis, M. and French, J. A. 2005. Vocal buffering of the stress response: Exposure to conspecific vocalizations moderates urinary cortisol excretion in isolated marmosets. *Hormones and Behavior* 47(1): 1–7.
- Smith, T. D., Bhatnagar, K. P., Tuladhar, P. and Burrows, A. M. 2005. Distribution of olfactory epithelium in the primate nasal cavity: Are microsmia and macrosmia valid morphological concepts? *Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology* 281A(1): 1173–1181.
- Sousa, M. B. C., Albuquerque, A. C. S. da R., Albuquerque, F. da S., Araujo, A., Yamamoto, M. E. and Arruda, M. de F. 2005. Behavioral strategies and hormonal profiles

- of dominant and subordinate common marmoset (*Callithrix jacchus*) females in wild monogamous groups. *Am. J. Primatol.* 67(1): 37–50.
- Spaulding, B. and Hauser, M. 2005. What experience is required for acquiring tool competence? Experiments with two callitrichids. *Anim. Behav.* 70(3): 517–526.
- Szmajda, B. A., Gruenert, U. and Martin, P. R. 2005. Mosaic properties of midget and parasol ganglion cells in the marmoset retina. *Visual Neurosci.* 22(4): 395–404.
- Valtonen-Andre, C., Olsson, A. Y., Nayudu, P. L. and Lundwall, A. 2005. Ejaculates from the common marmoset (*Callithrix jacchus*) contain semenogelin and beta-microseminoprotein but not prostate-specific antigen. *Molec. Reprod. Devel.* 71(2): 247–255.
- Vinyard, C. J. and Schmitt, D. 2004. New technique for studying reaction forces during primate behaviors on vertical substrates. *Am. J. Phys. Anthropol.* 125(4): 343–351.
- Ziegler, T. E., Schultz-Darken, N. J., Scott, J. J., Snowdon, C. T. and Ferris, C. F. 2005. Neuroendocrine response to female ovulatory odors depends upon social condition in male common marmosets, *Callithrix jacchus*. *Hormones and Behavior* 47(1): 56–64.

*Cebuella*

- Yepez, P., de la Torre, S. and Snowdon, C. T. 2005. Interpopulation differences in exudate feeding of pygmy marmosets in Ecuadorian Amazonia. *Am. J. Primatol.* 66(2): 145–158.

*Cebus*

- Nagle, C. A., Mendizabal, A. F., Lahoz, M. M., Porta, M. M. and Torres, M. I. 2005. Transfer pathways between the ovaries and the uterus in the *Cebus* monkeys (*Cebus apella*). *Gen. Comp. Endocrinol.* 144(3): 248–256.
- O'Malley, R. C. and Fedigan, L. M. 2005. Evaluating social influences on food-processing behavior in white-faced capuchins (*Cebus capucinus*). *Am. J. Phys. Anthropol.* 127(4): 481–491.
- O'Malley, R. C. and Fedigan, L. M. 2005. Variability in food-processing behavior among white-faced capuchins (*Cebus capucinus*) in Santa Rosa National Park, Costa Rica. *Am. J. Phys. Anthropol.* 128(1): 63–73.
- Ortiz, R. E., Ortiz, A. C., Gajardo, G., Zepeda, A. J., Paraguez, V. H., Ortiz, M. E. and Croxatto, H. B. 2005. Cytologic, hormonal, and ultrasonographic correlates of the menstrual cycle of the New World monkey *Cebus apella*. *Am. J. Primatol.* 66(3): 233–244.
- Otoni, E. B., de Resende, B. D. and Izar, P. 2005. Watching the best nutcrackers: What capuchin monkeys (*Cebus apella*) know about others' tool-using skills. *Anim. Cognition* 8(4): 215–219.
- Passos, E. de C., Germano, P. M. L., Fedullo, J. D. L., Consales, C. A., Carrieri, M. L., Cardoso, R. and Goncalves, M. de A. 2005. Humoral immune response in capuchin monkeys (*Cebus apella*) after vaccination with inactivated suckling mouse brain rabies vaccine: Comparison of two schedules of immunization. *Brazilian J. Vet. Res. Anim. Sci.* 42(1): 5–11.

- Pauly, A. 2005. Dermatomykose beim Gelbbrustkapuziner (*Cebus xanthosternos*) im Tierpark Berlin. *Milu* 11(5): 596–599. In German.
- Phillips, K. A. and Shauver-Goodchild, L. M. 2005. Reunion displays in captive male brown capuchins (*Cebus apella*). *Primates* 46(2): 121–125.
- Pires, J. S. and Ferreira, J. R. 2004. Anatomia das artérias pericalosas do encéfalo de primata neotropical e seus ramos frontais e parietais (*Cebus apella*, Linnaeus, 1766). *Brazilian J. Vet. Res. Anim. Sci.* 41(3): 207–214.
- Pollick, A. S., Gouzoules, H. and de Waal, F. B. M. 2005. Audience effects on food calls in captive brown capuchin monkeys, *Cebus apella*. *Anim. Behav.* 70(6): 1273–1281.
- Poti, P., Bartolommei, P. and Saporiti, M. 2005. Landmark use by *Cebus apella*. *Int. J. Primatol.* 26(4): 921–948.
- Prada, I. L. de S., Ribeiro, A. R., Silva, Z., Barros, R. A. de C. and Silva, D. C. de O. 2005. Origem do plexo braquial do macaco *Cebus apella*. *Brazilian J. Vet. Res. Anim. Sci.* 42(2): 143–149.
- Rocha-Mendes, F., Mikich, S. B., Bianconi, G. V. and Pedro, W. A. 2005. Mamíferos do município de Fenix, Paraná, Brasil: Etnozootologia e conservação. *Rev. Brasil. Zool.* 22(4): 991–1002.
- Rosengart, C. R. and Fragaszy, D. M. 2005. Experience and materials affect combinatorial construction in tufted capuchin monkeys (*Cebus apella*). *J. Comp. Psych.* 119(2): 166–178.
- Rylands, A. B., Kierulff, M. C. M. and Mittermeier, R. A. 2005. Notes on the taxonomy and distributions of the tufted capuchin monkeys (*Cebus*, Cebidae) of South America. *Lundiana* 6(Suppl.): 97–110.
- Saito, A., Kawamura, S., Mikami, A., Ueno, Y., Hiramatsu, C., Koida, K., Fujita, K., Kuroshima, H. and Hasegawa, T. 2005. Demonstration of a genotype-phenotype correlation in the polymorphic color vision of a non-callitrichine new world monkey, capuchin (*Cebus apella*). *Am. J. Primatol.* 67(4): 471–485.
- Saito, A., Mikami, A., Kawamura, S., Ueno, Y., Hiramatsu, C., Widayati, K. A., Suryobroto, B., Teramoto, M., Mori, Y., Nagano, K., Fujita, K., Kuroshima, H. and Hasegawa, T. 2005. Advantage of dichromats over trichromats in discrimination of color-camouflaged stimuli in nonhuman primates. *Am. J. Primatol.* 67(4): 425–436.
- Santos, S. N. dos, Reis, J. W. L. dos, Silva-Filho, M. da, Kremers, J. and Silveira, L. C. L. 2005. Horizontal cell morphology in nocturnal and diurnal primates: A comparison between owl-monkey (*Aotus*) and capuchin monkey (*Cebus*). *Visual Neurosci.* 22(4): 405–415.
- Silva, R. A. da and Ferreira, J. R. 2003. Estudo anatômico das artérias cerebelares inferiores rostrais do macaco prego (*Cebus apella*, Linnaeus 1766. Primates – Cebidae). *Publicações Avulsas do Instituto Pau Brasil de Historia Natural* 7: 15–23.
- Soares, J. G. M., Pereira, A. C. C. N., Botelho, E. P., Pereira, S. S., Fiorani, M. and Gattas, R. 2005. Differential expression of Zif268 and c-fos in the primary visual cortex and lateral geniculate nucleus of normal *Cebus* monkeys and after monocular lesions. *J. Comp. Neurol.* 482(2): 166–175.
- Spinozzi, G., de Lillo, C. and Castelli, S. 2004. Detection of grouped and ungrouped parts in visual patterns by tufted capuchin monkeys (*Cebus apella*) and humans (*Homo sapiens*). *J. Comp. Psych.* 118(3): 297–308.
- Visalberghi, E., Fragaszy, D. M., Izar, P. and Ottoni, E. B. 2005. Terrestriality and tool use. *Science* 308(5724): 951.
- Vogel, E. R. 2005. Rank differences in energy intake rates in white-faced capuchin monkeys, *Cebus capucinus*: The effects of contest competition. *Behav. Ecol. Sociobiol.* 58(4): 333–344.
- Wright, B. W. 2005. Craniodental biomechanics and dietary toughness in the genus *Cebus*. *J. Hum. Evol.* 48(5): 473–492.
- Young, J. W. 2005. Ontogeny of muscle mechanical advantage in capuchin monkeys (*Cebus albifrons* and *Cebus apella*). *J. Zool., Lond.* 267(4): 351–362.
- Chiropotes*
- Walker, S. E. 2005. Leaping behavior of *Pithecia pithecia* and *Chiropotes satanas* in eastern Venezuela. *Am. J. Primatol.* 66(4): 369–387.
- Lagothrix*
- Stevenson, P. R., Pineda, M. and Samper, T. 2005. Influence of seed size on dispersal patterns of woolly monkeys (*Lagothrix lagothricha*) at Tinigua Park, Colombia. *Oikos* 110(3): 435–440.
- Leontopithecus*
- Notcher, R., Pilon, S., Singer, T. and Whiteley, A. 2004. Striving for successful births in a young pair of golden lion tamarins (*Leontopithecus* [sic] *rosalia*). *Proc. National Conference Am. Assoc. Zoo Keepers Inc.* 30: 133–137.
- Perez-Sweeney, B. M., Valladares-Pádua, C., Burrell, A. S., Di Fiore, A., Satkoski, J., Van Coeverden de Groot, P. J., Boag, P. T. and Melnick, D. J. 2005. Dinucleotide microsatellite primers designed for a critically endangered primate, the black lion tamarin (*Leontopithecus chrysopygus*). *Molec. Ecol. Notes* 5(2): 198–201.
- Pessoa, D. M. A., Perini, E. S., Carvalho, L. S., Tomaz, C. and Pessoa, V. F. 2005. Color vision in *Leontopithecus chrysomelas*: A behavioral study. *Int. J. Primatol.* 26(1): 147–158.
- Pessoa, D. M. A., Tomaz, C. and Pessoa, V. F. 2005. Color vision in marmosets and tamarins: Behavioral evidence. *Am. J. Primatol.* 67(4): 487–495.
- Robson, S. L. and Keefe, E. R. 2005. A pilot study on allocare in golden lion tamarins (*Leontopithecus rosalia*). *Proc. National Conference Am. Assoc. Zoo Keepers Inc.* 31: 139–144.
- Vega, I. 2004. Titi leon dorado: La esencia de Brasil. *Quercus* 223: 56–60.
- Saimiri*
- Pantucek, R., Sedlacek, I., Petras, P., Koukalova, D., Svec, P., Stetina, V., Vancanneyt, M., Chrastinova, L.,

- Vokurkova, J., Ruzickova, V., Doskar, J., Swings, J. and Hajek, V. 2005. *Staphylococcus simiae* sp. nov., isolated from South American squirrel monkeys. *Int. J. Systematic Evol. Microbiol.* 55(5): 1953–1958.
- Rozzi, F. V. R., Gonzalez-Jose, R. and Pucciarelli, H. M. 2005. Cranial growth in normal and low-protein-fed *Saimiri*. An environmental heterochrony. *J. Hum. Evol.* 49(4): 515–535.
- Ziccardi, M., Oliveira, R. L. de, Alves, M. C. and Cruz, M. de F. F. da. 2005. *Trypanosoma saimirii* Rodhain, a junior synonym of *Trypanosoma rangeli* Tejera. *J. Parasitol.* 91(3): 653–656.
- Saguinus*
- Miller, C. T., Iguina, C. G. and Hauser, M. D. 2005. Processing vocal signals for recognition during antiphonal calling in tamarins. *Anim. Behav.* 69(6): 1387–1398.
- Olsson, A. Y., Valtonen-Andrea, C., Lilja, H. and Lundwall, A. 2004. The evolution of the glandular kallikrein locus: Identification of orthologs and pseudogenes in the cotton-top tamarin. *Gene (Amsterdam)* 343(2): 347–355.
- Sanchez, S., Pelaez, F., Morcillo, A. and Gil-Buermann, C. 2005. Effect of the enclosure on carriers' body weight loss in the cotton-top tamarin (*Saguinus oedipus*). *Am. J. Primatol.* 66(3): 279–284.
- Santos, L. R., Rosati, A., Sproul, C., Spaulding, B. and Hauser, M. D. 2005. Means-means-end tool choice in cotton-top tamarins (*Saguinus oedipus*): Finding the limits on primates' knowledge of tools. *Anim. Cognition* 8(4): 236–246.
- SurrIDGE, A. K., Suarez, S. S., Buchanan-Smith, H. M. and Mundy, N. I. 2005. Non-random association of opsin alleles in wild groups of red-bellied tamarins (*Saguinus labiatus*) and maintenance of the colour vision polymorphism. *Biology Letters* 1(4): 465–468.
- SurrIDGE, A. K., Suarez, S. S., Buchanan-Smith, H. M., Smith, A. C. and Mundy, N. I. 2005. Color vision pigment frequencies in wild tamarins (*Saguinus* spp.). *Am. J. Primatol.* 67(4): 463–470.
- Tincoff, R., Hauser, M., Tsao, F., Spaepen, G., Ramus, F. and Mehler, J. 2005. The role of speech rhythm in language discrimination: Further tests with a non-human primate. *Developmental Science* 8(1): 26–35.
- General*
- Jones, A. L. 2005. The evolution of brachiation in atelines: A phylogenetic comparative study. *Diss. Abst. Int.* A65(9): 3446.
- Marroig, G. and Cheverud, J. M. 2005. Size as a line of least evolutionary resistance: Diet and adaptive morphological radiation in New World monkeys. *Evolution* 59(5): 1128–1142.
- Martin R. D., Genoud, M. and Hemelrijk, C. K. 2005. Problems of allometric scaling analysis: Examples from mammalian reproductive biology. *J. Exp. Biol.* 208(9): 1731–1747.
- Nishimura, T. D., Takai, M., Tsubamoto, T., Egi, N. and Shigehara, N. 2005. Variation in maxillary sinus anatomy among platyrrhine monkeys. *J. Hum. Evol.* 49(3): 370–389.
- Osorio, D., Smith, A. C., Vorobyev, M. and Buchanan-Smith, H. M. 2004. Detection of fruit and the selection of primate visual pigments for color vision. *Am. Nat.* 164(6): 696–708.
- Pessoa, D. M. A., Tomaz, C. and Pessoa, V. F. 2005. Color vision in marmosets and tamarins: Behavioral evidence. *Am. J. Primatol.* 67(4): 487–495.
- São Bernardo, C. S. and Galetti, M. 2004. Densidade e tamanho populacional de primatas em un fragmento florestal no sudeste do Brasil. *Rev. Brasil. Zool.* 21(4): 827–832.
- Schneider, I., Schneider, H., Schneider, M. P. and Silva, A. 2004. The prion protein and New World primate phylogeny. *Genetics and Molecular Biology* 27(4): 505–510.
- Smith, T. D., Rossie, J. B., Cooper, G. M., Mooney, M. P. and Siegel, M. I. 2005. Secondary pneumatization of the maxillary sinus in callitrichid primates: Insights from immunohistochemistry and bone cell distribution. *Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology* 285A(2): 677–689.
- Smith, T. E., McCallister, J. M., Gordon, S. J. and Whittaker, M. 2004. Quantitative data on training New World primates to urinate. *Am. J. Primatol.* 64(1): 83–93.
- Stevens, J. F., Rosati, A. G., Ross, K. R. and Hauser, M. D. 2005. Will travel for food: Spatial discounting in two New World monkeys. *Current Biol.* 15(20): 1855–1860.
- Stoner, K. E., Riba-Hernandez, P. and Lucas, P. W. 2005. Comparative use of color vision for frugivory by sympatric species of platyrrhines. *Am. J. Primatol.* 67(4): 399–409.
- Tantalean, M., Sanchez, L., Gomez, L. and Huiza, A. 2005. Acantocéfalos del Peru. *Revista Peruana de Biología* 12(1): 83–92.
- Wallis, O. C., Mac-Kwashie, A. O., Makri, G. and Wallis, M. 2005. Molecular evolution of prolactin in primates. *J. Molec. Evol.* 60(5): 606–614.
- Yamashita, N., Stoner, K. E., Riba-Hernandez, P., Dominy, N. J. and Lucas, P. W. 2005. Light levels used during feeding by primate species with different color vision phenotypes. *Behav. Ecol. Sociobiol.* 58(6): 618–629.
- Zaldivar, M. E., Rocha, O., Glander, K. E., Aguilar, G., Huertas, A. S., Sanchez, R. and Wong, G. 2004. Distribution, ecology, life history, genetic variation, and risk of extinction of nonhuman Primates from Costa Rica. *Rev. Bio. Trop.* 52(3): 679–693.
- Ziegler, T. E. and Wittwer, D. J. 2005. Fecal steroid research in the field and laboratory: Improved methods for storage, transport, processing, and analysis. *Am. J. Primatol.* 67(1): 159–174.
- Chapters*
- Trent, A. M., Thompson, R. and Farnsworth, R. 2004. Serum concentrations of intact parathormone and

ionized calcium in vitamin D deficient emperor tamarins (*Saguinus imperator*): Response to environmental modifications. In: *Proceedings: American Association of Zoo Veterinarians, American Association of Wildlife Veterinarians, Wildlife Disease Association: Health and Conservation of Captive and Free-Ranging Wildlife. Joint Conference, San Diego, California. August 28 – September 3, 2004*, C. K. Baer (ed.), pp.277–278. American Association of Zoo Veterinarians, Place of publication not given.