

Key Names Published in Volume 77 (2020)

Source: The Bulletin of Zoological Nomenclature, 77(1) : 161-166

Published By: International Commission on Zoological Nomenclature

URL: <https://doi.org/10.21805/bzn.v77.a054>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Key Names Published in Volume 77 (2020)

| | Page |
|---|--------|
| <i>abbreviatus</i> , <i>Cerambyx</i> , Fabricius, 1801 (Coleoptera) | 49 |
| <i>abdominalis</i> , <i>Bopyrus</i> , Krøyer, 1840 (Malacostraca) | 124 |
| <i>Abra</i> Lamarck, 1818 (Bivalvia) | 106 |
| <i>acuminatus</i> , <i>Chomatodus</i> , Agassiz, 1838 (Chondrichthyes) | 41 |
| <i>acuminatus</i> , <i>Petalodus</i> , (Agassiz, 1838) (Chondrichthyes) | 41 |
| <i>agathina</i> , <i>Mylothris</i> , Cramer, 1779 (Lepidoptera) | 156 |
| <i>alpinus</i> , <i>Geophilus</i> , Meinert, 1870 (Chilopoda) | 55 |
| <i>Anisoceras</i> Grube & Ørsted in Grube, 1857 (Annelida) | 106 |
| <i>Anisoscelis</i> Berthold, 1827 (Hemiptera) | 76 |
| <i>Anisus</i> Studer, 1820 (Gastropoda) | 127 |
| <i>anthracinus</i> , <i>Onthophagus</i> , Faldermann, 1835 (Coleoptera) | 79, 81 |
| <i>anthracinus</i> , <i>Onthophagus</i> , Harold, 1873 (Coleoptera) | 79, 81 |
| <i>aquilunguis</i> , <i>Dryptosaurus</i> , (Cope, 1877) (Dinosauria) | 29 |
| <i>ariadne</i> , <i>Doritis</i> , Lederer, 1853 (Lepidoptera) | 86 |
| <i>ariadne</i> , <i>Parnassius</i> , (Lederer, 1853) (Lepidoptera) | 86 |
| <i>asperatus</i> , <i>Bostrichus</i> , Gyllanhal, 1813 (Coleoptera) | 113 |
| <i>asperatus</i> , <i>Cryphalus</i> , (Gyllanhal, 1813) (Coleoptera) | 113 |
| <i>atlantica</i> , <i>Cuvierina</i> , Bé, MacClintock & Currie, 1972 (Gastropoda) | 156 |
| <i>atra</i> , <i>Dasypeltis scabra</i> Sternfeld, 1912 (Reptilia) | 145 |
| <i>australianus</i> , <i>Phrynus</i> , L. Koch, 1867 (Amblypygi) | 64 |
| | |
| <i>beauharnaesii</i> , <i>Pteroglossus</i> , Wagler, 1831 (Aves) | 70 |
| <i>beauharnaisi</i> , <i>Pteroglossus</i> , Wagler, 1831 (Aves) | 71 |
| <i>beauharnaisii</i> , <i>Pteroglossus</i> , Wagler, 1831 (Aves) | 70 |
| <i>beauharnasii</i> , <i>Pteroglossus</i> , Wagler, 1831 (Aves) | 71 |
| <i>bonensis</i> , <i>Geophilus</i> , Meinert, 1870 (Chilopoda) | 59 |
| <i>bonensis</i> , <i>Gnathoribautia</i> , (Meinert, 1870) (Chilopoda) | 59 |
| <i>bottae</i> , <i>Tortrix</i> , Blainville, 1835 (Reptilia) | 63 |
| <i>brevis</i> , <i>Coloradia</i> , Bonaparte, 1978 (Dinosauria) | 154 |
| <i>bursella</i> , <i>Nebela</i> , Taranek, 1881 (Arcellinida) | 22, 25 |
| | |
| <i>Caccobius</i> Thomson, 1859 (Coleoptera) | 79 |
| <i>Caesira</i> Fleming, 1822 (Ascidacea) | 78 |
| <i>californicus</i> , <i>Neoseiulus</i> , (McGregor, 1954) (Acari) | 46 |
| <i>californicus</i> , <i>Typhlodromus</i> , McGregor, 1954 (Acari) | 46 |
| <i>Caucasila</i> Harris, Arnold & Thomas, 1998 (Reptilia) | 135 |
| <i>Charina</i> Gray, 1849 (Reptilia) | 63 |
| <i>CHARINAIDAE</i> Gray, 1849 (Reptilia) | 63 |
| <i>CHARINIDAE</i> Gray, 1849 (Reptilia) | 63 |
| <i>CHARINIDAE</i> Quintero, 1986 (Amblypygi) | 63 |
| <i>Charinus</i> Simon in Raffray, Bolivar & Simon, 1892 (Amblypygi) | 63 |
| <i>cheesmaniae</i> , <i>Nyctimystes</i> , Tyler, 1964 (Amphibia) | 47 |

| | Page |
|---|-----------|
| <i>cheesmani</i> , <i>Nyctimystes</i> , Tyler, 1964 (Amphibia) | 47 |
| <i>chlorocyanus</i> , <i>Anolis</i> , Duméril & Bibron, 1837 (Reptilia) | 52 |
| <i>chlorostigma</i> , <i>Monitor</i> , Gray, 1831 (Reptilia) | 57 |
| <i>chlorostigma</i> , <i>Varanus</i> , (Gray, 1831) (Reptilia) | 57 |
| <i>ciliaris</i> , <i>Cicada</i> , Linnaeus, 1758 (Hemiptera) | 147 |
| <i>cinerea</i> , <i>Didelphis</i> , Temminck, 1824 (Mammalia) | 132 |
| <i>clarius</i> , <i>Doritis</i> , Eversmann, 1843 (Lepidoptera) | 87 |
| <i>coelestinus</i> , <i>Anolis</i> , Cope, 1862 (Reptilia) | 52 |
| <i>Coloradia</i> Blake, 1863 (Lepidoptera) | 154 |
| <i>Coloradia</i> Bonaparte, 1978 (Dinosauria) | 154 |
| <i>Coloradisaurus</i> Bonaparte in Lambert, 1983 (Dinosauria) | 78, 112 |
| <i>Coloradisaurus</i> Galton, 1990 (Dinosauria) | 153 |
| <i>Coloradisaurus</i> Lambert, 1983 (Dinosauria) | 153 |
| <i>colorado</i> , <i>Pamphila</i> , Scudder, 1874 (Lepidoptera) | 37 |
| <i>colorado</i> , <i>Hesperia</i> , (Scudder, 1874) (Lepidoptera) | 37 |
| <i>columnella</i> , <i>Cuvierina</i> , (Rang, 1827) (Gastropoda) | 156 |
| <i>comma</i> , <i>Hesperia</i> , (Linnaeus, 1758) (Lepidoptera) | 35, 36 |
| <i>continentalis</i> , <i>Ungaliophis</i> , F. Müller, 1880 (Reptilia) | 64 |
| <i>corybas</i> , <i>Parnassius</i> , Fischer von Waldheim, 1823 (Lepidoptera) | 86 |
| <i>cricetus</i> , <i>Geotrupes</i> , Hausmann, 1807 (Coleoptera) | 101 |
| <i>Ctenarytaina</i> Ferris & Klyver, 1932 (Hemiptera) | 113 |
| <i>Cystingia</i> MacLeay, 1825 (Ascidaceae) | 78 |
| | |
| <i>Darevskia</i> Arribas, 1997 (Reptilia) | 135 |
| <i>Darevskia</i> Arribas, 1999 (Reptilia) | 135 |
| <i>Deinodon</i> Leidy, 1856 (Dinosauria) | 29, 31 |
| <i>DEINODONTIDAE</i> Cope, 1866 (Dinosauria) | 29, 31 |
| <i>DEINODONTOIDEA</i> Cope, 1866 (Dinosauria) | 29 |
| <i>Dorvillea</i> Leach, 1852 (Bivalvia) | 105 |
| <i>Dorvillea</i> Parfitt, 1866 (Annelida) | 105 |
| <i>DORVILLEIDAE</i> Chamberlin, 1919 (Annelida) | 105 |
| <i>DRYPTOSAURIDAE</i> Marsh, 1890 (Dinosauria) | 29, 31 |
| <i>DRYPTOSAUROIDEA</i> Marsh, 1890 (Dinosauria) | 29 |
| <i>Dryptosaurus</i> Marsh, 1877 (Dinosauria) | 29, 31 |
| | |
| <i>ERYNNIDAE</i> Hampson, 1918 (Lepidoptera) | 142 |
| <i>ERYNNIDI</i> Tutt, 1906 (Lepidoptera) | 142 |
| <i>ERYNNINAE</i> Brues & Melander, 1932 (Lepidoptera) | 142 |
| <i>ERYNNINAE</i> Swinhoe, 1913 (Lepidoptera) | 142 |
| <i>Erynnis</i> Schrank, 1801 (Lepidoptera) | 142 |
| <i>Euchromia</i> Hübner, 1816 (Lepidoptera) | 83, 84 |
| <i>EUCHROMIINAE</i> Butler, 1876 (Lepidoptera) | 2, 83, 84 |
| <i>EUCHROMIINI</i> Léger, Landry & Nuss, 2019 (Lepidoptera) | 2, 83, 84 |
| <i>EUCHROMIUSINI</i> Léger, Landry & Nuss, 2019 (Lepidoptera) | 83, 84 |
| <i>Euchromius</i> Guenée, 1845 (Lepidoptera) | 83, 84 |

| | Page |
|---|---------------|
| <i>Eurhinocola</i> Crawford, 1912 (Hemiptera) | 113 |
| <i>febrilis</i> , <i>Dilophus</i> , (Linnaeus, 1758) (Diptera) | 12 |
| <i>febrilis</i> , <i>Tipula</i> , Linnaeus, 1758 (Diptera) | 12, 19 |
| <i>foliaceus</i> , <i>Lygaeus</i> , Fabricius, 1803 (Hemiptera) | 76 |
| <i>gazella</i> , <i>Digitonthophagus</i> , (Fabricius, 1787) (Coleoptera) | 95 |
| <i>gazella</i> , <i>Onthophagus</i> , (Fabricius, 1787) (Coleoptera) | 95 |
| <i>gazella</i> , <i>Scarabaeus</i> , Fabricius, 1787 (Coleoptera) | 95 |
| <i>geyeri</i> , <i>Trochoidea</i> , (Soos, 1926) (Gastropoda) | 156 |
| <i>geyeri</i> , <i>Xerophila</i> , Soos, 1926 (Gastropoda) | 156 |
| <i>grammaticus</i> , <i>Stenoderus</i> , Newman, 1840 (Coleoptera) | 49 |
| <i>Halitherium</i> Kaup, 1838 (Mammalia) | 113 |
| <i>Hamza</i> Distant, 1904 (Hemiptera) | 147 |
| <i>HAMZINI</i> Distant, 1905 (Hemiptera) | 148 |
| <i>hastingsii</i> , <i>Petalodus</i> , Owen, 1840 (Chondrichthyes) | 41 |
| <i>HEMIARTHRIDAE</i> Sirenko, 1997 (Polyplacophora) | 2, 124, 125 |
| <i>HEMIARTHIRINAE</i> Markham, 1972 (Malacostraca) | 2, 124, 125 |
| <i>Hemiarthrum</i> Carpenter in Dall, 1876 (Polyplacophora) | 124, 125 |
| <i>HEMIARTHUMIRIDAE</i> Sirenko, 1997 (Polyplacophora) | 2, 124, 125 |
| <i>Hemiarthrus</i> Giard & Bonnier, 1887 (Malacostraca) | 124, 125 |
| <i>Heteronychus</i> Dejean, 1833 (Coleoptera) | 101 |
| <i>histeroides</i> , <i>Onthophagus</i> , Ménétriés, 1832 (Coleoptera) | |
| <i>horridus</i> , <i>Deinodon</i> Leidy, 1856 (Dinosauria) | 29 |
| <i>hungaricus</i> , <i>Garypus</i> , Tömösváry, 1882 (Pseudoscorpiones) | 138 |
| <i>Iberolacerta</i> Arribas, 1997 (Reptilia) | 135 |
| <i>Iberolacerta</i> Arribas, 1999 (Reptilia) | 135 |
| <i>impressus</i> , <i>Geophilus</i> , C.L. Koch, 1847 (Chilopoda) | 55 |
| <i>indicus</i> , <i>Tupinambis</i> , Daudin, 1802 (Reptilia) | 57 |
| <i>indicus</i> , <i>Varanus</i> , (Daudin, 1802) (Reptilia) | 57 |
| <i>isthmica</i> , <i>Marmosa</i> , Goldman 1912 (Mammalia) | 113, 131, 133 |
| <i>lapparenti</i> , <i>Cristatusaurus</i> , Taquet & Russell, 1998 (Dinosauria) | 78 |
| <i>lata</i> , <i>Larca</i> , (Hansen, 1884) (Pseudoscorpiones) | 138 |
| <i>latus</i> , <i>Garypus</i> , Hansen, 1884 (Pseudoscorpiones) | 138 |
| <i>leucorhinus</i> , <i>Artamus</i> , Parker, 1875 (Aves) | 68 |
| <i>leucorhynchos</i> , <i>Lanius</i> , J.F. Gmelin, (1788) (Aves) | 67 |
| <i>leucorhyncos</i> , <i>Artamus</i> , Vieillot, 1817 (Aves) | 67 |
| <i>leucorhynchus</i> , <i>Artamus</i> , G.R. Gray, 1840 (Aves) | 67 |
| <i>leucorhynus</i> , <i>Artamus</i> , Tweeddale, 1877 (Aves) | 68 |
| <i>leucorinus</i> P.L.S. Müller, 1776 (Aves) | 67 |
| <i>leucorrhynchus</i> var. <i>celebensis</i> , <i>Artamus</i> , Brüggemann, 1876 (Aves) | 68 |
| <i>leucoryn</i> . <i>Lanius</i> , Linnaeus, 1771 (Aves) | 66, 103 |

| | Page |
|--|----------|
| <i>leucorynchos</i> , <i>Lanius</i> , Boddaert, 1783 (Aves) | 67 |
| <i>leucorynchus</i> , <i>Artamus</i> , (Linnaeus, 1771) (Aves) | 66 |
| <i>leucorynchus</i> , <i>Lanius</i> , Linnaeus, 1771 (Aves) | 66, 103 |
| <i>leucoryncos</i> , <i>Lanius</i> , Latham, 1781 (Aves). | 67 |
| <i>leucorynus</i> , <i>Artamus</i> , Walden, 1875 (Aves) | 67 |
| <i>lineolata</i> , <i>Dasypeltis</i> Peters, 1878 (Reptilia) | 145 |
| <i>lobata</i> , <i>Dorvillea</i> , Parfitt, 1866 (Annelida). | 105 |
| | |
| <i>marci</i> , <i>Bibio</i> , (Linnaeus, 1758) (Diptera) | 12 |
| <i>marci</i> , <i>Tipula</i> , Linnaeus, 1758 (Diptera). | 12, 19 |
| MARGARITESIDAE Thiele, 1924 (Gastropoda) | 113 |
| MARGARITIDAE Blainville, 1824 (Bivalvia) | 113 |
| MARGARITIDAE Thiele, 1924 (Gastropoda) | 113 |
| <i>Marmosa</i> Gray, 1821 (Mammalia) | 131 |
| <i>mascarenus</i> , <i>Psittacus</i> , Finsch, 1868 (Aves) | 67 |
| <i>mascarin.</i> , <i>Psittacus</i> , Linnaeus, 1771 (Aves) | 66, 103 |
| <i>mascarinus</i> , <i>Mascarinus</i> , (Linnaeus, 1771) (Aves) | 66 |
| <i>mascarinus</i> , <i>Psittacus</i> , Linnaeus, 1771 (Aves) | 66 |
| <i>mexicanus</i> , <i>Paraphrynum</i> , (Bilimek, 1867) (Amblypygi) | 61 |
| <i>mexicanus</i> , <i>Phrynum</i> , Bilimek, 1867 (Amblypygi) | 61 |
| <i>mexicanus</i> , <i>Phrynum</i> , Poinar & Brown, 2004 (Amblypygi) | 61 |
| <i>Micoureus</i> Lesson, 1842 (Mammalia) | 132 |
| <i>militaris</i> , <i>Nebela</i> , Penard, 1890 (Arcellinida) | 22, 25 |
| <i>minuta</i> , <i>Magelona</i> , Eliason, 1962 (Annelida) | 115, 117 |
| <i>minuta</i> , <i>Magelona filiformis</i> , Wilson, 1959 (Annelida) | 115, 117 |
| MECYNOSTOMATIDAE Kukalová, 1969 (Paleodictyoptera) | 2 |
| MECYNOSTOMATIDAE Lameere, 1917 (Paleodictyoptera) | 2 |
| <i>Molgula</i> Forbes, 1848 (Ascidae) | 78 |
| <i>monticola</i> , <i>Lacerta muralis</i> , Boulenger, 1905 (Reptilia) | 135 |
| <i>motmot</i> , <i>Phasianus</i> , Linnaeus, 1766 (Aves) | 92 |
| <i>muscarina</i> , <i>Coracopsis</i> G.R. Gray, 1846 (Aves). | 67 |
| | |
| <i>oropleta</i> , <i>Hesperia comma</i> , Scott, 1981 (Lepidoptera) | 37 |
| ORTALIDAE Fallén, 1810 (Diptera) | 92 |
| ORTALIDAINI Donegan, 2012 (Aves) | 92 |
| ORTALIDIADA Fallén, 1810 (Diptera) | 92 |
| ORTALIDINI Donegan, 2012 (Aves) | 92 |
| <i>Ortalidis</i> Fallén, 1810 (Diptera) | 92 |
| <i>Ortalidis</i> Merrem, 1786 (Aves) | 92 |
| ORTALISINI Acloque, 1897 (Diptera) | 92 |
| ORTALISINI David, 2014 (Aves) | 92 |
| | |
| <i>palustris</i> , <i>Geophilus</i> , C.L. Koch, 1863 (Chilopoda) | 55 |
| <i>Palythoa</i> Lamouroux, 1816(Anthozoa) | 97 |
| PALYTHOIDAE Duchassaing de Fombressin & Michelotti, 1860 (Anthozoa) | 97 |

| | Page |
|--|---------------|
| <i>pedroanum</i> , <i>Dinodontosaurus</i> , Tupi-Caldas, 1936 (Synapsida) | 76 |
| <i>pentelici</i> , <i>Choerolophodon</i> , (Gaudry, 1862) (Mammalia) | 76 |
| <i>pentelici</i> , <i>Mastodon</i> , Gaudry, 1862 (Mammalia) | 76 |
| <i>pentelicus</i> , <i>Mastodon</i> , Gaudry & Lartet, 1856 (Mammalia) | 76 |
| <i>phoebus</i> , <i>Papilio</i> , Fabricius, 1793 (Lepidoptera) | 86 |
| <i>phoebus</i> , <i>Parnassius</i> , (Fabricius, 1793) (Lepidoptera) | 86 |
| <i>Platypleuria</i> Amyot & Audinet-Serville, 1843 (Hemiptera) | 147 |
| PLATYPLEURINI Schmidt, 1918 (Hemiptera) | 147 |
| <i>plicaria</i> , <i>Helix</i> , Lamarck, 1816 (Gastropoda) | 114 |
| <i>plicaria</i> , <i>Hemicycla</i> , (Lamarck, 1816) (Gastropoda) | 114 |
| <i>pomone</i> , <i>Bibio</i> , (Fabricius, 1775) (Diptera) | 14 |
| <i>prasina</i> , <i>Boana</i> , (Burmeister, 1856) (Amphibia) | 113 |
| <i>prasina</i> , <i>Hyla</i> , Burmeister, 1856 (Amphibia) | 113 |
| <i>precedens</i> , <i>Allodaposuchus</i> Nopcsa, 1928 (Crocodyliformes) | 99 |
| <i>Prionognathus</i> Keferstein, 1862 (Annelida) | 106 |
| <i>Procheneosaurus</i> Matthew, 1920 (Dinosauria) | 76 |
| <i>Propappus</i> Michaelsen, 1905 (Annelida) | 78 |
| <i>Propappus</i> Seeley, 1888 (Reptilia) | 78 |
| <i>punctiventris</i> , <i>Necrophloeophagus</i> , Newport, 1844 (Chilopoda) | 59 |
| | |
| <i>quoyi</i> , <i>Hyla</i> , Bory de Saint-Vincent, 1828 (Amphibia) | 113 |
| | |
| <i>regina</i> , <i>Marmosa</i> , Thomas, 1898 (Mammalia) | 113, 131, 133 |
| RIPIPHORIDAE Laporte, 1840 (Coleoptera) | 140 |
| <i>Ripiphorus</i> Bosc, 1791 (Coleoptera) | 140 |
| <i>rotundatus</i> , <i>Charopus</i> , Erichson, 1840 (Coleoptera) | 114 |
| <i>rubrovittatus</i> , <i>Staurocephalus</i> , Grube, 1855 (Annelida) | 105 |
| | |
| <i>saltuarius</i> , <i>Cryphalus</i> , Weise, 1891 (Coleoptera) | 113 |
| <i>saxicola</i> , <i>Lacerta</i> , Eversmann, 1834 (Reptilia) | 135 |
| <i>schinzii</i> , <i>Halitherium</i> , (Kaup, 1838) (Mammalia) | 113 |
| <i>setulosum</i> , <i>Hemiarthrum</i> , Carpenter in Dall, 1876 (Polyplacophora) | 124 |
| <i>sexpunctata</i> , <i>Stenodera</i> , Eschscholtz, 1818 (Coleoptera) | 49 |
| SPHENOPIDAE Hertwig, 1882 (Anthozoa) | 97 |
| <i>Sphenopus</i> Steenstrup, 1856 (Anthozoa) | 97 |
| <i>spirorbis</i> , <i>Anisus</i> , (Linnaeus, 1758) (Gastropoda) | 127 |
| <i>spirorbis</i> , <i>Helix</i> , Deshayes, 1850 (Gastropoda) | 78, 127, 128 |
| <i>spirorbis</i> , <i>Helix</i> , Linnaeus, 1758 (Gastropoda) | 78, 127, 128 |
| <i>spirorbis</i> , <i>Scolodonta</i> , (Deshayes, 1850) (Gastropoda) | 78, 127 |
| <i>spoeli</i> , <i>Cuvierina</i> , Rampal, 2002 (Gastropoda) | 156 |
| STAUROCEPHALIDAE Kinberg, 1865 (Annelida) | 106 |
| <i>Staurocephalus</i> Barrande, 1846 (Trilobita) | 105 |
| <i>Staurocephalus</i> Grube, 1855 (Annelida) | 105 |
| STAURONEREIDIDAE Verrill (1900) | 106 |
| <i>Stauronereis</i> Verrill, 1900 (Annelida) | 106 |

| | Page |
|--|--------|
| STENOCORIDAE Lambert, 1920 (Echinodermata) | 150 |
| <i>Stenocorys</i> Lambert & Thiéry in Lambert, 1917 (Echinodermata) | 150 |
| <i>Stenodera</i> Eschscholtz, 1818 (Coleoptera) | 49 |
| STENODERINAE Pascoe, 1867 (Coleoptera) | 49 |
| STENODERINI Selander, 1991 (Coleoptera) | 50 |
| <i>Stenoderus</i> Dejean, 1821 (Coleoptera) | 49 |
| STENODERUSINAES Pascoe, 1867 (Coleoptera) | 50 |
| <i>Stenonaster</i> Lambert, 1922 (Echinodermata) | 150 |
| STENONASTERIDAE Lambert & Thiéry, 1924 (Echinodermata) | 150 |
| <i>stridula</i> , <i>Cicada</i> , Linnaeus, 1758 (Hemiptera) | 147 |
| <i>subdipterus</i> , <i>Ripiphorus</i> , Fabricius, 1792 (Coleoptera) | 140 |
| SYLLITINI Thomson, 1864 (Coleoptera) | 49 |
| <i>Syllitus</i> Pascoe, 1859 (Coleoptera) | 49 |
| <i>Sycon</i> Risso, 1827 (Porifera) | 114 |
| <i>Syphonotethis</i> Gervais, 1840 (Ascidacea) | 78 |
| | |
| <i>tanneri</i> , <i>Torvosaurus</i> , Galton & Jenson, 1979 (Dinosauria) | 112 |
| <i>tages</i> , <i>Papilio</i> , Linnaeus, 1758 (Lepidoptera) | 142 |
| <i>tenerensis</i> , <i>Suchomimus</i> , Sereno et al., 1998 (Dinosauria) | 78 |
| <i>Tetragonosaurus</i> Parks, 1931 (Dinosauria) | 76 |
| <i>tincta</i> , <i>Nebela</i> , (Leidy, 1879) (Arcellinida) | 24 |
| <i>Torvosaurus</i> Galton & Jenson, 1979 (Dinosauria) | 112 |
| <i>Trilobatus</i> Spezzaferri, Kucera, Pearson, Wade, Rappo, Poole, Morard & Stalder, 2015 (Foraminifera) | 114 |
| <i>Trilobigerina</i> Popescu, 1987 (Foraminifera) | 114 |
| <i>Trochoidea</i> Brown, 1827 (Gastropoda) | 156 |
| <i>tuberculatus</i> , <i>Ananchytes</i> , Defrance, 1816 (Echinodermata) | 150 |
| <i>turpior</i> , <i>Dicynodon</i> , Huene, 1935 (Synapsida) | 76 |
| TYRANOSAURIDAE Osborn, 1906 (Dinosauria) | 29, 31 |
| TYRANNSAUROIDEA Osborn, 1906 (Dinosauria) | 29 |
| <i>Tyrannosaurus</i> Osborn, 1905 (Dinosauria) | 29, 31 |
| | |
| UNGALIOPHEINAE McDowell, 1987 (Reptilia) | 63 |
| <i>Ungaliophis</i> Müller, 1880 (Reptilia) | 64 |
| UNGALIOPHIIDAE McDowell, 1987 (Reptilia) | 63 |
| UNGALIOPHIINAE McDowell, 1987 (Reptilia) | 63 |
| <i>ustulatus</i> , <i>Catharus</i> , (Nuttall, 1840) (Aves) | 156 |
| <i>ustulatus</i> , <i>Turdus</i> , Nuttall, 1840 (Aves) | 156 |
| | |
| <i>Xerocrassa</i> Monterosato, 1892 (Gastropoda) | 156 |