

A historical Australasian Shoveler *Spatula rhynchotis* specimen from southern South America

Authors: Aurélio Crozariol, Marco, and Nacinovic, Jorge Bruno

Source: Bulletin of the British Ornithologists' Club, 137(4) : 312-314

Published By: British Ornithologists' Club

URL: <https://doi.org/10.25226/bboc.v137i4.2017.a8>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

A historical Australasian Shoveler *Spatula rhynchotis* specimen from southern South America

Marco Aurélio Crozariol & Jorge Bruno Nacinovic

Received 6 December 2016; revised 19 September 2017; published 11 December 2017

<http://zoobank.org/urn:lsid:zoobank.org:pub:CE631534-9747-44EA-9357-8E345CB9FB36>

Australasian Shoveler *Spatula rhynchotis* is endemic to Australia and New Zealand (Johnsgard 1978, Delacour 1973, Sibley & Monroe 1990, Fullagar 2010). We present what appears to be the first record of the species away from Australasia, a specimen at the Museu Nacional, Rio de Janeiro, Brazil. The specimen is a male shoveler identified by us as a breeding-plumage drake *S. rhynchotis* (Fig. 1). Its catalogue number is MN 19034, and the specimen has been present at Museu Nacional since at least 1897 (Miranda-Ribeiro 1928). The original label reads '♂ *Anas platalea* / Iris = brun obscur / Rep-Arg. = Entre Rios' with '*Anas cayennensis*' written on a second, more recent, label (Fig. 2). The name '*Anas cayennensis*' seems to have been taken by Miranda-Ribeiro from Buffon, but has never been made available for any wildfowl species (Salvadori 1895). Measurements taken by us were: bill length 57 mm (from the base of the feathers to the tip of the culmen); bill width 29 mm (at the widest point); and wing length 235 mm (flattened, from the carpal joint to the tip of the longest primary).

Our identification of the specimen as a male Australasian Shoveler is based on depictions of *S. rhynchotis* in the literature (e.g. Merne 1974, Scott 1977, Madge & Burn 1988, Marchant & Higgins 1990, Kear 1991, Johnsgard 1992, Todd 1996, Ogilvie & Young 1998), as well as information provided by D. M. Teixeira, curator of birds at Museu Nacional, who checked the specimen against a series housed at the Natural History Museum, Tring, in February 1993.

The brown iris mentioned on the label is not typical of drake Australian Shoveler in this plumage, when it is usually yellow (Marchant & Higgins 1990: 1346). However, the same authors mentioned that a 'captive breeding male had brown (121B) iris', in reference to Smithe's (1975) colour guide.

The specimen's immaculate plumage, with its well-defined white crescentic face patches, solid bluish-green glossed head, long unclipped wings, and the absence of corneous callosities on the soles of its feet suggest a wild bird rather than an escapee or an imported bird. Referring to the early 20th century, Phillips (1986) stated that individuals of the species 'have never been imported into Europe or America'.

As to the possibility of the specimen being a hybrid involving any of Northern Shoveler *S. clypeata*, Blue-winged Teal *S. discors*, Cinnamon Teal *S. cyanoptera* and Red Shoveler *S. platalea* (see McCarthy 2006), we do not have any evidence to support such a hypothesis, which appears discountable based on the available literature (e.g. Childs 1952, Harrison & Harrison 1959, 1963, 1965, Bolen 1979, McCarthy 2006). The main hybrid pitfall is Northern Shoveler × Blue-winged Teal, which closely recalls Australasian Shoveler and can also show brown irides. However, the bold black crescent-shaped markings on the breast are more indicative of Australasian Shoveler (usually fainter in hybrids) and similar markings are also present on the flanks and belly (often more streak-like in hybrids), while bill shape is also closer to Australasian Shoveler (S. Reeber *in litt.* 2017).

As to its provenance, we have located specimens of various other species including Fulvous Whistling Duck *Dendrocygna bicolor* (MN 21796), Tropical Parula *Parula pitaiayumi*



Figure 1 (above). Specimen of breeding-plumaged male Australasian Shoveler *Anas rhynchos* in lateral, dorsal and ventral views, deposited at Museu Nacional (MN 19034), Rio de Janeiro, Brazil, and labelled as having been collected in Entre Ríos province, Argentina (Marco A. Crozariol)



Figure 2 (left). Specimen labels, showing the earlier erroneous identifications of 'Anas cayenn[ensis]' and 'Anas platalea'. The green label displays the specimen's catalogue number at Museu Nacional (MN 19034). (Marco A. Crozariol)

(MN 14492) and Saffron-cowled Blackbird *Xanthopsar flavus* (MN 15684) also collected in 'Entre Ríos', apparently around 1877, as some labels indicate, and all of them deposited at Museu Nacional by October 1897 (Miranda-Ribeiro 1928). Their labels are in the same handwriting as that attached to the Australasian Shoveler.

To our knowledge this is the first record of the species outside Australasia, rather than a hybrid with *A. clypeata* or any of the other above-mentioned species, and is potentially the first record for Argentina (Roesler & Táboas 2016) and South America (Remsen *et al.* 2017).

Acknowledgements

Two anonymous referees, plus Guy Kirwan and Dr Lorian C. Straker kindly reviewed our draft manuscript. Dr Dante Teixeira checked the identity of this specimen at the Natural History Museum, Tring. For information concerning hybrids, we thank Sébastien Reeber.

References:

- Bolen, E. G. 1979. Blue-winged × Cinnamon Teal hybrid from Oklahoma. *Wilson Bull.* 91: 367–370.
- Childs, H. E. 1952. Hybrid between a Shoveler and a Blue-winged Teal. *Condor* 54: 67–68.
- Delacour, J. 1973. *The waterfowl of the world*, vol. 2. Country Life, London.
- Fullagar, P. 2010. Australasian Shoveler *Anas rhynchotis*. Pp. 557–560 in Kear, J. (ed.) *Ducks, geese and swans*, vol. 2. Oxford Univ. Press.
- Harrison, J. M. & Harrison, J. G. 1959. Evolutionary significance of certain plumage sequences in Northern Shoveler. *Bull. Brit. Orn. Cl.* 79: 135–142.
- Harrison, J. M. & Harrison, J. G. 1963. Comments on a hybrid Red Shoveler × Northern Shoveler. *Bull. Brit. Orn. Cl.* 83: 21–25.
- Harrison, J. M. & Harrison, J. G. 1965. A Cinnamon Teal × Northern Shoveler hybrid. *Bull. Brit. Orn. Cl.* 85: 107–110.
- Johnsgard, P. A. 1978. *Ducks, geese and swans of the world*. Univ. of Nebraska Press, Lincoln.
- Johnsgard, P. A. 1992. *Ducks in the wild, conserving waterfowl and their habitats*. Prentice Hall, New York.
- Kear, J. 1991. *Ducks of the world*. Charles Letts & Co., London.
- Madge, S. & Burn, H. 1988. *Wildfowl: an identification guide to the ducks, geese and swans of the world*. Christopher Helm, Beckenham.
- Marchant, S. & Higgins, P. (eds.) 1990. *Handbook of Australian, New Zealand and Antarctic birds*, vol. 1. Oxford Univ. Press.
- McCarthy, E. M. 2006. *Handbook of avian hybrids of the world*. Oxford Univ. Press, New York.
- Merne, O. J. 1974. *Ducks, geese and swans*. St. Martin's Press, New York.
- Miranda-Ribeiro, A. 1928. Notas ornithológicas VI. Documentos para a história das collecções de aves do Museu Nacional do Rio de Janeiro. *Bol. Mus. Nac.* 4: 19–37.
- Ogilvie, M. & Young, S. 1998. *Photographic handbook of the wildfowl of the world*. New Holland, London.
- Phillips, J. C. 1986. *A natural history of the ducks*, vol. 3. Houghton Mifflin, Boston.
- Remsen, J. V., Areta, J. I., Cadena, C. D., Claramunt, S., Jaramillo, A., Pacheco, J. F., Pérez-Emán, J., Robbins, M. B., Stiles, F. G., Stotz, D. F. & Zimmer, K. J. 2017. A classification of the bird species of South America. www.museum.lsu.edu/~Remsen/SACCBaseline.htm
- Roesler, I. & Táboas, F. G. 2016. *Lista de las aves argentinas*. Aves Argentinas, Buenos Aires.
- Salvadori, T. 1895. *Catalogue of the birds in the British Museum*, vol. 27. Trustees of the Brit. Mus., London.
- Scott, P. 1977. *A coloured key to the wildfowl of the world*. Wildfowl Trust, Slimbridge.
- Sibley, C. G. & Monroe, B. L. 1990. *Distribution and taxonomy of birds of the world*. Yale Univ. Press, New Haven, CT & London.
- Smithe, F. B. 1975. *Naturalist's color guide*. Amer. Mus. Nat. Hist., New York.
- Todd, F. S. 1996. *Natural history of the waterfowl*. Ibis Publishing, Vista, CA & San Diego Nat. Hist. Mus.
- Address:* Setor de Ornitologia, Depto. de Vertebrados, Museu Nacional da Universidade Federal do Rio de Janeiro, Quinta da Boa Vista s/n, São Cristóvão, Rio de Janeiro, RJ 20940-040, Brazil, e-mail: marcocrozariol@gmail.com