

The correct name of the antpitta clade

Authors: Gaudin, Jimmy, Raty, Laurent, and Sangster, George

Source: Bulletin of the British Ornithologists' Club, 141(3) : 363-365

Published By: British Ornithologists' Club

URL: <https://doi.org/10.25226/bboc.v141i3.2021.a11>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

The correct name of the antpitta clade

by Jimmy Gaudin, Laurent Raty & George Sangster

Received 20 May 2021; revised 12 July 2021; published 10 September 2021

<http://zoobank.org/urn:lsid:zoobank.org:pub:46CA153B-0F19-4062-BA30-DFD6BE43C97E>

Antbirds, which currently constitute three families, were formerly placed in the single family Formicariidae (Wetmore 1930, Peters 1951, Morony *et al.* 1975), until Sibley & Ahlquist (1990) showed that typical antbirds (Thamnophilidae) and ground antbirds and antpittas (Formicariidae) are not sister groups. More recent phylogenetic analyses have further clarified relationships among antbirds, and have shown that the ground antbirds (*Formicarius*, *Chamaeza*) and antpittas form distinct clades that are also not sister taxa (Irestedt *et al.* 2002, Chesser 2004, Rice 2005a,b, Moyle *et al.* 2009, Harvey *et al.* 2020). The antpitta clade is well supported and comprises the genera *Grallaria*, *Grallaricula*, *Myrmothera*, *Hylopezus* and *Cryptopezus* (Rice 2005a,b, Moyle *et al.* 2009, Carneiro *et al.* 2019, Harvey *et al.* 2020).

Several recent works have used the family-group name Grallariidae for the antpitta clade (Irestedt *et al.* 2002, Moyle *et al.* 2009, Ohlson *et al.* 2013, Dickinson & Christidis 2014, Fjeldså *et al.* 2020). This name was introduced at subfamily rank by Sclater (1890) (not Sclater & Salvin 1873, as listed by Bock 1994). Bock (1994) correctly pointed out that because the genus name *Hypsibemon* Cabanis, 1847, was synonymised with *Grallaria* Vieillot, 1816, prior to 1961, and *Hypsibemoninae* Sundevall, 1872, has been replaced by Grallariidae, the latter name takes precedence from 1872. Nevertheless, the family-group name Myrmotherinae MacGillivray, 1839, predates Grallariinae P. L. Sclater, 1890 [1872], by several decades. Myrmotherinae cannot be regarded as a 'nomen oblitum' (*sensu* ICZN 1999, Art 23.9.1) because it was used as a valid subfamily name in Cory & Hellmayr (1924), Zotta (1938) and Schwartz (1957). Thus, the correct name of the antpitta clade is Myrmotheridae. We have traced the erroneous use of Grallariidae for the antpitta clade to Lowery & O'Neill (1969), who appear to be the first to have re-used this name (as Grallariinae).

Phylogenomic analyses have shown that the antpitta clade (Myrmotheridae) is sister to a clade consisting of the tapaculos (Rhinocryptidae Wetmore, 1926; not Wetmore 1930, as listed by Bock 1994), the ground antbirds (Formicariidae G. R. Gray, 1840), and the ovenbirds and woodcreepers (Furnariidae G. R. Gray, 1840) (Oliveros *et al.* 2017, Feng *et al.* 2020, Harvey *et al.* 2020), although some previous studies (e.g., Rice 2005b, Moyle *et al.* 2009) had found the antpittas to be sister solely to the tapaculos. The latter two clades were combined by Moyle *et al.* (2009) in the superfamily Grallarioidea. The genus *Rhinomya* Geoffroy Saint-Hilaire, 1832, was synonymised with *Rhinocrypta* G. R. Gray, 1841, prior to 1961, and *Rhinomyadae* d'Orbigny & Lafresnaye, 1837, has been replaced by Rhinocryptidae. The latter thus takes precedence from 1837, and is senior to both Myrmotherinae and Grallariinae. The superfamily consisting of the tapaculos and the antpittas, if recognised, should therefore be called Rhinocryptoidea Wetmore, 1926 [1837].

Acknowledgements

We are grateful to R. Terry Chesser and Nathan H. Rice who provided valuable suggestions that improved the manuscript.

References:

Bock, W. J. 1994. History and nomenclature of avian family-group names. *Bull. Amer. Mus. Nat. Hist.* 222: 1–281.



- Cabanis, J. 1847. Ornithologische Notizen. *Arch. Naturgesch.* 13: 186–256, 308–352.
- Carneiro, L., Bravo, G. A. & Aleixo, A. 2019. Phenotypic similarity leads to taxonomic inconsistency: a revision of the lowland's antpittas. *Zool. Scripta* 48: 46–56.
- Chesser, R. T. 2004. Molecular systematics of New World suboscine birds. *Mol. Phylo. & Evol.* 32: 11–24.
- Cory, C. B. & Hellmayr, C. E. 1924. Catalogue of birds of the Americas and the adjacent islands, pt. 3. *Field Mus. Nat. Hist. Zool. Ser.* 13(3): 1–369.
- Dickinson, E. C. & Christidis, L. (eds.) 2014. *The Howard and Moore complete checklist of the birds of the world*, vol. 2. Fourth edn. Aves Press, Eastbourne.
- d'Orbigny, A. D. & Lafresnaye, F. de. 1837. Synopsis avium. *Mag. Zool.* 7: 1–88.
- Feng, S., Stiller, J., Deng, Y., Armstrong, J., Fang, Q., Reeve, A. H., Xie, D., Chen, G., Guo, C., Faircloth, B. C., Petersen, B., Wang, Z., Zhou, Q., Diekhans, M., Chen, W., Andreu-Sánchez, S., Margaryan, A., Howard, J. T., Parent, C., Pacheco, G., Sinding, M. H. S., Puetz, L., Cavill, E., Ribeiro, A. M., Eckhart, L., Fjeldsà, J., Hosner, P. A., Brumfield, R. T., Christidis, L., Bertelsen, M. F., Sicheritz-Ponten, T., Tietze, D. T., Robertson, B. C., Song, G., Borgia, G., Claramunt, S., Lovette, I. J., Cowen, S. J., Njoroge, P., Dumbacher, J. P., Ryder, O. A., Fuchs, J., Bunce, M., Burt, D. W., Cracraft, J., Meng, G., Hackett, S. J., Ryan, P. G., Jonsson, K. A., Jamieson, I. G., da Fonseca, R. R., Braun, E. L., Houde, P., Mirarab, A., Suh, A., Hansson, B., Ponnikas, S., Sigeman, H., Stervander, M., Frandsen, P. B., van der Zwan, H., van der Sluis, R., Visser, C., Balakrishnan, C. N., Clark, A. G., Fitzpatrick, J. W., Bowman, R., Chen, N., Cloutier, A., Sackton, T. B., Edwards, S. V., Foote, D. J., Shakya, S. B., Sheldon, F. H., Vignal, A., Soares, A. E. R., Shapiro, B., González-Solís, J., Ferrer-Obiol, J., Rozas, J., Riutort, M., Tigano, A., Friesen, V., Dalén, L., Urrutia, A. O., Székely, T., Liu, Y., Campana, M. G., Corvelo, A., Fleischer, R. C., Rutherford, K. M., Gemmell, N. J., Dussex, N., Mouritsen, H., Thiele, N., Delmore, K., Liedvogel, M., Franke, A., Hoepfner, M. P., Krone, O., Fudickar, A. M., Milá, B., Ketterson, E. D., Fidler, A. E., Friis, G., Parody-Merino, Á. M., Battley, P. F., Cox, M. P., Barroso Lima, N. C., Prosdocimi, F., Parchman, T. L., Schlinger, B. A., Loiselle, B. A., Blake, J. G., Lim, H. C., Day, L. B., Fuxjager, M. J., Baldwin, M. W., Braun, M. J., Wirthlin, M., Dikow, R. B., Ryder, T. B., Camenisch, G., Keller, L. F., DaCosta, J. M., Hauber, M. E., Louder, M. I. M., Witt, C. C., McGuire, J. A., Mudge, J., Megna, L. C., Carling, M. D., Wang, B., Taylor, S. A., Del-Rio, G., Aleixo, A., Ribeiro Vasconcelos, A. T., Mello, C. V., Weir, J. T., Haussler, D., Li, Q., Yang, H., Wang, J., Lei, F., Rahbek, C., Gilbert, M. T. P., Graves, G. R., Jarvis, E. D., Paten, B. & Zhang, G. 2020. Dense sampling of bird diversity increases power of comparative genomics. *Nature* 587: 252–257.
- Fjeldsà, J., Christidis, L. & Ericson, P. G. P. (eds.) 2020. *The largest avian radiation*. Lynx Edicions, Barcelona.
- Geoffroy Saint-Hilaire, I. 1832. Rhinomie. *Rhinomya Isid. Geoff. Mag. Zool.* 2, Cl. II, pl. 3: [1]–[11].
- Gray, G. R. 1840. *A list of the genera of birds*. R. & J. E. Taylor, London.
- Gray, G. R. 1841. *Birds*. Part III. Pp. 1–146 in Darwin C. (ed.) *The zoology of the voyage of H.M.S. Beagle, under the command of Captain Fitzroy, R.N., during the years 1832 to 1836*. Smith, Elder & Co., London.
- Harvey, M. G., Bravo, G. A., Claramunt, S., Cuervo, A. M., Derryberry, G. E., Battilana, J., Seeholzer, G. L., McKay, J. S., O'Meara, B. C., Faircloth, B. C., Edwards, S. V., Pérez-Eman, J., Moyle, R. G., Sheldon, F. H., Aleixo, A., Smith, B. T., Chesser, R. T., Silveira, L. F., Cracraft, J., Brumfield, R. T. & Derryberry, E. P. 2020. The evolution of a tropical biodiversity hotspot. *Science* 370: 1343–1348.
- International Commission on Zoological Nomenclature (ICZN). 1999. *International code of zoological nomenclature*. Fourth edn. International Trust for Zoological Nomenclature, London.
- Irestedt, M., Fjeldsà, J., Johansson, U. S. & Ericson, P. G. P. 2002. Systematic relationships and biogeography of the tracheophone suboscines (Aves: Passeriformes). *Mol. Phylo. & Evol.* 23: 499–512.
- Lowery, G. H. & O'Neill, J. P. 1969. A new species of antpitta from Peru and a revision of the subfamily Grallariinae. *Auk* 86: 1–12.
- MacGillivray, W. 1839. *A history of British birds (indigenous and migratory)*, vol. 2. Scott, Webster & Geary, London.
- Morony, J. J., Bock, W. J. & Farrand, J. 1975. *Reference list of the birds of the world*. Amer. Mus. Nat. Hist, New York.
- Moyle, R. G., Chesser, R. T., Brumfield, R. T., Tello, J. G., Marchese, D. J. & Cracraft, J. 2009. Phylogeny and phylogenetic classification of the antbirds, ovenbirds, woodcreepers, and allies (Aves: Passeriformes: infraorder Furnariides). *Cladistics* 25: 386–405.
- Ohlson, J., Irestedt, M., Ericson, P. G. P. & Fjeldsà, J. 2013. Phylogeny and classification of the New World suboscines (Aves, Passeriformes). *Zootaxa* 3613: 1–35.
- Oliveros, C. H., Field, D. J., Ksepka, D. T., Barker, F. K., Aleixo, A., Andersen, M. J., Alström, P., Benz, B. W., Braun, E. L., Braun, M. J., Bravo, G. A., Brumfield, R. T., Chesser, R. T., Claramunt, S., Cracraft, J., Cuervo, A. M., Derryberry, E. P., Glenn, T. C., Harvey, M. G., Hosner, P. A., Joseph, L., Kimball, R. T., Mack, A. L., Miskelly, C. M., Peterson, A. T., Robbins, M. B., Sheldon, F. H., Silveira, L. F., Smith, B. T., White, N. D., Moyle, R. G. & Faircloth, B. C. 2019. Earth history and the passerine superradiation. *Proc. Natl. Acad. Sci. USA* 116: 7916–7925.
- Peters, J. L. 1951. *Check-list of birds of the world*, vol. 7. Mus. Comp. Zool., Cambridge, MA.
- Rice, N. H. 2005a. Phylogenetic relationships of antpitta genera (Passeriformes: Formicariidae). *Auk* 122: 673–683.

- Rice, N. H. 2005b. Further evidence for paraphyly of the Formicariidae (Passeriformes). *Condor* 107: 910–915.
- Schwartz, P. 1957. Observaciones sobre *Grallaricula ferrugineipectus*. *Bol. Soc. Venez. Cienc. Nat.* 18: 42–62.
- Slater, P. L. 1890. *Catalogue of the birds in the British Museum*, vol. 15. Trustees of the Brit. Mus., London.
- Slater, P. L. & Salvin, O. 1873. *Nomenclator avium neotropicalium*. J. W. Elliot, London.
- Sibley, C. G. & Ahlquist, J. E. 1990. *Phylogeny and classification of birds*. Yale Univ. Press, New Haven, CT.
- Sundevall, C. J. 1872. *Methodi naturalis avium disponendarum tentamen*. Samson & Wallin, Stockholm.
- Vieillot, L. P. 1816. *Analyse d'une nouvelle ornithologie élémentaire*. Deterville, Paris.
- Wetmore, A. 1926. Observations on the birds of Argentina, Paraguay, Uruguay, and Chile. *Bull. US Natl. Mus.* 133: 1–448.
- Wetmore, A. 1930. A systematic classification for the birds of the world. *Proc. US Natl. Mus.* 76(24): 1–8.
- Zotta, A. R. 1938. Lista sistemática de las aves argentinas. *El Hornero* 7: 89–124.

Addresses: Jimmy Gaudin, 34, avenue Antoine de Saint-Exupéry, 17 000 La Rochelle, France, e-mail: jimmy.gdn.lr.taxo@gmail.com. Laurent Raty, 38, avenue de la Chapelle, 1200 Brussels, Belgium, e-mail: l.raty@skynet.be. George Sangster, Naturalis Biodiversity Center, Darwinweg 2, PO Box 9517, 2300 RA Leiden, the Netherlands, e-mail: g.sangster@planet.nl

