



## On *Graptopetalum marginatum* (Crassulaceae)

Authors: Chazaro-Basañez, Miguel, Acevedo-Rosas, Raul, and Machuca-Nuñez, Jose Antonio

Source: Cactus and Succulent Journal, 84(3) : 155-158

Published By: Cactus and Succulent Society of America

URL: <https://doi.org/10.2985/0007-9367-84.3.155>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

# On *Graptopetalum marginatum* (Crassulaceae)

## Introduction

In previous papers, we provided information on three Mexican species of *Graptopetalum*, namely: *G. amethystinum* (Rose) E. Walther (Chazaro & Flores, 1999); *G. glassii* Acev.-Rosas & Chazaro (Chazaro-Basañez & Acevedo-Rosas, 2008) and *G. mendozae* Glass & Chazaro (Chazaro-Basañez & Acevedo-Rosas, 2009).

This time we discuss *G. marginatum* Kimnach & Moran (Kinnach & Moran, 2002), a narrow endemic and poorly known plant from Nayarit state, Mexico.

The state of Nayarit in western-central Mexico, where this species is found, is not particularly well known for the richness of its succulent plants, in part because the botanical exploration has been meager. The species of Crassulaceae (stonecrop family) for Nayarit reported by Tellez (1994) are:

1. *Echeveria secunda* Booth ex Lindl.
2. *Kalanchoe blossfeldiana* Poelln.
3. *Sedum bourgaei* Hemsl.
4. *Sedum jaliscanum* S. Watson
5. *Sedum minimum* Rose
6. *Sedum tortuosum* Hemsl.
7. *Villadia* sp.

plus those identified during our exploration of Nayarit:

<sup>1</sup>Miguel Chazaro-Basañez  
E-mail: chazaro55@hotmail.com, Facultad de Biología  
Universidad Veracruzana, Xalapa, Veracruz, Mexico

<sup>2</sup>Raul Acevedo-Rosas  
E-mail: aceros12@yahoo.com, Departamento de Geografía,  
Centro Universitario de Ciencias Sociales y Humanidades,  
Universidad de Guadalajara, Guadalajara, Jalisco, Mexico

<sup>3</sup>Jose Antonio Machuca-Nuñez, Calle 20 de Noviembre No.  
70, Zapotitan de Hidalgo, Municipio de Jocotepec, Jalisco,  
Mexico, E-mail: antoniomachuca@yahoo.com

8. *Echeveria dactylifera* E. Walther
9. *Echeveria fulgens* Lem.
10. *Echeveria nayaritensis* Kimnach
11. *Echeveria perezcalixii* Jimeno-Sevilla & P. Carrillo
12. *Graptopetalum marginatum* Kimnach & Moran

Only a few quasi-endemic succulent species exist in Nayarit, such as *Agave geminiflora* (Tagl.) Ker Gawl., *Agave nayaritensis* Gentry, *Echeveria nayaritensis* and *Graptopetalum marginatum*, the topic of this paper.

## Eagle's Lookout (Mirador del Águila); the Type Locality.

The Molola river, after passing Tepic city (900 m asl) heads northwest and suddenly descends precipitously to the coastal plain, at the wetlands of San Blas. This is done via an impressive canyon which starts at the Mirador del Águila (Eagle's Lookout) along highway 15, connecting Tepic with Mazatlan, Sinaloa. People often stop to admire part of this ravine, unaware of



1 Mirador del Águila (Eagle's Lookout) canyon at Tepic, Nayarit. Photo by Miguel Chazaro.



2



4



3



5

2 *Graptopetalum marginatum* Kimmach & Moran. 3 Flowers of *G. marginatum*. 4 *G. marginatum* in habitat. 5 *G. marginatum*, close up of flowers.

the richness of succulent plants out there. This is part of the Sierra San Juan, the most north-western part of the Trans-Mexican volcanic belt, a chain of young, high mountains that cross the country, from east (Cofre de Perote volcano, Veracruz) to west (Tequila, Jalisco, Ceboruco, Sanganguey, and Sierra San Juan volcanoes, Nayarit).

### *Graptopetalum Marginatum* Kimmach & Moran

This plant was discovered by accident on the 8<sup>th</sup> December 1993, by Bernd Ullrich, a German amateur botanist and a devoted student of Mexican Agavaceae, while he was searching for *Agave nayaritensis* Gentry at the type and only





6 *Graptopetalum filiferum* (S. Watson) Whitehead. 7 *Graptopetalum filiferum*, growing among rocks in habitat. 8 *Graptopetalum fruticosum* Moran, growing in rocks in habitat. 9 *G. fruticosum*, showing the variable color of its leaves.

locality known: Eagle's Lookout ravine, Nayarit (Fig. 1). In 1994, Ullrich sent living material to Myron Kimnach in California and when it flowered; it turned out to be an undescribed species that Kimnach and Reid Moran published as *Graptopetalum marginatum* (Figs 2–4), owing to the whitish margin of the leaves (Kinnach & Moran, 2002). In 1997, Charlie Glass, at Kimnach's request, went to this same site in search of additional material for the original description. However, neither he nor CANTE, the institution Charlie worked for, had a collecting permit for Nayarit state. Thus, only notes of the environment and an outline of the morphological characteristics were made. Glass also mistakenly believed that it was a rare plant.

In 2000, the site was visited by J. A. Machuca, who collected living material that he cultivated at home (Zapotitlan, Jalisco), where it bloomed. Raul Acevedo, accompanied by Jesus Cortes went to the Eagle's Lookout on 11<sup>th</sup> December 2000 and collected both living and herbarium material, Acevedo 1733, deposited at XAL (Ecology Institute, Xalapa, Veracruz). This material was used by Acevedo for a molecular phylogenetic study of the genus *Graptopetalum*, as part of his Ph.D. research (see Acevedo et al, 2004 and Acevedo et al., 2004b). In April of 2001, again at the request of Kimnach, who needed habitat photographs, M. Chazaro, J. A. Machuca and O. Valencia also visited Eagle's Lookout, finding the plants in flower. Contrary to Glass' earlier observations, Chazaro reported that the *Graptopetalum* was quite abundant between Mirador del Águila and Buenos Aires, a small village 1.5 km further down highway 15, toward Tepic (Kinnach & Moran, 2002). On 6<sup>th</sup> May 2001, M. Chazaro, I. Contreras and J. Cortes, revisited the Eagle's Lookout, and collected Chazaro 8129, flowering material, and specimens were sent to the herbaria at CHAPA, ENCB, IBUG, IEB and XAL.

## Habit

*Graptopetalum marginatum* is found into the tropical semi-deciduous forest at an altitude of between 500 and 700 m asl, mostly growing on the wall of the ravines. So far, it is only known from the type locality.

## Relatives

Within the genus, only two species possess a sub-membranous leaf margin which is conspicuously whitish: *G. marginatum* from Nayarit and *G. filiferum* (Figs 5 & 6) from Chihuahua.

*Graptopetalum marginatum* is included in Section Graptopetalum (Moran, 1984), and it is the species that defines the southeast limit distribution of the genus of this Section (except *G. macdougallii* which is found in Oaxaca, southern Mexico; however *G. macdougallii* has stolons, a kind of modified stem).

According to Acevedo-Rosas et al. (2004, 2004b), *G. marginatum* is closely related to *G. filiferum* from Barranca del Cobre (Copper Canyon) in Chihuahua, based on morphological considerations. On the other hand, using molecular data to develop a phylogenetic analysis, *G. marginatum* is the sister group of *G. fruticosum* (from Jalisco state, Figs. 7–9), so we can conclude that it has some bio-geographic relationship thus far, since both grow close to one another.

## Conservation Status

Since *Graptopetalum marginatum* is a poorly known species, it was not included in the federal government list of rare, threatened, endangered or extinct Mexican flora (SEMARNAT, 2002), but in view of the narrow geographical distribution, it must be considered as threatened, in our opinion. 🌱

## REFERENCES

- Acevedo-Rosas, R., V. Sosa & F.G. Lorea 2004. Phylogenetic relationships and morphological patterns in *Graptopetalum* (Crassulaceae). *Brittonia* 56(2): 185–194.
- Acevedo-Rosas, R., K. Cameron, V. Sosa & S. Pell 2004b. A molecular phylogenetic study of *Graptopetalum* (Crassulaceae) based on ETS, ITS, *rpl16*, and *trnL-F* nucleotide sequences. *Amer. J. Bot.* 91(7): 1099–1104.
- Chazaro M. & A. Flores 1999. *Graptopetalum amethystinum* (Rose) Walther, rediscovered! *International Cactus Adventures* 43: 9–12.
- Chazaro-Basañez, M. & R. Acevedo-Rosas 2008. *Graptopetalum glassii*, recently described from Colima, Mexico. *Cact. Succ. J. (US)* 80(4): 202–203.
- Chazaro-Basañez, M. & R. Acevedo-Rosas 2009. *Graptopetalum mendozae*. *Cact. Succ. J. (US)* 81(1): 32–33.
- Kinnach, M. & R. Moran 2002. *Graptopetalum marginatum*, a new species from Nayarit, Mexico. *Cact. Succ. J. (US)* 74(4): 196–198.
- Moran, R. 1984. *Graptopetalum rusbyi* (Greene) Rose and *G. occidentale* Rose (Crassulaceae). *Cact. Succ. J.* 56: 169–176.
- SEMARNAT. 2002. Norma Oficial Mexicana NOM-059-ECOL-2001, Protección ambiental-Especies nativas de México de flora y fauna silvestres-Categorías de riesgo y especificaciones para su inclusión, exclusión o cambio-Lista de especies en riesgo. Diario Oficial de la Federación. 6 marzo 2002. México, D.F., Mexico.
- Tellez, O. 1994. Flora, vegetación y fitogeografía de Nayarit, México. Tesis de Maestría. Universidad Nacional Autónoma de México. México, D.F.