

Index to typifications of names in Willdenowia 38(2)

Source: Willdenowia, 38(2) : 553-555

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.38.38218>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Index to typifications of names in Willdenowia 38(2)

<i>Cousinia adnata</i> Bunge	345
<i>Cousinia algurdina</i> Rech. f.	317
<i>Cousinia araneosa</i> DC.	333
<i>Cousinia arbelensis</i> C. Winkl. & Bornm.	304
<i>Cousinia arbelensis</i> var. <i>pinnata</i> C. Winkl. & Bornm.	304
<i>Cousinia astrocephala</i> Hausskn. & Bornm.	348
<i>Cousinia barbeyi</i> C. Winkl.	307

<i>Cousinia bornmuelleri</i> C. Winkl.	353
<i>Cousinia canescens</i> DC.	317
<i>Cousinia carduchorum</i> C. Winkl. & Bornm.	315
<i>Cousinia chlorosphaera</i> Bornm.	329
<i>Cousinia chlorosphaera</i> f. <i>straminea</i> Bornm.	329
<i>Cousinia chlorosphaera</i> var. <i>producta</i> Bornm.	329
<i>Cousinia concinna</i> Boiss. & Hausskn.	332
<i>Cousinia cymbolepis</i> Boiss.	313
<i>Cousinia cynaroides</i> (M. Bieb.) C. A. Mey.	341
<i>Cousinia cynaroides</i> var. <i>arlgirdensis</i> Blakelock	317
<i>Cousinia cynaroides</i> var. <i>viridior</i> Bornm.	348
<i>Cousinia disfulensis</i> Bornm.	311
<i>Cousinia ecbatanensis</i> Bornm.	334
<i>Cousinia eriocephala</i> Boiss. & Hausskn.	318
<i>Cousinia grandis</i> var. <i>minor</i> Bornm.	322
<i>Cousinia libanotica</i> DC.	302
<i>Cousinia hermonis</i> Boiss.	302
<i>Cousinia hermonis</i> f. <i>cana</i> Bornm.	302
<i>Cousinia inflata</i> Boiss. & Hausskn.	305
<i>Cousinia iranica</i> C. Winkl. & Strauss	328
<i>Cousinia keredjensis</i> Bornm. & Gauba	337
<i>Cousinia kivar</i> Parsa	309
<i>Cousinia khorramabadensis</i> Bornm.	326
<i>Cousinia kotschyi</i> Boiss.	337
<i>Cousinia kornhuberi</i> Heimerl	334
<i>Cousinia koieana</i> Bornm.	326
<i>Cousinia koieana</i> var. <i>adenoloba</i> Bornm.	326
<i>Cousinia kurdica</i> C. Winkl. & Bornm.	315
<i>Cousinia lurorum</i> var. <i>recurvata</i> Bornm.	349
<i>Cousinia lurorum</i> var. <i>lancigera</i> Bornm.	349
<i>Cousinia lyrata</i> Bunge	357
<i>Cousinia macrocephala</i> C. A. Mey.	320
<i>Cousinia macrolepis</i> Boiss. & Hausskn.	325
<i>Cousinia medorum</i> Bornm. & Gauba	334
<i>Cousinia monocephala</i> Bunge	357
<i>Cousinia noeana</i> Boiss.	316
<i>Cousinia odontolepis</i> DC.	312
<i>Cousinia odontolepis</i> var. <i>leirolepis</i> Bornm.	313
<i>Cousinia onopordon</i> Freyn. & Sint.	317
<i>Cousinia onopordon</i> var. <i>lancea</i> Bornm.	317
<i>Cousinia onopordon</i> f. <i>anodonta</i> Bornm.	317
<i>Cousinia pariziana</i> Parsa [“ <i>C. parviziana</i> ”]	338
<i>Cousinia pergamacea</i> Boiss. & Hausskn.	330
<i>Cousinia phyllocephala</i> Bornm. & Gauba	326
<i>Cousinia pichleriana</i> Bornm. ex Rech. f.	334
<i>Cousinia purpurea</i> C. A. Mey.	350
<i>Cousinia qaradaghensis</i> Rech. f.	318
<i>Cousinia rhombiformis</i> C. Winkl. & Strauss	326
<i>Cousinia sagittata</i> C. Winkl. & Strauss	325
<i>Cousinia schultziana</i> Jaub. & Spach	313
<i>Cousinia squarrosa</i> Boiss.	345

<i>Cousinia straussii</i> Hausskn. & C. Winkl.	328
<i>Cousinia verbascifolia</i> Bunge	357
<i>Cousinia wettsteiniana</i> Bornm.	322
<i>Micromeria acropolitana</i> Halácsy ex Maire & Petitmengin	367
<i>Micromeria barceloi</i> Willk.	369
<i>Micromeria carpatha</i> Rech. f.	372
<i>Micromeria cypria</i> Kotschy	376
<i>Micromeria debilis</i> Pomel	377
<i>Micromeria hedgei</i> Rech. f.	386
<i>Micromeria helianthemifolia</i> Webb & Berthel.	386
<i>Micromeria kueglerei</i> Bornm.	390
<i>Micromeria lycia</i> Stapf	392
<i>Micromeria macrosiphon</i> Coss.	393
<i>Micromeria persica</i> Boiss.	397
<i>Micromeria rodriguezii</i> Freyn & Janka	400
<i>Satureja cordata</i> Moris ex Bertol.	373
<i>Satureja croatica</i> var. <i>panciciana</i> Briq.	375
<i>Satureja ellenbeckii</i> Gürke	378
<i>Satureja guichardii</i> Quézel & Zaffran	386
<i>Satureja hochreutineri</i> Briq.	387
<i>Satureja rodriguezii</i> var. <i>condensata</i> L. Chodat	380
<i>Satureja weilleri</i> Maire	405
<i>Sempervivum canariense</i> subsp. <i>latifolium</i> Burchard	477
<i>Thymus cristatus</i> Hampe	374
<i>Thymus filiformis</i> Aiton	380
<i>Thymus fruticosus</i> Bertol.	384
<i>Thymus marginatus</i> Sm.	393
<i>Thymus microphyllus</i> d'Urv.	393