

## **Index to typifications of names in Willdenowia 50(3)**

Source: Willdenowia, 50(3) : 560

Published By: Botanic Garden and Botanical Museum Berlin (BGBM)

URL: <https://doi.org/10.3372/wi.50.50306>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

**Index to typifications of names in Willdenowia 50(3)**

<i>Castanea inclusa</i> Conw. ....	443
<i>Gomphrena aggregata</i> Willd. ....	367
<i>Lithophila muscoides</i> Sw. ....	366
<i>Paronychia lanuginosa</i> Poir. ....	366
<i>Philoxerus wrightii</i> Hook. f. ex Maxim. ....	368
<i>Quercites meyerianus</i> Göpp. & Berendt ....	474
<i>Quercus longistaminea</i> Casp. ....	447
<i>Telanthera philoxeroides</i> var. <i>carnosa</i> Moq. ....	367