

## **An analysis of and index to new Acari described in Systematic & Applied Acarology (1996–2007)**

Authors: Xue, Xiao-Feng, and Zhang, Zhi-Qiang

Source: Systematic and Applied Acarology, 13(3) : 279-304

Published By: Systematic and Applied Acarology Society

URL: <https://doi.org/10.11158/saa.13.3.15>

---

BioOne Complete ([complete.BioOne.org](https://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](https://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## **An analysis of and index to new Acari described in *Systematic & Applied Acarology* (1996–2007)**

XIAO-FENG XUE<sup>1,2</sup> & ZHI-QIANG ZHANG<sup>2</sup>

<sup>1</sup>*Department of Entomology, Nanjing Agricultural University, Nanjing, Jiangsu 210095, China*

<sup>2</sup>*Landcare Research, 231 Morrin Road, St. Johns, Auckland 1072, New Zealand*

*Corresponding author: zhangz@landcareresearch.co.nz*

### **Abstract**

This paper provides an analysis of and index to new Acari described in *Systematic & Applied Acarology* during the last twelve years (1996–2007). A total of 336 papers was published during this period, with taxonomic papers accounting for 60%. Among the 208 taxonomic papers, 143 papers (68.8%) contain descriptions of new taxa or new names. These papers contain a total of 264 new taxa (new names), with three families, 31 genera/subgenera and 230 species. Among these, only two are new species names proposed for previously occupied homonyms; all others are newly established taxa. Most new taxa/names (85.2%) are of the Acariformes. Among the 225 new taxa (new names) of the Acariformes, most (93.3%) are of the Trombidiformes. New taxa/names are distributed in 40 families of Trombidiformes, 10 families of Sarcoptiformes and 7 families of Mesostigmata. Most families have only one to three new taxa/names: 19 families with 1 new taxon, 13 families with 2 new taxa, and 6 families with 3 new taxa. There are 116 authors for new taxa/names, with an average of two taxa/names per author (maximum 37, minimum 1). Most authors (70%) described one to three new taxa/names each: 38 authors with 1 new taxon, 31 authors with 2 new taxa, and 12 authors with 3 new taxa. Geographically, these authors are from 22 countries in Asia, Africa, Australasia, Europe, South America and North America, with a strong representation by authors in the Asia-Pacific region.

**Key words:** new taxa, new names, survey, historic trends, taxonomic literature

### **Introduction**

*Systematic & Applied Acarology* (SAA) was founded in 1996 and has been continually published since. It was issued annually during the first ten years, during which an average of 53 authors from 12 countries published on average 27 papers each with an average of 21 new taxa in 202 pages each year (Zhang 2005). SAA was a primarily a journal of systematic acarology, because 64% of the papers published during the first decade were on systematics, morphology and evolution (Zhang 2005).

In the last two years, the frequency of publication of SAA was increased to semiannual in 2006 and quarterly in 2007, allowing more papers (31.5 papers in 251 pages per year during 2006–2007 versus 27.3 papers in 202 pages per year during 1996–2005) to be published more rapidly (Zhang 2008). In addition to the increase of number of authors (69 per year during 2006–2007 versus 53 per year during 1996–2005), there was also an increase in the diversity of authors from different countries during the last two years (18 countries per year during 2006–2007 versus 12 countries per year during 1996–2005) and the increased degree of international collaboration in papers published in the last two years (Zhang 2008). As a result, SAA has become increasingly international.

The purpose of this paper is to provide an analysis of and index to new Acari described/named in this international journal of systematic acarology during the last twelve years. Article 8

(Recommendation 8A) of the *International Code of Zoological Nomenclature* (The International Commission on Zoological Nomenclature 1999) urges authors and editors to ensure that new scientific names and other nomenclatural acts are made widely known. This paper is written with this purpose in mind and will be provided free online for open access to ensure wide dissemination.

### Analyses of papers, new taxa and authors

#### *Number of papers and new taxa by year of publication*

A total of 336 papers was published in SAA during 1996–2007, with taxonomic papers accounting for 60% (Table 1). Over the years, the journal has become increasingly more ‘taxonomic’ in that the proportion of taxonomic papers was on average less than 50% (also each year less than 60%) during the first four years but exceeded 60% each year in the last eight years (Fig. 1).

Among the 208 taxonomic papers, 143 papers (68.8%) contain descriptions of new taxa or new names (Table 1). The temporal pattern shows two obvious peaks in the proportion of taxonomic papers with new taxa or new names—volume 6 in 2001 and volume 11 in 2006 (Fig. 2).

**TABLE 1.** A summary of number of papers and new mite taxa published in *Systematic & Applied Acarology* during 1996–2007.

Year	Number of articles*			Number of new taxa (names)			
	All	Taxonomic	With new taxa	Total	Family-group	Genus-group	Species-group
1996	28	16	9	18	0	2	16
1997	41	20	14	15	0	0	15
1998	32	12	9	14	2	1	11
1999	29	15	12	30	0	12	18
2000	24	18	14	27	0	2	25
2001	30	19	16	35	0	2	33
2002	23	14	10	19	1	4	14
2003	20	12	6	10	0	0	10
2004	28	22	14	24	0	1	23
2005	18	14	10	19	0	3	16
2006	28	23	17	35	0	3	32
2007	35	23	12	18	0	1	17
Total	336	208	143	264	3	31	230

\* Including full length research papers, short notes and editorials.


During 1996–2007, a total of 264 new taxa (new names) was described in 143 papers, with three families, 31 genera/subgenera and 230 species. Among these, only two are new species names proposed for previously occupied homonyms; all others are newly established taxa.

The number of new taxa each year varied greatly with two peaks—volume 6 in 2001 and volume 11 in 2006 (Fig. Table 1). On average, there were 22 new taxa described each year.


#### *Taxonomic distribution of new taxa*

The distribution of new taxa/names is extremely uneven among different higher taxa (Table 2). Among the 264 new taxa (new names), most (85.2%) are of the Acariformes. Among the 225 new

taxa (new names) of the Acariformes, most (93.3%) are of the Trombidiformes. New taxa/names are distributed in 40 families of Trombidiformes, 10 families of Sarcoptiformes and 7 families of Mesostigmata (Table 2). The top ten families (with number of new taxa/names in parenthesis) are Erythraeidae (49), Phytoseiidae (25), Walchiidae (22), Tarsonemidae (16), Eriophyidae (11), Stigmaeidae (11), Cunaxidae (8), Trombidiidae (8), Diptilomiopidae (7), and Trombiculidae (6). The Camerobiidae shares with Trombiculidae in having six new taxa, but the former has two new genera and four new species while the latter has six new species. These families combined account for 64% of the all new taxa/names described. Most families have only one to three new taxa/names: 19 families with 1, 13 families with 2, 6 families with 3.



**FIGURE 1.** Proportion of taxonomic papers published in *Systematic & Applied Acarology* during 1996–2007.



**FIGURE 2.** Proportion of taxonomic papers with new taxa published in *Systematic & Applied Acarology* during 1996–2007.

#### *Author contributions*

There are 116 authors for new taxa/names (see Author index for full details). This translates to 2.3 taxa/names per author. The top ten authors are: R. Haitlinger of Poland (37), A. Saboori of Iran (30), T.-H. Wen of China (27), Z.-Q. Zhang of New Zealand (23), J.-Z. Lin of China (22), Q.-H. Fan

of China (20), G.J. de Moreas of Brazil (19), M.G.C. Gondim Jr of Brazil (15), V. Pesic of Serbia and Montenegro (13), and A. Goldarazena of Spain (11). Most authors (70%) described one to three new taxa/names each: 38 authors with 1 new taxon, 31 authors with 2 two new taxa, and 12 authors with 3 new taxa.

**TABLE 2.** Taxonomic distribution of new mite taxa published in *Systematic & Applied Acarology* during 1996–2007.

Higher taxa	Number of new taxa (names)			
	Total	Family-group	Genus-group	Species-group
<b>Acariformes</b>	<b>225</b>	<b>3</b>	<b>29</b>	<b>193</b>
<b>Trombidiformes</b>	<b>210</b>	<b>3</b>	<b>28</b>	<b>179</b>
Amphotrombiidae	3	1	1	1
Anisitsiellidae	1	-	-	1
Axonopsidae	1	-	-	1
Barbutiidae	2	-	-	2
Camerobiidae	6	-	-	6
Cheyletidae	2	-	-	2
Crotalomorphidae	3	1	1	1
Cunaxidae	8	-	-	8
Diptilomiopidae	7	-	1	6
Eriophyidae	11	-	-	11
Erythraeidae	49	-	-	49
Eutrombidiidae	3	-	-	3
Hydryphantidae	2	-	-	2
Hygrobatidae	3	-	-	3
Johnstonianidae	2	-	-	2
Leeuwenhoekiiidae	2	-	-	2
Limnesiidae	1	-	-	1
Mecognathidae	1	1	-	-
Microtrombidiidae	4	-	2	2
Neothrombiidae	5	-	2	3
Phytoptidae	1	-	-	1
Podapolipidae	5	-	-	5
Pontarachnidae	1	-	-	1
Pseudocheylidae	2	-	-	2
Pterygosomatidae	1	-	-	1
Pyemotidae	1	-	-	1
Raphignathidae	4	-	-	4
Sperchontidae	2	-	-	2
Stigmaeidae	11	-	-	11
Tarsonemidae	16	-	-	16

.....to be continued

**TABLE 2.** (continued)

Higher taxa	Number of new taxa (names)			
	Total	Family-group	Genus-group	Species-group
Teneriffiidae	1	-	-	1
Tenuipalpidae	4	-	-	4
Tetranychidae	4	-	-	4
Torrenticolidae	1	-	-	1
Trombellidae	1	-	-	1
Trombiculidae	6	-	2	4
Trombidiidae	8	-	1	7
Unionicolidae	1	-	-	1
Walchiidae	22	-	17	5
Xenocaligonellidae	2	-	1	1
Sarcoptiformes	15	0	1	14
Canestriniidae	1	-	-	1
Carabodidae	1	-	-	1
Epilohmanniidae	2	-	-	2
Glycyphagidae	1	-	-	1
Heterocoptidae	2	-	1	1
Lohmanniidae	2	-	-	2
Oppiidae	2	-	-	2
Psorergatidae	1	-	-	1
Tegoribatidae	2	-	-	2
Zetomotrichidae	1	-	-	1
<b>Parasitiformes</b>	<b>39</b>	<b>0</b>	<b>2</b>	<b>37</b>
Mesostigmata	39	0	2	37
Ameroseiidae	1	-	-	1
Ascidae	1	-	-	1
Laelapidae	4	-	-	4
Macronyssidae	3	-	-	3
<b>Otopheidomenidae</b>	<b>2</b>	<b>-</b>	<b>1</b>	<b>1</b>
Phytoseiidae	25	-	-	25
Trachytidae	3	-	1	2

Geographically, the authors are distributed among the following countries or regions (number of authors in parenthesis): China (39), Iran (17), Brazil (8), USA (8), India (5), Pakistan (5), Poland (5), Spain (4), Australia (3), Canada (3), Turkey (3), Lebanon (2), The Netherlands (2), South Africa (2), UK (2), Cape Verde (1), Hong Kong (1), Israel (1), Japan, (1), Malaysia (1), Mongolia (1), New Zealand (1), Serbia and Montenegro (1). Authors from the Asia-Pacific region are strongly represented.

## Lists of new family, genus and species-group taxa

New taxa are listed alphabetically within each group. For each new family name, the following information is given: scientific name, author, year of publication, first page of formal description, type genus designation (in parenthesis), and the mite order to which it belongs. For each new genus (subgenus) name, the following information is given: scientific, author, year of publication, first page of formal description, type species designation (in parenthesis), and the mite family to which it belongs. For each new species name, the following information is given: scientific name, author, year of publication, first page of formal description, number of figures (in parenthesis) and the mite family to which it belongs.

### Family-group taxa

- Amphotrombiidae Zhang, 1998: 161 (type genus by original designation *Amphotrombium* Zhang, 1998)—Acariformes  
Crotalomorphidae Lindquist & Krantz, 2002: 130 (type genus by original designation *Crotalomorpha* Lindquist & Krantz, 2002)—Acariformes  
Mecognathidae Gerson & Walter, 1998: 145 (type genus by original designation *Mecognatha* Wood, 1967)—Acariformes

### Genus-group taxa

- Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41 (type species by original designation *Polyaspinus tuberculatus* Womersley, 1961)—Trachytidae  
*Amarucoptes* Haitlinger, 2001: 112 (type species by original designation *Amarucoptes busannae* Haitlinger, 2001)—Heterocoptidae  
*Amphotrombium* Zhang, 1998: 161 (type species by original designation *Amphotrombium jenseni* Zhang, 1998)—Amphotrombiidae  
*Crotalomorpha* Lindquist & Krantz, 2002: 133 (type species by original designation *Crotalomorpha camini* Lindquist & Krantz, 2002)—Crotalomorphidae  
*Duplimedia* Wen, 2006: 253 (type species by original designation *Gahrliepia armigera* Fernandes & Kulkarni, 2003)—Walchiidae  
*Duplisetia* Wen, 1999: 174 (type species by original designation *Gahrliepia gemina* Traub & Morrow, 1955)—Walchiidae  
*Duplisetia (Starkia)* Wen, 1999: 175 (type species by original designation *Gahrliepia starki* Lakshana & Dohany, 1972)—Walchiidae  
*Echinopsis* Fan & Chen, 1996: 126 (type species by original designation *Echinopsis fukiensis* Fan & Chen, 1996)—Xenocaligonellidae  
*Leptotrombidium (Monosignum)* Wen, 2001: 189 (type species by original designation *Leptotrombidium (Monosignum) zhongi* Wen, 2001)—Trombiculidae  
*Montenegtrombium* Saboori & Pesic, 2006: 231 (type species by original designation *Montenegtrombium milicae* Saboori & Pesic, 2006)—Microtrombidiidae  
*Nadchatramia* Wen, 1999: 174 (type species by original designation *Gahrliepia micropotamogalei* Nadchatram & Puylaert, 1987)—Walchiidae  
*Neohoderus* Chen, Wei & Qin, 2004: 69 (type species by original designation *Neohoderus choerospondias* Chen, Wei & Qin, 2004)—Diptilomiopidae  
*Nepaliella* Wen, 1999: 173 (type species by original designation *Schoengastiella unsternala* Nadchatram & Fernandes, 1989)—Walchiidae  
*Opiliotrombium* Zhang & Fan, 2005: 156 (type species by original designation *Opiliotrombium*

- akatarawa* Zhang & Fan, 2005)—Neothrombiidae  
*Orthopterozeius* Mo, 1996: 201 (type species by original designation *Orthopterozeius sinicus* Mo, 1996)—Otopheidomenidae  
*Oskootrombium* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 247 (type species by original designation *Oskootrombium prasadi* Saboori, Bagheri & Haddad, 2006)—Trombidiidae  
*Parvisetia* Wen & Cui, 2000: 165 (type genus by original designation *Gahrlipeia parviseta* Nadchatram, 1989)—Walchiidae  
*Ripiaspichia* (*Cupiaspichia*) Wen, 1999: 172 (type species by original designation *Gahrlipeia cupa* Traub & Evans, 1957)—Walchiidae  
*Ripiaspichia* (*Parmulichia*) Wen, 1999: 172 (type species by original designation *Gahrlipeia parmulaseta* Brown, 1997)—Walchiidae  
*Ripiaspichia* (*Suzukia*) Wen, 1999: 172 (type species by original designation *Walchia sawaii* Suzuki, 1975)—Walchiidae  
*Scrobiculata* (*Squamulata*) Wen & Cui, 2000: 167 (type genus by original designation *Gahrlipeia decora* Womersley, 1952)—Walchiidae  
*Southcottella* Saboori, 2002: 185 (type species by original designation *Southcottella nematii* Saboori, 2002)—Neothrombiidae  
*Tanautarsala* Brown, 2007: 223 (type species by original designation *Tanautarsala callithrix* Brown, 2007)—Trombiculidae  
*Walchia* (*Breviaspichia*) Wen, 1999: 171 (type species by original designation *Walchia ogatai* Sasa & Teramura, 1951)—Walchiidae  
*Walchia* (*Disparunguia*) Wen, 1999: 171 (type species by original designation *Schoengastiella disparunguis* Oudemans, 1929)—Walchiidae  
*Walchia* (*Goffia*) Wen, 1999: 171 (type species by original designation *Walchia lorentzi* Goff. 1984)—Walchiidae  
*Walchia* (*Traudia*) Wen, 1999: 180 (type species by original designation *Walchia traubobi*, Wen, 1999)—Walchiidae  
*Walchia* (*Ventralia*) Wen, 1999: 171 (type species by original designation *Walchia huensis* Wen, 1984)—Walchiidae  
*Walchia* (*Wenia*) Wen, 2002: 195 (type species by original designation *Walchia acugastia* Wen, Yu & Yang, 1984)—Walchiidae  
*Walchia* (*Zhangzia*) Wen, 2002: 199 (type species by original designation *Walchia cordiopelta* Wen & Xiang, 1984)—Walchiidae  
*Yemenitrombium* Saboori, Ueckermann & Harten, 2005: 163 (type species by original designation *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005)—Microtrombidiidae

#### *Species group taxa*

- Abrolophus iraninejadi* Saboori & Hajiqanbar, 2005: 149 (figs 1–7)—Erythraeidae  
*Abrolophus mirabelae* Haitlinger, 2007: 57 (figs 1–8)—Erythraeidae  
*Abrolophus neobrevicollis* Zhang & Goldarazena, 1996: 127 (figs 1–8)—Erythraeidae  
*Abrolophus unimiri* Haitlinger, 2006: 84 (figs 1–8)—Erythraeidae  
*Abrolophus welbourni* Yao, Snider & Snider, 2000: 150 (figs 1–11)—Erythraeidae  
*Aceria cordata* Navia, 1999: 137 (figs 1–7)—Eriophyidae  
*Aceria pintoii* Ferreira & Flechtmann, 1997: 185 (figs 15–22)—Eriophyidae  
*Aceria yunnanensis* Dong & Hong, 1998: 199 (replacement name for *Eriophyes artemisia* Xin & Dong, 1982)—Eriophyidae  
*Acroseius womersleyi* Błoszyk, Halliday & Dylewska, 2005: 48 (figs 15–40)—Trachytidae  
*Allothrombium monochaetum* Goldarazena & Zhang, 1997: 220 (figs 1–6)—Trombidiidae  
*Allothrombium polikarpi* Haitlinger, 2006: 116 (figs 41–48)—Trombidiidae



*Amarucoptes busannae* Haitlinger, 2001: 113 (figs 1–13)—Heterocoptidae  
*Amblyseius dicircellatus* Wu & Ou, 1999: 107 (figs 16–19)—Phytoseiidae  
*Amphotrombium jenseni* Zhang, 1998: 162 (figs 1–21)—Amphotrombiidae  
*Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68 (figs 1–4)—Phytoseiidae  
*Amblyseius geonomae* Guedes, Gondim & Moraes, 2001: 69 (figs 5–9)—Phytoseiidae  
*Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71 (figs 10–14)—Phytoseiidae  
*Amblyseius neopascalis* Wu & Ou, 2001: 103 (figs 7–12)—Phytoseiidae  
*Amblyseius tenuis* Wu & Ou, 2001: 103 (figs 1–6)—Phytoseiidae  
*Ameroseius qinghaiensis* Li & Yang, 2000: 65 (figs 1–10)—Ameroseiidae  
*Andrevella persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48 (figs 1–9)—Erythraeidae  
*Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230 (figs 1–6)—Lohmanniidae  
*Anoplocheylus brevisetosus* Ueckermann & Khanjani, 2004: 59 (figs 12–14)—Pseudocheylidae  
*Anoplocheylus malayeriensis* Ueckermann & Khanjani, 2004: 55 (figs 1–7)—Pseudocheylidae  
*Asperoseius paraheveae* Wu & Ou, 2002: 125 (figs 11–15)—Phytoseiidae  
*Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217 (figs 1–5)—Hygrobatidae  
*Atractides garhwali* Pesic, Kumar & Kumar, 2007: 162 (figs 10–17)—Hygrobatidae  
*Austroteneriffia kamalii* Ueckermann & Khanjani, 2002: 168 (figs 1–14)—Teneriffiidae  
*Axonopsis (Vicinaxonopsis) caspica* Pesic & Saboori *in* Pesic *et al.*, 2006: 214 (figs 7–14)—  
 Axonopsidae  
*Balaustium innocentae* Haitlinger, 2006: 95 (figs 46–54)—Erythraeidae  
*Balaustium zhangii* Saboori, 2001: 171 (figs 1–16)—Erythraeidae  
*Barbutia australia* Fan, Walter & Proctor, 2003: 112 (figs 1–41)—Barbutiidae  
*Barbutia longinqua* Fan, Walter & Proctor, 2003: 125 (figs 42–51)—Barbutiidae  
*Boetophela cassandrae* Haitlinger & Chmielewski, 2004: 196 (figs 1–6)—Canestriniidae  
*Brevipalpus sahi* Hasan, Wakil & Bashir, 2004: 104 (fig. 1)—Tenuipalpidae  
*Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105 (fig. 2)—Tenuipalpidae  
*Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147 (figs 17–24)—Eriophyidae  
*Caligohomus durus* Fan & Walter, 2004: 82 (figs 4–6, pl. 1)—Stigmaeidae  
*Carastrum sanurensis* Haitlinger, 2006: 220 (figs 1–8)—Erythraeidae  
*Charletonia kalithensis* Haitlinger, 2006: 108 (figs 1–8)—Erythraeidae  
*Charletonia lombokensis* Haitlinger, 2006: 222 (figs 9–19)—Erythraeidae  
*Charletonia samosensis* Haitlinger, 2006: 110 (figs 9–19)—Erythraeidae  
*Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150 (figs 1–3)—Cheyletidae  
*Chrysolobia oneili* Moraes, Husband & Lofego, 1999: 131 (figs 1–13)—Podapolipidae  
*Crotalomorpha camini* Lindquist & Krantz, 2002: 136 (figs 1–13)—Crotalomorphidae  
*Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232 (figs 7–12)—Lohmanniidae  
*Cunaxa jatoiensis* Bashir & Afzal, 2006: 64 (figs 1–6)—Cunaxidae  
*Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139 (fig. 2)—Tarsonemidae  
*Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137 (fig. 1)—Tarsonemidae  
*Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141 (fig. 3)—Tarsonemidae  
*Dendroptus tricollis* Lin & Chen *in* Lin *et al.*, 2004: 142 (figs 1–6)—Tarsonemidae  
*Diplothrombium zbigniewi* Haitlinger, 2001: 179 (figs 1–7)—Johnstonianidae  
*Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75 (figs 15–20)—Diptilomiopidae  
*Diptilomiopus acronychia* Chen, Wei & Qin, 2004: 72 (figs 11–14)—Diptilomiopidae  
*Diptilomiopus combreti* Wei & Lu, 2001: 117 (figs 8–15)—Diptilomiopidae  
*Diptilomiopus illicii* Wei & Lu, 2001: 115 (figs 1–7)—Diptilomiopidae  
*Echinopsis fukiensis* Fan & Chen, 1996: 124 (figs 1–7)—Xenocaligonellidae  
*Epilohmannia shtanchaevae* Bayartogtokh, 2000: 199 (figs 30–36)—Epilohmanniidae  
*Epilohmannia spathuloides* Bayartogtokh, 2000: 196 (figs 23–29)—Epilohmanniidae  
*Epirimerus ipomoeae* Wei, Feng & Huang, 1999: 143 (figs 1–8)—Eriophyidae

*Erythraeus (Erythraeus) berninensis* Haitlinger, 2007: 62 (figs 9–18)—Erythraeidae  
*Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168 (figs 14–23)—  
 Erythraeidae  
*Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163 (figs 1–13)—  
 Erythraeidae  
*Erythraeus (Erythraeus) kacperi* Haitlinger, 2004: 158 (figs 1–8)—Erythraeidae  
*Erythraeus (Erythraeus) moeritzensis* Haitlinger, 2007: 66 (figs 19–29)—Erythraeidae  
*Erythraeus (Erythraeus) yangshounicus* Haitlinger, 2006: 86 (figs 9–19)—Erythraeidae  
*Erythraeus (Erythraeus) zhangi* Haitlinger, 2006: 88 (figs 20–30)—Erythraeidae  
*Erythraeus (Zaracarus) iranicus* Saboori & Akrami, 2001: 159 (figs 1–11)—Erythraeidae  
*Erythraeus (Zaracarus) kastaniensis* Haitlinger, 2006: 111 (figs 20–30)—Erythraeidae  
*Erythraeus (Zaracarus) kharrazi* Saboori, 2000: 125 (figs 1–7)—Erythraeidae  
*Erythraeus (Zaracarus) passidonicus* Haitlinger, 2006: 114 (figs 20–30)—Erythraeidae  
*Erythraeus (Zaracarus) rajabii* Saboori, 2000: 127 (figs 8–17)—Erythraeidae  
*Erythraeus preciosus* Goldarazena & Zhang, 1998: 153 (figs 6–10, 12)—Erythraeidae  
*Erythraeus shojaii* Saboori & Babolmorad, 2000: 119 (figs 1–10)—Erythraeidae  
*Erythraeus southcotti* Goldarazena & Zhang, 1998: 149 (figs 1–5, 11)—Erythraeidae  
*Euseius tikriti* Bayan, Merheb, 2006: 51 (fig. 1)—Phytoseiidae  
*Eustigmaeus erciyensis* Doğan, Ayyildiz & Fan, 2003: 132 (figs 1–21)—Stigmaeidae  
*Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139 (figs 22–29)—Stigmaeidae  
*Eutrombidium djordjevici* Saboori & Pesic, 2006: 237 (figs 1–8)—Eutrombidiidae  
*Eutrombidium sepaosariani* Saboori, Nemati & Mosaddegh, 2000: 183 (figs 1–7)—  
 Eutrombidiidae  
*Eutrombidium sorbasiensis* Mayoral & Barranco, 2004: 183 (figs 1–6)—Eutrombidiidae  
*Fungitarsonemus kawakawa* Lin & Zhang, 2005: 85 (figs 1–12)—Tarsonemidae  
*Fungitarsonemus kerikeri* Lin & Zhang, 2005: 98 (figs 25–36)—Tarsonemidae  
*Fungitarsonemus kohia* Lin & Zhang, 2005: 91 (figs 13–24)—Tarsonemidae  
*Fungitarsonemus tawa* Lin & Zhang, 2005: 105 (figs 37–42)—Tarsonemidae  
*Galendromimus paulista* Zacarias & Moraes, 2001: 97 (fig. 2)—Phytoseiidae  
*Gamasellodes tatricus* Gwiazdowicz & Walter, 2005: 62 (figs 1–5)—Ascidae  
*Gareria taiwanensis* Wen, 2000: 173 (figs 1–5)—Walchiidae  
*Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173 (figs 1–3)—Cheyletidae  
*Grandjeanella bella* Zhang & Goldarazena, 1996: 138 (figs 17–24)—Erythraeidae  
*Grandjeanella haitlingeri* Goldarazena & Zhang, 1997: 231 (figs 1–8)—Erythraeidae  
*Grandjeanella multisetosa* Zhang & Goldarazena, 1996: 133 (figs 9–16)—Erythraeidae  
*Hirstiella diolii* Baker, 1998: 183 (figs 1–24)—Pterygosomatidae  
*Hygrobates gangeticus* Pesic, Kumar & Kumar, 2007: 162 (figs 1–9)—Hygrobatidae  
*Hypoaspis (Cosmolaelaps) hefeiensis* Xu & Liang, 1996: 193 (figs 17–23)—Laelapidae  
*Hypoaspis (Cosmolaelaps) reticulatus* Xu & Liang, 1996: 191 (figs 9–16)—Laelapidae  
*Hypoaspis (Geolaelaps) postreticulatus* Xu & Liang, 1996: 189 (figs 1–8)—Laelapidae  
*Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75 (figs 15–19)—Phytoseiidae  
*Johnstoniana rudolphi* Haitlinger, 2006: 101 (figs 62–68)—Johnstonianidae  
*Knorella geonomae* Gondim, Flechtmann & Moraes, 2000: 105 (fig. 3)—Eriophyidae  
*Knorella thailandica* Hong, 1996: 206 (replacement name for *Knorella bambusae* Chandrapatya,  
 1993)—Eriophyidae  
*Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167 (figs 1–5)—Stigmaeidae  
*Ledermulleriopsis verricula* Fan & Liu, 1999: 155 (figs 1–8)—Stigmaeidae  
*Leptus adaminae* Haitlinger, 2004: 150 (figs 9–16)—Erythraeidae  
*Leptus balicus* Haitlinger, 2006: 227 (figs 25–32)—Erythraeidae  
*Leptus coloanensis* Haitlinger, 2006: 91 (figs 31–37)—Erythraeidae

*Leptus esmailii* Saboori & Ostovan, 2000: 143 (figs 1–10)—Erythraeidae  
*Leptus filipinae* Haitlinger, 2000: 132 (figs 1–8)—Erythraeidae  
*Leptus fozicus* Haitlinger, 2004: 152 (figs 17–24)—Erythraeidae  
*Leptus guilinicus* Haitlinger, 2006: 93 (figs 38–45)—Erythraeidae  
*Leptus hospeticus* Haitlinger, 2002: 177 (figs 1–9)—Erythraeidae  
*Leptus iguacuicus* Haitlinger, 2004: 147 (figs 1–8)—Erythraeidae  
*Leptus kamalii* Irvanlou & Saboori, 2001: 165 (figs 1–10)—Erythraeidae  
*Leptus laviniacus* Haitlinger, 2002: 180 (figs 10–18)—Erythraeidae  
*Leptus nikanori* Haitlinger, 2000: 132 (figs 9–15)—Erythraeidae  
*Leptus onnae* Haitlinger, 2000: 137 (figs 24–31)—Erythraeidae  
*Leptus simonettae* Haitlinger, 2000: 137 (figs 16–23)—Erythraeidae  
*Leptus singhi* Saboori & Arbabi, 2003: 175 (figs 1–9)—Erythraeidae  
*Leptus ubudicus* Haitlinger, 2006: 225 (figs 20–24)—Erythraeidae  
*Leptus zhangii* Saboori & Atamehr, 1999: 159 (figs 1–7)—Erythraeidae  
*Ledermuelleriopsis giresuniensis* Doğan & Ayyildiz, 2003: 145 (figs 1–6)—Stigmaeidae  
*Leptotrombidium (Monosigmum) shenzhense* Wen, 2001: 192 (figs 7–11)—Trombiculidae  
*Leptotrombidium (Monosigmum) zhongii* Wen, 2001: 190 (figs 1–6)—Trombiculidae  
*Limnesia (Limnesia) microplatus* Wen & Zhu, 2001: 155 (figs 1–9)—Limnesiidae  
*Litarachna brasiliensis* Smit, 2007: 141 (figs 1–5)—Pontarachnidae  
*Mabulatrachus iranicus* Akrami & Coetzee, 2007: 248 (figs 1–9)—Zetomotrichidae  
*Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184 (figs 1–10)—Macronyssidae  
*Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187 (figs 11–20)—Macronyssidae  
*Macronyssus macroscutatus* Baker & Beccaloni, 2006: 169 (Figs 1–10)—Macronyssidae  
*Mediolata petilus* Doğan & Ayyildiz, 2004: 92 (figs 8–14)—Stigmaeidae  
*Medioppia bipectinata* Akrami & Subías, 2007: 241 (figs 1–4)—Oppiidae  
*Momorangia gabini* Haitlinger, 2004: 179 (figs 1–8)—Erythraeidae  
*Monatractides garhwaliensis* Pesic, Kumar & Kumar, 2007: 209 (figs 14–20)—Torrenticolidae  
*Montenegtrombium milicae* Saboori & Pesic, 2006: 233 (figs 1–6)—Microtrombidiidae  
*Neocunaxoides boltoides* Lin in Lin *et al.*, 2001: 145 (figs 1–7)—Cunaxidae  
*Neocunaxoides fani* Lin in Lin *et al.*, 2001: 148 (figs 8–14)—Cunaxidae  
*Neocunaxoides ovatus* Lin in Lin *et al.*, 2003: 103 (figs 1–9)—Cunaxidae  
*Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70 (figs 1–5)—Diptilomiopidae  
*Neophyllobius astragalusi* Khanjani & Ueckermann, 2002: 162 (figs 9–17)—Camerobiidae  
*Neophyllobius camelli* Khanjani & Ueckermann, 2002: 164 (figs 18–25)—Camerobiidae  
*Neophyllobius ferrugineus* Fan, 2001: 140 (figs 7–13)—Camerobiidae  
*Neophyllobius foliosetosus* Fan, 2001: 138 (figs 1–6)—Camerobiidae  
*Neophyllobius persiaensis* Khanjani & Ueckermann, 2002: 160 (figs 1–8)—Camerobiidae  
*Neophyllobius punctulatus* Fan, 2001: 142 (figs 14–20)—Camerobiidae  
*Neoscirula saitoi* Lin in Lin & Zhang, 2002: 146 (figs 9–16)—Cunaxidae  
*Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77 (figs 20–24)—Phytoseiidae  
*Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78 (figs 25–28)—Phytoseiidae  
*Neotarsonemoides triquetrus* Lin & Zhang, 1996: 173 (figs 1–2)—Tarsonemidae  
*Neothrombium mojdehii* Saboori & Ostovan, 2001: 203 (figs 1–11)—Neothrombiidae  
*Neotrombicula (Digenualea) silvestris* Ma, Yang & Chen, 2002: 207 (figs A–F)—Trombiculidae  
*Nilotonia iranica* Pesic in Pesic *et al.*, 2005: 143 (figs 21–30)—Anisitsiellidae  
*Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100 (fig. 1)—Eriophyidae  
*Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102 (fig. 2)—Eriophyidae  
*Odontocephus beijingensis* Wang, 1997: 237 (figs 1–4, 7–24)—Carabodidae  
*Opiliotrombium akatarawa* Zhang & Fan, 2005: 156 (figs 1–4)—Neothrombiidae  
*Okiseius xizangensis* Wu, Lan & Liang, 1997: 146 (figs 23–27)—Phytoseiidae

*Orthopteroiseius sinicus* Mo, 1996: 201 (figs 1–13)—Otopheidomenidae  
*Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 248 (figs 1–6)—  
 Trombidiidae  
*Oxybrachioppia glabriseta* Wang & Shen in Shen *et al.*, 1999: 122 (figs 1–2)—Oppiidae  
*Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79 (figs 29–32)—Phytoseiidae  
*Parabonzia zhangii* Lin in Lin & Zhang, 2002: 143 (figs 1–8)—Cunaxidae  
*Paratrombium welbourni* Goldarazena & Zhang, 1997: 227 (figs 1–6)—Trombidiidae  
*Parobia alipilus* Seeman & Nahrung, 2005: 112 (figs 1–5)—Podapolipidae  
*Parobia captivus* Seeman & Nahrung, 2005: 130 (figs 13–18)—Podapolipidae  
*Parobia gimlii* Seeman & Nahrung, 2005: 118 (figs 6–8)—Podapolipidae  
*Parobia lawsoni* Seeman & Nahrung, 2005: 124 (figs 9–12)—Podapolipidae  
*Phytoseius (Dubininellus) longchuanensis* Wu, 1997: 156 (figs 1–5)—Phytoseiidae  
*Phytoseius (Phytoseius) malaysianus* Ehara, 2006: 177 (figs 1–7)—Phytoseiidae  
*Phytoseius wangii* Wu & Ou, 1998: 121 (figs 1–4)—Phytoseiidae  
*Podothrombium manolatesicus* Haitlinger, 2006: 119 (figs 49–56)—Trombidiidae  
*Podothrombium xianicum* Haitlinger, 2006: 98 (figs 55–61)—Trombidiidae  
*Pollux kovalamicus* Haitlinger, 2002: 173 (figs 1–8)—Erythraeidae  
*Polyaspinus tasmanicus* Błoszyk & Halliday, 2000: 54 (figs 11–15)—Trachytidae  
*Propilia syagris* Gondim, Flechtmann & Moraes, 2000: 107 (fig. 4)—Phytoptidae  
*Protzia beyazoglui* Pesic & Turan, 2006: 206 (figs 1–12)—Hydryphantidae  
*Protzia sepasgosariani* Pesic & Saboori in Pesic *et al.*, 2006: 74 (figs 1–12)—Hydryphantidae  
*Proprioiseius aculeatus* Moraes & Denmark, 1999: 100 (figs 6–9)—Phytoseiidae  
*Proprioiseius gibbus* Moraes & Denmark, 1999: 99 (figs 1–5)—Phytoseiidae  
*Proprioiseius retroacuminatus* Zacarias & Moraes, 2001: 96 (fig. 1)—Phytoseiidae  
*Pseudoparasitus (Gymnolaelaps) submyrmecophila* Xu & Liang, 1996: 195 (figs 24–31)—  
 Laelapidae  
*Pseudostigmaeus ueckermanni* Fan & Liu, 1999: 156 (figs 9–12)—Stigmaeidae  
*Psorergatoides nyctali* Baker, 2005: 68 (figs 1–17)—Psorergatidae  
*Pyemotes moseri* Yu & Liang, 1996: 167 (figs 1–7)—Pyemotidae  
*Raphignathus aciculatus* Fan in Fan & Yin, 2000: 91 (figs 25–32)—Raphignathidae  
*Raphignathus evidus* Fan in Fan & Yin, 2000: 94 (figs 38–42)—Raphignathidae  
*Raphignathus hsiufui* Fan in Fan & Yin, 2000: 94 (figs 43–46)—Raphignathidae  
*Raphignathus membranus* Fan in Fan & Yin, 2000: 93 (figs 33–37)—Raphignathidae  
*Rhyncaphytopus acer* Chen, Wei & Qin, 2004: 71 (figs 6–10)—Diptilomiopidae  
*Schizotetranychus hidayahae* Yusof & Zhang, 2003: 155 (figs 1–9)—Tetranychidae  
*Schoengastiella (Dureniella) irani* Wen & Saboori, 2004: 191 (figs 1–2)—Walchiidae  
*Schoengastiella wufi* Wen, 2005: 170 (figs 1–2)—Walchiidae  
*Scirula papillata* Lin, 1997: 169 (figs 1–6)—Cunaxidae  
*Scutascirus triangulum* Lin in Lin *et al.*, 2001: 150 (figs 15–22)—Cunaxidae  
*Shunsennia (Parashunsennia) marmota* Wen & Ma, 1997: 212 (figs 1–4)—Leeuwenhoekiiidae  
*Southcottella nematii* Saboori, 2002: 185 (figs 1–13)—Neothrombiidae  
*Sperchon garhwalensis* Kumar, Kumar & Pesic, 2007: 35 (figs 10–19)—Sperchontidae  
*Sperchon indicus* Kumar, Kumar & Pesic, 2007: 32 (figs 1–9)—Sperchontidae  
*Steneotarsonemus concavuscutum* Lofego & Gondim, 2006: 195 (figs 1–12)—Tarsonemidae  
*Steneotarsonemus longicarpus* Lin & Zhang, 1997: 177 (fig. 1)—Tarsonemidae  
*Steneotarsonemus stipa* Lin & Liu, 1999: 127 (figs 1–6)—Tarsonemidae  
*Stigmaeus mazandaranicus* Faraji & Ueckermann, 2006: 70 (Figs 1–6)—Stigmaeidae  
*Storchia cuneata* Fan & Chen, 1997: 164 (figs 1–10)—Stigmaeidae  
*Summersiella camphorae* Fan & Zhang, 2002: 154 (figs 15–26)—Stigmaeidae  
*Tanautarsala callithrix* Brown, 2007: 224 (figs 1–2)—Trombiculidae

*Tarsonemus yali* Lin & Zhang, 2006: 181 (figs 1–12)—Tarsonemidae  
*Tenuipalpus jawadii* Hasan, Wakil & Bashir, 2004: 98 (fig. 2)—Tenuipalpidae  
*Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97 (fig. 1)—Tenuipalpidae  
*Tergilatus camelliae* Wei, Feng & Huang, 1999: 144 (figs 9–16)—Eriophyidae  
*Tetra striata* Navia, 1999: 140 (figs 8–14)—Eriophyidae  
*Tetranychus arifi* Yusof & Zhang, 2003: 163 (figs 10–18)—Tetranychidae  
*Tetranychus ismaili* Yusof & Zhang, 2003: 167 (figs 19–27)—Tetranychidae  
*Tetranychus ogmophallos* Ferreira & Flechtmann, 1997: 181 (figs 1–14)—Tetranychidae  
*Trombella ahmadii* Saboori, Nemati & Mosaddegh, 2001: 183 (figs 1–10)—Trombellidae  
*Trombidium southcotti* Zhang & Saboori, 1996: 157 (figs 1–20)—Trombidiidae  
*Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82 (figs 33–37)—Phytoseiidae  
*Typhlodromips cananeiensis* Guedes, Gondim & Moraes, 2001: 84 (figs 38–44)—Phytoseiidae  
*Typhlodromips jucara* Guedes, Gondim & Moraes, 2001: 85 (figs 45–49)—Phytoseiidae  
*Typhlodromus abboudieus* Bayan & Merheb, 2006: 53 (fig. 2)—Phytoseiidae  
*Typhlodromus cuii* Wu & Ou, 1998: 133 (figs 1–4)—Phytoseiidae  
*Umbellozetes combinatus* Wang & Solho in Shen *et al.*, 1999: 124 (figs 5–6)—Tegoribatidae  
*Umbellozetes squamaceus* Wang & Shen in Shen *et al.*, 1999: 123 (figs 3–4)—Tegoribatidae  
*Unionicola (Polyatax) lumbaria* Wen & Zhu, 1998: 171 (figa 1–13)—Unionicolidae  
*Walchia marmota* Wen & Zhou, 1997: 215 (figs 1–6)—Walchiidae  
*Walchia traubobi* Wen, 1999: 180 (figs 1–4)—Walchiidae  
*Whartonia furcappa* Wen & Zhou in Wen *et al.*, 2001: 195 (figs 1–6)—Leeuwenhoekiiidae  
*Xenotarsonemus biangulus* Lin in Lin *et al.*, 2000: 111 (figs 1–2)—Tarsonemidae  
*Xenotarsonemus bihamus* Lin in Lin *et al.*, 2000: 115 (fig. 3)—Tarsonemidae  
*Xenotarsonemus ligula* Lin & Zhang, 1996: 177 (fig. 3)—Tarsonemidae  
*Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164 (figs 1–11)—  
 Microtrombidiidae  
*Zibethacarus beeri* Fashing & Burton, 2007: 168 (figs 1–14)—Glycyphagidae

## Author index

Afzal, M. (Pakistan; 1 spp.) *Cunaxa jatoiensis* Bashir & Afzal, 2006: 64.  
 Akrami, Mohammad Ali (Iran; 3 spp.) *Erythraeus (Zaracarus) iranicus* Saboori & Akrami, 2001: 159; *Mabulatrachus iranicus* Akrami & Coetzee, 2007: 248; *Medioppia bipectinata* Akrami & Subías, 2007.  
 Arbabi, Masoud (Iran; 1 spp.) *Leptus singhi* Saboori & Arbabi, 2003: 175.  
 Atamehr, Ahmad (Iran; 1 spp.) *Leptus zhangii* Saboori & Atamehr, 1999: 159.  
 Ayyildiz, Nusret (Turkey; 4 spp.) *Eustigmaeus erciyesiensis* Doğan, Ayyildiz & Fan, 2003: 132; *Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139; *Ledermuelleriopsis giresuniensis* Doğan & Ayyildiz, 2003:145; *Mediolata petilus* Doğan & Ayyildiz, 2004: 92.  
 Babolmorad, Mehri (Iran; 1 spp.) *Erythraeus shojaii* Saboori & Babolmorad, 2000: 119.  
 Bagheri, Mohammad (Iran; 2 spp.) *Oskootrombium* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 247; *Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 248.  
 Baker, Anne S. (UK; 3 spp.) *Hirstiella diolii* Baker, 1998: 183; *Macronyssus macroscutatus* Baker & Beccaloni, 2006: 169; *Psorergatoides nyctali* Baker, 2005: 68.  
 Barranco, Pablo (Spain; 1 spp.) *Eutrombidium sorbasiensis* Mayoral & Barranco, 2004: 183.  
 Bashir, M. Hamid (Pakistan; 1 spp.) *Cunaxa jatoiensis* Bashir & Afzal, 2006: 64.  
 Bashir, Faiza (Pakistan; 4 spp.) *Brevipalpus sahii* Hasan, Wakil & Bashir, 2004: 104; *Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105; *Tenuipalpus jawadii* Hasan, Wakil & Bashir, 2004: 98; *Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97.

- Bayan, Ali (Lebanon; 2 spp.) *Euseius tikriti* Bayan & Merheb, 2006: 51; *Typhlodromus abboudieus* Bayan & Merheb, 2006: 53.
- Bayartogtokh, Badamdorj (Mongolia; 2 spp.) *Epilohmannia shtanchaevae* Bayartogtokh, 2000: 199; *Epilohmannia spathuloides* Bayartogtokh, 2000: 196.
- Beccaloni, Janet (UK; 1 spp.) *Macronyssus macroscutatus* Baker & Beccaloni, 2006: 169.
- Błoszyk, J. (Poland; 1 gen., 2 spp.) *Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41; *Acroseius womersleyi* Błoszyk, Halliday & Dylewska, 2005: 48; *Polyaspinus tasmanicus* Błoszyk & Halliday, 2000: 54.
- Brown, Wayne A. (USA; 1 gen., 1 spp.) *Tanautarsala* Brown, 2007: 223; *Tanautarsala callithrix* Brown, 2007: 224.
- Burton, Andrew (USA; 1 spp.) *Zibethacarus beeri* Fashing & Burton, 2007: 168.
- Chen, Hong-Jian (China; 1 spp.) *Neotrombicula (Digenualea) silvestris* Ma, Yang & Chen, 2002: 207.
- Chen, Jian-Wen (China; 1 gen., 3 spp.) *Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75; *Neohoderus* Chen, Wei & Qin, 2004: 69; *Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70; *Rhyncaphytoptus acer* Chen, Wei & Qin, 2004: 71.
- Chen, Qin-He (China; 3 spp.) *Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139; *Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137; *Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141.
- Chen, Xi-Wen (China; 1 spp.) *Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167.
- Chen, Yan (China; 1 gen., 2 spp.) *Echinopsis* Fan & Chen, 1996: 126; *Echinopsis fukiensis* Fan & Chen, 1996: 124; *Storchia cuneata* Fan & Chen, 1997: 164.
- Chmielewski, Wit (Poland; 1 spp.) *Boetophela cassandrae* Haitlinger & Chmielewski, 2004: 196.
- Coetzee, Louise (South Africa; 1 spp.) *Mabulatrichus iranicus* Akrami & Coetzee, 2007: 248.
- Denmark, H.A. (USA; 1 spp.) *Proprioseius aculeatus* Moraes & Denmark, 1999: 100.
- Dinipour, Abdollah (Iran; 1 spp.) *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217.
- Doğan, Salih. (Turkey; 4 spp.) *Eustigmaeus erciyesiensis* Doğan, Ayyildiz & Fan, 2003: 132; *Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139; *Ledermuelleriopsis giresuniensis* Doğan & Ayyildiz, 2003: 145; *Mediolata petilus* Doğan & Ayyildiz, 2004: 92.
- Dong, Hui-Qin (China; 1 spp.) *Aceria yunnanensis* Dong & Hong, 1998: 199.
- Dylewska, M. (Poland; 1 gen., 1 spp.) *Acroseius* Błoszyk, Halliday & Dylewska, 2005: 41; *Acroseius womersleyi* Błoszyk, Halliday & Dylewska, 2005: 48.
- Ehara, Shôzô (Japan; 1 spp.) *Phytoseius (Phytoseius) malaysianus* Ehara, 2006: 177.
- Fan, Qing-Hai (China; 2 gen., 18 spp.) *Barbutia australia* Fan, Walter & Proctor, 2003: 112; *Barbutia longinqua* Fan, Walter & Proctor, 2003: 125; *Caligohomus durus* Fan & Walter, 2004: 82; *Echinopsis* Fan & Chen, 1996: 126; *Echinopsis fukiensis* Fan & Chen, 1996: 124; *Eustigmaeus erciyesiensis* Doğan, Ayyildiz & Fan, 2003: 132; *Eustigmaeus sculptus* Doğan, Ayyildiz & Fan, 2003: 139; *Ledermuelleriopsis verricula* Fan & Liu, 1999: 155; *Neophyllobius ferrugineus* Fan, 2001: 140; *Neophyllobius foliosetosus* Fan, 2001: 138; *Neophyllobius punctulatus* Fan, 2001: 142; *Opiliotrombium* Zhang & Fan, 2005: 156; *Opiliotrombium akatarawa* Zhang & Fan, 2005: 156; *Pseudostigmaeus ueckermanni* Fan & Liu, 1999: 156; *Raphignathus aciculatus* Fan in Fan & Yin, 2000: 91; *Raphignathus evidus* Fan in Fan & Yin, 2000: 94; *Raphignathus hsiufui* Fan in Fan & Yin, 2000: 94; *Raphignathus membranatus* Fan in Fan & Yin, 2000: 93; *Storchia cuneata* Fan & Chen, 1997: 164; *Summersiella camphorae* Fan & Zhang, 2002: 154.
- Faraji, F. (The Netherlands; 1 spp.) *Stigmaeus mazandaranicus* Faraji & Ueckermann, 2006: 70.
- Fashing, Norman J. (USA; 1 spp.) *Zibethacarus beeri* Fashing & Burton, 2007: 168.
- Feng, Yuan-Bin (China; 3 spp.) *Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147; *Epitrimerus ipomoeae* Wei, Feng & Huang, 1999: 143; *Tergilatus camelliae* Wei, Feng & Huang, 1999: 144.

- Ferreira, Denise N.M. (Brazil; 2 spp.) *Aceria pinto* Ferreira & Flechtmann, 1997: 185; *Tetranychus ogmophallos* Ferreira & Flechtmann, 1997: 181.
- Flechtmann, Carlos H.W. (Brazil; 6 spp.) *Aceria pinto* Ferreira & Flechtmann, 1997: 185; *Knorella geonoma* Gondim, Flechtmann & Moraes, 2000: 105; *Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100; *Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102; *Propilus syagris* Gondim, Flechtmann & Moraes, 2000: 107; *Tetranychus ogmophallos* Ferreira & Flechtmann, 1997: 181.
- Gerson, Uri (Israel; 1 fam.) Mecognathidae Gerson & Walter, 1998: 145.
- Goldarazena, Arturo (Spain; 10 spp.) *Abrolophus neobrevicollis* Zhang & Goldarazena, 1996: 127; *Allothrombium monochaetum* Goldarazena & Zhang, 1997: 220; *Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168; *Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163; *Erythraeus preciosus* Goldarazena & Zhang, 1998: 153; *Erythraeus southcotti* Goldarazena & Zhang, 1998: 149; *Grandjeanella bella* Zhang & Goldarazena, 1996: 138; *Grandjeanella haitlinger* Goldarazena & Zhang, 1997: 231; *Grandjeanella multisetosa* Zhang & Goldarazena, 1996: 133; *Paratrombium welbourni* Goldarazena & Zhang, 1997: 227.
- Gondim, Manoel Guedes Correa Jr. (Brazil; 15 spp.) *Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68; *Amblyseius geonoma* Guedes, Gondim & Moraes, 2001: 69; *Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71; *Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75; *Knorella geonoma* Gondim, Flechtmann & Moraes, 2000: 105; *Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77; *Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78; *Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100; *Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102; *Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79; *Propilus syagris* Gondim, Flechtmann & Moraes, 2000: 107; *Steneotarsonemus concavuscutum* Lofego & Gondim, 2006: 195; *Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82; *Typhlodromips cananeiensis* Guedes, Gondim & Moraes, 2001: 84; *Typhlodromips jucara* Guedes, Gondim & Moraes, 2001: 85.
- Guedes, Manoel (Brazil; 8 spp.) *Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68; *Amblyseius geonoma* Guedes, Gondim & Moraes, 2001: 69; *Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71; *Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75; *Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77; *Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78; *Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79; *Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82.
- Gui, Yan-Yun (China; 2 gen.) *Parvisetia* Wen & Gui, 2000: 165; *Scrobiculata (Squamulata)* Wen & Gui, 2000: 167.
- Gwiazdowicz, Dariusz J. (Poland; 1 spp.) *Gamasellodes tatricus* Gwiazdowicz & Walter, 2005: 62.
- Haddad, Karim Irani-Nejad (Iran; 2 spp.) *Oskootrombium Saboori*, Bagheri & Haddad in Saboori *et al.*, 2006: 247; *Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori *et al.*, 2006: 248.
- Haitlinger, Ryszard (Poland; 1 gen., 36 spp.) *Abrolophus mirabelae* Haitlinger, 2007: 57; *Abrolophus unimiri* Haitlinger, 2006: 84; *Allothrombium polikarpi* Haitlinger, 2006: 116; *Amarucoptes* Haitlinger, 2001: 112; *Amarucoptes busannae* Haitlinger, 2001: 113; *Balaustium innocentae* Haitlinger, 2006: 95; *Boetophela cassandrae* Haitlinger & Chmielewski, 2004: 196; *Carastrum sanurensis* Haitlinger, 2006: 220; *Charletonia kalithensis* Haitlinger, 2006: 108; *Charletonia lombokensis* Haitlinger, 2006: 222; *Charletonia samosensis* Haitlinger, 2006: 110; *Diplothrombium zbigniewi* Haitlinger, 2001: 179; *Erythraeus (Erythraeus) berninensis* Haitlinger, 2007: 62; *Erythraeus (Erythraeus) kacperi* Haitlinger, 2004: 158; *Erythraeus (Erythraeus) moeritzensis* Haitlinger, 2007: 66; *Erythraeus (Erythraeus) yangshounicus* Haitlinger, 2006: 86; *Erythraeus (Erythraeus) zhang* Haitlinger, 2006: 88; *Erythraeus (Zaracarus) kastaniensis* Haitlinger, 2006: 111; *Erythraeus (Zaracarus) passidonicus* Haitlinger, 2006: 114; *Johnstoniana rudolfi* Haitlinger, 2006: 101; *Leptus balicus* Haitlinger,

- 2006: 227; *Leptus adaminae* Haitlinger, 2004: 150; *Leptus colanensis* Haitlinger, 2006: 91; *Leptus filipinae* Haitlinger, 2000: 132; *Leptus fozicus* Haitlinger, 2004: 152; *Leptus guilnicus* Haitlinger, 2006: 93; *Leptus hospeticus* Haitlinger, 2002: 177; *Leptus iguacuicus* Haitlinger, 2004: 147; *Leptus laviniacus* Haitlinger, 2002: 180; *Leptus nikanori* Haitlinger, 2000: 132; *Leptus onnae* Haitlinger, 2000: 137; *Leptus simonettae* Haitlinger, 2000: 137; *Leptus ubudicus* Haitlinger, 2006: 225; *Momorangia gabini* Haitlinger, 2004: 179; *Podothrombium manolatesicus* Haitlinger, 2006: 119; *Podothrombium xianicum* Haitlinger, 2006: 98; *Pollux kovalamicus* Haitlinger, 2002: 173.
- Hajiqanbar, H. (Iran; 2 spp.) *Abrolophus iraninejadi* Saboori & Hajiqanbar, 2005: 149; *Andrevella persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48.
- Halliday, R.B. (Australia; 1 gen., 2 spp.) *Acroseius* Błozzyk, Halliday & Dylewska, 2005: 41; *Acroseius womersleyi* Błozzyk, Halliday & Dylewska, 2005: 48; *Polyaspinus tasmanicus* Błozzyk & Halliday, 2000: 54.
- Haq, M.A. (India; 2 spp.) *Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230; *Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232.
- Harten, Antonius Van (Cape Verde; 1 gen., 1 spp.) *Yemenitrombium* Saboori, Ueckermann & Harten, 2005: 163; *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164.
- Hasan, Mansoor Ul (Pakistan; 4 spp.) *Brevipalpus sahi* Hasan, Wakil & Bashir, 2004: 104; *Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105; *Tenuipalpus jawadii* Hasan, Wakil & Bashir, 2004: 98; *Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97.
- Hong, Xiaoyue (China; 2 spp.) *Aceria yunnanensis* Dong & Hong, 1998: 199; *Knorella thailandica* Hong, 1996: 206.
- Hu, Si-Qin (China; 1 spp.) *Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167.
- Huang, Nai-Xiu (China; 3 spp.) *Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147; *Epitrimerus ipomoeae* Wei, Feng & Huang, 1999: 143; *Tergilatus camelliae* Wei, Feng & Huang, 1999: 144.
- Husband, R.W. (USA; 1 spp.) *Chrysolobus oneili* Moraes, Husband & Lofego, 1999: 131.
- Irvanlou, Jafar Sadegh Karimi (Iran; 1 spp.) *Leptus kamalii* Irvanlou & Saboori, 2001: 165.
- Kamali, Karim (Iran; 1 spp.) *Andrevella persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48.
- Khajeali, Jahangir (Iran; 2 spp.) *Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168; *Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163.
- Khanjani, M. (Iran; 6 spp.) *Anoplocheylus brevisetosus* Ueckermann & Khanjani, 2004: 59; *Anoplocheylus malayeriensis* Ueckermann & Khanjani, 2004: 55; *Austroteneriffia kamalii* Ueckermann & Khanjani, 2002: 168; *Neophyllobius astragalusi* Khanjani & Ueckermann, 2002: 162; *Neophyllobius camelli* Khanjani & Ueckermann, 2002: 164; *Neophyllobius persiaensis* Khanjani & Ueckermann, 2002: 160.
- Krantz, G.W. (USA; 1 fam., 1 gen., 1 spp.) *Crotalomorpha* Lindquist & Krantz, 2002: 133; *Crotalomorpha camini* Lindquist & Krantz, 2002: 136; Crotalomorphidae Lindquist & Krantz, 2002: 130.
- Kumar, Kapil (India; 5 spp.) *Atractides garhwali* Pestic, Kumar & Kumar, 2007: 162; *Hygrobatas gangeticus* Pestic, Kumar & Kumar, 2007: 162; *Monatractides garhwaliensis* Pestic, Kumar & Kumar, 2007: 209; *Sperchon garhwalensis* Kumar, Kumar & Pestic, 2007: 35; *Sperchon indicus* Kumar, Kumar & Pestic, 2007: 32.
- Kumar, Neeraj (India; 5 spp.) *Atractides garhwali* Pestic, Kumar & Kumar, 2007: 162; *Hygrobatas gangeticus* Pestic, Kumar & Kumar, 2007: 162; *Monatractides garhwaliensis* Pestic, Kumar & Kumar, 2007: 209; *Sperchon garhwalensis* Kumar, Kumar & Pestic, 2007: 35; *Sperchon indicus* Kumar, Kumar & Pestic, 2007: 32.
- Lan, Wen-Min (China; 1 spp.) *Okiseius xizangensis* Wu, Lan & Liang, 1997: 146.
- Li, Chao (China; 1 spp.) *Ameroseius qinghaiensis* Li & Yang, 2000: 65.



- Liang, Lai-Rong (China; 6 spp.) *Hypoaspis (Cosmolaelaps) hefeiensis* Xu & Liang, 1996: 193; *Hypoaspis (Cosmolaelaps) reticulatus* Xu & Liang, 1996: 191; *Hypoaspis (Geolaelaps) postreticulatus* Xu & Liang, 1996: 189; *Okiseius xizangensis* Wu, Lan & Liang, 1997: 146; *Pseudoparasitus (Gymnolaelaps) submyrmecophila* Xu & Liang, 1996: 195; *Pyemotes moseri* Yu & Liang, 1996: 167.
- Lin, Jian-Zhen (China; 22 spp.) *Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139; *Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137; *Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141; *Dendroptus tricollis* Lin & Chen in Lin, Zhang & Chen, 2004: 142; *Fungitarsonemus kawakawa* Lin & Zhang, 2005: 85; *Fungitarsonemus kerikeri* Lin & Zhang, 2005: 98; *Fungitarsonemus kohia* Lin & Zhang, 2005: 91; *Fungitarsonemus tawa* Lin & Zhang, 2005: 105; *Neocunaxoides boltoides* Lin in Lin *et al.*, 2001: 145; *Neocunaxoides fani* Lin in Lin *et al.*, 2001: 148; *Neocunaxoides ovatus* Lin in Lin *et al.*, 2003: 103; *Neoscirula saitoi* Lin in Lin & Zhang, 2002: 146; *Neotarsonemoides triquetrus* Lin & Zhang, 1996: 173; *Parabonzia zhangi* Lin in Lin & Zhang, 2002: 143; *Scirula papillata* Lin, 1997: 169; *Scutascirus triangulum* Lin in Lin *et al.*, 2001: 150; *Steneotarsonemus longicarpus* Lin & Zhang, 1997: 177; *Steneotarsonemus stipa* Lin & Liu, 1999: 127; *Xenotarsonemus bihamus* Lin in Lin *et al.*, 2000: 115; *Tarsonemus yali* Lin & Zhang, 2006: 181; *Xenotarsonemus biangulus* Lin in Lin *et al.*, 2000: 111; *Xenotarsonemus ligula* Lin & Zhang, 1996: 177.
- Lindquist, E.E. (Canada; 1 fam., 1 gen., 1 spp.) *Crotalomorpha* Lindquist & Krantz, 2002: 133; *Crotalomorpha camini* Lindquist & Krantz, 2002: 136; Crotalomorphidae Lindquist & Krantz, 2002: 130.
- Liu, Ai-Ping (China; 1 spp.) *Steneotarsonemus stipa* Lin & Liu, 1999: 127.
- Liu, Xin (China; 2 spp.) *Ledermuelleriopsis verricula* Fan & Liu, 1999: 155; *Pseudostigmaeus ueckermanni* Fan & Liu, 1999: 156.
- Lofego, A.C. (Brazil; 2 spp.) *Chrysolobobia oneili* Moraes, Husband & Lofego, 1999: 131; *Steneotarsonemus concavuscutum* Lofego & Gondim, 2006: 195.
- Lu, Wen (China; 2 spp.) *Diptilomiopus combreti* Wei & Lu, 2001: 117; *Diptilomiopus illicii* Wei & Lu, 2001: 115.
- Ma, Li-Ming (China; 1 spp.) *Shunsennia (Parashunsennia) marmota* Wen & Ma, 1997: 212.
- Ma, Ying (China; 1 spp.) *Neotrombicula (Digenualea) silvestris* Ma, Yang & Chen, 2002: 207.
- Mayoral, Jaime G. (Spain; 1 spp.) *Eutrombidium sorbasiensis* Mayoral & Barranco, 2004: 183.
- Merheb, Bashar (Lebanon; 2 spp) *Euseius tikritii* Bayan & Merheb, 2006: 51; *Typhlodromus abboudieus* Bayan & Merheb, 2006: 53.
- Mo, Cheng-Feng (Hong Kong; 1 gen., 1 spp.) *Orthopteroiseius* Mo, 1996: 201; *Orthopteroiseius sinicus* Mo, 1996: 201.
- Moraes, Gilberto Jose de (Brazil; 19 spp.) *Amblyseius euterpes* Guedes, Gondim & Moraes, 2001: 68; *Amblyseius geonomae* Guedes, Gondim & Moraes, 2001: 69; *Amblyseius igarassuensis* Guedes, Gondim & Moraes, 2001: 71; *Chrysolobobia oneili* Moraes, Husband & Lofego, 1999: 131; *Galendromimus paulista* Zacarias & Moraes, 2001: 97; *Iphiseiodes setillus* Guedes, Gondim & Moraes, 2001: 75; *Knorella geonomae* Gondim, Flechtmann & Moraes, 2000: 105; *Neoseiulus recifensis* Guedes, Gondim & Moraes, 2001: 77; *Neoseiulus veigai* Guedes, Gondim & Moraes, 2001: 78; *Notostrix butiae* Gondim, Flechtmann & Moraes, 2000: 100; *Notostrix nasutiformes* Gondim, Flechtmann & Moraes, 2000: 102; *Paraamblyseius multicircularis* Guedes, Gondim & Moraes, 2001: 79; *Propilus syagris* Gondim, Flechtmann & Moraes, 2000: 107; *Proprioseius aculeatus* Moraes & Denmark, 1999: 100; *Proprioseius gibbus* Moraes & Denmark, 1999: 99; *Proprioseius retroacuminatus* Zacarias & Moraes, 2001: 96; *Typhlodromips ariri* Guedes, Gondim & Moraes, 2001: 82; *Typhlodromips cananeiensis* Guedes, Gondim & Moraes, 2001: 84; *Typhlodromips jucara* Guedes, Gondim & Moraes, 2001: 85.
- Mosaddegh, Mohammad Saeed (Iran; 2 spp.) *Eutrombidium sepasgosariani* Saboori, Nemati &

- Mosaddegh, 2000: 183; *Trombella ahmadii* Saboori, Nemati & Mossaddegh, 2001: 183.
- Nahrung, Helen F. (Australia; 4 spp.) *Parobia alipilus* Seeman & Nahrung, 2005:112; *Parobia captivus* Seeman & Nahrung, 2005: 130; *Parobia gimlii* Seeman & Nahrung, 2005: 118; *Parobia lawsoni* Seeman & Nahrung, 2005: 124.
- Navia, Denis (Brazil; 2 spp.) *Aceria cordata* Navia, 1999: 137; *Tetra striata* Navia, 1999: 140.
- Nemati, Alireza (Iran; 2 spp.) *Eutrombidium sepasgosariani* Saboori, Nemati & Mosaddegh, 2000: 183; *Trombella ahmadii* Saboori, Nemati & Mossaddegh, 2001: 183.
- Ostovan, Hadi (Iran; 2 spp.) *Leptus esmailii* Saboori & Ostovan, 2000: 143; *Neothrombium mojdehii* Saboori & Ostovan, 2001: 203.
- Ou, Jian-Feng (China; 6 spp.) *Amblyseius dicircellatus* Wu & Ou, 1999: 107; *Amblyseius neopascalis* Wu & Ou, 2001: 103; *Amblyseius tenuis* Wu & Ou, 2001: 103; *Asperoseius paraheveae* Wu & Ou, 2002: 125; *Phytoseius wangii* Wu & Ou, 1998: 121; *Typhlodromus cuii* Wu & Ou, 1998: 133.
- Pesic, Vladimir (Serbia and Montenegro; 1 gen., 12 spp.) *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217; *Atractides garhwali* Pesic, Kumar & Kumar, 2007: 162; *Axonopsis (Vicinaxonopsis) caspica* Pesic & Saboori in Pesic, Saboori, Asdi & Vafaei, 2006: 214; *Eutrombidium djordjevici* Saboori & Pesic, 2006: 237; *Hygrobatas gangeticus* Pesic, Kumar & Kumar, 2007: 162; *Monatractides garhwaliensis* Pesic, Kumar & Kumar, 2007: 209; *Montenegtrombium* Saboori & Pesic, 2006: 231; *Montenegtrombium milicae* Saboori & Pesic, 2006: 233; *Nilotonia iranica* Pesic in Pesic et al., 2005: 143; *Protzia beyazoglui* Pesic & Turan, 2006: 206; *Protzia sepasgosariani* Pesic & Saboori in Pesic et al., 2006: 74; *Sperchon garhwalensis* Kumar, Kumar & Pesic, 2007: 35; *Sperchon indicus* Kumar, Kumar & Pesic, 2007: 32.
- Proctor, Heather C. (Canada; 2 spp.) *Barbutia australia* Fan, Walter & Proctor, 2003: 112; *Barbutia longinqua* Fan, Walter & Proctor, 2003: 125.
- Qin, Ai-Zhi (China; 1 gen., 4 spp.) *Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75; *Diptilomiopus acronychia* Chen, Wei & Qin, 2004: 72; *Neohoderus* Chen, Wei & Qin, 2004: 69; *Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70; *Rhyncaphytoptus acer* Chen, Wei & Qin, 2004: 71.
- Ramani, N. (India; 2 spp.) *Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230; *Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232.
- Saboori, Alireza (Iran; 4 gen., 26 spp.) *Abrolophus iraninejadi* Saboori & Hajiqanbar, 2005: 149; *Andrevella persiangulfia* Saboori, Hajiqanbar & Kamali, 2007: 48; *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217; *Axonopsis (Vicinaxonopsis) caspica* Pesic & Saboori in Pesic et al., 2006: 214; *Balaustium zhangi* Saboori, 2001: 171; *Erythraeus (Erythraeus) garmsaricus* Saboori, Goldarazena & Khajeali, 2004: 168; *Erythraeus (Erythraeus) hypertrichotus* Saboori, Goldarazena & Khajeali, 2004: 163; *Erythraeus (Zaracarus) iranicus* Saboori & Akrami, 2001: 159; *Erythraeus (Zaracarus) kharrazii* Saboori, 2000: 125; *Erythraeus (Zaracarus) rajabii* Saboori, 2000: 127; *Erythraeus shojaii* Saboori & Babolmorad, 2000: 119; *Eutrombidium djordjevici* Saboori & Pesic, 2006: 237; *Eutrombidium sepasgosariani* Saboori, Nemati & Mosaddegh, 2000: 183; *Leptus esmailii* Saboori & Ostovan, 2000: 143; *Leptus kamalii* Irvanlou & Saboori, 2001: 165; *Leptus singhi* Saboori & Arbabi, 2003: 175; *Leptus zhangi* Saboori & Atamehr, 1999: 159; *Montenegtrombium* Saboori & Pesic, 2006: 231; *Montenegtrombium milicae* Saboori & Pesic, 2006: 233; *Neothrombium mojdehii* Saboori & Ostovan, 2001: 203; *Oskootrombium* Saboori, Bagheri & Haddad in Saboori et al., 2006: 247; *Oskootrombium prasadi* Saboori, Bagheri & Haddad in Saboori et al., 2006: 248; *Protzia sepasgosariani* Pesic & Saboori in Pesic et al., 2006: 74; *Schoengastiella (Dureniella) irani* Wen & Saboori, 2004: 191; *Southcottella* Saboori, 2002: 185; *Southcottella nematii* Saboori, 2002: 185; *Trombella ahmadii* Saboori, Nemati & Mossaddegh, 2001: 183; *Trombidium southcotti* Zhang & Saboori, 1996: 157; *Yemenitrombium* Saboori, Ueckermann & Harten,

- 2005: 163; *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164.
- Seeman, Owen (Australia; 4 spp.) *Parobia alipilus* Seeman & Nahrung, 2005:112; *Parobia captivus* Seeman & Nahrung, 2005: 13; *Parobia gimlii* Seeman & Nahrung, 2005: 118; *Parobia lawsoni* Seeman & Nahrung, 2005: 124.
- Shen, Jing (China; 2 spp.) *Oxybrachioppia glabriseta* Wang & Shen in Shen et al., 1999: 122; *Umbellozetes squamaceus* Wang & Shen in Shen et al., 1999: 123.
- Shiji, M.T. (India; 2 spp.) *Annectacarus hammerae* Shiji, Haq & Ramani, 2007: 230; *Cryptacarus keralensis* Shiji, Haq & Ramani, 2007: 232.
- Smit, Harry (The Netherlands; 1 spp.) *Litarachna brasiliensis* Smit, 2007: 141.
- Snider, Renate M.(USA; 1 spp.) *Abrolophus welbourni* Yao, Snider & Snider, 2000: 150.
- Snider, Richard J.(USA; 1 spp.) *Abrolophus welbourni* Yao, Snider & Snider, 2000: 150.
- Subías, Luis S. (Spain; 1 spp.) *Medioppia bipectinata* Akrami & Subías, 2007: 241.
- Turan, Davut (Turkey; 1 spp.) *Protzia beyazoglui* Pesic & Turan, 2006: 206.
- Ueckermann, E.A. (South Africa; 1 gen., 8 spp.) *Anoplocheylus brevisetosus* Ueckermann & Khanjani, 2004: 59; *Anoplocheylus malayeriensis* Ueckermann & Khanjani, 2004: 55; *Austroteneriffia kamalii* Ueckermann & Khanjani, 2002: 168; *Neophyllobius astragalus* Khanjani & Ueckermann, 2002: 162; *Neophyllobius camelli* Khanjani & Ueckermann, 2002: 164; *Neophyllobius persiaensis* Khanjani & Ueckermann, 2002: 160; *Stigmaeus mazandaranicus* Faraji & Ueckermann, 2006: 70; *Yemenitrombium* Saboori, Ueckermann & Harten, 2005: 163; *Yemenitrombium nairae* Saboori, Ueckermann & Harten, 2005: 164.
- Vafaei, Reza (Iran; 1 spp.) *Atractides caspicus* Pesic, Dinipour, Vafaei & Saboori, 2007: 217.
- Wakil, Waqas (Pakistan; 4 spp.) *Brevipalpus sahi* Hasan, Wakil & Bashir, 2004: 104; *Brevipalpus tiwanensis* Hasan, Wakil & Bashir, 2004: 105; *Tenuipalpus jawadii* Hasan, Wakil & Bashir, 2004: 98; *Tenuipalpus waqasii* Hasan, Wakil & Bashir, 2004: 97.
- Walter, David E. (Canada; 1 fam., 4 spp.) *Barbutia australia* Fan, Walter & Proctor, 2003: 112; *Barbutia longinqua* Fan, Walter & Proctor, 2003: 125; *Caligohomus durus* Fan & Walter, 2004: 82; Mecognathidae Gerson & Walter, 1998: 145; *Gamasellodes tatricus* Gwiazdowicz & Walter, 2005: 62.
- Wang, Dong-Qin (China; 2 spp.) *Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184; *Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187.
- Wang, Hui-Fu (China; 4 spp.) *Odontocephus beijingensis* Wang, 1997: 237; *Oxybrachioppia glabriseta* Wang & Shen in Shen et al., 1999: 122 ; *Umbellozetes combinatus* Wang & Solho in Shen et al., 1999: 124; *Umbellozetes squamaceus* Wang & Shen in Shen et al., 1999: 123.
- Wang, Shen-Rong (China; 2 spp.) *Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184; *Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187.
- Wei, Sui-Gai (China; 1 gen., 9 spp.) *Calepitrimerus litseae* Wei, Feng & Huang, 1999: 147; *Diptacus liangfengjiangensis* Chen, Wei & Qin, 2004: 75; *Diptilomiopus acronychia* Chen, Wei & Qin, 2004: 72; *Diptilomiopus combreti* Wei & Lu, 2001: 117; *Diptilomiopus illicii* Wei & Lu, 2001: 115; *Epitrimerus ipomoeae* Wei, Feng & Huang, 1999: 143; *Neohoderus* Chen, Wei & Qin, 2004: 69; *Neohoderus choerospondias* Chen, Wei & Qin, 2004: 70; *Rhyncaphyoptus acer* Chen, Wei & Qin, 2004: 71; *Tergilatus camelliae* Wei, Feng & Huang, 1999: 144.
- Wen, Chungeng (China; 2 spp.) *Limnesia (Limnesia) microplatus* Wen & Zhu, 2001: 155; *Unionicola (Polyatax) lumbaria* Wen & Zhu, 1998: 171.
- Wen, Ting-Huan (China; 5 gen., 13 subgen., 9 spp.) *Duplimedia* Wen, 2006: 253; *Duplisetia* Wen, 1999: 174; *Duplisetia (Starkia)* Wen, 1999: 175; *Gareria taiwanensis* Wen, 2000: 173; *Leptotrombidium (Monosignum)* Wen, 2001: 189; *Leptotrombidium (Monosignum) shenzhense* Wen, 2001: 192; *Leptotrombidium (Monosignum) zhongi* Wen, 2001: 190; *Nadchatramia* Wen, 1999: 174; *Nepaliella* Wen, 1999: 173; *Parvisetia* Wen & Cui, 2000: 165; *Ripiaspichia (Cupiaspichia)* Wen, 1999: 172; *Ripiaspichia (Parmulichia)* Wen, 1999: 172; *Ripiaspichia (Suzukia)* Wen, 1999: 172; *Schoengastiella (Dureniella) irani* Wen & Saboori,

- 2004: 191; *Schoengastiella wufi* Wen, 2005: 170; *Scrobiculata (Squamulata)* Wen & Cui, 2000: 167; *Shunsennia (Parashunsennia) marmota* Wen & Ma, 1997: 212; *Walchia (Breviaspichia)* Wen, 1999: 171; *Walchia (Disparunguia)* Wen, 1999: 171; *Walchia (Goffia)* Wen, 1999: 171; *Walchia (Traudia)* Wen, 1999: 180; *Walchia (Ventralia)* Wen, 1999: 171; *Walchia (Wenia)* Wen, 2002: 195; *Walchia (Zhangzia)* Wen, 2002: 199; *Walchia marmota* Wen & Zhou, 1997: 215; *Walchia traubobi* Wen, 1999: 180; *Whartonia furcappa* Wen & Zhou in Wen *et al.*, 2001: 195.
- Wu, Wei-Nan (China; 8 spp.) *Amblyseius dicircellatus* Wu & Ou, 1999: 107; *Amblyseius neopascalis* Wu & Ou, 2001: 103; *Amblyseius tenuis* Wu & Ou, 2001: 103; *Asperoseius paraheveae* Wu & Ou, 2002: 125; *Okiseius xizangensis* Wu, Lan & Liang, 1997: 146; *Phytoseius (Dubininellus) longchuanensis* Wu, 1997: 156; *Phytoseius wangii* Wu & Ou, 1998: 121; *Typhlodromus cuii* Wu & Ou, 1998: 133.
- Xia, Bin (China; 3 spp.) *Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150; *Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173; *Ledermulleriopsis meilingensis* Hu, Xia & Chen, 1997: 167.
- Xu, Xue-Nong (China; 4 spp.) *Hypoaspis (Cosmolaelaps) hefeiensis* Xu & Liang, 1996: 193; *Hypoaspis (Cosmolaelaps) reticulatus* Xu & Liang, 1996: 191; *Hypoaspis (Geolaelaps) postreticulatus* Xu & Liang, 1996: 189; *Pseudoparasitus (Gymnolaelaps) submyrmecophila* Xu & Liang, 1996: 195.
- Yang, Xi-Zheng (China; 2 spp.) *Ameroseius qinghaiensis* Li & Yang, 2000: 65; *Neotrombicula (Digenualea) silvestris* Ma, Yang & Chen, 2002: 207.
- Yao, Hong-Ren (USA; 1 spp.) *Abrolophus welbourni* Yao, Snider & Snider, 2000: 150.
- Ye, Rong (China; 2 spp.) *Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150; *Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173.
- Yu, Li-Chen (China; 1 spp.) *Pyemotes moseri* Yu & Liang, 1996: 167.
- Yusof, Othman (Malaysia; 3 spp.) *Schizotetranychus hidayahae* Yusof & Zhang, 2003: 155; *Tetranychus arifi* Yusof & Zhang, 2003: 163; *Tetranychus ismaili* Yusof & Zhang, 2003: 167.
- Zacarias, M.S. (Brazil; 2 spp.) *Galendromimus paulista* Zacarias & Moraes, 2001: 97; *Proprioseius retroacuminatus* Zacarias & Moraes, 2001: 96.
- Zhang, Yan-Xuan (China; 6 spp.) *Daidalotarsonemus cornus* Lin, Chen & Zhang, 1998: 139; *Daidalotarsonemus digital* Lin, Chen & Zhang, 1998: 137; *Daidalotarsonemus duolamella* Lin, Chen & Zhang, 1998: 141; *Neotarsonemoides triquetrus* Lin & Zhang, 1996: 173; *Steneotarsonemus longicarpus* Lin & Zhang, 1997: 177; *Xenotarsonemus ligula* Lin & Zhang, 1996: 177.
- Zhang, Zhi-Qiang (New Zealand; 1 fam., 2 gen., 20 spp.) *Abrolophus neobrevicollis* Zhang & Goldarazena, 1996: 127; *Allothrombium monochaetum* Goldarazena & Zhang, 1997: 220; *Amphotrombiidae* Zhang, 1998: 161; *Amphotrombium* Zhang, 1998: 161; *Amphotrombium jenseni* Zhang, 1998: 162; *Erythraeus preciosus* Goldarazena & Zhang, 1998: 153; *Erythraeus southcotti* Goldarazena & Zhang, 1998: 149; *Fungitarsonemus kawakawa* Lin & Zhang, 2005: 85; *Fungitarsonemus kerikeri* Lin & Zhang, 2005: 98; *Fungitarsonemus kohia* Lin & Zhang, 2005: 91; *Fungitarsonemus tawa* Lin & Zhang, 2005: 105; *Grandjeanella bella* Zhang & Goldarazena, 1996: 138; *Grandjeanella haitlingeri* Goldarazena & Zhang, 1997: 231; *Grandjeanella multisetosa* Zhang & Goldarazena, 1996: 133; *Opiliotrombium* Zhang & Fan, 2005: 156; *Opiliotrombium akatarawa* Zhang & Fan, 2005: 156; *Paratrombium welbourni* Goldarazena & Zhang, 1997: 227; *Schizotetranychus hidayahae* Yusof & Zhang, 2003: 155; *Summersiella camphorae* Fan & Zhang, 2002: 154; *Tarsonemus yali* Lin & Zhang, 2006: 181; *Tetranychus arifi* Yusof & Zhang, 2003: 163; *Tetranychus ismaili* Yusof & Zhang, 2003: 167; *Trombidium southcotti* Zhang & Saboori, 1996: 157.
- Zhou, Man-Shu (China; 4 spp.) *Macronyssus emeiensis* Zhou, Wang & Wang, 1996: 184; *Macronyssus fujianensis* Zhou, Wang & Wang, 1996: 187; *Walchia marmota* Wen & Zhou,

1997: 215; *Whartonia furcappa* Wen & Zhou in Wen *et al.*, 2001: 195.  
Zhu, Zhi-Min (China; 4 spp.) *Cheletonella juglandis* Xia, Zhu & Ye, 1999: 150; *Grallacheles nanfengensis* Xia, Ye & Zhu, 1997: 173; *Limnesia (Limnesia) microplatus* Wen & Zhu, 2001: 155; *Unionicola (Polyatax) lumbaria* Wen & Zhu, 1998: 171.

## Acknowledgement

Z.-Q Zhang acknowledges the supported by the New Zealand Foundation for Research, Science and Technology through the “Defining New Zealand's Land Biota” OBI. While this paper was prepared, X.-F. Xue was funded by the National Natural Science Foundation of China through a Youth Science Fund (Grant No. 30600058). We are grateful to Dr Owen Seeman (Queensland Museum) for reviewing the draft of this manuscript.

## References

Publication date is important for papers with new names in zoological nomenclature and is thus provided in parenthesis at the end of each paper.

- Akrami, M.A. & Coetzee, L. (2007) *Mabulatrachus iranicus* (Acari: Oribatida: Zetomotrichidae): a new species from Iran. *Systematic & Applied Acarology*, 12, 245–251 (28 Dec.).
- Akrami, M.A. & Subías, L.S. (2007) Oppiid mites (Acari: Oribatida: Oppiidae) from Mazandaran province (Northern Iran), with a description of *Medioppia bipectinata* sp. n. *Systematic & Applied Acarology*, 12, 237–243 (28 Dec.).
- Baker, A.S. (1998) A new species of *Hirstiella* Berlese (Acari: Pterygosomatidae) from captive rhinoceros iguanas, *Cyclura cornuta* Bonnaterre (Reptilia: Iguanidae). *Systematic & Applied Acarology*, 3, 183–192 (1 Jul.).
- Baker, A. S. (2005) *Psorergatoides nyctali* (Prostigmata: Psorergatidae), a new mite species parasitizing the bat *Nyctalus noctula* (Mammalia: Chiroptera) in the British Isles. *Systematic & Applied Acarology*, 10, 67–74 (20 Aug.).
- Baker, A.S. & Beccaloni, J. (2006) *Macronyssus macroscutatus* (Mesostigmata: Macronyssidae), a new mite species from bats of the genus *Nyctalus* (Chiroptera: Vespertilionidae) in England. *Systematic & Applied Acarology*, 11, 167–174 (15 Oct.).
- Bashir, M.H. & Afzal, M. (2006) A new species of the genus *Cunaxa* (Acarina: Cunaxidae) from Pakistan. *Systematic & Applied Acarology*, 11, 63–68 (20 Mar.).
- Bayan, A & Merheb, B. (2006) Descriptions of two new phytoseiid mites (Acari: Mesostigmata: Gamasina) found in a grapevine orchard from Lebanon. *Systematic & Applied Acarology*, 11, 51–56 (20 Mar.).
- Bayartogtokh, B. (2000) Oribatid mites of the genus *Epilohmannia* (Acari: Oribatida: Epilohmanniidae) from Japan and Mongolia. *Systematic & Applied Acarology*, 5, 187–206 (1 Jul.).
- Błoszyk, J. & Halliday, R.B. (2000) Observations on the genus *Polyaspinus* Berlese 1916 (Acari: Trachytidae). *Systematic & Applied Acarology*, 5, 47–64 (1 Jul.).
- Błoszyk, J., Halliday, R.B. & Dylewska, M. (2005) *Acroseius womersleyi* gen. nov., sp. nov., a new genus and species of Uropodina from Australia (Acari: Trachytidae). *Systematic & Applied Acarology*, 10, 41–60 (20 Aug.).
- Brown, W.A. (2007) A new taxon of African chigger, *Tanautarsala callithrix* gen. nov., sp. nov. (Acari: Trombidioidea; Trombiculidae; Trombiculini), from the Callithrix monkey *Chlorocebus sabaeus* (L.) from The Gambia. *Systematic & Applied Acarology*, 12, 223–228 (28 Dec.).
- Chen, J.-W., Wei, S.-G. & Qin, A.-Z. (2004) A new genus and four new species of eriophyid mites (Acari: Diptilomiopidae) from Guangxi Province of China. *Systematic & Applied Acarology*, 9, 69–75 (31 Jul.).
- Doğan, S. & Ayyıldız, N. (2003) A new species of *Ledermuelleriopsis* (Acari: Stigmaeidae) from Turkey.

- Systematic & Applied Acarology*, 8, 145–148 (31 Jul.).
- Doğan, S. & Ayyıldız, N. (2004) Two species of raphignathoid mites from Turkey: *Eupalopsellus olandicus* Sellnick, 1949 (Acari: Eupalopsellidae) and *Mediolata petilus* sp. nov. (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 9, 89–95 (31 Jul.).
- Doğan, S., Ayyıldız, N. & Fan, Q.-H. (2003) Descriptions of two new species and a newly recorded species of *Eustigmaeus* from Turkey (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 8, 131–144 (31 Jul.).
- Dong, H.-Q. & Hong, X.-Y. (1998) *Aceria yunnanensis*, a new name for *Eriophyes artemisia* Xin & Dong (Acari: Eriophyidae). *Systematic & Applied Acarology*, 3, 199 (1 Jul.).
- Ehara, S. (2006) New records of phytoseiid mite species (Acari: Gamasida: Phytoseiidae) from Malaysia with description of a new species. *Systematic & Applied Acarology*, 11, 175–180 (15 Oct.).
- Fan, Q.-H. (2001) The genus *Neophyllobius* (Acari: Camerobiidae) from China. *Systematic & Applied Acarology*, 6, 137–144 (1 Jul.).
- Fan, Q.-H. & Chen, Y. (1996) A new genus of the family Xenocaligonellidae (Acari: Raphignathoidea). *Systematic & Applied Acarology*, 1, 123–126 (31 Jul.).
- Fan, Q.-H. & Chen, Y. (1997) The genus *Storchia*, with the description of a new species (Acari: Prostigmata: Stigmaeidae). *Systematic & Applied Acarology*, 2, 161–166 (31 Jul.).
- Fan, Q.-H. & Liu, X. (1999) New species of *Ledermuelleriopsis* Willmann and *Pseudostigmaeus* Wood from China (Acari: Prostigmata: Stigmaeidae). *Systematic & Applied Acarology*, 4, 153–158 (31 Jul.).
- Fan, Q.-H. & Walter, D. E. (2004) Genus *Caligohomus* Habeeb (Acari: Prostigmata: Stigmaeidae). *Systematic & Applied Acarology*, 9, 77–88 (31 Jul.).
- Fan, Q.-H., Walter, D. & Proctor, H. (2003) A review of the family Barbutiidae (Acari: Raphignathoidea), with the description of two new species from Australia. *Systematic & Applied Acarology*, 8, 107–130 (31 Jul.).
- Fan, Q.-H. & Yin, X.-M. (2000) The genus *Raphignathus* (Acari: Raphignathidae) from China. *Systematic & Applied Acarology*, 5, 83–98 (1 Jul.).
- Fan, Q.-H. & Zhang, Z.-Q. (2002) Mites of the genus *Summersiella* Gonzalez (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 7, 149–158 (31 Jul.).
- Faraji, F. & Ueckermann, E.A. (2006) A new species of *Stigmaeus* Koch from Iran (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 11, 69–72 (20 Mar.).
- Fashing, N. & Burton, A. (2007) *Zibethacarus beeri* (Astigmata: Glycyphagidae), a new mite species inhabiting vole nests in western Oregon, U.S.A. *Systematic & Applied Acarology*, 12, 167–176 (10 Sept.).
- Ferreira, D.N.M. & Flechtmann, C.H.W. (1997) Two new phytophagous mites from *Arachis pintoi* from Brazil. *Systematic & Applied Acarology*, 2, 181–188 (31 Jul.).
- Gerson, U. & Walter, D.E. (1998) Transfer of *Mecognatha* Wood from Stigmaeidae to Mecognathidae, fam. nov., a new synonymy, and a key to families of Raphignathoidea (Acari: Prostigmata). *Systematic & Applied Acarology*, 3, 145–147 (1 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1997) Notes on larvae of *Allothrombium* (Acari: Trombidiidae) in Navarra-Nafarroa (northern Spain) with description of a new species ectoparasitic on aphids (Homoptera: Aphididae). *Systematic & Applied Acarology*, 2, 219–226 (31 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1997) *Paratrombium welbourni* sp. nov. (Acari: Trombidiidae), an ectoparasite of aphids (Homoptera: Aphididae) in Spain. *Systematic & Applied Acarology*, 2, 227–230 (31 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1997) First record of larval *Grandjeanella* (Acari: Erythraeidae) from Heteroptera and description of a new species from Spain. *Systematic & Applied Acarology*, 2, 231–236 (31 Jul.).
- Goldarazena, A. & Zhang, Z.-Q. (1998) New *Erythraeus* larvae (Acari: Erythraeidae) ectoparasitic on Aphidoidea (Homoptera) and Anthocoridae (Heteroptera). *Systematic & Applied Acarology*, 3, 149–158 (1 Jul.).
- Gondim, M.G.C. Jr, Flechtmann, C.H.W. & Moraes, G.J. de (2000) Mite (Arthropoda: Acari) associates of palms (Arecaceae) in Brazil. IV. Descriptions of four new species in the Eriophyoidea. *Systematic & Applied Acarology*, 5, 99–110 (1 Jul.).
- Guedes, M., Gondim, C. & de Moraes, G.J. (2001) Phytoseiid mites (Acari: Phytoseiidae) associated with palm trees (Arecaceae) in Brazil. *Systematic & Applied Acarology*, 6, 65–94 (1 Jul.).

- Gwiazdowicz, D. & Walter, D. (2005) *Gamasellodes tatricus* sp. nov. (Acari: Ascidae) from Poland. *Systematic & Applied Acarology*, 10, 61–66 (20 Aug.).
- Haitlinger, R. (2000) Four new species of *Leptus* Latreille (Acari: Prostigmata: Erythraeidae) from Central America. *Systematic & Applied Acarology*, 5, 131–142 (1 Jul.).
- Haitlinger, R. (2001) *Amarucoptes*, a new genus of the family Heterocoptidae (Acari, Astigmata). *Systematic & Applied Acarology*, 6, 111–114 (1 Jul.).
- Haitlinger, R. (2001) *Diplothrombium zbigiewi* sp. nov. (Acari: Prostigmata: Johnstonianidae), a new mite from Poland. *Systematic & Applied Acarology*, 6, 179–182 (1 Jul.).
- Haitlinger, R. (2002) *Pollux kovalamicus* sp. nov. (Acari: Prostigmata: Erythraeidae) from India. *Systematic & Applied Acarology*, 7, 173–175 (31 Jul.).
- Haitlinger, R. (2002) Two new species of *Leptus* Latreille, 1796 and the first record of *Leptus astrubali* Haitlinger, 1999 (Acari: Prostigmata: Erythraeidae) from India and Sri Lanka. *Systematic & Applied Acarology*, 7, 177–184 (31 Jul.).
- Haitlinger, R. (2004) Three new species of *Leptus* Latreille, 1796 and the first record of *Leptus onnae* Haitlinger, 2000 (Acari: Prostigmata: Erythraeidae) from Brazil. *Systematic & Applied Acarology*, 9, 147–156 (31 Jul.).
- Haitlinger, R. (2004) New records of mites (Acari: Prostigmata: Erythraeidae) from Cambodia and Myanmar, with a description of *Erythraeus (Erythraeus) kacperi* sp. nov. *Systematic & Applied Acarology*, 9, 157–161 (31 Jul.).
- Haitlinger, R. (2004) A new larval *Momorangia* (Acari: Prostigmata: Erythraeidae) from Kenya. *Systematic & Applied Acarology*, 9, 179–182 (31 Jul.).
- Haitlinger, R. (2006) Eight new species and new records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae, Johnstonianidae) from China including Macao. *Systematic & Applied Acarology*, 11, 83–105 (20 Mar.).
- Haitlinger, R. (2006) New records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae) from Samos, Greece, with descriptions of six new species. *Systematic & Applied Acarology*, 11, 107–123 (20 Mar.).
- Haitlinger, R. (2006) New species and new records of mites (Acari: Prostigmata: Erythraeidae) from Bali, Lombok and Linnga Islands, Indonesia. *Systematic & Applied Acarology*, 11, 219–230 (15 Oct.).
- Haitlinger, R. (2007) New records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae, Eutrombidiidae) from France, Liechtenstein and Switzerland, with descriptions of three new species. *Systematic & Applied Acarology*, 12, 55–72 (30 Apr.).
- Haitlinger, R. & Chmielewski, W. (2004) *Boetophela cassandrae* sp. nov. and the first record of *Tamarangia ninfae* Haitlinger, 1991 (Acari: Astigmata: Canestriniidae) from the Republic of South Africa. *Systematic & Applied Acarology*, 9, 195–199 (31 Jul.).
- Hasan, M.-U., Wakil, W. & Bashir, F. (2004) Genus *Tenuipalpus* (Acarina: Tenuipalpidae) from central Punjab, Pakistan. *Systematic & Applied Acarology*, 9, 97–101 (31 Jul.).
- Hasan, M.-U., Wakil, W. & Bashir, F. (2004) Mites of the genus *Brevipalpus* Donnadieu (Acari: Tenuipalpidae) from Soan area of Punjab, Pakistan. *Systematic & Applied Acarology*, 9, 103–107 (31 Jul.).
- Hong, X.-Y. (1996) *Knorella thailandica*, a new name for *Knorella bambusae* Chandrapatya and a key to world species of *Knorella* (Acari: Eriophyidae). *Systematic & Applied Acarology*, 1, 205–206 (31 Jul.).
- Hu, S.-Q., Xia, B. & Chen, X.-W. (1997) A new species of the genus *Ledermulleriopsis* from China (Acari: Stigmaeidae). *Systematic & Applied Acarology*, 2, 167–168 (31 Jul.).
- International Commission on Zoological Nomenclature (1999) *International Code of Zoological Nomenclature. Fourth Edition*. The International Trust for Zoological Nomenclature, London, 306 pp.
- Irvanlou, J.S.K. & Saboori, A. (2001) *Leptus kamalii* sp. nov. (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 6, 165–169 (1 Jul.).
- Khanjani, M. & Ueckermann, E.A. (2002) Camerobiidae of Iran with descriptions of three new species (Acari: Camerobiidae). *Systematic & Applied Acarology*, 7, 159–166 (31 Jul.).
- Kumar, N., Kumar, K. & Pesic, V. (2007) Two new species of *Sperchon* Kramer (Acari: Hydrachnidia: Sperchontidae) from the Garhwal Himalayas (India). *Systematic & Applied Acarology*, 12, 31–36 (30 Apr.).

- Li, C. & Yang, X.-Z. (2000) *Ameroseius qinghaiensis* sp. nov., a new species from compost in Qinghai Province, Northwest China (Acari: Ameroseiidae). *Systematic & Applied Acarology*, 5, 65–67 (1 Jul.).
- Lin, J.-Z. (1997) A new species of the genus *Scirula* from Fujian, China (Acari: Cunaxidae). *Systematic & Applied Acarology*, 2, 169–172 (31 Jul.).
- Jin, J.-Z., Chen, Q.-H. & Zhang, Y.-X. (1998) Three new species of *Daidalotarsonemus* from Fujian, China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 3, 137–143 (1 Jul.).
- Lin, J.-Z. & Liu, A.-P. (1999) A new species of *Steneotarsonemus* from Inner Mongolia, China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 4, 127–129 (31 Jul.).
- Lin, J.-Z. & Zhang, Y.-X. (1996) Two new species of the Tarsoneminae from China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 1, 173–179 (31 Jul.).
- Lin, J.-Z. & Zhang, Y.-X. (1997) A new species of the genus *Steneotarsonemus* from Pakistan (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 2, 177–180 (31 Jul.).
- Lin, J.-Z. & Zhang, Y.-X. (2002) Two new species of the Bonziinae from China (Acari: Cunaxidae). *Systematic & Applied Acarology*, 7, 143–148 (31 Jul.).
- Lin, J.-Z. & Zhang, Z.-Q. (2005) New Zealand species of *Fungitarsonemus* Cromroy (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 10, 83–110 (20 Aug.).
- Lin, J.-Z. & Zhang, Z.-Q. (2006) A key to *Tarsonemus* females (Acari: Tarsonemidae) in China and description of a new species intercepted in New Zealand. *Systematic & Applied Acarology*, 11, 181–193 (15 Oct.).
- Lin, J.-Z., Zhang, Y.-X. & Chen, X. (2004) A new species and a new record of tarsonemid mites from China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 9, 141–146 (31 Jul.).
- Lin, J.-Z., Zhang, Y.-X. & Ji, J. (2001) Three new species of Cunaxidae from Fujian, China. *Systematic & Applied Acarology*, 6, 145–153 (1 Jul.).
- Lin, J.-Z., Zhang, Y.-X. & Ji, J. (2003) A new species of *Neocunaxoides* from Fujian, China (Acari: Cunaxidae). *Systematic & Applied Acarology*, 8, 101–106 (31 Jul.).
- Lin, J.-Z., Zhang, Y.-X. & Lin, G.-H. (2000) A new species of *Xenotarsonemus* and *Tarsonemus* from Nanjing, China (Acari: Tarsonemidae). *Systematic & Applied Acarology*, 5, 111–118 (1 Jul.).
- Lindquist, E.E. & Krantz, G.W. (2002) Description of, and validation of names for, the genus *Crotalomorpha* and the family Crotalomorphidae (Acari: Heterostigmata). *Systematic & Applied Acarology*, 7, 129–142 (31 Jul.).
- Lofego, A.C. & Gondim, M.G.C. Jr. (2006) A new species of *Steneotarsonemus* (Acari: Tarsonemidae) from Brazil. *Systematic & Applied Acarology*, 11, 195–203 (15 Oct.).
- Ma, Y., Yang, X.-Z. & Chen, H.-J. (2002) A new sand mite of the subgenus *Digenulea* from Qinghai, China (Acari: Trombiculidae: Neotrombicula). *Systematic & Applied Acarology*, 7, 207–208 (31 Jul.).
- Mayoral, J. & Barranco, P. (2004) A new species of the genus *Eutrombidium* Verdun (Acari: Eutrombidiidae) from southeastern Spain. *Systematic & Applied Acarology*, 9, 183–190 (31 Jul.).
- Mo, C.-F. (1996) A new genus and new species of the Otopheidomenidae (Acari: Mesostigmata) from longhorned grasshoppers. *Systematic & Applied Acarology*, 1, 199–204 (31 Jul.).
- Moraes, G.J. De & Denmark, H.A. (1999) The genus *Proprioseius* Chant (Acari: Phytoseiidae), with descriptions of two new species. *Systematic & Applied Acarology*, 4, 97–102 (31 Jul.).
- Moraes, G.J. De, Husband, R.W. & Lofego, A.C. (1999) A new species of *Chrysomelobia* (Acari: Podapolipidae) from Central America. *Systematic & Applied Acarology*, 4, 131–136 (31 Jul.).
- Navia, D. (1999) Two new eriophyid mites (Acari: Eriophyidae) from Zapote tree *Matisia cordata* (H. & B.) (Bombacaceae) from Colombia. *Systematic & Applied Acarology*, 4, 137–142 (31 Jul.).
- Pesic, V., Dinipour, A., Vafaei, R. & Saboori, A. (2007) The water mite (Acari: Hydrachnidia) fauna of running waters of Guilan Province (Northern Iran). *Systematic & Applied Acarology*, 12, 213–222 (28 Dec.).
- Pesic, V., Kumar, N. & Kumar, K. (2007) Two new species of water mites of the family Hygrobatidae (Acari: Hydrachnidia) from the Garhwal Himalayas (India). *Systematic & Applied Acarology*, 12, 161–166 (10 Sept.).
- Pesic, V., Kumar, N. & Kumar, K. (2007) A new species of *Monatractides* (Acari: Hydrachnidia: Torrenticolidae) and new records of other torrenticolid water mites from the Garhwal Himalayas (India). *Systematic & Applied Acarology*, 12, 205–212 (28 Dec.).
- Pesic, V., Saboori, A. & Asdi, M. (2005) New records of water mite species (Acari, Hydrachnidia) from Iran,



- with the description of one new species. *Systematic & Applied Acarology*, 10, 137–147 (20 Aug.).
- Pesic, V., Saboori, A., Asdi, M. & Jalaeian, M. (2006) New records of water mites (Acari: Hydrachnidia) from Khorassan Province (Iran), with the description of one new species. *Systematic & Applied Acarology*, 11, 73–82 (20 Mar.).
- Pesic, V., Saboori, A., Asdi, M. & Vafaei, R. (2006) New records of water mites (Acari: Hydrachnidia, Halacaroidea) from interstitial waters of Iran, with the description of one new species. *Systematic & Applied Acarology*, 11, 211–217 (15 Oct.).
- Pesic, V. & Turan, D. (2006) Water mite species of the genus *Protzia* Piersig (Acari: Hydrachnidia, Hydryphantidae) from Turkey, with the description of one new species. *Systematic & Applied Acarology*, 11, 205–210 (15 Oct.).
- Saboori, A. (2000) Two new larval erythraeina mites (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 5, 125–130 (1 Jul.).
- Saboori, A. (2001) Descriptions of the larva, deutonymph and adult of *Balaustium zhangi* sp. nov. (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 6, 171–178 (1 Jul.).
- Saboori, A. (2002) A new genus and species of larval Neothrombiidae (Acari: Trombidioidea) from Iran. *Systematic & Applied Acarology*, 7, 185–190 (31 Jul.).
- Saboori, A. & Akrami, M.A. (2001) A new species of *Erythraeus* larva (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 6, 159–163 (1 Jul.).
- Saboori, A. & Arbabi, M. (2003) A new species of *Leptus* larva (Acari: Erythraeidae) from India. *Systematic & Applied Acarology*, 8, 175–182 (31 Jul.).
- Saboori, A. & Atamehr, A. (1999) A new larval *Leptus* Latreille (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 4, 159–163 (31 Jul.).
- Saboori, A., Bagheri, M., Haddad, K.I., Kamali, K. & Khanjani, M. (2006) A new genus and species of Trombididae (Acari: Trombidioidea) described from larvae ectoparasitic on *Hyalopterus pruni* (Aphidoidea: Aphididae) from Iran. *Systematic & Applied Acarology*, 11, 247–252 (15 Oct.).
- Saboori, A. & Babolmorad, M. (2000) A new larval mite (Acari: Erythraeidae) ectoparasitic on *Monosteira unicastata* (Hemiptera: Tingidae) from Iran. *Systematic & Applied Acarology*, 5, 119–123 (1 Jul.).
- Saboori, A., Goldarazena, A. & Khajeali, J. (2004) Two new species of larval *Erythraeus* (Acari: Erythraeidae) from Iran with remarks on differential diagnoses. *Systematic & Applied Acarology*, 9, 163–178 (31 Jul.).
- Saboori, A. & Hajiqanbar, H. (2005) A new species of larval *Abrolophus* (Acari: Erythraeidae) from Iran. *Systematic & Applied Acarology*, 10, 149–154 (20 Aug.).
- Saboori, A., Hajiqanbar, H. & Kamali, K. (2007) First record of the little known genus *Andrevella* Southcott, 1961 (Acari: Erythraeidae) from Iran, with a description of a new species. *Systematic & Applied Acarology*, 12, 47–54 (30 Apr.).
- Saboori, A., Nemati, A. & Mosaddegh, M.S. (2000) A new host record of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae), with description of a new species from Iran. *Systematic & Applied Acarology*, 5, 183–186 (1 Jul.).
- Saboori, A., Nemati, A. & Mossadegh, M.S. (2001) Second Asian larval *Trombella* Berlese, 1887 (Acari: Trombellidae), with description of a new species from Iran. *Systematic & Applied Acarology*, 6, 183–188 (1 Jul.).
- Saboori, A. & Ostovan, H. (2000) A new species of the genus *Leptus* Latreille, 1796 (Acari: Erythraeidae) ectoparasitic on sun pest, *Eurygaster integriceps* Puton (Hemiptera: Scutelleridae) from Iran. *Systematic & Applied Acarology*, 5, 143–147 (1 Jul.).
- Saboori, A. & Ostovan, H. (2001) A new species of larval *Neothrombium* Feider, 1959 (Acari: Neothrombidiidae) from Iran. *Systematic & Applied Acarology*, 6, 203–207 (1 Jul.).
- Saboori, A. & Pesic, V. (2006) A new genus and species of larval mites (Acari: Microtrombidiidae) from Montenegro. *Systematic & Applied Acarology*, 11, 231–236 (15 Oct.).
- Saboori, A. & Pesic, V. (2006) A new species of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae) from Montenegro. *Systematic & Applied Acarology*, 11, 237–245 (15 Oct.).
- Saboori, A., Ueckermann, E. & Harten, A. (2005) A new genus and species of larval mite (Acari: Microtrombidiidae) from Yemen. *Systematic & Applied Acarology*, 10, 163–168 (20 Aug.).
- Seeman, O. & Nahrung, H. (2005) New *Parobia* (Acari: Podapolipidae) parasitic on pestiferous paropsine

- beetles (Coleoptera: Chrysomelidae) in eucalypt plantations. *Systematic & Applied Acarology*, 10, 111–135 (20 Aug.).
- Shen, J., Wang, H.-F., Solhoy, T. & Xu, R.-M. (1999) Three new species of oribatid mites from Tibet, China (Acari: Oribatida). *Systematic & Applied Acarology*, 4, 121–126 (31 Jul.).
- Shiji, M.T., Haq, M.A. & Ramani, N. (2007) Two new species of lohmanniid mites (Acari: Oribatei) from Kerala, India. *Systematic & Applied Acarology*, 12, 229–231 (28 Dec.).
- Smit, H. (2007) *Litarachna brasiliensis* n. sp., the first member of the water mite family Pontarachnidae (Acari: Hydrachnidia) from South America. *Systematic & Applied Acarology*, 12, 141–146 (10 Sept.).
- Ueckermann, E.A. & Khanjani, M. (2002) A new species of the genus *Austroteneriffia* (Acari: Teneriffiidae) from Iran. *Systematic & Applied Acarology*, 7, 167–172 (31 Jul.).
- Ueckermann, E.A. & Khanjani, M. (2004) A revision of the genus *Anoplocheylus* Berlese (Acari: Pseudocheylidae), with the description of two new and re-description of four known species. *Systematic & Applied Acarology*, 9, 53–68 (31 Jul.).
- Wang, H.-F. (1997) First record of *Odontocephus* from China, with description of a new species (Acari: Oribatida: Carabodidae). *Systematic & Applied Acarology*, 2, 237–240 (31 Jul.).
- Wei, S.-G., Feng, Y.-B. & Huang, N.-X. (1999) Three new species of Phyllocoptinae (Acari: Eriophyidae) from China. *Systematic & Applied Acarology*, 4, 143–147 (31 Jul.).
- Wei, S.-G. & Lu, W. (2001) Two new species of the genus *Diptilomiopus* (Acari: Diptilomiopidae) from South China. *Systematic & Applied Acarology*, 6, 115–118 (1 Jul.).
- Wen, C.-G. & Zhu, Z.-M. (1998) A new species of the genus *Unionicola* from China (Acari: Unionicolidae). *Systematic & Applied Acarology*, 3, 171–174 (1 Jul.).
- Wen, C.-G. & Zhu, Z.-M. (2001) A new species of water mites in the genus *Limnesia* from Jiangxi, China (Acari: Limnesiidae). *Systematic & Applied Acarology*, 6, 155–157 (1 Jul.).
- Wen, T.-H. (1999) New taxa and tentative rearrangement of Walchiidae stat. n. with remarks on Trombiculoidea nec Welbourn, 1991 (Acari: Acariformes). *Systematic & Applied Acarology*, 3, 165–178 (31 Jul.).
- Wen, T.-H. (1999) *Traudia* sg. n., an intranasal sand-mite subgenus of *Walchia* with description of a new species (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 4, 179–184.
- Wen, T.-H. (2000) Description of a new sand-mite of the genus *Gateria* from Taiwan province (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 5, 173–176 (1 Jul.).
- Wen, T.-H. (2001) A new sand-mite subgenus *Monosignum* of *Leptotrombidium* with descriptions of two new species (Acariformes: Trombiculidae). *Systematic & Applied Acarology*, 6, 189–194 (1 Jul.).
- Wen, T.-H. (2005) Walchiid sand-mites in Xizang Autonomous Region (Tibet) of China with description of a new species of the genus *Schoengastiella* (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 10, 169–196 (20 Aug.).
- Wen, T.-H. (2006) A new sand-mite genus *Duplimedia* (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 11, 253–255 (15 Oct.).
- Wen, T.-H. & Gui, Y.-Y. (2000) Revision on the sand-mite tribe Gahrlepiini sensu Wen (Acariformes: Walchiidae). *Systematic & Applied Acarology*, 5, 157–172 (1 Jul.).
- Wen, T.-H. & Ma, L.-M. (1997) A new sand mite of the genus *Shunsennia* from marmota with a key to Chinese species of the genus (Acariformes: Leeuwenhoeekiidae). *Systematic & Applied Acarology*, 2, 211–214 (31 Jul.).
- Wen, T.-H. & Saboori, A. (2004) A new species of sand-mite subgenus *Dureniella* from Iran (Acariformes: Walchiidae: Schoengastiellini). *Systematic & Applied Acarology*, 9, 191–194 (31 Jul.).
- Wen, T.-H. & Zhou, M.-S. (1997) A new species of *Walchia* (Acariformes: Trombiculidae: Walchiinae) parasitic on marmota. *Systematic & Applied Acarology*, 2, 215–218 (31 Jul.).
- Wen, T.H., Zhou, M.-S. & Jiang, Z.-Y. (2001) Description of a new sand-mite, *Whartonia furcappa* sp. nov. (Acariformes: Leeuwenhoeekiidae). *Systematic & Applied Acarology*, 6, 195–198 (1 Jul.).
- Wu, W.-N. (1997) A review of taxonomic studies of the genus *Phytoseius* (Acari: Phytoseiidae) from China. *Systematic & Applied Acarology*, 2, 149–160 (31 Jul.).
- Wu, W.-N., Lan, W.-M. & Liang, L.-R. (1997) Species of the genus *Okiseius* (Acari: Phytoseiidae) from China. *Systematic & Applied Acarology*, 2, 141–148 (31 Jul.).

- Wu, W.-N. & Ou, J.-F. (1998) A new species of the horridus species group of *Phytoseius* in China (Acari: Phytoseiidae). *Systematic & Applied Acarology*, 3, 121–124 (1 Jul.).
- Wu, W.-N. & Ou, J.-F. (1998) A new species of the rhenanus species group of genus *Typhlodromus* in China (Acari: Phytoseiidae). *Systematic & Applied Acarology*, 3, 133–136 (1 Jul.).
- Wu, W.-N. & Ou, J.-F. (1999) A new species group of the genus *Amblyseius*, with descriptions two new species (Acari: Phytoseiidae) from China. *Systematic & Applied Acarology*, 4, 103–110 (31 Jul.).
- Wu, W.-N. & Ou, J.-F. (2001) The obtusus species group of the genus *Amblyseius* (Acari: Phytoseiidae), with descriptions of two new species in China. *Systematic & Applied Acarology*, 6, 101–108 (1 Jul.).
- Wu, W.-N. & Ou, J.-F. (2002) The genus *Asperoseius* Chant (Acari: Phytoseiidae) in China. *Systematic & Applied Acarology*, 7, 123–128 (31 Jul.).
- Xia, B., Ye, R. & Zhu, Z.-M. (1997) A new species of the genus *Grallacheles* (Acari: Cheyletidae) from Jiangxi, China. *Systematic & Applied Acarology*, 2, 173–175 (31 Jul.).
- Xia, B., Zhu, Z.-M. & Ye, R. (1999) A new species of the genus *Cheletonella* (Acari: Cheyletidae) from China and a key to the species. *Systematic & Applied Acarology*, 4, 149–151 (31 Jul.).
- Xu, X.-N. & Liang, L.-R. (1996) Four new species of the Hypoaspidae (Acari: Laelapidae) from moss in China. *Systematic & Applied Acarology*, 1, 189–197 (31 Jul.).
- Yao, H.-R., Snider, R.J. & Snider, R.M. (2000) Larval and post-larval stages of a new *Abrolophus* species (Acari: Erythraeidae) from a deciduous forest in northern Michigan, USA. *Systematic & Applied Acarology*, 5, 149–155 (1 Jul.).
- Yu, L.-C. & Liang, L.-R. (1996) A new species of *Pyemotes* (Acari: Pyemotidae) parasitic on bark beetles (Coleoptera: Scolytidae) from Hebei, China. *Systematic & Applied Acarology*, 1, 167–171 (31 Jul.).
- Yusof, O. & Zhang, Z.-Q. (2003) Tetranychidae (Acari: Prostigmata) of Malay Peninsula: Checklist, key to genera and species and description of three new species. *Systematic & Applied Acarology*, 8, 149–173 (31 Jul.).
- Zacarias, M.S. & de Moraes, G.J. (2001) Two new species of phytoseiid mites (Acari: Phytoseiidae) from the State of São Paulo, Brazil. *Systematic & Applied Acarology*, 6, 95–100 (1 Jul.).
- Zhang, Z.-Q. (1998) An unusual early-derivative larva of Parasitengona (Acari: Prostigmata) and proposal of a new superfamily. *Systematic & Applied Acarology*, 3, 159–170 (1 Jul.).
- Zhang, Z.-Q. (2005) A decade of *Systematic & Applied Acarology*. *Systematic & Applied Acarology*, 10, 197–200.
- Zhang, Z.-Q. (2008) An observation on the consequences of increased frequency of journal issues. *Systematic & Applied Acarology Society*, 13, 159–160.
- Zhang, Z.-Q. & Fan, Q.-H. (2005) A new genus of Neothrombiidae (Acari: Trombidioidea) from New Zealand. *Systematic & Applied Acarology*, 10, 155–162 (20 Aug.).
- Zhang, Z.-Q. & Goldarazena, A. (1996) *Abrolophus* and *Grandjeanella* larvae (Acari: Erythraeidae) ectoparasitic on thrips (Thysanoptera: Thripidae). *Systematic & Applied Acarology*, 1, 127–144 (31 Jul.).
- Zhang, Z.-Q. & Saboori, A. (1996) Descriptions of the larva, deutonymph and adult of *Trombidium southcotti* sp. nov. (Acari: Trombididae) from Iran. *Systematic & Applied Acarology*, 1, 157–165 (31 Jul.).
- Zhou, M.-S., Wang, D.-Q. & Wang, S.-R. (1996) The genus *Macronyssus* (Acari: Macronyssidae) in China with descriptions of two new species. *Systematic & Applied Acarology*, 1, 181–187 (31 Jul.).

Accepted by O. Seeman: 28 Nov. 2008