



Recanalisation of a congenital extrahepatic portosystemic shunt previously attenuated with cellophane banding in a cat

Source: Journal of Feline Medicine and Surgery Open Reports, 4(2)

Published By: SAGE Publishing

URL: <https://doi.org/10.1177/2055116918804023>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.



Recanalisation of a congenital extrahepatic portosystemic shunt previously attenuated with cellophane banding in a cat

James Crowley, Timothy Foo, Lara Boland and Laurencie Brunel

JFMS Open Rep 2018; 4; 1–5. DOI: 10.1177/2055116918795717

The authors acknowledge that the article contains the incorrect details on page 2. The correct sentence is ‘The cat received 740 mgI/kg of an iso-osmolar iodinated intravenous contrast medium (Omnipaque; GE Healthcare) using a concentration of 370 mgI/ml at 2 ml/kg administered over 20 s via the cephalic vein by means of an automated injector (Empower CTA; EZ-EM).