

## SURVEY OF THE TERMITES (ISOPTERA: KALOTERMITIDAE, RHINOTERMITIDAE, TERMITIDAE) OF NICARAGUA

Authors: Scheffrahn, Rudolf H., Krecek, Jan, Maharajh, Boudanath,

Chase, James A., Mangold, John R., et al.

Source: Florida Entomologist, 88(4): 549-552

Published By: Florida Entomological Society

URL: https://doi.org/10.1653/0015-4040(2005)88[549:SOTTIK]2.0.CO;2

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at <a href="https://www.bioone.org/terms-of-use">www.bioone.org/terms-of-use</a>.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## SURVEY OF THE TERMITES (ISOPTERA: KALOTERMITIDAE, RHINOTERMITIDAE, TERMITIDAE) OF NICARAGUA

RUDOLF H. SCHEFFRAHN<sup>1</sup>, JAN KŘEČEK<sup>1</sup>, BOUDANATH MAHARAJH<sup>1</sup>, JAMES A. CHASE<sup>2</sup>,
JOHN R. MANGOLD<sup>3</sup>, JORGE MORENO<sup>4</sup> AND BAYARDO HERRERA<sup>5</sup>

<sup>1</sup>Department of Entomology and Nematology, Fort Lauderdale Research and Education Center
University of Florida, Institute of Food and Agricultural Sciences
3205 College Avenue, Fort Lauderdale, FL 33314, U.S.A.

<sup>2</sup>Terminix International, 212 West Campground Rd., McDonough, GA 30253, U.S.A.

<sup>8</sup>Terminix International, 9051 Florida Mining Blvd., Suite 105, Tampa, FL 33634, U.S.A.

<sup>4</sup>Bayer Environmental Science, 95 Chestnut Ridge Road, Montvale, NJ 07645, U.S.A.

<sup>5</sup>Lesco, 1800 N. Commerce Parkway, Weston, FL 33326, U.S.A.

The termite fauna of Nicaragua is poorly known relative to that of other Central American countries such as Costa Rica and Panama (Constantino 1998; Nickle & Collins 1992). Maes (1990) published a list of 10 termite species from Nicaragua based on published records. Maes' 1990 list consists of termites that can be grouped as arboreal nesters (3 Nasutitermes spp.), epigeal or soil nesters (3 Microcerotermes spp.), structure-infesting subterranean species (2 Coptotermes spp., 1 Heterotermes sp.), and two drywood/dampwood species (1 Incisitermes sp. and 1 Neotermes sp.). Termites with more cryptic habits, such as those that nest and forage in the soil or solely in wood were underrepresented in Maes' list. This note presents the results of an initial survey of Nicaragua intended to systematically catalog all termite taxa of that country.

During 30 May-5 June 2004, we collected 938 termite colony samples from 46 localities along roadsides and trails in as many geographically and ecologically diverse habitats as time and accessibility permitted (Fig. 1). Our survey yielded 35 species in 19 genera and three families representing one of the more diverse termite faunas in Mesoamerica (Constantino 1998). All species listed by Maes (1990) were collected by us, however, the validity of Coptotermes crassus Snyder and Cop. niger Snyder remain uncertain (R. H. Scheffrahn, unpublished data). We have identified all 54 of our Coptotermes samples as Co. testaceus (Linnaeus), but we herein report all three as being present in Nicaragua based on their current status, bringing the total faunal count for Nicaragua to 37 species, including 27 new species records (Table 1). Identifications were made by Krecek and Scheffrahn, and specimens are housed in the University of Florida Termite Collection, Fort Lauderdale Research and Education Center.

Our survey established significant new southern range extensions for *Incisitermes nigritus* (Snyder), *Marginitermes hubbardi* (Banks), *Tenuirostritermes briciae* (Snyder), *T. incisus* (Snyder), and *Amitermes cryptodon* Light (Table 1). We also report new northern range extensions

for Calcaritermes brevicollis (Banks), Comatermes perfectus (Hagen), Cryptotermes dudleyi Banks, Glyptotermes angustus (Snyder), G. contracticornis (Snyder), Anoplotermes parvus Snyder, A. pyriformis Snyder, Atlantitermes kirbyi (Snyder), and Embiratermes chagresi (Snyder). The collections of Cryptotermes brevis (Walker), Cr. longicollis Banks, I. immigrans (Snyder), Neotermes castaneus (Burmeister), Amitermes beaumonti Banks, Coptotermes spp., Heterotermes convexinotatus (Snyder), Hoplotermes amplus Light, Microcerotermes arboreus Emerson, M. exiguus (Hagen), and M. gracilis Light join previously known ranges north and south of Nicaragua. We collected three apparently new species of soldierless termites (Termitidae: Apicotermitinae) and a new species of Nasutitermitinae that are likely members of undescribed genera.

It is probable that several more described and new termite species remain to be discovered in Nicaragua considering the country's size, centralized location, diversity of habitat, and the geographically limited extent of the current survey (Fig. 1). We thank Jean-Michel Maes, Museo Entomológico, León for collecting permits and Danilo Barquero for logistical assistance while in Nicaragua. W. H. Kern Jr. and Brian J. Cabrera reviewed this contribution No. R-10475 of the University of Florida, Agricultural Experiment Station, Journal Series.

## SUMMARY

A field survey of the termites of Nicaragua resulted in expansion of the country's fauna to 37 species in 19 genera and 3 families. Twenty-seven species records are added for Nicaragua and three apparently new species were discovered.

## REFERENCES CITED

ARAUJO, R. L. 1977. Catálogo dos Isoptera do Novo Mundo. Academia Brasileira de Ciências, Rio de Janeiro, Brazil. 92 pp.

TABLE 1. TERMITE SPECIES RECORDS FROM NICARAGUA LISTED ALPHABETICALLY BY FAMILY AND SUBFAMILY.

Taxon	Comments	Previous Nearest Locality	Previous Locality Reference
Kalotermitidae			
Calcaritermes brevicollis (Banks)*	Eastern lowland forest	Panama	Banks 1918
Comatermes perfectus (Hagen)*	Mountain rainforest species	Panama	Constantino 1998
Cryptotermes brevis (Walker)*	Structures only, pest species	Pantropical	Constantino 1998
Cryptotermes dudleyi Banks*	Introduced pest species, dead wood	Costa Rica	Snyder 1926a
Cryptotermes longicollis Banks*	Fence posts, dead wood	Panama	Banks 1918
$Glyptotermes\ angustus\ (Snyder)^*$	Western alpine forest	Costa Rica	Araujo 1977
$Glyptotermes\ contracticornis\ (Snyder)^*$	Western alpine forest	Costa Rica	Snyder 1925
Incisitermes immigrans (Snyder)	Fence posts, dead wood	Nicaragua	Maes 1990
Incisitermes nigritus (Snyder)*	Fence posts, dead wood, common	Guatemala	Snyder 1946
Incisitermes tabogae (Snyder)*	Fence posts, dead wood	Panama	Snyder 1924
$Marginitermes\ hubbardi\ (Banks)^*$	Nearest record Mexico; dead wood; west, rare	Mexico	Myles 1997
$Neotermes\ castaneus\ (Burmeister)$	Live and dead mangroves; east	Nicaragua	Maes 1990
Rhinotermitidae			
Coptotermes crassus Snyder	Subterranean nester, pest species	Nicaragua	Maes 1990
Coptotermes niger Snyder	Subterranean nester, pest species	Nicaragua	Maes 1990
Coptotermes testaceus (Linnaeus)	Subterranean nester, pest species		
$Heterotermes\ convex in otatus\ (Snyder)$	Subterranean nester, pest species	Nicaragua	Maes 1990
Termitidae			
Apicotermitinae			
Anoplotermes parvus Snyder*	East coast ground nest at base of tree	Panama	Snyder 1923
Anoplotermes s.l. sp. A*	Western, under rocks, new sp.?		
Anoplotermes s.l. sp. B*	Western, under rocks, new sp.?		
Anoplotermes s.l. sp. C*	Western, under rocks, new sp.?		
Anoplotermes s.l. nr. pyriformis Snyder*	Western, under rocks	Costa Rica	Snyder 1934

<sup>\*</sup>New record for Nicaragua.

Taxon	Comments	Previous Nearest Locality	Previous Locality Reference
Nasutitermitinae			
Atlantitermes kirbyi (Snyder)*	Dead wood on ground, east and west, rare	Panama	Snyder 1926b
$Embiratermes\ chagresi\ (Snyder)^*$	Under rocks, wood; east, rare	Costa Rica	Constantino 1998
Nasutitermes corniger (Motschulsky)	Arboreal nest, pest species	Nicaragua	Maes 1990
$Nasutitermes\ ephratae\ (Holmgren)$	Arboreal nest, pest species	Nicaragua	Maes 1990
Nasutitermes nigriceps (Haldeman)	Arboreal nest, pest species	Nicaragua	Maes 1990
Subulitermes s.l. n. sp.*	Under rocks, wood; west rare		
$Tenuirostritermes\ briciae\ (Snyder)^*$	Western, under rocks, cow dung; common	Honduras	Snyder 1922
$Tenuirostritermes\ incisus\ (Snyder)^*$	Eastern, under rocks, on fence post; common	Honduras	Snyder 1922
Termitinae			
Amitermes beaumonti Banks*	Dead wood on ground	Costa Rica	Constantino 1998
Amitermes cryptodon Light*	Nearest record Mexico, rare	Mexico	Light 1930
$Hoplotermes\ amplus\ { m Light}^*$	Under rocks, cow dung; widespread	Costa Rica	Constantino 1998
Microcerotermes arboreus Emerson	Ground nest	Nicaragua	Maes 1990
Microcerotermes exiguous (Hagen)	Ground nest	Nicaragua	Maes 1990
$\it Microcerotermes\ gracilis\ Light*$	Southwest, soil nester?	Costa Rica	Constantino 1998
Termes hispaniolae (Banks)*	Black carton nest in tree crotches, voids	Panama	Banks 1918
Termes panamensis (Snyder)*	Black carton nest in tree crotches, voids	Panama	Snyder 1923

<sup>\*</sup>New record for Nicaragua.




Fig. 1. Collection sites (dark circles) represented in the current survey.

BANKS, N. 1918. The termites of Panama and British Guiana. Bull. American Museum Nat. Hist. 38: 659-667.

CONSTANTINO, R. 1998. Catalog of the living termites of the New World (Insecta: Isoptera). Arq. Zool. (São Paulo) 35: 135-231.

LIGHT, S. F. 1930. The Mexican species of Amitermes Silvestri (Isoptera). Univ. California Publ. Entomol. 5: 215-232.

MAES, J.-M. 1990. Catalogo de los Isoptera de Nicaragua. Rev. Nicaragua Entomol. 13: 13-20.

MYLES, T. G. 1997. A second species of the drywood termite genus *Marginitermes* (Isoptera: Kalotermitidae). Canadian Entomol. 129: 757-768.

NICKLE, D. A., AND M. S. COLLINS. 1992. The termites of Panama, pp. 208-241 In D. A. Quintero and A. Aiello [eds.], Insects of Panama and Mesoamerica. Oxford University Press, New York.

SNYDER, T. E. 1922. New termites from Hawaii, Central and South America and the Antilles. Proc. U.S. National Museum 61: 1-32. SNYDER, T. E. 1923. Three new termites from the Canal Zone, Panama. Proc. Entomol. Soc. Washington 25: 126-131.

SNYDER, T. E. 1924. Descriptions of new species and hitherto unknown castes of termites from America and Hawaii. Proc. U.S. Nat. Mus. 64(6): 1-45.

SNYDER, T. E. 1925. New American termites including a new subgenus. J. Washington Acad. Sci. 15(17): 152-162.

SNYDER, T. E. 1926a. New termites from Guatemala, Costa Rica, and Colombia. J. Washington Acad. Sci. 16(1): 18-28.

SNYDER, T. E. 1926b. Five new termites from Panama and Costa Rica. Proc. Entomol. Soc. Washington 28: 7-16.

SNYDER, T. E. 1934. Two new termites from Costa Rica. Proc. Biol. Soc. Washington 47: 95-98.

SNYDER, T. E. 1946. A small, dark-colored new Kalotermes from Guatemala. Proc. Entomol. Soc. Washington 48: 158-160.