

Color Vision Research – Another Special Issue of the American Journal of Primatology

Source: Neotropical Primates, 13(3) : 53-54

Published By: Conservation International

URL: <https://doi.org/10.1896/1413-4705.13.3.53b>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

**COLOR VISION RESEARCH – ANOTHER SPECIAL
ISSUE OF THE *AMERICAN JOURNAL OF PRIMATOLOGY***

Volume 67(4) (December 2005) of the *American Journal of Primatology* was dedicated to “Recent Advances in Color Vision Research.” It was edited by Hannah M. Buchanan-Smith, and includes eight articles along with an introduction by the editor. *Contents*: Introduction: Recent advances in color vision research – H. M. Buchanan-Smith, pp.393–398; Comparative use of color vision for frugivory by sympatric species of platyrrhines – K. E. Stoner, P. Riba-Hernández & P. W. Lucas, pp.399–409; Sugar concentration of fruits and their detection via color in the Central American spider monkey (*Ateles geoffroyi*) – P. Riba-Hernández, K. E. Stoner & P. E. Lucas, pp.411–423;

Advantage of dichromats over trichromats in discrimination of color-camouflaged stimuli in nonhuman primates – A. Saito, A. Mikami, S. Kawamura, Y. Ueno, C. Hiramatsu, K. A. Widayati, B. Suryobroto, M. Teramoto, Y. Mori, K. Nagano, K. Fujita, H. Kuroshima & T. Hasegawa, pp.425–436; Influence of stimuli size on color discrimination in capuchin monkeys – U. R. Gomes, D. M. A. Pessoa, E. Sukanuma, C. Tomaz & V. F. Pessoa, pp.437–446; Color vision polymorphism in wild capuchins (*Cebus capucinus*) and spider monkeys (*Ateles geoffroyi*) in Costa Rica – C. Hiramatsu, T. Tsutsui, Y. Matsumoto, F. Aureli, L. M. Fedigan & S. Kawamura, pp.447–461; Color vision pigment frequencies in wild tamarins (*Saguinus* spp.) – A. K. Surridge, S. S. Suarez, H. M. Buchanan-Smith, A. C. Smith & N. I. Mundy, pp.463–470; Demonstration of a genotype-phenotype correlation in the polymorphic color vision of a non-callitrichine New World monkey, capuchin (*Cebus apella*) – A. Saito, S. Kawamura, A. Mikami, Y. Ueno, C. Hiramatsu, K. Koida, K. Fujita, H. Kuroshima & T. Hasegawa, pp.471–485; Color vision in marmosets and tamarins: Behavioral evidence – D. M. A. Pessoa, C. Tomaz and V. F. Pessoa, pp.487–495.