

Further new synonyms of jumping spider genera (Araneae: Salticidae)

Authors: Marusik, Yuri M., and Blick, Theo

Source: Arachnologische Mitteilungen: Arachnology Letters, 57(1) : 89-91

Published By: Arachnologische Gesellschaft e.V.

URL: <https://doi.org/10.30963/aramit5717>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Further new synonyms of jumping spider genera (Araneae: Salticidae)

Yuri M. Marusik & Theo Blick



doi: 10.30963/aramit5717

Abstract. Two generic names recently described by J. Prószyński were found to be junior subjective synonyms: *Pseudomogrus* Simon, 1937 = *Logunyllus* Prószyński, 2016 **syn. nov.**, *Hermosa* Peckham & Peckham, 1892 = *Myrmavola* Prószyński, 2016 **syn. nov.** This causes numerous new and a few revalidated combinations. The systematics of *Myrmarachne* MacLeay, 1839 s. lat. is briefly discussed as well as other recent nomenclatorial acts by J. Prószyński.

Keywords: *Afraflacilla*, *Hasarina*, *Hermosa*, *Iberattus*, *Logunyllus*, *Myrmarachne*, *Myrmavola*, *Nigorella*, *Pseudicius*, *Pseudomogrus*, *Savaia*, *Yllenus*

Zusammenfassung. Weitere neue Synonyme von Springspinnengattungen (Araneae: Salticidae). Zwei Gattungen, die jüngst von J. Prószyński beschrieben wurden, stellten sich als subjektive jüngere Synonyme heraus: *Pseudomogrus* Simon, 1937 = *Logunyllus* Prószyński, 2016 **syn. nov.**, *Hermosa* Peckham & Peckham, 1892 = *Myrmavola* Prószyński, 2016 **syn. nov.** Dies bedingt zahlreiche neue und wenige revalidierte Kombinationen. Weiterhin werden die Systematik von *Myrmarachne* MacLeay, 1839 s. lat. und weitere aktuelle nomenklatorische Aktionen von J. Prószyński kurz diskutiert.

Salticidae is the most speciose family of spiders with 6115 extant species (WSC 2019). During the last few years several of the most species-rich genera like *Evarcha* Simon, 1902, *Myrmarachne* MacLeay, 1839, *Sitticus* Simon, 1901 and *Yllenus* Simon, 1868 have been split by Prószyński (2016, 2017a, 2018). Although many of the new genera were based on earlier recognized species groups, the format of the descriptions does not follow common standards, i.e. they lack proper diagnoses (cf. Kropf et al. 2019), and ignored previously described subgenera or earlier established synonymies (Blick & Marusik 2018). Prószyński (2016, 2017a, 2017b, 2018) did not list or discuss any synonyms mentioned in the WSC (2018) or older catalogues. Furthermore he did not take biogeography into account. While studying the taxonomy and nomenclature of these newly erected genera, we previously found three generic synonyms (Blick & Marusik 2018). Further studies revealed two more subjective generic synonyms, as well as confusing transfers and a dubious genus description.

New synonymies

Pseudomogrus Simon, 1937,removed from syn. of *Yllenus* Simon, 1868

Pseudomogrus Simon, 1937: 1185, 1194 (type *Attus uni-vittatus* Simon, 1871).

Yllenus Simon, 1868 (type *Y. arenarius* Simon, 1868): Prószyński 1968: 415 (synonymy of *Pseudomogrus*).

Logunyllus Prószyński, 2016: 29 (type *Attus albocinctus* Kroneberg, 1875), **syn. nov.**

New and revalidated combinations. Simon (1937) placed two species in *Pseudomogrus*: *P. univittatus* and *P. saliens* (O. Pickard-Cambridge, 1876). Prószyński (1968) synonymized *Pseudomogrus* with *Yllenus*, but Prószyński (2016) placed both, *P. univittatus* and *P. saliens*, into *Logunyllus* and therefore *Logunyllus* is considered a subjective junior synonym of *Pseudomogrus*, re-established and removed from synonymy with *Yllenus*, and 31 new and two revalidated combinations are proposed (distribution information from the WSC 2019):

- 1) *Pseudomogrus albifrons* (Lucas, 1846) **comb. nov.** (North Africa, Middle East)
- 2) *Pseudomogrus albocinctus* (Kroneberg, 1875) **comb. nov.** (Turkey to China)
- 3) *Pseudomogrus algarvensis* (Logunov & Marusik, 2003) **comb. nov.** (Portugal)
- 4) *Pseudomogrus auriceps* (Denis, 1966) **comb. nov.** (Libya)
- 5) *Pseudomogrus bactrianus* (Andreeva, 1976) **comb. nov.** (Tajikistan)
- 6) *Pseudomogrus bakanas* (Logunov & Marusik, 2003) **comb. nov.** (Kazakhstan)
- 7) *Pseudomogrus bucharaensis* (Logunov & Marusik, 2003) **comb. nov.** (Uzbekistan, Kazakhstan)
- 8) *Pseudomogrus caspicus* (Ponomarev, 1978) **comb. nov.** (Russia (Europe), Azerbaijan, Kazakhstan, Turkmenistan)
- 9) *Pseudomogrus dalaensis* (Logunov & Marusik, 2003) **comb. nov.** (Kazakhstan)
- 10) *Pseudomogrus gavdos* (Logunov & Marusik, 2003) **comb. nov.** (Canary Is., Algeria, Italy (Sardinia), Greece (Crete))
- 11) *Pseudomogrus guseinovi* (Logunov & Marusik, 2003) **comb. nov.** (Azerbaijan, Kazakhstan, Turkmenistan)
- 12) *Pseudomogrus halugim* (Logunov & Marusik, 2003) **comb. nov.** (Israel)
- 13) *Pseudomogrus improcerus* (Wesolowska & van Harten, 1994) **comb. nov.** (Yemen)
- 14) *Pseudomogrus knappi* (Wesolowska & van Harten, 1994) **comb. nov.** (Sudan, Yemen)
- 15) *Pseudomogrus logunovi* (Wesolowska & van Harten, 2010) **comb. nov.** (United Arab Emirates)
- 16) *Pseudomogrus mirabilis* (Logunov & Marusik, 2003) **comb. nov.** (Uzbekistan, Turkmenistan)
- 17) *Pseudomogrus mirandus* (Wesolowska, 1996) **comb. nov.** (Turkmenistan)
- 18) *Pseudomogrus nigratarsis* (Logunov & Marusik, 2003) **comb. nov.** (Turkmenistan)
- 19) *Pseudomogrus nurataus* (Logunov & Marusik, 2003) **comb. nov.** (Uzbekistan)
- 20) *Pseudomogrus pavlenkoe* (Logunov & Marusik, 2003) **comb. nov.** (Kazakhstan)
- 21) *Pseudomogrus pseudovalidus* (Logunov & Marusik, 2003) **comb. nov.** (Kazakhstan, Turkmenistan)

Yuri M. MARUSIK, Institute for Biological Problems of the North, Magadan, Russia; E-mail: yurmar@mail.ru & Zoology & Entomology, University of the Free State, Bloemfontein, South Africa
 Theo BLICK, Heidloh 8, 95503 Hummeltal, Germany; E-mail: info@theoblick.de & World Spider Catalog, Natural History Museum Bern, Switzerland

submitted 30.1.2019, accepted 15.3.2019, online 25.3.2019

- 22) *Pseudomogrus ranunculus* (Thorell, 1875) **comb. nov.** (Algeria)
- 23) *Pseudomogrus saliens* (O. Pickard-Cambridge, 1876) **comb. reval.** (North Africa, Saudi Arabia, Yemen)
- 24) *Pseudomogrus salsicola* (Simon, 1937) **comb. nov.** (France to Israel)
- 25) *Pseudomogrus shakhsenem* (Logunov & Marusik, 2003) **comb. nov.** (Turkmenistan)
- 26) *Pseudomogrus squamifer* (Simon, 1881) **comb. nov.** (Portugal, Spain)
- 27) *Pseudomogrus tamdybulak* (Logunov & Marusik, 2003) **comb. nov.** (Uzbekistan)
- 28) *Pseudomogrus tshoni* (Caporiacco, 1936) **comb. nov.** (Libya, Egypt, Israel, United Arab Emirates)
- 29) *Pseudomogrus univittatus* (Simon, 1871) **comb. reval.** (France, Turkey, Turkmenistan?)
- 30) *Pseudomogrus validus* (Simon, 1889) **comb. nov.** (Central Asia to Mongolia)
- 31) *Pseudomogrus vittatus* (Thorell, 1875) **comb. nov.** (Eastern Europe to Kazakhstan)
- 32) *Pseudomogrus zaraensis* (Logunov, 2009) **comb. nov.** (Turkey)
- 33) *Pseudomogrus zbilgaensis* (Logunov & Marusik, 2003) **comb. nov.** (Kazakhstan)

Comment. Prószyński (1968) and Logunov & Marusik (2003) considered all species of *Pseudomogrus* to belong to the *Yllenus albocinctus*-group.

Hermosa Peckham & Peckham, 1892,

removed from syn. of *Myrmarachne* MacLeay, 1839

Hermosa Peckham & Peckham, 1892: 53

(type *H. volatilis* Peckham & Peckham, 1892).

Myrmarachne MacLeay, 1839 (type *M. melanocephala*

MacLeay, 1839): Simon 1901: 503 (synonymy of *Hermosa*).

Myrmavola Prószyński, 2016: 13 (type *Damoetas galianoae* Prószyński, 2001), **syn. nov.**

New and revalidated combinations. Peckham & Peckham (1892) described *Hermosa* as a monotypic genus for a new species from Madagascar. Simon (1901) synonymized *Hermosa* with *Myrmarachne* based on a personal communication with L. C. Peckham. Prószyński (2016) placed seven species in his new genus *Myrmavola*, including *H. volatilis*. Therefore, *Myrmavola* is considered a subjective junior synonym of *Hermosa*, re-established and removed from synonymy with *Myrmarachne*, and six new combinations and one revalidated combination are proposed (distribution information from WSC 2019):

- 1) *Hermosa andrewi* (Wanless, 1978) **comb. nov.** (Congo, Angola)
- 2) *Hermosa brevichelicerca* (Yamasaki & Ahmad, 2013) **comb. nov.** (Borneo)
- 3) *Hermosa christae* (Prószyński, 2001) **comb. nov.** (Borneo)
- 4) *Hermosa galianoae* (Prószyński, 2001) **comb. nov.** (Borneo)
- 5) *Hermosa volatilis* Peckham & Peckham, 1892 **comb. reval.** (Madagascar, China, Vietnam)
- 6) *Hermosa yamanei* (Yamasaki, 2012) **comb. nov.** (Sulawesi)
- 7) *Hermosa yamasakii* (Prószyński, 2016) **comb. nov.** (Borneo)

Comments. This genus has an unusual range and is known from two distinct regions: 1) Africa (central and southern, Madagascar) and 2) Southeast Asia (South China to Sula-

wesi). *Hermosa volatilis* was described based on females from Madagascar, but the male was described based on specimens from China. Wanless (1978) revised the African *Myrmarachne* and placed *H. volatilis* in the *volatilis* species group together with five other species. Only one of these species, *Hermosa andrewi* (Wanless, 1976) **comb. nov.**, was placed by Prószyński (2016) in the genus *Myrmavola*. The other species considered by Wanless (1978) in the *volatilis*-group were transferred by Prószyński (2016) either to *Toxeus* C. L. Koch, 1846 or remained in *Myrmarachne* (WSC 2019). From a biogeographic point of view it is a quite possible that the African and the Asian members of *Hermosa* are not congeneric.

Comments on *Myrmarachne* MacLeay, 1839

While splitting *Myrmarachne* and other genera, Prószyński (2016) did not mention earlier established generic synonyms (cf. Edwards 2013 for *Myrmarachne* s. lat.). At least three of these might be available names for genera split from *Myrmarachne* by Prószyński (2016):

- 1) *Ascalus* Thorell, 1894 (type *A. pygmaeus* Thorell, 1894, ♀ from Singapore), synonymized with *Myrmarachne* by Simon (1901: 504). This monotypic genus is known from the original description only and lacks any figures. It could be a synonym of one of Prószyński's genera, e.g., *Myrmaplata* Prószyński, 2016, which is also known from Singapore.
- 2) *Herilus* Thorell, 1894 (type *H. radiatus* Thorell, 1894, j from Java), synonymized with *Myrmarachne* by Bonnet (1957: 2998). This monotypic genus is known from the original figureless description. It could be a synonym of one of Prószyński's genera described for species occurring in Southeast Asia.
- 3) *Pergasus* Thorell, 1894 (type *Salticus formosus* Thorell, 1890, ♀ from Sumatra and Sulawesi), synonymized with *Myrmarachne* by Simon (1901: 504). This monotypic genus was also never illustrated. It could be a synonym of one of Prószyński's genera, e.g., *Myrmatheca* Prószyński, 2016, occurring in Sumatra.

Confusion caused by new nomenclatorial acts

Savaia Marples, 1957

Savaia Marples, 1957 (type *S. punctata* Marples, 1957, only ♀ known) was synonymized with *Pseudicius* Simon, 1885 by Prószyński (1990: 316). Currently the type species of *Savaia*, *S. punctata*, was transferred by Prószyński (2017b) to *Afraflacilla* Berland & Millot, 1941, but he did not synonymize the genus, so even the transfer of the species was not accepted in the WSC (2019) and *Savaia* is still treated as a junior synonym of *Pseudicius*, but not of *Afraflacilla*. We compared published figures of the type species of the three genera (*Afraflacilla bamakoi* Berland & Millot, 1941: Żabka 1993: fig. 3A-C ♂ and fig. 3D-E *Afraflacilla* sp. ♀ [♀ of *A. bamakoi* is unknown]; *Pseudicius encarpatus* (Walckenaer, 1802): Metzner 1999: pl. 57; *Savaia punctata*: Berry et al. 1998: figs 60-61) and agree with Prószyński that *S. punctata* seems to be closer to *Afraflacilla* than to *Pseudicius*. Given that the type species of *Afraflacilla* is described from Africa, the type species of *Pseudicius* from Europe and *Savaia* from Pacific islands, we leave it to a proper revision to clarify the current situation.

Hasarina Schenkel, 1963

Hasarina Schenkel, 1963 (type *H. contortospinosa* Schenkel,

1963) was synonymized with *Nigorella* Wesolowska & Tomaszewicz, 2008 (type *N. aethiopica* Wesolowska & Tomaszewicz, 2008) by Prószyński (2018b: 157), without recognizing, that *Hasarina* is older than *Nigorella* and would become the valid generic name (not accepted in the WSC 2019). We compared published figures of *N. aethiopica* (Wesolowska & Tomaszewicz 2008: figs 130-143) with figures of *H. contortospinosa* (Peng et al. 1993: figs 254-263) and do not believe them to be congeneric. Furthermore, *Nigorella* was described from Africa and was restricted to Africa until Prószyński (2018) transferred several Asian species from *Evarcha* to *Nigorella*, which in our opinion needs revision.

Note on *Iberattus* Prószyński, 2018

Iberattus Prószyński, in Prószyński et al. 2018: 83 (type *Attus semi-glabratus* Simon, 1868).

Iberattus semiglabratus (Simon, 1868)

Attus semi-glabratus Simon, 1868: 561 (♂).

Euophrys semiglabrata Hęciak & Prószyński 1984: 378, figs 1-14 (♂♀).

Euophrys semiglabrata Barrientos et al. 2014: 36, figs 15-17 (♂).

Iberattus semiglabratus Prószyński et al. 2018: 85, fig. 1A-T (♂♀).

Comments. *Attus semi-glabratus* Simon, 1868 was described based on the holotype male: “Un seul individu ♂ pris à Reynosa dans les Asturies” [“A single ♂ taken at Reynosa in Asturias” now spelled ‘Reinosa’, NW Spain]. In the material examined Prószyński et al. (2018) wrote “Lectotype male, paralectotypes: 4 males and 4 females, original collection label is: “902. *Phl[egra] semiglabrata* E. S. Astur., Portug., la Rhune” – collection Simon – MNHN Paris (lectotype designated by Hęciak & Prószyński 1984)”. So, Hęciak & Prószyński (1984) and Prószyński et al. (2018) were not dealing with the holotype male, but with a sample possibly containing the holotype and other specimens collected after the species was described. In addition, Prószyński et al. (2018) mentioned that the authors were not sure if males and females belong to the same species “Matching of sexes and conspecificity not verified”. This is not a proper basis to separate a new genus from the genus *Euophrys*, but we leave it to a revision to clarify this situation.

Acknowledgements

We thank the reviewers Galina Azarkina (Novosibirsk), G.B. Edwards (Tallahassee, Florida) and Dmitri Logunov (Manchester) for helpful comments and last not least Jason Dunlop (Berlin) for improving the language.

References

- Barrientos JA, Uribarri I, García-Sarrión R & Carballo P 2014 Arañas (Arachnida, Araneae) del espacio natural de O Courel (Lugo, España). – *Revista Ibérica de Aracnología* 25: 33-41
- Berry JW, Beatty JA & Prószyński J 1998 Salticidae of the Pacific Islands. III. Distribution of seven genera with descriptions of nineteen new species and two new genera. – *Journal of Arachnology* 26: 149-189
- Blick T & Marusik YM 2018 Three junior synonyms of jumping spider genera (Araneae: Salticidae). – *Arthropoda Selecta* 27: 237-238

- Edwards GB 2013 A review of the synonyms of *Myrmarachne* (Araneae: Salticidae), with comments on the availability of each genus name. – *Peckhamia* 110.1: 1-9
- Hęciak S & Prószyński J 1984 Redescriptions of one *Aelurillus* and two *Phlegra* species (Araneae, Salticidae) from Spain. – *Annales Zoologici, Warszawa* 37: 377-390
- Kropf C, Blick T, Brescovit AD, Chatzaki M, Duperré N, Gloor D, Haddad CR, Harvey MS, Jäger P, Marusik YM, Ono H, Rheims CA & Nentwig W 2019 How not to delimit taxa: a critique on a recently proposed “pragmatic classification” of jumping spiders (Arthropoda: Arachnida: Araneae: Salticidae). – *Zootaxa* 4545: 444-446 – doi: [10.11646/zootaxa.4545.3.10](https://doi.org/10.11646/zootaxa.4545.3.10)
- Logunov DV & Marusik YM 2003 A revision of the genus *Yllenus* Simon, 1868 (Arachnida, Araneae, Salticidae). KMK Scientific Press, Moscow. 168 pp.
- Peckham GW & Peckham EG 1892 Ant-like spiders of the family Attidae. – *Occasional Papers of the Natural History Society of Wisconsin* 2 (1): 1-84
- Metzner H 1999 Die Springspinnen (Araneae, Salticidae) Griechenlands. – *Andrias* 14: 1-279
- Peng XJ, Xie LP, Xiao XQ & Yin CM 1993 Salticids in China (Arachnida: Araneae). Hunan Normal University Press, Changsha. 270 pp.
- Prószyński J 1968 Systematic revision of the genus *Yllenus* Simon, 1868 (Araneida, Salticidae). – *Annales Zoologici, Warszawa* 26: 409-494
- Prószyński J 1990 Catalogue of Salticidae (Araneae): synthesis of quotations in the world literature since 1940, with basic taxonomic data since 1758. Wyższa Szkoła Rolniczo-Pedagogiczna w Siedlcach, Siedlce. 366 pp.
- Prószyński J 2016 Delimitation and description of 19 new genera, a subgenus and a species of Salticidae (Araneae) of the world. – *Ecologica Montenegrina* 7: 4-32
- Prószyński J 2017a Revision of the genus *Sitticus* Simon, 1901 s. l. (Araneae: Salticidae). – *Ecologica Montenegrina* 10: 35-50
- Prószyński J 2017b Pragmatic classification of the world's Salticidae (Araneae). – *Ecologica Montenegrina* 12: 1-133
- Prószyński J 2018 Review of genera *Evarcha* and *Nigorella*, with comments on *Emertonius*, *Padilothorax* [sic], *Stagetillus*, and description of five new genera and two new species (Araneae: Salticidae). – *Ecologica Montenegrina* 16: 130-179
- Prószyński J, Noordam A, Oger P & Schäfer M 2018 Delimitation of Mediterranean genus *Iberattus* gen. n., with comments on genus *Saitis* (Araneae: Salticidae). – *Ecologica Montenegrina* 18: 82-98
- Simon E 1868 Monographie des espèces européennes de la famille des attides (Attidae Sundewall. - Saltigradae Latreille). – *Annales de la Société Entomologique de France* (4) 8: 11-72, 529-726
- Simon E 1901 Histoire naturelle des araignées. Deuxième édition. Tome second. Troisième fascicule. Roret, Paris. pp. 381-668 – doi: [10.5962/bhl.title.51973](https://doi.org/10.5962/bhl.title.51973)
- Simon E 1937 Les arachnides de France. Synopsis générale et catalogue des espèces françaises de l'ordre des Araneae. Tome VI. 5e et dernière partie. Roret, Paris. pp. 979-1298
- Wanless FR 1978 A revision of the spider genera *Belippo* and *Myrmarachne* (Araneae: Salticidae) in the Ethiopian region. – *Bulletin of the British Museum of Natural History (Zoology)* 33: 1-139
- Wesolowska W & Tomaszewicz B 2008 New species and records of Ethiopian jumping spiders (Araneae, Salticidae). – *Journal of Afrotropical Zoology* 4: 3-59
- WSC 2019 World Spider Catalog. Version 20.0. – Internet: <http://wsc.nmbe.ch> (18. Jan. 2019) – doi: [10.24436/2](https://doi.org/10.24436/2)
- Żabka M 1993 Salticidae (Arachnida: Araneae) of the Oriental, Australian and Pacific regions. IX. Genera *Afraffacilla* Berland & Millot 1941 and *Evarcha* Simon 1902. – *Invertebrate Taxonomy* 7: 279-295 – doi: [10.1071/IT9930279](https://doi.org/10.1071/IT9930279)