

Wildlife Tourism Malpractice Can Lead to Animal Poisoning with Plastics

Author: Mulero-Pázmány, Margarita

Source: Journal of Raptor Research, 57(4): 667-670

Published By: Raptor Research Foundation

URL: https://doi.org/10.3356/JRR-22-00111

The BioOne Digital Library (<u>https://bioone.org/</u>) provides worldwide distribution for more than 580 journals and eBooks from BioOne's community of over 150 nonprofit societies, research institutions, and university presses in the biological, ecological, and environmental sciences. The BioOne Digital Library encompasses the flagship aggregation BioOne Complete (<u>https://bioone.org/subscribe</u>), the BioOne Complete Archive (<u>https://bioone.org/archive</u>), and the BioOne eBooks program offerings ESA eBook Collection (<u>https://bioone.org/esa-ebooks</u>) and CSIRO Publishing BioSelect Collection (<u>https://bioone.org/csiro-ebooks</u>).

Your use of this PDF, the BioOne Digital Library, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at <u>www.bioone.org/terms-of-use</u>.

Usage of BioOne Digital Library content is strictly limited to personal, educational, and non-commmercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne is an innovative nonprofit that sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Journal of Raptor Research



Journal of Raptor Research 57(4):667–670 doi: 10.3356/JRR-22-00111 © 2023 The Raptor Research Foundation, Inc.

Wildlife Tourism Malpractice Can Lead to Animal Poisoning with Plastics

Margarita Mulero-Pázmány^{1*}

¹Department of Animal Biology, Facultad de Ciencias, University of Málaga, 29071, Málaga, Spain

KEY WORDS: African Fish-Eagle, Haliaeetus vocifer; artificial feeding, microplastics, polystyrene, wildlife poisoning, wildlife tourism.

Wildlife tourism constitutes the leading source of foreign exchange in several countries and contributes significantly to rural employment (Damania et al. 2019). Wildlife watching of free ranging animals is generally considered a low-impact activity compatible with conservation that has positive effects including financial revenues incentivizing species and habitat protection, facilitating environmental education, and providing wellness benefits to visitors through naturebased contact (Tablado and D'Amico 2017). Wildlife tourism also has negative effects such as disruption of animal activity, stress, accidental kill or injury, transmission of diseases, alterations in space use and breeding success, and wildlife habitat degradation (Green and Higginbottom 2001). These negative effects are accentuated when visitors and/or tour operators are unaware or intentionally ignore guidelines to protect wildlife.

Here I report a wildlife tourism practice based on artificial feeding that introduces a new potential risk for wildlife: animal poisoning with polystyrene. I observed it opportunistically while on holidays on 10 August 2022 at Lake Naivasha in Kenya, a popular birdwatching site included in the key tourism circuits in the country. Located in a high-altitude trough of the Rift Valley, it is one of the few freshwater lakes in eastern Africa declared a Ramsar Site for its ecological value (https://rsis.ramsar.org/ris/724). During a touristic boat trip on the lake, the guide advised tourists to prepare their cameras for a close encounter with African Fish-Eagles (*Haliaeetus vocifer*), which were perched on trees along the lakeshore. The guide retrieved a fish he had on the boat and stuffed it with polystyrene, whistled, stood up while shaking the fish to get the attention of the eagles, and threw the fish into the water approximately 20 m away from the boat. An adult African Fish-Eagle flew toward the boat, picked up the fish, carried it to a tree, and ate it there (Fig. 1).

The use of polystyrene to make the fish float (because African Fish-Eagles only fish on the water's surface) potentially involves several health-related risks for the eagles or other wildlife consuming it, and also constitutes a new source of environmental pollution (de Carvalho et al. 2021). The African Fish-Eagle I observed consumed the fish in a tree too far away for me to determine whether it ingested the polystyrene or dropped it during manipulation, but ingestion is likely, as numerous birds accidentally ingest plastics (Wang et al. 2021) including those feeding on fish such as seabirds (Wilcox et al. 2015) and Ospreys (Pandion haliaetus; Carlin et al. 2020). Polystyrene ingestion can cause serious health problems in birds in the form of physical impairment and toxicological effects (Wang et al. 2021). Physical damage can occur shortly after ingestion and includes injuries, suffocation, ulcers, gastrointestinal obstructions and perforations (Fry et al. 1987, Pierce et al. 2004, Wang et al. 2021). Toxicological effects can include delayed ovulation, impaired digestive and immune functions, inflammatory responses, and negative impacts on the circulatory system (Wang et al. 2021). Overall, plastic ingestion in birds can lead to starvation, reduced body weight, slower

^{*} Corresponding author: muleromara@uma.es



Figure 1. Touristic artificial feeding of African Fish-Eagle in Lake Naivasha. From left to right, (top): eagle perched on a lakeshore tree, guide stuffing fish with polystyrene, guide whistling and shaking the fish; (bottom): guide throwing fish to the water, eagle picking up the fish from the lake surface, eagle taking fish to the feeding perch.

growth rate, reduced reproductive output, and increased mortality (Pierce et al. 2004, Wang et al. 2021). Polystyrene dispersal in nature causes both primary and secondary contamination that may negatively affect a wide range of organisms, causing reduced survival of plankton, increased mortality among invertebrates, physiological and behavioral effects in fish, and respiratory effects in mammals (Kik et al. 2020). In addition, the dispersal of this nonbiodegradable plastic adds to the already concerning pollution problems of Lake Naivasha, which is currently impacted by organic waste, heavy metals, pesticides, and other contaminants from horticultural practices and other human activities (Otiang'a-Owiti and Oswe 2010).

The severity of pollutants' effects on individuals and the environment depends on the concentration and total exposure to the chemical. The anecdotal nature of this observation did not allow quantification of the extent of the problem, but this is likely not an isolated incident. The guide artificially fed the eagles with plastic-stuffed fish three times during a 1-hr boat trip; four other tourists I met who took a similar boat tour with different operators described the same pattern of artificial feeding, and although they could not confirm that the fish thrown contained plastic, they saw that it floated, so it likely contained something to increase buoyancy. In addition, the fact that the eagles responded to the guide's whistle or to the floating fish—a habituation behavior that requires some training over time—suggests that artificial feeding of African Fish-Eagles in Lake Naivasha may be a widespread practice. Moreover, a similar plastic-fish baiting practice is described and denounced on a bird photography website: Grey-headed Fish-Eagles (*Icthyophaga ichthyaetus*) in Singapore were baited with a live fish stuffed with pieces of polystyrene foam (https://www. 10000birds.com/unethical-photographers-baitcritically-endangered-eagles.htm). This suggests that this practice may affect more species in other regions.

In addition to the polystyrene poisoning risk that I highlight here because it has not been reported in the scientific literature to my knowledge, the touristic practice observed is based on wildlife attraction through artificial feeding, which can alter natural behavior patterns and population numbers and can lead to dependency, habituation, the development of "begging" behaviors that eventually result in aggression toward humans, and intra- and interspecific aggression due to the greater density of animals in a small area (Orams 2002, Knight 2009, Barrientos et al. 2020). The latter is particularly

668

concerning as Lake Naivasha hosts a high density of African Fish-Eagles and some individuals have killed others while defending their shoreline territories (Harper 2002, Virani and Chadge 2017).

Here I aim to draw attention to the need of further research to assess the effects of artificial feeding using polystyrene on African Fish-Eagles and the consequences of this pollution in Lake Naivasha. The intervention of local authorities may be needed to discourage polystyrene use and control inappropriate behavior of guides. Tourism education must be promoted both among visitors and tour operators, as the practice is grounded in the assumption that close-up encounters increase satisfaction, leading to more generous tips. Although this may be true for a majority of tourists, environmentally educated ones increasingly reject artificial practices (Tablado and D'Amico 2017). In this case, I found myself in a "tourist trap" in which I unintentionally contributed to this malpractice, as the tour operator advertised the experience as a boat tour in the lake where wildlife was abundant; thus, I assumed I would see the animals in a natural way, and there was no indication the tour included artificial feeding of the animals or the plastic involved. As a wildlife ecologist and a tourist, I expressed my discomfort with this practice, complained to the tour operator, and did my best to communicate the risk it involves for the birds. A growing body of research indicates that tourists' satisfaction can be achieved through skilled and knowledgeable guides, authenticity of the wildlife encounters, and practices that enlist visitors as conservation partners (Ballantyne et al. 2009, Egresi and Prakash 2019). Finally, the long-term sustainability of wildlife tourism requires that guides and tour operators guarantee animal welfare, preserving the resources on which their jobs and livelihoods depend (Tablado and D'Amico 2017).

I thank Álvaro Orosa Díez, who gathered some of the pictures used in Figure 1. I thank Antonio Román Muñoz Gallego and two anonymous reviewers for their comments on previous drafts, which improved this work. MMP's contract was funded by the European Union "NextGenerationEU" Programa María Zambrano, Ministerio de Universidades, Spain.

LITERATURE CITED

Ballantyne, R., J. Packer, and K. Hughes (2009). Tourists' support for conservation messages and sustainable management practices in wildlife tourism experiences. Tourism Management 30:658–664.

- Barrientos, R., F. Ascensão, and M. D'Amico (2020). Inappropriate tourist behavior in protected areas can lead to wildlife road-kills. Animal Conservation 23:343–344.
- Carlin, J., C. Craig, S. Little, M. Donnelly, D. Fox, L. Zhai, and L. Walters (2020). Microplastic accumulation in the gastrointestinal tracts in birds of prey in central Florida, USA. Environmental Pollution 264:114633. doi:10.1016/j.envpol.2020.114633.
- Damania, R., S. Desbureaux, P. L. Scandizzo, M. Mikou, D. Gohil, and M. Said (2019). When Good Conservation Becomes Good Economics: Kenya's Vanishing Herds. World Bank, Washington, DC, USA. http://hdl.handle. net/10986/33083.
- de Carvalho, A. R., A. Imbert, B. Parker, A. Euphrasie, S. Bouletreau, J. R. Britton, and J. Cucherousset (2021). Microplastic in angling baits as a cryptic source of contamination in European freshwaters. Scientific Reports 11:11255. doi:10.1038/s41598-021-90468-0.
- Egresi, I., and T. G. S. L. Prakash (2019). What makes wildlife tourists happy and what disappoints them? Learning from reviews posted on Tripadvisor. Geojournal of Tourism and Geosites 24:102–117.
- Fry, D. M., S. I. Fefer, and L. Sileo (1987). Ingestion of plastic debris by Laysan Albatrosses and Wedge-tailed Shearwaters in the Hawaiian Islands. Marine Pollution Bulletin 18:339–343.
- Green, R., and K. Higginbottom (2001). Negative Effects of Wildlife Tourism on Wildlife. Wildlife Tourism Research Report Series: No 5. Status Assessment of Wildlife Tourism in Australia Series, Gold Coast, Australia.
- Harper, D. M. (2002). Population fluctuations and their causes in the African Fish Eagle (*Haliaeetus vocifer* (Daudin)) at Lake Naivasha, Kenya. Hydrobiologia 488: 171–180.
- Kik, K., B. Bukowska, and P. Sicinska (2020). Polystyrene nanoparticles: Sources, occurrence in the environment, distribution in tissues, accumulation and toxicity to various organisms. Environmental Pollution 262:114297. doi: 10.1016/j.envpol.2020.114297.
- Knight, J. (2009). Making wildlife viewable: Habituation and attraction. Society and Animals 17:167–184.
- Orams, M. B. (2002). Feeding wildlife as a tourism attraction: A review of issues and impacts. Tourism Management 23:281–293.
- Otiang'a-Owiti, G. E., and I. A. Oswe (2010). Human impact on lake ecosystems: The case of Lake Naivasha, Kenya. African Journal of Aquatic Science 32:79–88.
- Pierce, K. E., R. J. Harris, L. S. Larned, and M. A. Pokras (2004). Obstruction and starvation associated with plastic ingestion in a Northern Gannet *Morus bassanus* and a Greater Shearwater *Puffinus gravis*. Marine Ornithology 32:187–189.
- Tablado, Z., and M. D'Amico (2017). Impacts of terrestrial animal tourism. In Ecotourism's Promise and Peril (D. Blumstein, B. Geffroy, D. Samia, and E. Bessa, Editors) Springer, Cham, Switzerland. pp. 97–116.
- Virani, M., and K. Chadge (2017). African Fish Eagle: Defying the danger in Naivasha. In Giving Nature A Voice:

Free Documentary–Nature. Aga Khan University Graduate School of Media and Communications, Nairobi, Kenya. https://www.youtube.com/watch?v=TkERw SbaBHA.

- Wang, L., G. Nabi, L. Yin, Y. Wang, S. Li, Z. Hao, and D. Li (2021). Birds and plastic pollution: Recent advances. Avian Research 12:59. doi:10.1186/s40657-021-00293-2.
- Wilcox, C., E. Van Sebille, and B. D. Hardesty (2015). Threat of plastic pollution to seabirds is global, pervasive, and increasing. Proceedings of the National Academy of Sciences of the United States of America 112:11899–11904.

Received 29 November 2022; accepted 3 May 2023