

Supplementary Table S1. Oligonucleotide primers used in this study

Locus	Region ^a	Forward primer sequence	Reverse primer sequence
<i>Kit</i>	p, e1, i1	5'-TTATTGTCTAGGGAGCACCTG-3'	5'-AGCCAACAGTCACCACTCTG-3'
	e11, i11, e12, i12, e13	5'-ATGATCACAAATGGGAGTTTCC-3'	5'-GGACCTTCAGTTCCGACATTAG-3'
<i>Kitl</i>	p, e1, i1	5'-AGCAGTCCGGGCTTCATTTG-3'	5'-AGGGTTGGCTTCACTCCAG-3'
<i>Mitf</i>	e1, i1	5'-AGCGAGAGCCATGCAGTC-3'	5'-ACTCTATTCCTGAGAACTTGC-3'
	e3, i3	5'-AGAGGCACCAGGTAAAGCAG-3'	5'-GAGTGTTGTCTCCAATCCAG-3'
	i9, e10	5'-TGCCACCTGTCCTGTATTTTG-3'	5'-TTGGAGCCCATCTTCCTG-3'
<i>Pax3</i>	i1	5'-AGAAGCCCCATTTCACTTTC-3'	5'-ACACCAGCTACGAGGCTTTC-3'
<i>Snai2</i>	i1, e2	5'-TCCAAGAAGCCCAACTACAG-3'	5'-TATCCAGCAAGAGGAGAAAG-3'
	e2, i2	5'-ATGCCCCTCATAACCAAAG-3'	5'-AGATGTAGCCAAAAACTATG-3'
<i>Sox10</i>	e1, i1	5'-AACTGGGCAAGGTCAAGAAG-3'	5'-GAAGGCCTCTTTTTGTGTG-3'
	i1, e2	5'-GTGTTATCATCCTCGTTTTG-3'	5'-GGATGGTCCTTCTTGTGTTG-3'

^ap, promoter; e, exon; i, intron