

SUPPLEMENTAL MATERIAL

for

NEST PROVISIONING AND SOCIALITY AT HARRIS'S HAWK NESTS  
IN SOUTH TEXAS

SAMANTHA J. HAGLER

*Department of Ecology and Evolutionary Biology, Cornell University, Ithaca, New York, USA*

ANDREA GIBBONS

*Department of Biological Sciences, University of North Texas, Denton, Texas, USA*

JAMES C. BEDNARZ

*Department of Biological Sciences, University of North Texas, Denton, Texas, USA*

WILLIAM S. CLARK

*2301 South White House Circle, Harlingen, Texas, USA*

DAVID N. BONTER

*Cornell Lab of Ornithology, Ithaca, New York, USA*

Table S1. Full model results from the models examining the relationship between our explanatory variables and the delivery of all prey items, only rodent prey, and only bird prey. Year was included in the model as a categorical variable with 2018 as the baseline, and breeding unit type was included as a categorical variable with group as the baseline.

VARIABLE	$\beta$	df	Z	P
ALL PREY MODEL				
Breeding Unit Type	0.381	48	1.765	0.078
Brood size	0.290	48	2.487	0.013
Year	0.088	48	0.377	0.706
Nestling age	0.002	48	0.101	0.919
Urbanization	-0.696	48	-0.871	0.384
Precipitation	0.131	48	1.726	0.084
RODENT ONLY MODEL				
Breeding Unit Type	-0.308	48	-0.317	0.752
Brood size	-0.626	48	-1.384	0.166
Year	1.180	48	1.312	0.190
Nestling age	-0.029	48	-0.783	0.433
Urbanization	-1.823	48	-0.552	0.581

VARIABLE	$\beta$	df	Z	P
Precipitation	0.079	48	0.554	0.579
BIRD ONLY MODEL				
Breeding Unit Type	1.057	48	1.284	0.199
Brood size	0.865	48	2.220	0.026
Year	-0.897	48	-1.148	0.251
Nestling age	0.026	48	0.551	0.582
Urbanization	0.923	48	0.323	0.747
Precipitation	0.120	48	0.871	0.384