

Willdenowia 45(2) – Electronic supplement

VIKTOR LÖKI, JÁCINT TÖKÖLYI, KRISTÓF SÜVEGES, ÁDÁM LOVAS-KISS, KAAN HÜRKAN, GÁBOR SRAMKÓ & ATTILA MOLNÁR V.

The orchid flora of Turkish graveyards: a comprehensive field survey

Electronic supplement to: Löki V., Tökölyi J., Süveges K., Lovas-Kiss Á, Hürkan K., Sramkó G. & Molnár V. A.: The orchid flora of Turkish graveyards: a comprehensive field survey. – Willdenowia 45: 231–243. 2015. – ISSN 1868-6397; © 2015 BGBM Berlin. – DOI: <http://dx.doi.org/10.3372/wi.45.45209>.

Table 5. Numbering, geographic location, altitude, area, and orchid taxa of the 300 graveyards studied. Localities are listed alphabetically, first by province, then by settlement. An asterisk “*” indicates the 14 graveyards known formerly as orchid locations. The symbol “#” indicates the four graveyards visited twice (in April and June). A dash “–” indicates that no orchid taxa were recorded.

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|------------|------------------------|--------------|-----------|--|
| 1 | Adana | Çukurova | 37.06659°N, 35.37332°E | 154 | 2.10 | – |
| 2 | Adana | Hocalı | 37.11840°N, 35.39381°E | 110 | 0.20 | – |
| 3 | Adana | Hocalı | 37.13822°N, 35.41266°E | 115 | 2.31 | – |
| 4 | Antalya | Adrasan | 36.37778°N, 30.43167°E | 61 | 0.17 | <i>Serapias bergonii</i> subsp. <i>politisi</i> |
| 5 | Antalya | Ağullu * | 36.21721°N, 29.68523°E | 482 | 0.27 | <i>Ophrys lycia</i> |
| 6 | Antalya | Akşahap | 37.06866°N, 31.70053°E | 783 | 2.56 | <i>Cephalanthera kurdica</i> |
| 7 | Antalya | Akseki | 37.04486°N, 31.78193°E | 1201 | 0.93 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Epipactis microphylla</i> (Fig. 8J), <i>Himantoglossum comperianum</i> , <i>Ophrys phrygia</i> (Fig. 8J), <i>Ophrys straussii</i> subsp. <i>straussii</i> , <i>Ophrys</i> sp., <i>Orchis italica</i> |
| 8 | Antalya | Akseki * | 37.04526°N, 31.79239°E | 1037 | 3.38 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis pyramidalis</i> , <i>Cephalanthera kurdica</i> , <i>Epipactis microphylla</i> , <i>Himantoglossum comperianum</i> , <i>Ophrys phrygia</i> , <i>Ophrys straussii</i> subsp. <i>straussii</i> |
| 9 | Antalya | Alanya | 36.55658°N, 31.97428°E | 72 | 2.07 | – |
| 10 | Antalya | Belen | 36.38612°N, 30.44489°E | 50 | 2.23 | <i>Anacamptis sancta</i> , <i>Anacamptis morio</i> subsp. <i>syriaca</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys argolica</i> subsp. <i>lucis</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys minoa</i> , <i>Ophrys uliginaria</i> (Fig. 7H), <i>Serapias bergonii</i> subsp. <i>politisi</i> , <i>Spiranthes spiralis</i> |
| 11 | Antalya | Belen | 36.37944°N, 30.38777°E | 510 | 1.44 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys lutea</i> subsp. <i>phryganæ</i> , <i>Ophrys minoa</i> , <i>Ophrys reinholdii</i> , <i>Serapias bergonii</i> subsp. <i>politisi</i> |
| 12 | Antalya | Belen | 36.38186°N, 30.38501°E | 564 | 0.25 | <i>Anacamptis papilionacea</i> subsp. <i>papilionacea</i> , <i>Anacamptis sancta</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys reinholdii</i> , <i>Orchis anatolica</i> , <i>Serapias bergonii</i> subsp. <i>politisi</i> |
| 13 | Antalya | Belen * | 36.37687°N, 30.44479°E | 50 | 0.98 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis morio</i> subsp. <i>syriaca</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys argolica</i> subsp. <i>lucis</i> , <i>Ophrys minoa</i> , <i>Serapias bergonii</i> subsp. <i>politisi</i> , <i>Spiranthes spiralis</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|-----------------|------------------------|--------------|-----------|--|
| 14 | Antalya | Beşikci | 36.36651°N, 30.34113°E | 92 | 3.67 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis sancta</i> , <i>Anacamptis morio</i> subsp. <i>syriaca</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys minoa</i> , <i>Ophrys umbilicata</i> subsp. <i>umbilicata</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> , <i>Spiranthes spiralis</i> |
| 15 | Antalya | Çukurbağ | 36.22897°N, 29.66764°E | 448 | 2.25 | <i>Anacamptis sancta</i> , <i>Ophrys holoserica</i> subsp. <i>episcopalis</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Orchis italica</i> , <i>Orchis sezikiana</i> |
| 16 | Antalya | Emiraşıklar * # | 37.04133°N, 31.73143°E | 935 | 1.52 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Himantoglossum comperianum</i> , <i>Himantoglossum montis-tauri</i> (Fig. 6D), <i>Limodorum abortivum</i> , <i>Ophrys argolica</i> subsp. <i>lucis</i> (Fig. 6G), <i>Ophrys phrygia</i> , <i>Ophrys straussii</i> subsp. <i>straussii</i> , <i>Orchis anatolica</i> (Fig. 8A), <i>Orchis simia</i> |
| 17 | Antalya | Gençler | 36.78975°N, 31.71785°E | 283 | 3.87 | <i>Cephalanthera kurdica</i> (Fig. 5E), <i>Limodorum abortivum</i> , <i>Ophrys amanensis</i> subsp. <i>antalyensis</i> , <i>Ophrys mammosa</i> subsp. <i>posteria</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 18 | Antalya | Göynük | 36.64794°N, 30.53918°E | 21 | 2.47 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 19 | Antalya | İbradı | 37.09341°N, 31.60232°E | 995 | 2.51 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l. |
| 20 | Antalya | Kemer | 36.54668°N, 30.54834°E | 31 | 1.50 | <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 21 | Antalya | Kömürüler | 37.08328°N, 30.58770°E | 302 | 2.05 | <i>Himantoglossum robertianum</i> |
| 22 | Antalya | Muzkent | 36.19411°N, 32.39867°E | 128 | 1.88 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Ophrys minoa</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> , <i>Spiranthes spiralis</i> |
| 23 | Antalya | Pınarbaşı | 36.24804°N, 29.68352°E | 658 | 0.18 | <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 24 | Antalya | Serik | 36.91554°N, 31.07904°E | 4 | 2.37 | – |
| 25 | Antalya | Side | 36.78876°N, 31.40247°E | 5 | 1.07 | – |
| 26 | Antalya | Üzümdere | 37.12141°N, 31.69207°E | 649 | 1.22 | <i>Cephalanthera kurdica</i> , <i>Epipactis helleborine</i> s.l. |
| 27 | Antalya | Yazır | 36.38482°N, 30.41790°E | 274 | 0.36 | <i>Anacamptis sancta</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 28 | Aydın | Bahçearası | 37.71082°N, 27.93747°E | 123 | 0.99 | <i>Anacamptis sancta</i> |
| 29 | Aydın | Dorumlar | 37.70094°N, 27.94514°E | 136 | 0.39 | <i>Anacamptis pyramidalis</i> , <i>Anacamptis sancta</i> , <i>Ophrys subfusca</i> subsp. <i>blithopertha</i> , <i>Ophrys bombyliflora</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> |
| 30 | Aydın | Haydere | 37.57831°N, 28.36298°E | 803 | 1.08 | <i>Anacamptis morio</i> subsp. <i>caucasica</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> , <i>Spiranthes spiralis</i> |
| 31 | Aydın | Kirazlı | 37.83575°N, 27.37927°E | 193 | 0.93 | – |
| 32 | Aydın | Kuşadası | 37.85443°N, 27.26063°E | 111 | 3.45 | – |
| 33 | Aydın | Söğütçük | 37.49178°N, 28.12035°E | 372 | 1.06 | <i>Anacamptis sancta</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> |
| 34 | Aydın | Yeniköy | 37.86469°N, 27.34592°E | 277 | 0.37 | <i>Anacamptis sancta</i> , <i>Ophrys bombyliflora</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Orchis italica</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|-----------|-------------|---------------------------|-----------------|--------------|--|
| 35 | Balıkesir | Bostancı | 39.56364°N, 27.03734°E | 20 | 1.09 | <i>Ophrys speculum</i> var. <i>orientalis</i> |
| 36 | Balıkesir | Çamlıbel | 39.59652°N, 26.86667°E | 163 | 1.73 | <i>Neotinea tridentata</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Spiranthes spiralis</i> (Fig. 8G) |
| 37 | Balıkesir | Gömeç | 39.39341°N, 26.83836°E | 6 | 4.76 | – |
| 38 | Balıkesir | Güre | 39.61144°N, 26.89788°E | 80 | 2.75 | <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 39 | Balıkesir | Hisarköy # | 39.44669°N, 26.99101°E | 61 | 1.45 | <i>Himantoglossum jankae</i> , <i>Neotinea tridentata</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> |
| 40 | Balıkesir | İvrindi | 39.61731°N, 27.56158°E | 190 | 1.3 | – |
| 41 | Balıkesir | Karaağaç | 39.42019°N, 26.86264°E | 43 | 1.34 | <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys umbilicata</i> subsp. <i>umbilicata</i> , <i>Orchis simia</i> |
| 42 | Balıkesir | Kırtık | 39.39735°N, 27.03068°E | 360 | 0.50 | – |
| 43 | Balıkesir | Şarköy | 39.47969°N, 26.98128°E | 62 | 2.66 | <i>Cephalanthera epipactoides</i> , <i>Neotinea maculata</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys</i> sp., <i>Orchis simia</i> |
| 44 | Balıkesir | Tahtakuşlar | 39.58839°N, 26.85777°E | 128 | 0.82 | <i>Cephalanthera epipactoides</i> , <i>Dactylorhiza romana</i> subsp. <i>romana</i> (Fig. 5G), <i>Limodorum abortivum</i> , <i>Orchis provincialis</i> |
| 45 | Balıkesir | Zeytinli | 39.61127°N, 26.94418°E | 41 | 2.15 | – |
| 46 | Bilecik | Bahçesultan | 40.03489°N, 29.76543°E | 1012 | 0.52 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 47 | Bilecik | Demirhanlar | 40.19536°N, 30.17966°E | 230 | 0.57 | <i>Orchis simia</i> |
| 48 | Bilecik | Gölpazarı | 40.27840°N, 30.29473°E | 526 | 1.24 | <i>Anacamptis pyramidalis</i> , <i>Ophrys</i> sp. |
| 49 | Bilecik | Gölpazarı | 40.28059°N, 30.33226°E | 530 | 1.76 | <i>Anacamptis pyramidalis</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> |
| 50 | Bilecik | Gümüşdere | 40.02052°N, 29.82254°E | 792 | 1.35 | <i>Anacamptis pyramidalis</i> |
| 51 | Bilecik | İncirli | 40.20839°N, 30.21813°E | 571 | 1.36 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera epipactoides</i> , <i>Epipactis helleborine</i> s.l., <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 52 | Bilecik | Karaağaç | 40.18689°N, 30.15963°E | 150 | 0.31 | – |
| 53 | Bilecik | Karaağaç | 40.23664°N, 30.14652°E | 236 | 2.5 | <i>Himantoglossum jankae</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Ophrys sphegodes</i> subsp. <i>herae</i> |
| 54 | Bilecik | Kayalar | 40.23881°N, 30.05449°E | 231 | 1.06 | <i>Ophrys mammosa</i> subsp. <i>mammosa</i> (Fig. 7C) |
| 55 | Bilecik | Osmaneli | 40.35617°N, 30.01657°E | 103 | 0.51 | – |
| 56 | Bilecik | Pazaryeri | 39.99767°N, 29.91218°E | 812 | 6.24 | <i>Himantoglossum jankae</i> |
| 57 | Bilecik | Selçik | 40.37702°N, 30.00947°E | 96 | 0.07 | – |
| 58 | Bilecik | Vezirhan | 40.24666°N, 30.02099°E | 140 | 2.4 | – |
| 59 | Bolu | Afşar | 40.74631°N, 31.86908°E | 980 | 1.26 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera longifolia</i> , <i>Himantoglossum jankae</i> , <i>Ophrys apifera</i> , <i>Steveniella satyrioides</i> (Fig. 8H) |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|----------------------------------|---------------------------|-----------------|--------------|---|
| 60 | Bolu | Baltalı | 40.73481°N, 31.83459°E | 985 | 0.4 | — |
| 61 | Bolu | Çamyayla | 40.69558°N, 31.65821°E | 757 | 0.3 | <i>Himantoglossum jankae</i> |
| 62 | Bolu | Eskiçağa | 40.81679°N, 32.03588°E | 1070 | 2.14 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> , <i>Ophrys apifera</i> , <i>Ophrys mammosa</i> subsp. <i>leucophthalma</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 63 | Bolu | Gerede | 40.79750°N, 32.18607°E | 1332 | 3.39 | — |
| 64 | Bolu | Gövem | 40.65434°N, 31.46885°E | 881 | 0.66 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera damasonium</i> , <i>Cephalanthera epipactoides</i> , <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Epipactis microphylla</i> , <i>Himantoglossum jankae</i> , <i>Ophrys apifera</i> , <i>Ophrys mammosa</i> subsp. <i>leucophthalma</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Orchis purpurea</i> subsp. <i>purpurea</i> |
| 65 | Bolu | Hacıahmetler | 40.92862°N, 32.04420°E | 613 | 0.57 | <i>Anacamptis pyramidalis</i> , <i>Ophrys apifera</i> |
| 66 | Bolu | İlıcakınık | 40.69821°N, 31.63380°E | 711 | 0.80 | <i>Himantoglossum jankae</i> |
| 67 | Bolu | Kandamış | 40.78999°N, 31.82409°E | 740 | 3.39 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera epipactoides</i> , <i>Himantoglossum jankae</i> (Fig. 6C) |
| 68 | Bolu | Karacadağ- demirciler Köyü | 40.84953°N, 32.45762°E | 1262 | 0.75 | — |
| 69 | Bolu | Karamanlar | 40.79512°N, 31.80990°E | 729 | 2.56 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> |
| 70 | Bolu | Karataş | 40.50473°N, 31.22861°E | 783 | 1.76 | <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l. |
| 71 | Bolu | Kuzörenemirler | 40.76019°N, 31.93641°E | 1090 | 2.39 | <i>Himantoglossum jankae</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Orchis mascula</i> subsp. <i>pinetorum</i> |
| 72 | Bolu | Mudurnu | 40.55387°N, 31.08927°E | 192 | 1.11 | <i>Orchis simia</i> |
| 73 | Bolu | Örencik | 40.70964°N, 31.64687°E | 708 | 0.86 | <i>Himantoglossum jankae</i> |
| 74 | Bolu | Sazakkınık | 40.76680°N, 31.84763°E | 1046 | 0.53 | <i>Himantoglossum jankae</i> , <i>Ophrys</i> sp., <i>Orchis</i> sp. |
| 75 | Bolu | Ulumescit | 40.78176°N, 31.86481°E | 801 | 2.9 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> |
| 76 | Bolu | Uzunçam | 40.39127°N, 31.09954°E | 1190 | 2.41 | <i>Cephalanthera longifolia</i> , <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Himantoglossum comperianum</i> , <i>Orchis anatolica</i> |
| 77 | Bolu | Yayladınlar | 40.78555°N, 31.85373°E | 775 | 1.86 | <i>Anacamptis pyramidalis</i> (Fig. 5B), <i>Himantoglossum jankae</i> |
| 78 | Bolu | Yenigüney | 40.74960°N, 31.83391°E | 1040 | 0.80 | <i>Himantoglossum jankae</i> , <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 79 | Bolu | Yukarıçamlı | 40.80073°N, 31.80731°E | 739 | 0.33 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> |
| 80 | Bolu | Yukarıçamlı | 40.82111°N, 31.80987°E | 764 | 0.02 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> |
| 81 | Bursa | Baraklı | 39.97420°N, 29.22276°E | 999 | 1.29 | <i>Orchis purpurea</i> subsp. <i>purpurea</i> |
| 82 | Bursa | Davutlar | 39.83187°N, 29.28564°E | 743 | 1.22 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum comperianum</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys</i> sp. |
| 83 | Bursa | Karaislah | 40.02261°N, 29.12483°E | 810 | 0.39 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|-----------|---------------|---------------------------|-----------------|--------------|--|
| 84 | Bursa | Kurşunlu | 40.03535°N, 29.66889°E | 332 | 2.84 | – |
| 85 | Bursa | Küçük Kovacık | 39.89991°N, 29.22351°E | 1080 | 2.05 | <i>Epipactis helleborine</i> s.l., <i>Ophrys</i> sp. |
| 86 | Bursa | Soğukpinar # | 40.04124°N, 29.08505°E | 635 | 0.74 | <i>Epipactis helleborine</i> s.l., <i>Epipactis persica</i> , <i>Limodorum abortivum</i> , <i>Orchis provincialis</i> (Fig. 8B), <i>Orchis purpurea</i> subsp. <i>purpurea</i> , <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 87 | Çanakkale | Alçıtepe | 40.09804°N, 26.22165°E | 108 | 0.61 | <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> , <i>Spiranthes spiralis</i> |
| 88 | Çanakkale | Behram | 39.49501°N, 26.34415°E | 141 | 5.85 | <i>Cephalanthera epipactoides</i> (Fig. 5C), <i>Orchis</i> <i>simia</i> |
| 89 | Çanakkale | Burhanlı | 40.31131°N, 26.56216°E | 26 | 1.06 | <i>Anacamptis</i> sp., <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys</i> <i>umbilicata</i> subsp. <i>bucephala</i> (Fig. 7I), <i>Ophrys</i> sp. |
| 90 | Çanakkale | Büyükanafarta | 40.28217°N, 26.32402°E | 43 | 0.74 | <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Orchis simia</i> |
| 91 | Çanakkale | Güzelyalı | 40.04779°N, 26.35473°E | 20 | 2.39 | <i>Limodorum abortivum</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 92 | Çanakkale | Kumköy | 40.28848°N, 26.39783°E | 55 | 2.57 | – |
| 93 | Çanakkale | Seddülbahir | 40.05003°N, 26.19416°E | 8 | 0.75 | <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> |
| 94 | Çanakkale | Yalova | 40.26144°N, 26.40730°E | 45 | 2.37 | <i>Limodorum abortivum</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Orchis simia</i> |
| 95 | Düzce | Dadalı | 41.05769°N, 31.19134°E | 116 | 1.25 | – |
| 96 | Edirne | Keşan | 40.83700°N, 26.62272°E | 73 | 2.82 | – |
| 97 | Edirne | Paşayığit | 40.96390°N, 26.63808°E | 194 | 1.25 | – |
| 98 | Edirne | Uzunköprü | 41.27335°N, 26.70706°E | 37 | 2.25 | – |
| 99 | Edirne | Yeniköy | 41.34743°N, 26.76005°E | 110 | 12.24 | <i>Ophrys mammosa</i> subsp. <i>mammosa</i> |
| 100 | Gaziantep | Belpınar | 37.21623°N, 36.74994°E | 645 | 0.91 | – |
| 101 | Giresun | Alancık | 40.65129°N, 38.40341°E | 723 | 0.16 | – |
| 102 | Giresun | Aralıkız | 41.03267°N, 39.03099°E | 20 | 0.60 | <i>Serapias levantina</i> subsp. <i>feldwegiana</i> |
| 103 | Giresun | Çavuşoğlu | 40.86609°N, 38.43601°E | 54 | 0.14 | – |
| 104 | Giresun | Çeşel | 40.94392°N, 38.77008°E | 207 | 0.74 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 105 | Giresun | Çeşel | 40.93162°N, 38.78106°E | 257 | 0.06 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 106 | Giresun | Dereli | 40.63698°N, 38.45592°E | 899 | 0.10 | <i>Dactylorhiza saccifera</i> subsp. <i>saccifera</i> , <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> |
| 107 | Giresun | Güce | 40.89462°N, 38.81273°E | 373 | 0.89 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 108 | Giresun | Gülburnu | 40.96344°N, 38.65260°E | 80 | 0.37 | – |
| 109 | Giresun | Küçükahmet | 40.70560°N, 38.45861°E | 427 | 0.57 | – |
| 110 | Giresun | Küçükköy | 40.89854°N, 38.44362°E | 20 | 0.26 | <i>Epipactis helleborine</i> s.l., <i>Ophrys apifera</i> , <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> , <i>Serapias levantina</i> subsp. <i>feldwegiana</i> (Fig. 8F) |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|-----------|------------|---------------------------|-----------------|--------------|--|
| 111 | Giresun | Kümbet | 40.55782°N, 38.43876°E | 1690 | 0.23 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> , <i>Gymnadenia conopsea</i> , <i>Neotinea tridentata</i> |
| 112 | Giresun | Kümbet | 40.55782°N, 38.43876°E | 1700 | 0.56 | <i>Neotinea tridentata</i> |
| 113 | Giresun | Pınarlar | 40.65030°N, 38.37188°E | 916 | 0.11 | <i>Anacamptis pyramidalis</i> , <i>Gymnadenia conopsea</i> , <i>Neotinea tridentata</i> , <i>Ophrys apifera</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 114 | Gümüşhane | Yeniyol | 39.90750°N, 39.40210°E | 1826 | 0.22 | – |
| 115 | Gümüşhane | Kırıklı | 40.35008°N, 39.55466°E | 1377 | 0.23 | – |
| 116 | Gümüşhane | Pirahmet | 40.40180°N, 39.60667°E | 1273 | 0.33 | – |
| 117 | Izmir | Kösedere | 38.54621°N, 26.55544°E | 206 | 0.47 | <i>Anacamptis sancta</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 118 | Izmir | Mordoğan | 38.49709°N, 26.61326°E | 87 | 0.30 | <i>Anacamptis pyramidalis</i> , <i>Anacamptis sancta</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 119 | İzmir | Germiyan | 38.31610°N, 26.46559°E | 182 | 0.73 | <i>Anacamptis sancta</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 120 | İzmir | Ildır | 38.37134°N, 26.47840°E | 41 | 0.13 | <i>Anacamptis sancta</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 121 | İzmir | Kurfallı | 39.02017°N, 27.07534°E | 13 | 0.99 | – |
| 122 | İzmir | Ören | 38.42046°N, 27.57006°E | 185 | 1.04 | <i>Anacamptis pyramidalis</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 123 | İzmir | Parlak | 38.61371°N, 26.39268°E | 238 | 0.78 | <i>Anacamptis collina</i> , <i>Anacamptis papilionacea</i> subsp. <i>papilionacea</i> , <i>Anacamptis sancta</i> , <i>Neotinea lactea</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> (Fig. 8D) |
| 124 | İzmir | Saip | 38.61776°N, 26.52407°E | 118 | 0.34 | <i>Anacamptis sancta</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys umbilicata</i> subsp. <i>umbilicata</i> |
| 125 | İzmir | Süleymanlı | 39.05690°N, 27.06880°E | 22 | 0.33 | – |
| 126 | İzmir | Uzunkuyu | 38.29376°N, 26.51946°E | 200 | 0.14 | <i>Anacamptis sancta</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 127 | Karabük | Açıöz | 41.03188°N, 32.64059°E | 572 | 0.58 | <i>Anacamptis pyramidalis</i> , <i>Neotinea tridentata</i> , <i>Ophrys oestrifera</i> subsp. <i>minutula</i> |
| 128 | Karabük | Başpinar | 40.98517°N, 32.68373°E | 970 | 0.19 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> |
| 129 | Karabük | Başpinar | 41.00158°N, 32.71049°E | 1172 | uncertain | <i>Himantoglossum jankae</i> |
| 130 | Karabük | Başpinar | 41.98596°N, 32.73334°E | 1340 | 0.49 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 131 | Karabük | Doğancılar | 41.01935°N, 32.68227°E | 742 | 1.22 | <i>Anacamptis pyramidalis</i> |
| 132 | Karabük | Karabük | 41.19597°N, 32.63025°E | 323 | 5.43 | <i>Anacamptis pyramidalis</i> |
| 133 | Karabük | Karaören | 41.01851°N, 32.66488°E | 647 | 0.38 | – |
| 134 | Karabük | Karaören | 41.01760°N, 32.67588°E | 708 | 0.45 | <i>Anacamptis pyramidalis</i> |
| 135 | Karabük | Yazıkavak | 40.93650°N, 32.57314°E | 859 | 0.14 | – |
| 136 | Karabük | Yenice | 41.20570°N, 32.30364°E | 399 | 1.31 | <i>Anacamptis pyramidalis</i> |
| 137 | Karaman | Akarköy | 37.25452°N, 32.84602°E | 1098 | 1.34 | – |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|-----------|---------------|---------------------------|-----------------|--------------|--|
| 138 | Kastamonu | Alpı | 41.22735°N, 33.75427°E | 1004 | 0.37 | – |
| 139 | Kastamonu | Cebeci | 41.17717°N, 34.06079°E | 1415 | 0.48 | <i>Cephalanthera rubra</i> , <i>Neotinea tridentata</i> |
| 140 | Kastamonu | Damla | 41.19473°N, 33.05998°E | 964 | 2.80 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Himantoglossum jankae</i> , <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 141 | Kastamonu | Hanönü | 41.62279°N, 34.44425°E | 444 | 0.35 | – |
| 142 | Kastamonu | Haydarlar | 41.23041°N, 33.61065°E | 1029 | 0.79 | <i>Cephalanthera epipactoides</i> , <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Epipogium aphyllum</i> (Fig. 6A), <i>Himantoglossum caprinum</i> , <i>Platanthera</i> <i>chlorantha</i> subsp. <i>chlorantha</i> |
| 143 | Kastamonu | İhsanlı | 41.24289°N, 32.99397°E | 600 | 0.33 | <i>Anacamptis pyramidalis</i> |
| 144 | Kastamonu | Kızılıören | 41.26476°N, 33.01995°E | 805 | 1.51 | <i>Anacamptis pyramidalis</i> , <i>Orchis purpurea</i> subsp. <i>purpurea</i> |
| 145 | Kastamonu | Samatlar | 41.22623°N, 33.11543°E | 569 | 0.57 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera</i> <i>epipactoides</i> , <i>Cephalanthera rubra</i> , <i>Steveniella</i> <i>satyrioides</i> (Fig. 8I) |
| 146 | Kastamonu | Suluca | 40.96805°N, 33.98603°E | 747 | 1.98 | – |
| 147 | Kastamonu | Tosya | 41.00918°N, 34.03782°E | 840 | 9.92 | <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 148 | Kastamonu | Yaka | 41.25656°N, 33.99615°E | 1003 | 1.05 | <i>Anacamptis coriophora</i> subsp. <i>coriophora</i> , <i>Gymnadenia conopsea</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 149 | Kastamonu | Yeşilova | 41.21996°N, 32.99424°E | 476 | 0.31 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum</i> <i>caprinum</i> , <i>Himantoglossum jankae</i> , <i>Neotinea</i> <i>tridentata</i> |
| 150 | Kastamonu | Yukarıelyakut | 41.36856°N, 33.84586°E | 801 | 0.47 | – |
| 151 | Konya | Dereköy | 37.17964°N, 32.16646°E | 1281 | 3.06 | – |
| 152 | Konya | Elmaağaç | 37.13098°N, 32.27945°E | 1579 | 1.85 | <i>Epipactis helleborine</i> s.l. |
| 153 | Konya | Hadim | 36.99048°N, 32.46834°E | 2341 | uncertain | – |
| 154 | Konya | Hamzalar | 37.11750°N, 32.55607°E | 1447 | 4.21 | <i>Himantoglossum comperianum</i> |
| 155 | Konya | İğdeören | 37.05501°N, 32.32303°E | 1308 | 0.48 | <i>Himantoglossum comperianum</i> |
| 156 | Konya | Kapaklı | 38.28820°N, 31.79781°E | 1121 | 1.95 | – |
| 157 | Konya | Kuruçay | 37.20864°N, 32.03959°E | 1418 | 0.79 | – |
| 158 | Konya | Mehmetali * | 37.21549°N, 32.62270°E | 1323 | 2.55 | <i>Cephalanthera damasonium</i> , <i>Epipactis condensata</i> (Fig. 5I), <i>Epipactis helleborine</i> s.l., <i>Himantoglossum caprinum</i> |
| 159 | Konya | Sarıoğlan | 37.20810°N, 32.55025°E | 1360 | 1.86 | – |
| 160 | Konya | Taşkent | 36.92614°N, 32.49101°E | 1565 | 12.01 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Dactylorhiza iberica</i> (Fig. 5F), <i>Ophrys kreutzii</i> , <i>Ophrys straussii</i> subsp. <i>straussii</i> |
| 161 | Konya | Ulupınar | 38.43999°N, 31.32794°E | 981 | 2.24 | <i>Cephalanthera damasonium</i> , <i>Epipactis</i> <i>microphylla</i> , <i>Himantoglossum comperianum</i> (Fig. 6B), <i>Ophrys phrygia</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|-----------------|---------------------------|-----------------|--------------|--|
| 162 | Konya | Yağcı | 37.05130°N, 32.61618°E | 1002 | 2.92 | – |
| 163 | Konya | Yeniköy | 37.15941°N, 32.49358°E | 1495 | 0.24 | <i>Epipactis helleborine</i> s.l. |
| 164 | Konya | Yeniköy * | 37.15811°N, 32.48821°E | 1503 | 0.94 | <i>Cephalanthera damasonium</i> , <i>Epipactis helleborine</i> s.l., <i>Epipactis microphylla</i> , <i>Himantoglossum comperianum</i> , <i>Ophrys konyana</i> |
| 165 | Manisa | Adala | 38.57598°N, 28.28211°E | 143 | 3.74 | – |
| 166 | Manisa | Çamköy | 38.76560°N, 29.01224°E | 820 | 0.52 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera epipactoides</i> , <i>Himantoglossum comperianum</i> , <i>Neotinea tridentata</i> |
| 167 | Manisa | Dağdere | 39.00105°N, 28.08083°E | 808 | uncertain | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 168 | Manisa | Dumanlar | 38.73659°N, 28.95905°E | 757 | 0.14 | – |
| 169 | Manisa | İkizkuyu | 38.72360°N, 28.34048°E | 350 | 1.45 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis morio</i> subsp. <i>caucasica</i> , <i>Himantoglossum caprinum</i> , <i>Himantoglossum comperianum</i> , <i>Himantoglossum jankae</i> , <i>Neotinea tridentata</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Orchis italica</i> , <i>Orchis provincialis</i> , <i>Orchis simia</i> , <i>Serapias bergonii</i> subsp. <i>politistii</i> , <i>Spiranthes spiralis</i> |
| 170 | Manisa | Karaoğlanlı | 38.53164°N, 27.56866°E | 135 | 1.20 | – |
| 171 | Manisa | Lütfiye | 38.74751°N, 27.72786°E | 70 | 0.30 | <i>Ophrys lutea</i> subsp. <i>minor</i> |
| 172 | Manisa | Nuriye | 38.76071°N, 27.69526°E | 58 | 2.16 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> |
| 173 | Manisa | Selendi | 38.73624°N, 28.87238°E | 440 | 3.51 | – |
| 174 | Manisa | Yükarıçobanısa | 38.56276°N, 27.55727°E | 120 | 2.42 | – |
| 175 | Mersin | Bozağaç | 36.28841°N, 33.38108°E | 806 | 1.13 | <i>Ophrys transhyrcana</i> subsp. <i>mouterdeana</i> |
| 176 | Mersin | Bozyazı | 36.10039°N, 33.02227°E | 27 | 1.00 | – |
| 177 | Mersin | Çamlıdere | 36.88233°N, 34.57302°E | 114 | 0.40 | – |
| 178 | Mersin | Çamlıpinaralanı | 36.03951°N, 32.73206°E | 201 | 1.31 | <i>Limodorum abortivum</i> |
| 179 | Mersin | Çopurlu | 36.86068°N, 34.57965°E | 238 | 0.43 | – |
| 180 | Mersin | Demircili * | 36.43052°N, 33.95082°E | 389 | 3.05 | <i>Ophrys argolica</i> subsp. <i>lucis</i> , <i>Ophrys bornmuelleri</i> subsp. <i>bornmuelleri</i> , <i>Ophrys levantina</i> subsp. <i>levantina</i> |
| 181 | Mersin | Gözne * | 36.99782°N, 34.56598°E | 1087 | 1.25 | <i>Anacamptis pyramidalis</i> , <i>Ophrys holoserica</i> subsp. <i>episcopalidis</i> , <i>Orchis anatolica</i> , <i>Orchis punctulata</i> (Fig. 8C) |
| 182 | Mersin | Gülek | 37.24413°N, 34.77649°E | 989 | 1.48 | <i>Cephalanthera kurdica</i> , <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Epipactis microphylla</i> , <i>Limodorum abortivum</i> |
| 183 | Mersin | Gülek | 37.25271°N, 34.76435°E | 1006 | 2.95 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> (Fig. 5A), <i>Cephalanthera kurdica</i> , <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Himantoglossum caprinum</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|--------------|---------------------------|-----------------|--------------|--|
| 184 | Mersin | Hacıbahattin | 36.23888°N, 33.36686°E | 609 | 0.29 | <i>Cephalanthera kotschyana</i> (Fig. 5D) |
| 185 | Mersin | İmamlı | 36.44765°N, 33.95823°E | 557 | 0.75 | <i>Cephalanthera kurdica</i> , <i>Ophrys argolica</i> subsp. <i>lucis</i> |
| 186 | Mersin | İmamlı | 36.48468°N, 33.97370°E | 740 | 0.34 | – |
| 187 | Mersin | Kaburgediği | 37.15047°N, 34.79864°E | 686 | 1.89 | <i>Cephalanthera kurdica</i> , <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Limodorum abortivum</i> |
| 188 | Mersin | Kocahasanalı | 36.57758°N, 34.26581°E | 10 | 0.32 | – |
| 189 | Mersin | Silifke | 36.37409°N, 33.91204°E | 58 | 5.13 | <i>Ophrys</i> sp. |
| 190 | Mersin | Tarsus | 36.93277°N, 34.84400°E | 111 | 0.37 | – |
| 191 | Mersin | Türkmenüşağı | 36.45084°N, 34.03997°E | 386 | 1.87 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Limodorum abortivum</i> |
| 192 | Mersin | Uçarı | 36.09810°N, 32.58191°E | 203 | 1.54 | <i>Limodorum abortivum</i> , <i>Spiranthes spiralis</i> |
| 193 | Mersin | Yenibahçe | 36.46954°N, 34.00696°E | 597 | 0.68 | <i>Cephalanthera damasonium</i> , <i>Epipactis helleborine</i> s.l., <i>Limodorum abortivum</i> |
| 194 | Mersin | Yenikaş | 36.13285°N, 33.28617°E | 58 | 0.27 | – |
| 195 | Muğla | Akyaka | 37.05373°N, 28.31655°E | 29 | 1.01 | <i>Ophrys holoserica</i> subsp. <i>episcopalis</i> , <i>Serapias bergenii</i> subsp. <i>politissii</i> |
| 196 | Muğla | Baharlı | 37.26611°N, 27.75033°E | 95 | 0.68 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> |
| 197 | Muğla | Çaykenarı | 36.51294°N, 29.33646°E | 75 | 2.43 | <i>Ophrys holoserica</i> subsp. <i>episcopalis</i> , <i>Serapias bergenii</i> subsp. <i>politissii</i> |
| 198 | Muğla | Çobanlar | 36.58680°N, 29.34999°E | 74 | 3.22 | <i>Serapias bergenii</i> subsp. <i>politissii</i> (Fig. 8E) |
| 199 | Muğla | Çukurincir | 36.39403°N, 29.31937°E | 32 | 1.13 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis pyramidalis</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys holoserica</i> subsp. <i>episcopalis</i> , <i>Serapias bergenii</i> subsp. <i>politissii</i> , <i>Spiranthes spiralis</i> |
| 200 | Muğla | Demirciler | 37.01769°N, 27.81288°E | 42 | 0.71 | <i>Limodorum abortivum</i> |
| 201 | Muğla | Derebağ | 37.51245°N, 28.34919°E | 707 | 0.77 | <i>Cephalanthera epipactoides</i> , <i>Cephalanthera rubra</i> , <i>Himantoglossum comperianum</i> , <i>Limodorum abortivum</i> |
| 202 | Muğla | Eskihisar | 37.30683°N, 28.03458°E | 580 | 0.96 | <i>Ophrys bombyliflora</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Orchis anatolica</i> , <i>Serapias bergenii</i> subsp. <i>bergonii</i> , <i>Spiranthes spiralis</i> |
| 203 | Muğla | Gökbel | 37.01995°N, 27.76141°E | 290 | 0.70 | <i>Anacamptis sancta</i> , <i>Himantoglossum robertianum</i> , <i>Limodorum abortivum</i> , <i>Ophrys holoserica</i> subsp. <i>episcopalis</i> , <i>Ophrys holoserica</i> subsp. <i>heterochila</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Orchis provincialis</i> , <i>Serapias bergenii</i> subsp. <i>politissii</i> |
| 204 | Muğla | Çiçekli * | 37.08703°N, 28.49791°E | 567 | 0.75 | <i>Anacamptis morio</i> subsp. <i>caucasica</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys holoserica</i> subsp. <i>heterochila</i> (Fig. 6I), <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys reinholdii</i> , <i>Orchis provincialis</i> , <i>Serapias bergenii</i> subsp. <i>bergonii</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|---------------|------------------------|--------------|-----------|--|
| 205 | Muğla | Güreçe * | 37.03565°N, 27.31700°E | 423 | 1.48 | <i>Anacamptis morio</i> subsp. <i>caucasica</i> , <i>Anacamptis sancta</i> , <i>Himantoglossum robertianum</i> , <i>Limodorum abortivum</i> , <i>Ophrys holoserica</i> subsp. <i>heterochila</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Ophrys reinholdii</i> , <i>Orchis provincialis</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> |
| 206 | Muğla | Kadıköy | 36.48588°N, 29.35540°E | 101 | 1.2 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis sancta</i> , <i>Limodorum abortivum</i> (Fig. 6F), <i>Ophrys holoserica</i> subsp. <i>episcopalensis</i> , <i>Ophrys iricolor</i> , <i>Orchis italica</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 207 | Muğla | Kavakköy * | 37.39186°N, 28.21733°E | 655 | 0.71 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Cephalanthera epipactoides</i> , <i>Himantoglossum comperianum</i> , <i>Neotinea maculata</i> , <i>Ophrys fusca</i> subsp. <i>leucadica</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys reinholdii</i> , <i>Ophrys tenthredinifera</i> subsp. <i>villosa</i> , <i>Orchis mascula</i> subsp. <i>pinetorum</i> , <i>Orchis simia</i> , <i>Spiranthes spiralis</i> |
| 208 | Muğla | Kavaklıdere * | 37.43800°N, 28.36382°E | 914 | 3.09 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Neotinea maculata</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Orchis mascula</i> subsp. <i>pinetorum</i> |
| 209 | Muğla | Kemer | 37.13983°N, 27.61466°E | 27 | 1.63 | <i>Anacamptis sancta</i> , <i>Himantoglossum robertianum</i> (Fig. 9A), <i>Ophrys heldreichii</i> subsp. <i>calypsus</i> , <i>Ophrys holoserica</i> subsp. <i>episcopalensis</i> , <i>Ophrys holoserica</i> subsp. <i>homeri</i> (Fig. 7A), <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 210 | Muğla | Korucuk | 37.30424°N, 27.97854°E | 662 | 2.49 | <i>Anacamptis morio</i> subsp. <i>caucasica</i> , <i>Anacamptis sancta</i> , <i>Himantoglossum comperianum</i> , <i>Ophrys ferrum-equinum</i> subsp. <i>ferrum-equinum</i> , <i>Ophrys iricolor</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys reinholdii</i> , <i>Orchis anatolica</i> , <i>Orchis simia</i> , <i>Spiranthes spiralis</i> |
| 211 | Muğla | Köyceğiz | 36.97064°N, 28.70456°E | 21 | 1.85 | <i>Ophrys tenthredinifera</i> subsp. <i>villosa</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 212 | Muğla | Kultak | 37.03881°N, 28.04332°E | 377 | 0.74 | <i>Anacamptis sancta</i> , <i>Ophrys bombyliflora</i> , <i>Ophrys candida</i> subsp. <i>lyciensis</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys lutea</i> subsp. <i>phryganae</i> (Fig. 7B), <i>Ophrys minoa</i> (Fig. 7D), <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 213 | Muğla | Meşelik | 37.15852°N, 27.58838°E | 100 | 0.46 | <i>Anacamptis pyramidalis</i> , <i>Anacamptis sancta</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 214 | Muğla | Milas | 37.28668°N, 27.76858°E | 110 | 7.04 | <i>Himantoglossum robertianum</i> |
| 215 | Muğla | Mumcular | 37.11097°N, 27.65891°E | 50 | 1.28 | <i>Anacamptis sancta</i> , <i>Himantoglossum robertianum</i> , <i>Ophrys tenthredinifera</i> subsp. <i>villosa</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |
| 216 | Muğla | Ören | 37.03918°N, 28.01149°E | 405 | 0.95 | – |
| 217 | Muğla | Toparlar | 36.98993°N, 28.66018°E | 26 | 1.12 | <i>Serapias bergonii</i> subsp. <i>politissii</i> , <i>Spiranthes spiralis</i> |
| 218 | Muğla | Türkevleri | 37.02868°N, 27.88648°E | 0 | 0.26 | <i>Anacamptis sancta</i> , <i>Ophrys fusca</i> subsp. <i>leucadica</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Orchis italica</i> , <i>Serapias bergonii</i> subsp. <i>bergonii</i> , <i>Serapias bergonii</i> subsp. <i>politissii</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|-------------|---------------------------|-----------------|--------------|---|
| 219 | Muğla | Uğurlu | 36.62826°N, 29.35626°E | 114 | 2.53 | <i>Serapias bergonii</i> subsp. <i>politissii</i> , <i>Spiranthes spiralis</i> |
| 220 | Muğla | Yatağıan | 37.36566°N, 28.16209°E | 458 | 0.75 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera epipactoides</i> , <i>Orchis simia</i> |
| 221 | Ordu | Çamaş | 40.88801°N, 37.53241°E | 816 | 0.37 | – |
| 222 | Ordu | Cevizlik | 40.88968°N, 37.78910°E | 421 | 1.69 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera damasonium</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 223 | Ordu | Cevizlik | 40.88260°N, 37.78461°E | 447 | 0.13 | <i>Anacamptis pyramidalis</i> |
| 224 | Ordu | Gürgentepe | 40.80212°N, 37.61330°E | 1104 | 0.39 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> , <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 225 | Ordu | Gürgentepe | 40.79630°N, 37.58621°E | 1194 | 0.76 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> |
| 226 | Ordu | Hisarbey | 40.93301°N, 37.50180°E | 210 | 0.45 | – |
| 227 | Ordu | Işıktepe | 40.79902°N, 37.57369°E | 1130 | 0.33 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> (Fig. 5H) |
| 228 | Ordu | Işıktepe | 40.81574°N, 37.53625°E | 1146 | 0.84 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> |
| 229 | Ordu | Kocaman | 40.91682°N, 37.50691°E | 413 | uncertain | – |
| 230 | Ordu | Ordu | 40.97089°N, 37.89431°E | 133 | 2.48 | – |
| 231 | Ordu | Refahiye | 40.84575°N, 37.65474°E | 972 | 0.31 | <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 232 | Ordu | Sefaköy | 40.97696°N, 37.49957°E | 63 | 0.09 | <i>Anacamptis pyramidalis</i> |
| 233 | Ordu | Uzunisa | 40.92922°N, 37.86052°E | 77 | 0.15 | <i>Serapias levantina</i> subsp. <i>feldwegiana</i> |
| 234 | Osmaniye | Ariklikaş | 37.18064°N, 36.51034°E | 535 | 0.65 | – |
| 235 | Osmaniye | Kalecik | 37.16605°N, 36.45139°E | 513 | 1.02 | <i>Epipactis helleborine</i> s.l. |
| 236 | Osmaniye | Karataş | 37.07295°N, 36.38257°E | 910 | 1.03 | <i>Cephalanthera rubra</i> , <i>Epipactis helleborine</i> s.l., <i>Limodorum abortivum</i> |
| 237 | Osmaniye | Karataş | 37.05246°N, 36.42690°E | 929 | 1.85 | <i>Anacamptis pyramidalis</i> , <i>Limodorum abortivum</i> , <i>Ophrys obtita</i> (Fig. 7E), <i>Ophrys</i> sp., <i>Orchis simia</i> |
| 238 | Osmaniye | Karayığit | 37.07553°N, 36.44895°E | 1190 | 1.51 | <i>Neotinea maculata</i> |
| 239 | Osmaniye | Kaypak | 37.10313°N, 36.46201°E | 880 | 0.21 | – |
| 240 | Rize | Kendirli | 40.97597°N, 40.43705°E | 245 | 0.02 | – |
| 241 | Sakarya | Eğriçay | 40.46970°N, 30.08385°E | 81 | 0.43 | <i>Himantoglossum jankae</i> , <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> |
| 242 | Sakarya | Fevziye | 40.47206°N, 30.10989°E | 75 | 0.27 | – |
| 243 | Sakarya | Hayrettin # | 40.47210°N, 30.12523°E | 71 | 0.19 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys</i> <i>sphegodes</i> subsp. <i>herae</i> (Fig. 7G) |
| 244 | Sakarya | İsabalı | 40.48786°N, 30.06781°E | 75 | 1.36 | <i>Ophrys mammosa</i> subsp. <i>mammosa</i> |
| 245 | Sakarya | Kemaliye | 40.52750°N, 30.01144°E | 757 | 4.74 | <i>Orchis</i> sp., <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|---------------|------------------------|--------------|-----------|---|
| 246 | Sakarya | Mekece | 40.46236°N, 30.01066°E | 153 | 0.50 | <i>Anacamptis pyramidalis</i> , <i>Neotinea tridentata</i> , <i>Ophrys minoa</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> |
| 247 | Sakarya | Pamukova | 40.50451°N, 30.16283°E | 85 | 2.04 | <i>Ophrys mammosa</i> subsp. <i>mammosa</i> |
| 248 | Sakarya | Şeyhvarmaz | 40.48618°N, 30.05328°E | 130 | 1.20 | <i>Ophrys lutea</i> subsp. <i>minor</i> , <i>Ophrys mammosa</i> subsp. <i>mammosa</i> , <i>Ophrys speculum</i> var. <i>orientalis</i> |
| 249 | Samsun | Ahurlu | 41.08332°N, 35.98156°E | 756 | 0.54 | <i>Anacamptis pyramidalis</i> |
| 250 | Samsun | Alaçamderesi | 41.07878°N, 35.91288°E | 790 | 6.38 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Himantoglossum caprinum</i> (Fig. 9B), <i>Himantoglossum comperianum</i> , <i>Himantoglossum jankae</i> , <i>Ophrys apifera</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> (Fig. 7F) |
| 251 | Samsun | Arslançayırı | 41.01519°N, 35.66919°E | 775 | 3.13 | <i>Himantoglossum caprinum</i> |
| 252 | Samsun | Başalan | 41.07531°N, 35.88286°E | 910 | 2.27 | – |
| 253 | Samsun | Çakırtaş | 41.12979°N, 35.48191°E | 317 | 0.48 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l. |
| 254 | Samsun | Cüce | 40.89118°N, 36.05041°E | 885 | uncertain | – |
| 255 | Samsun | Ilica | 41.05515°N, 35.69232°E | 607 | 2.27 | <i>Anacamptis pyramidalis</i> |
| 256 | Samsun | Kızılcaören * | 41.09973°N, 35.50139°E | 547 | 4.87 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum caprinum</i> |
| 257 | Samsun | Kocapınar | 40.95043°N, 35.80344°E | 770 | 0.92 | <i>Anacamptis pyramidalis</i> |
| 258 | Samsun | Küçükçukur | 41.09580°N, 35.95887°E | 810 | 0.35 | <i>Cephalanthera damasonium</i> , <i>Epipactis helleborine</i> s.l., <i>Himantoglossum jankae</i> |
| 259 | Samsun | Ladik | 40.91410°N, 35.88392°E | 916 | 0.58 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum caprinum</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 260 | Samsun | Ladik | 40.90925°N, 35.89123°E | 950 | 0.52 | <i>Himantoglossum caprinum</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 261 | Samsun | Meşeli | 41.07911°N, 35.49917°E | 680 | 2.15 | <i>Cephalanthera damasonium</i> , <i>Orchis purpurea</i> subsp. <i>purpurea</i> |
| 262 | Samsun | Ortaklar | 41.02890°N, 35.56396°E | 462 | 1.94 | – |
| 263 | Samsun | Sarıışık | 41.28483°N, 36.19191°E | 256 | 0.71 | <i>Anacamptis pyramidalis</i> , <i>Neotinea tridentata</i> |
| 264 | Samsun | Üçhanlar | 41.04117°N, 35.92083°E | 684 | 0.23 | <i>Anacamptis pyramidalis</i> , <i>Neotinea tridentata</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 265 | Samsun | Vezirköprü | 41.14287°N, 35.46267°E | 348 | 7.19 | – |
| 266 | Samsun | Yenice | 40.99047°N, 35.75330°E | 679 | 1.44 | – |
| 267 | Sinop | Akçaçam | 41.90601°N, 35.02510°E | 130 | 2.45 | <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Epipactis microphylla</i> , <i>Limodorum abortivum</i> |
| 268 | Sinop | Çatpınar | 41.45707°N, 34.86871°E | 260 | 0.49 | – |
| 269 | Sinop | Dizdaroğlu | 41.90565°N, 35.04108°E | 53 | 0.78 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> , <i>Ophrys apifera</i> , <i>Orchis purpurea</i> subsp. <i>purpurea</i> |
| 270 | Sinop | İncir | 41.41343°N, 35.00353°E | 216 | 0.69 | – |
| 271 | Sinop | Kabalı * | 41.84861°N, 35.05880°E | 120 | 0.31 | <i>Anacamptis pyramidalis</i> , <i>Himantoglossum jankae</i> |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|------------|---------------------------|-----------------|--------------|---|
| 272 | Sinop | Mahmutlu | 41.44769°N, 34.91738°E | 239 | 0.61 | – |
| 273 | Sinop | Melekşah | 41.86178°N, 35.07110°E | 82 | 0.42 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera damasonium</i> , <i>Epipactis helleborine</i> s.l., <i>Ophrys apifera</i> , <i>Orchis purpurea</i> subsp. <i>purpurea</i> , <i>Platanthera chlorantha</i> subsp. <i>chlorantha</i> |
| 274 | Sinop | Şeyhli | 41.46321°N, 34.82937°E | 254 | 4.30 | – |
| 275 | Sinop | Taşmanlı | 41.89215°N, 35.05479°E | 147 | 0.73 | <i>Anacamptis coriophora</i> subsp. <i>fragrans</i> , <i>Anacamptis pyramidalis</i> , <i>Epipactis helleborine</i> s.l., <i>Neotinea tridentata</i> , <i>Ophrys apifera</i> , <i>Serapias levantina</i> subsp. <i>feldwegiana</i> |
| 276 | Sinop | Tekke | 41.52747°N, 34.72458°E | 319 | 0.89 | – |
| 277 | Sinop | Yaykıl | 41.84514°N, 35.13662°E | 75 | 0.15 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera rubra</i> |
| 278 | Trabzon | Çatak | 40.80074°N, 39.58677°E | 394 | 0.52 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera damasonium</i> , <i>Epipactis persica</i> , <i>Neotinea tridentata</i> , <i>Ophrys apifera</i> , <i>Ophrys caucasica</i> (Fig. 6H) |
| 279 | Trabzon | Çiçekli | 40.95557°N, 39.77474°E | 517 | 0.06 | – |
| 280 | Trabzon | Dikkaya | 40.70277°N, 39.49538°E | 1041 | 0.07 | – |
| 281 | Trabzon | Dolaylı | 40.93399°N, 39.75081°E | 338 | 1.38 | – |
| 282 | Trabzon | Esiroğlu | 40.86786°N, 39.68316°E | 221 | 0.68 | <i>Anacamptis pyramidalis</i> |
| 283 | Trabzon | Güzelyayla | 40.68980°N, 39.48846°E | 1146 | 0.17 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> , <i>Listera ovata</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> |
| 284 | Trabzon | Hamsiköy | 40.68784°N, 39.47938°E | 1260 | 0.17 | – |
| 285 | Trabzon | Kavala | 40.95097°N, 39.77143°E | 525 | 0.03 | – |
| 286 | Trabzon | Kıyıcık | 40.97023°N, 40.31038°E | 1 | 0.41 | – |
| 287 | Trabzon | Maçka | 40.80960°N, 39.60853°E | 336 | 0.56 | – |
| 288 | Trabzon | Ormanüstü | 40.80214°N, 39.52724°E | 702 | 0.09 | – |
| 289 | Trabzon | Örnekalan | 40.83401°N, 39.60081°E | 685 | 0.16 | <i>Anacamptis pyramidalis</i> , <i>Neotinea tridentata</i> |
| 290 | Trabzon | Sındıran | 40.79829°N, 39.50521°E | 1173 | 0.41 | <i>Dactylorhiza urvilleana</i> subsp. <i>urvilleana</i> |
| 291 | Trabzon | Trabzon | 40.99397°N, 39.75060°E | 121 | 4.81 | – |
| 292 | Trabzon | Yeşilyurt | 40.82811°N, 39.61720°E | 410 | 0.10 | <i>Anacamptis pyramidalis</i> , <i>Cephalanthera damasonium</i> , <i>Cephalanthera rubra</i> , <i>Epipactis microphylla</i> , <i>Epipactis persica</i> , <i>Ophrys oestrifera</i> subsp. <i>oestrifera</i> , <i>Ophrys</i> sp. |
| 293 | Trabzon | Yeşilyurt | 40.82614°N, 39.61155°E | 564 | 0.05 | <i>Anacamptis pyramidalis</i> |
| 294 | Tunceli | Tunceli | 39.10604°N, 39.56546°E | 995 | 2.54 | <i>Cephalanthera kotschyana</i> , <i>Himantoglossum caprinum</i> , <i>Orchis simia</i> |
| 295 | Uşak | Ciğerdede | 38.73449°N, 29.37434°E | 1106 | 0.62 | – |

| No. | Province | Settlement | Latitude, longitude | Altitude [m] | Area [ha] | Orchid taxa |
|-----|----------|------------|---------------------------|-----------------|--------------|---|
| 296 | Uşak | Gökçedal | 38.78962°N, 29.32195°E | 936 | 0.60 | <i>Epipactis helleborine</i> s.l. |
| 297 | Uşak | Gökçedal | 38.77505°N, 29.36396°E | 1118 | 0.55 | – |
| 298 | Uşak | Karaköse | 38.73937°N, 29.12548°E | 711 | 0.17 | – |
| 299 | Uşak | Mollamus'a | 38.71253°N, 29.08376°E | 700 | 0.28 | – |
| 300 | Uşak | Ormandamı | 38.74655°N, 29.07577°E | 820 | 0.29 | <i>Cephalanthera epipactoides</i> , <i>Himantoglossum comperianum</i> , <i>Himantoglossum robertianum</i> (Fig. 6E) |