

## Willdenowia 48(3) – Electronic supplement

ANNA KRAHULCOVÁ, FRANTIŠEK KRAHULEC & VLADIMIR VLADIMIROV

### Impact of interspecific hybridization within a polyploid agamic complex of *Pilosella* (*Asteraceae*, *Cichorieae*) in Bulgaria compared with Central Europe

Electronic supplement to: Krahulcová A., Krahulec F. & Vladimirov V. 2018: Impact of interspecific hybridization within a polyploid agamic complex of *Pilosella* (*Asteraceae*, *Cichorieae*) in Bulgaria compared with Central Europe. – Willdenowia 48: 345–362. doi: <https://doi.org/10.3372/wi.48.48302>

**Table 4.** Plant collection data. Plants representing both putative parental basic species and co-occurring hybrids (for both, see Table 1, but hybrid plants are not listed in Table 4), were sampled in 2005–2010 in Bulgaria by F. Krahulec, V. Vladimirov and V. Mahelka (in 2008 only) and by F. Krahulec, V. Vladimirov and A. Krahulcová (in the other years). Each locality label (altogether 29 localities included) is specified by “Bu” plus a numeral and a superscript reference. Following additional plants from Bulgaria listed here are not referred to populations in which hybrids were recorded: two accessions of *Pilosella onegensis* (no. 946 and 975, localities Bu 2<sup>1</sup> and Bu 4<sup>1</sup>) were exclusively used in crossing experiments (presented in Table 2); accessions of *P. officinarum* (no. 1660, locality Bu 35<sup>2</sup>) and of *P. onegensis* (no. 1082, locality Bu 3<sup>1</sup>), both sampled in species-mixed populations, were involved in maternal plants of which seeds were used for analysis of ploidy variation in progeny embryos (Fig. 3B). Two additional taxa sampled in the Czech Republic (see last two rows of Table 4) were used as pollen parents in crossing experiments. Species concept follows Zahn (1922–1930); nomenclature follows Bräutigam & Greuter (2007–2009). Abbreviation: n.d. = not determined. Data referring to ploidy level, reproduction mode and locality label, as well as a complete documentation referring to hybrids, were published in the following references.

References: <sup>1</sup>Krahulcová & al. (2009b); <sup>2</sup>Krahulcová & al. (2016); <sup>3</sup>Rosenbaumová & Krahulec (2015); <sup>4</sup>Krahulec & al. (2008).

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella bauhini</i> (Schult.) Arv.-Touv.	1097	5x	apomictic	<b>Bu 1<sup>1</sup></b> , Forebalkan (W): meadow on W slope at wood margin near Chernila Dam, c. 3 km S of Montana town, 2006.	43°22'29.8"N	23°14'37.5"E	180–185 m
	1285	5x	apomictic	<b>Bu 8<sup>1</sup></b> , Vitosha Region: abandoned pasture N of Kovachevitsa village, in valley between Vitosha and Verila Mts, 2007.	42°27'39.9"N	23°19'48.2"E	1074 m
	1842	5x	apomictic	<b>Bu 6<sup>2</sup></b> , Balkan Range (W): Mt Chiprovtska, in wood along hiking trail near a parking place, c. 3 km SW of W periphery of Kopilovtsi village, in valley east of Mt Kopren, c. 2.5 km E of Bulgarian–Serbian border, 2010.	43°19'30.2"N	22°51'30.9"E	953 m
	1800	5x	apomictic	<b>Bu 14<sup>2</sup></b> , Znepole Region: Mt Viskyar, in old pasture, c. 0.2 km N of SE periphery of Gurgulyat village, c. 8 km SW of Slivnitsa town, 2010.	42°47'28.6"N	22°59'02.6"E	847 m
	966, 967, 970, 974	6x	apomictic	<b>Bu 1<sup>1</sup></b> , Forebalkan (W): meadow on W slope at wood margin near Chernila Dam, c. 3 km S of Montana town, 2005.	43°22'29.8"N	23°14'37.5"E	180–185 m

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella bauhini</i> (Schult.) Arv.-Touv.	945, 956, 1095	6x	apomictic	<b>Bu 2<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows along road from Vratsa to Parshevitsa chalet near Kiparis Hotel, c. 6 km SW of Vratsa town, 2005 and 2006.	43°10'33.9"N	23°28'54.8"E	1054 m
	962/2, 963, 1081/2, 1082/1, 1087, 1088/2	6x	apomictic	<b>Bu 3<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows above road from Vratsa to Parshevitsa chalet, c. 7.5 km SW of Vratsa town, 2005 and 2006.	43°10'14.3"N	23°28'50.1"E	1159 m
	1298, 1299/2	6x	apomictic	<b>Bu 6<sup>1</sup></b> , Vitosha Region: in valley E of Mt Vitosha, grassy place along road near Zheleznitsa village, 2007.	42°31'44.1"N	23°21'49.1"E	1042 m
	1294	6x	apomictic	<b>Bu 7<sup>1</sup></b> , Vitosha Region: in valley E of Mt Vitosha, grassy places and road margin at highest point of road between Kovachevitsa village and road fork to Plana village, 2007.	42°30'35.5"N	23°20'00.2"E	1296 m
	1130, 1131, 1135, 1137, 1277, 1292,	6x	apomictic	<b>Bu 8<sup>1</sup></b> , Vitosha Region: abandoned pasture N of Kovachevitsa village, in valley between Vitosha and Verila Mts, 2006 and 2007.	42°27'39.9"N	23°19'48.2"E	1074 m
	992, 993, 994, 996, 997, 1000, 1007, 1244, 1267, 1264	6x	apomictic	<b>Bu 15<sup>1</sup></b> , Rhodopi Mts (C): abandoned pasture and wood margin above road at Ionchovoto hamlet, c. 3 km of Komuniga village, 2005 and 2007.	41°50'18.9"N	25°11'39.0"E	770 m
	1005, 1006	6x	apomictic	<b>Bu 16<sup>1</sup></b> , Rhodopi Mts (E): rocky grassland above road c. 2 km E of Kardzhali town, 2005.	41°38'09.1"N	25°25'50.7"E	260 m
	1872	6x	apomictic	<b>Bu 3<sup>2</sup></b> , Forebalkan (W): Belogradchik town, at wood margin above sightseeing trail near Museum of Natural History in S periphery of town, 2010.	43°37'17.3"N	22°41'38.6"E	517 m
	1856, 1858B, 1860	6x	apomictic	<b>Bu 4<sup>2</sup></b> , Balkan Range (W): Mt Chiprovska, on rocks above road at wood margin close to a former stone-pit, 2.2 km WNW of Martinovo village, c. 5 km NE of Bulgarian–Serbian border, 2010.	43°24'30.9"N	22°48'37.7"E	818 m
	1844	6x	apomictic	<b>Bu 6<sup>2</sup></b> , Balkan Range (W): Mt Chiprovska, in wood along hiking trail near a parking place, c. 3 km SW of W periphery of Kopilovtsi village, in valley east of Mt Kopren, c. 2.5 km E of Bulgarian–Serbian border, 2010.	43°19'30.2"N	22°51'30.9"E	953 m
	1773, 1777	6x	apomictic	<b>Bu 13<sup>2</sup></b> , Znepole Region: in a pasture above road leading from Breznik to Tran towns, before Nedelkovo settlement, c. 10 km WNW of Breznik town, 2010.	42°46'26.3"N	22°47'34.7"E	836 m
	1796	6x	apomictic	<b>Bu 14<sup>2</sup></b> , Znepole Region: Mt Viskyar, in old pasture, c. 0.2 km N of SE periphery of Gurgulyat village, c. 8 km SW of Slivnitsa town, 2010.	42°47'28.6"N	22°59'02.6"E	847 m

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella bauhini</i> (Schult.) Arv.-Touv.	1768, 1769	6x	apomictic	<b>Bu 15<sup>2</sup></b> , Znepole Region: Mt Viskyar, in a former pasture below highest point of road passing through saddle of main ridge, leading from Rakita to Arzan villages, c. 4 km NNE of Breznik town, 2010.	42°46'23.5"N	22°55'33.2"E	904 m
	1469, 1811, 1813, 1818, 1821A, 1821B, 1823, 1825, 1826	6x	apomictic	<b>Bu 19<sup>2</sup></b> , Balkan Range (C): along Sofia–Burgas motorway, between Rosino and Klisura villages, in mesic grasslands 2.4 km E of Klisura village, 2008 and 2010.	42°42'19.1"N	24°29'49.9"E	676 m
	1699	6x	apomictic	<b>Bu 24<sup>2</sup></b> , Rhodopi Mts (W): in a slightly disturbed habitat at wood margin above road, c. 2 km WSW of Yundola village, 2009.	42°03'25.4"N	23°49'53.4"E	1425 m
	1665, 1666	6x	apomictic	<b>Bu 26<sup>2</sup></b> , Rhodopi Mts (W): on slope above road, c. 1.25 km SE of Rakitovo town, 10 km SE of Velingrad town, 2009.	41°58'43.5"N	24°05'30.2"E	870 m
	unlabelled sample	6x	n.d.	<b>Bu 27<sup>2</sup></b> , Rhodopi Mts (W): in a grassy place at wood margin along road, c. 2.5 km SE of Rakitovo town, 11 km SE of Velingrad town, 2009.	41°58'04.3"N	24°06'12.5"E	948 m
	1685	6x	apomictic	<b>Bu 32<sup>2</sup></b> , Rhodopi Mts (W): in grassy places along road near Beglika settlement, c. 12 km S of Rakitovo town, 2009.	41°52'48.8"N	24°05'05.9"E	1587 m
	1708	6x	apomictic	<b>Bu 36<sup>2</sup></b> , Pirin Mts: along hiking trail from uppermost lift station at Bezbog chalet to lowermost lift station, 2009.	41°44'23.9"N – 41°45'21.4"N	23°31'42.9"E – 23°31'49.0"E	2124–1709 m
	1450, 1453, 1455, 1457	6x	apomictic	<b>Bu 43<sup>2</sup></b> , Mt Strandzha: along local road 2.4 km E of Indzhe Vojvoda settlement, 6.5 km SW of Krushevets village, c. 32 km S of Burgas town, 2008.	42°13'13.2"N	27°26'53.7"E	301 m
<i>Pilosella hoppeana</i> subsp. <i>testimonialis</i> (Peter) P. D. Sell & C. West	969, 1100	2x	sexual	<b>Bu 1<sup>1</sup></b> , Forebalkan (W): meadow on W slope at wood margin near Chernila Dam, c. 3 km S of Montana town, 2005 and 2006.	43°22'29.8"N	23°14'37.5"E	180–185 m
	948, 1094	2x	sexual	<b>Bu 2<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows along road from Vratsa to Parshevitsa chalet near Kiparis Hotel, c. 6 km SW of Vratsa town, 2005 and 2006.	43°10'33.9"N	23°28'54.8"E	1054 m
	962/1, 1081/1	2x	sexual	<b>Bu 3<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows above road from Vratsa to Parshevitsa chalet, c. 7.5 km SW of Vratsa town, 2005 and 2006.	43°10'14.3"N	23°28'50.1"E	1159 m

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella hoppeana</i> subsp. <i>testimonialis</i> (Peter) P. D. Sell & C. West	1136, 1146, 1274, 1275, 1280, 1286	2x	sexual	<b>Bu 8<sup>1</sup></b> , Vitosha Region: abandoned pasture N of Kovachevitsa village, in valley between Vitosha and Verila Mts, 2006 and 2007.	42°27'39.9"N	23°19'48.2"E	1074 m
	1114, 1116, 1117, 1120, 1123, 1129	2x	sexual	<b>Bu 11<sup>1</sup></b> , Pirin Mts: along hiking trail from uppermost lift station at Bezbog chalet to lowermost lift station, 2006.	41°44'22.3"N – 41°45'32.2"N	23°31'37.6"E – 23°32'21.5"E	2150–1656 m
	1238, 1252, 1258, 1262	2x	sexual	<b>Bu 15<sup>1</sup></b> , Rhodopi Mts (C): abandoned pasture and wood margin above road at Ionchovoto hamlet, c. 3 km of Komuniga village, 27.	41°50'18.9"N	25°11'39.0"E	770 m
	1008/1	2x	sexual	<b>Bu 16<sup>1</sup></b> , Rhodopi Mts (E): rocky grassland above road c. 2 km E of Kardzhali town, 2005.	41°38'09.1"N	25°25'50.7"E	260 m
	1776	2x	sexual	<b>Bu 13<sup>2</sup></b> , Znepole Region: in a pasture above road leading from Breznik to Tran towns, before Nedelkovo settlement, c. 10 km WNW of Breznik town, 2010.	42°46'26.3"N	22°47'34.7"E	836 m
	1770	2x	sexual	<b>Bu 15<sup>2</sup></b> , Znepole Region: Mt Viskyar, in a former pasture below highest point of road passing through saddle of main ridge, leading from Rakita to Arzan villages, c. 4 km NNE of Breznik town, 2010.	42°46'23.5"N	22°55'33.2"E	904 m
	1806	2x	sexual	<b>Bu 18<sup>2</sup></b> , Mt Sredna Gora (W): in meadows along road leading from Koprivshitsa town to Sofia–Burgas motorway, c. 8.5 km N of Koprivshitsa town, 2010.	42°42'47.8"N	24°20'51.0"E	873 m
	1478, 1827	2x	sexual	<b>Bu 19<sup>2</sup></b> , Balkan Range (C): along Sofia–Burgas motorway, between Rosino and Klisura villages, in mesic grasslands 2.4 km E of Klisura village, 2008 and 2010.	42°42'19.1"N	24°29'49.9"E	676 m
	1687	2x	sexual	<b>Bu 24<sup>2</sup></b> , Rhodopi Mts (W): in a slightly disturbed habitat at wood margin above road, c. 2 km WSW of Yundola village, 2009.	42°03'25.4"N	23°49'53.4"E	1425 m
	1667, 1670	2x	sexual	<b>Bu 26<sup>2</sup></b> , Rhodopi Mts (W): on slope above road c. 1.25 km S of Rakitovo town, 10 km SE of Velingrad town, 2009.	41°58'43.5"N	24°05'30.2"E	870 m
	unlabelled sample	n.d.	n.d.	<b>Bu 36<sup>2</sup></b> , Pirin Mts: along hiking trail from uppermost lift station at Bezbog chalet to lowermost lift station, 2009.	41°44'23.9"N – 41°45'21.4"N	23°31'42.9"E – 23°31'49.0"E	2124–1709 m
<i>Pilosella pavichii</i> (Heuff.) Arv.-Touv.	1004, 1237, 1239, 1240	2x	sexual, semisterile	<b>Bu 15<sup>1</sup></b> , Rhodopi Mts (C): abandoned pasture and wood margin above road at Ionchovoto hamlet, c. 3 km of Komuniga village, 2005 and 2007.	41°50'18.9"N	25°11'39.0"E	770 m

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella pavichii</i> (Heuff.) Arv.-Touv.	1854, 1855A	2x	sterile–semisterile	<b>Bu 4<sup>2</sup></b> , Balkan Range (W): Mt Chiprovska, on rocks above road at wood margin close to a former stone-pit, 2.2 km WNW of Martinovo village, c. 5 km NE of Bulgarian–Serbian border, 2010.	43°24'30.9"N	22°48'37.7"E	818 m
	1839, 1840	2x	sexual, semisterile	<b>Bu 6<sup>2</sup></b> , Balkan Range (W): Mt Chiprovska, in wood along hiking trail near a parking place, c. 3 km SW of W periphery of Kopilovtsi village, in valley east of Mt Kopren, c. 2.5 km E of Bulgarian–Serbian border, 2010.	43°19'30.2"N	22°51'30.9"E	953 m
	1702	2x	sexual, semisterile	<b>Bu 23<sup>2</sup></b> , Rhodopi Mts (W): along road between Yundola and Cherna Mesta villages (c. 6.5 km SW of Yundola village), c. 1.25 km before road branch leading to Smolovo village, 2009.	42°02'05.9"N	23°46'49.1"E	1183 m
	1867, 1871	4x	apomictic	<b>Bu 2<sup>2</sup></b> , Forebalkan (W): Belogradchik town, in grassy places and in wood margin above sightseeing trail near Museum of Natural History in S periphery of town, 2010.	43°37'22.4"N	22°41'40.9"E	540 m
	1693C	4x	apomictic	<b>Bu 24<sup>2</sup></b> , Rhodopi Mts (W): in a slightly disturbed habitat at wood margin above road, c. 2 km WSW of Yundola village, 2009.	42°03'25.4"N	23°49'53.4"E	1425 m
	1688, 1693A, 1693B, 1693D, 1697	5x	apomictic	<b>Bu 24<sup>2</sup></b> , Rhodopi Mts (W): in a slightly disturbed habitat at wood margin above road, c. 2 km WSW of Yundola village, 2009.	42°03'25.4"N	23°49'53.4"E	1425 m
	1864B	6x	n.d.	<b>Bu 1<sup>2</sup></b> , Forebalkan (W): Belogradchik town, on slopes above sightseeing trail in S periphery of town, 2010.	43°37'24.5"N	22°41'21.7"E	546 m
<i>Pilosella pseudopilosella</i> (Ten.) Soják	1112, 1115	2x	n.d.	<b>Bu 11<sup>1</sup></b> , Pirin Mts: along hiking trail from uppermost lift station at Bezbog chalet to lowermost lift station, 2006.	41°44'22.3"N – 41°45'32.2"N	23°31'37.6"E – 23°32'21.5"E	2150–1656 m
	1706	2x	n.d.	<b>Bu 36<sup>2</sup></b> , Pirin Mts: along hiking trail from uppermost lift station at Bezbog chalet to lowermost lift station, 2009.	41°44'23.9"N – 41°45'21.4"N	23°31'42.9"E – 23°31'49.0"E	2124–1709 m
<i>Pilosella officinarum</i> F. W. Schultz & Sch. Bip.	1288/1, 1288/2	4x	apomictic	<b>Bu 8<sup>1</sup></b> , Vitosha Region: abandoned pasture N of Kovachevitsa village, in valley between Vitosha and Verila Mts, 2006 and 2007.	42°27'39.9"N	23°19'48.2"E	1074 m
	1086, 1091	5x	apomictic	<b>Bu 3<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows above road from Vratsa to Parshevitsa chalet, c. 7.5 km SW of Vratsa town, 2005 and 2006.	43°10'14.3"N	23°28'50.1"E	1159 m
	1297	5x	apomictic	<b>Bu 6<sup>1</sup></b> , Vitosha Region: in valley E of Mt Vitosha, grassy place along road near Zheleznitsa village, 2007.	42°31'44.1"N	23°21'49.1"E	1042 m

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella officinarum</i> F. W. Schultz & Sch. Bip.	1142, 1143, 1283	5x	apomictic	<b>Bu 8<sup>1</sup></b> , Vitosha Region: abandoned pasture N of Kovachevitsa village, in valley between Vitosha and Verila Mts, 2006 and 2007.	42°27'39.9"N	23°19'48.2"E	1074 m
	1794, 1801	5x	apomictic	<b>Bu 14<sup>2</sup></b> , Znepole Region: Mt Viskyar, in old pasture, c. 0.2 km N of SE periphery of Gurgulyat village, c. 8 km SW of Slivnitsa town, 2010.	42°47'28.6"N	22°59'02.6"E	847 m
	1683B, 1684	2n = 44, 2n = 44/45	apomictic	<b>Bu 32<sup>2</sup></b> , Rhodopi Mts (W): in grassy places along road near Beglika settlement, c. 12 km S of Rakitovo town, 2009.	41°52'48.8"N	24°05'05.9"E	1587 m
	1679	5x	apomictic	<b>Bu 33<sup>2</sup></b> , Rhodopi Mts (W): in a meadow along road in saddle between Velingrad and Sarnitsa towns, c. 15 km NNW of Sarnitsa town, 2009.	41°51'21.0"N	23°55'49.7"E	1503 m
	957, 1093	6x	apomictic	<b>Bu 2<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows along road from Vratsa to Parshevitsa chalet near Kiparis Hotel, c. 6 km SW of Vratsa town, 2005 and 2006.	43°10'33.9"N	23°28'54.8"E	1054 m
	1300	6x	apomictic	<b>Bu 6<sup>1</sup></b> , Vitosha Region: in valley E of Mt Vitosha, grassy place along road near Zheleznitsa village, 2007.	42°31'44.1"N	23°21'49.1"E	1042 m
	1295	6x	apomictic	<b>Bu 7<sup>1</sup></b> , Vitosha Region: in valley E of Mt Vitosha, grassy places and road margin at highest point of road between Kovachevitsa village and road fork to Plana village, 2007.	42°30'35.5"N	23°20'00.2"E	1296 m
	1111, 1113, 1122, 1125	6x	apomictic	<b>Bu 11<sup>1</sup></b> , Pirin Mts: along hiking trail from uppermost lift station at Bezbog chalet to lowermost lift station, 2006.	41°44'22.3"N – 41°45'32.2"N	23°31'37.6"E – 23°32'21.5"E	2150–1656 m
	1247, 1248, 1249, 1272	6x	apomictic	<b>Bu 15<sup>1</sup></b> , Rhodopi Mts (C): abandoned pasture and wood margin above road at Ionchovoto hamlet, c. 3 km of Komuniga village, 2007.	41°50'18.9"N	25°11'39.0"E	770 m
	unlabelled sample	n.d.	n.d.	<b>Bu 18<sup>2</sup></b> , Mt Sredna Gora (W): in meadows along road leading from Koprivshitsa town to Sofia–Burgas motorway, c. 8.5 km N of Koprivshitsa town, 2010.	42°42'47.8"N	24°20'51.0"E	873 m
	1470	6x	apomictic	<b>Bu 19<sup>2</sup></b> , Balkan Range (C): along Sofia–Burgas motorway, between Rosino and Klisura villages, in mesic grasslands 2.4 km E of Klisura village, 2008.	42°42'19.1"N	24°29'49.9"E	676 m
	1686, 1694	6x	apomictic	<b>Bu 24<sup>2</sup></b> , Rhodopi Mts (W): in a slightly disturbed habitat at wood margin above road, c. 2 km WSW of Yundola village, 2009.	42°03'25.4"N	23°49'53.4"E	1425 m
	1673	6x	apomictic	<b>Bu 27<sup>2</sup></b> , Rhodopi Mts (W): in a grassy place at wood margin along road, c. 2.5 km SE of Rakitovo town, 11 km SE of Velingrad town, 2009.	41°58'04.3"N	24°06'12.5"E	948 m

Taxon	Individual	Ploidy	Reproduction	Locality label <sup>reference</sup> , region, site, year	Latitude	Longitude	Altitude
<i>Pilosella officinarum</i> F. W. Schultz & Sch. Bip.	1660	6x	apomictic	<b>Bu 35<sup>2</sup></b> , Rhodopi Mts (W): meadow on S shore of lake Batak, c. 3 km W of Batak town, 2009.	41°56'25.8"N	24°10'29.0"E	1125 m
	1451	6x	apomictic	<b>Bu 43<sup>2</sup></b> , Mt Strandzha: along local road 2.4 km E of Indzhe Vojvoda settlement, 6.5 km SW of Krushevets village, c. 32 km S of Burgas town, 2008.	42°13'13.2"N	27°26'53.7"E	301 m
<i>Pilosella onegensis</i> Norrl.	946	2x	sexual	<b>Bu 2<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows along road from Vratsa to Parshevitsa chalet near Kiparis Hotel, c. 6 km SW of Vratsa town, 2005 and 2006.	43°10'33.9"N	23°28'54.8"E	1054 m
	1082	2x	sexual	<b>Bu 3<sup>1</sup></b> , Forebalkan (W): Mt Vrachanska, meadows above road from Vratsa to Parshevitsa chalet, c. 7.5 km SW of Vratsa town, 2005 and 2006.	43°10'14.3"N	23°28'50.1"E	1159 m
	975	2x	sexual	<b>Bu 4<sup>1</sup></b> , Balkan Range (W): wet meadow below road in Petrohan saddle between Mt Berkovska and Mt Koznitsa, c. 12 km S of Berkovitsa town, 2005.	43°07'06.4"N	23°07'36.4"E	1394 m
	seeds sampled in population	2x	sexual	<b>Bu 6<sup>1</sup></b> , Vitosha Region: in valley E of Mt Vitosha, grassy place along road near Zheleznitsa village, 2007.	42°31'44.1"N	23°21'49.1"E	1042 m
	1464, 1472, 1812, 1816, 1820	2x	sexual	<b>Bu 19<sup>2</sup></b> , Balkan Range (C): along Sofia–Burgas motorway, between Rosino and Klisura villages, in mesic grasslands 2.4 km E of Klisura village, 2008 and 2010.	42°42'19.1"N	24°29'49.9"E	676 m
	seeds sampled in population	2x	sexual	<b>Bu 35<sup>2</sup></b> , Rhodopi Mts (W): meadow on S shore of lake Batak, c. 3 km W of Batak town, 2009.	41°56'25.8"N	24°10'29.0"E	1125 m
<i>Pilosella officinarum</i> F. W. Schultz & Sch. Bip.	629	4x	sexual	<b>Czech Republic<sup>3</sup></b> , NW Bohemia: 1 km WNW of Valov village, 2.1 km SES of Podbořany town, 2002.	50°12'34.6"N	13°24'53.0"E	350 m
<i>Pilosella lactucella</i> (Wallr.) P. D. Sell & C. West	269	2x	sexual	<b>Czech Republic<sup>4</sup></b> , SW Bohemia: Šumava mountain range, meadow 1 km SWS of Kvilda village, c. 15 km WSW of Vimperk town, 1999.	49°00'40"N	13°34'40"E	1050 m

## Willdenowia

Open-access online edition [www.bioone.org/loi/will](http://www.bioone.org/loi/will)



Online ISSN 1868-6397 · Print ISSN 0511-9618 · Impact factor 1.500

Published by the Botanic Garden and Botanical Museum Berlin, Freie Universität Berlin

© 2018 The Authors · This open-access article is distributed under the CC BY 4.0 licence