

Willdenowia 50(2) – Electronic supplement

MICHAEL A. GERSCHWITZ-EIDT & JOACHIM W. KADEREIT

Species composition of *Saxifraga* sect. *Saxifraga* subsect. *Arachnoideae* (*Saxifragaceae*) based on DNA sequence evidence

Electronic supplement to: Gerschwitz-Eidt M. A. & Kadereit J. W. 2020: Species composition of *Saxifraga* sect. *Saxifraga* subsect. *Arachnoideae* (*Saxifragaceae*) based on DNA sequence evidence. – Willdenowia 50: 225–233. doi: <https://doi.org/10.3372/wi.50.50208>

Supplementary Table 1. Taxon sample, herbarium voucher information and GenBank accession numbers (<https://www.ncbi.nlm.nih.gov/genbank/>). New sequences generated for this study are indicated by *italics*.

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32–trnL</i> _(UAG)	<i>trnL–trnF</i>
<i>S. sect. Cotylea</i>	<i>S. coriifolia</i> Grossh.	<i>S. coriifolia</i>	–	–	LN812398.1	LT971084.1	LN812632.1
<i>S. sect. Cotylea</i>	<i>S. taygetea</i> Boiss. & Heldr.	<i>S. taygetea</i>	–	–	LN812545.1	–	LN812780.1
<i>S. sect. Cotylea</i>	<i>S. rotundifolia</i> L.	<i>S. rotundifolia</i>	–	–	LN81251.1	LT971198.1	LN812754.1
<i>S. sect. Cymbalaria</i>	<i>S. cymbalaria</i> L.	<i>S. cymbalaria</i>	–	–	LN812405.1	LT971092.1	LN812640.1
<i>S. sect. Cymbalaria</i>	<i>S. hederacea</i> L.	<i>S. hederacea</i>	–	–	AF261182.1	–	LN812679.1
<i>S. sect. Cymbalaria</i>	<i>S. sibthorpii</i> Boiss.	<i>S. sibthorpii</i>	–	–	LN812533.1	–	LN812767.1
<i>S. sect. Gymnopera</i>	<i>S. cuneifolia</i> L.	<i>S. cuneifolia</i>	–	–	LN812404.1	LT971091.1	LN812639.1
<i>S. sect. Gymnopera</i>	<i>S. spathularis</i> Brot.	<i>S. spathularis</i>	–	–	AF087626.1	LT971216.1	LN812770.1
<i>S. sect. Gymnopera</i>	<i>S. umbrosa</i> L.	<i>S. umbrosa</i>	–	–	LN812560.1	LT971238.1	LN812794.1
<i>S. sect. Ligulatae</i>	<i>S. callosa</i> Sm.	<i>S. callosa</i>	–	–	LN812374.1	LT971074.1	LN812614.1
<i>S. sect. Ligulatae</i>	<i>S. cartilaginea</i> Willd.	<i>S. cartilaginea</i>	–	–	LN812378.1	–	LN812612.1
<i>S. sect. Ligulatae</i>	<i>S. hostii</i> Tausch	<i>S. hostii</i>	–	–	LN812452.1	LT971136.1	LN812687.1
<i>S. sect. Ligulatae</i>	<i>S. lingulata</i> Bellardi	<i>S. lingulata</i>	–	–	LN812470.1	LT971153.1	LN812705.1
<i>S. sect. Ligulatae</i>	<i>S. paniculata</i> Mill.	<i>S. paniculata</i>	–	–	–	–	LN812731.1
<i>S. sect. Mesogyne</i>	<i>S. bracteata</i> D. Don	<i>S. bracteata</i>	–	–	LN812366.1	LT971059.1	LN812601.1
<i>S. sect. Mesogyne</i>	<i>S. granulifera</i> Harry Sm.	<i>S. granulifera</i>	–	–	LN812442.1	LT971129.1	LN812677.1
<i>S. sect. Mesogyne</i>	<i>S. sibirica</i> L.	<i>S. sibirica</i>	–	–	LN812532.1	LT971212.1	LN812766.1
<i>S. sect. Porphyron</i>	<i>S. caesia</i> L.	<i>S. caesia</i>	–	–	LN812373.1	LT971064.1	LN812607.1

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S. sect. Porphyrion</i>	<i>S. florulenta</i> Moretti	<i>S. florulenta</i>	–	–	AF087621.1	–	–
<i>S. sect. Porphyrion</i>	<i>S. iranica</i> Bornm.	<i>S. iranica</i>	–	–	LN812456.1	–	LN812691.1
<i>S. sect. Porphyrion</i>	<i>S. mutata</i> L.	<i>S. mutata</i>	–	–	LN812486.1	LT971170.1	LN812720.1
<i>S. sect. Porphyrion</i>	<i>S. oppositifolia</i> L.	<i>S. oppositifolia</i>	–	–	LM654419.1	LT971175.1	LM654503.1
<i>S. sect. Porphyrion</i>	<i>S. porophylla</i> Bertol.	<i>S. porophylla</i>	–	–	LN812505.1	LT971186.1	LN812741.1
<i>S. sect. Porphyrion</i>	<i>S. retusa</i> Gouan	<i>S. retusa</i>	–	–	LN812514.1	LT971194.1	LN812749.1
<i>S. sect. Porphyrion</i>	<i>S. spruneri</i> Boiss.	<i>S. spruneri</i>	–	–	LN812538.1	LT971217.1	LN812772.1
<i>S. sect. Saxifraga</i>	<i>S. camposii</i> Boiss. & Reut.	<i>S. camposii</i>	–	–	LN812375.1	LT971065.1	LN812609.1
<i>S. sect. Saxifraga</i>	<i>S. irrigua</i> M. Bieb.	<i>S. irrigua</i> 1	GJO0071452	Ukraine, Autonomous Republic of Crimea, Crimean Mountains; Karl 2013; –; GJO 0071452	<i>MN543602.1</i>	<i>MN556739.1</i>	<i>MN556762.1</i>
<i>S. sect. Saxifraga</i>	<i>S. irrigua</i> M. Bieb.	<i>S. irrigua</i> 2	–	–	LN812457	–	–
<i>S. subsect. Androsaceae</i>	<i>S. androsacea</i> L.	<i>S. androsacea</i>	–	–	LT970993.1	LT971044.1	LN812584.1
<i>S. subsect. Androsaceae</i>	<i>S. depressa</i> Sternb.	<i>S. depressa</i>	–	–	AF261173.1	–	KU524358.1
<i>S. subsect. Androsaceae</i>	<i>S. italica</i> D. A. Webb	<i>S. italica</i>	MG16073114	Italy, Abruzzo, Gran Sasso d'Italia; Gerschwitz-Eidt 2016; MG16073114; MJG 022204	–	–	<i>MN556778.1</i>
<i>S. subsect. Androsaceae</i>	<i>S. italica</i> D. A. Webb	<i>S. italica</i>	–	–	LN812459	–	–
<i>S. subsect. Androsaceae</i>	<i>S. seguieri</i> Spreng.	<i>S. seguieri</i>	MG16080126	Switzerland, Grisons, Western Rhaetian Alps; Gerschwitz-Eidt 2016; MG16080126; MJG 022186	–	–	<i>MN556769.1</i>
<i>S. subsect. Androsaceae</i>	<i>S. seguieri</i> Spreng.	<i>S. seguieri</i>	–	–	LN812350.1	LT971206.1	–
<i>S. subsect. Androsaceae</i>	<i>S. styriaca</i> Köckinger	<i>S. styriaca</i>	–	–	LT971388.1	LT969525.1	LT970867.1
<i>S. subsect. Arachnoideae</i>	<i>S. aphylla</i> Sternb.	<i>S. aphylla</i> 1	FR0111282	Austria, Salzburg, Eastern Tauern Alps; Gregor 2013; Gregor 10966; FR-0111282	<i>MN543586.1</i>	<i>MN556730.1</i>	<i>MN556753.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. aphylla</i> Sternb.	<i>S. aphylla</i> 2	FR0129982	Germany, Bavaria, Bavarian Alps; Gregor 2015; Gregor 14013; FR-0129982	<i>MN543587.1</i>	<i>MN556731.1</i>	<i>MN556754.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. aphylla</i> Sternb.	<i>S. aphylla</i> 3	–	–	LT970994.1	LT971047.1	–
<i>S. subsect. Arachnoideae</i>	<i>S. aphylla</i> Sternb.	<i>S. aphylla</i> 4	MG16080223	Switzerland, Grisons, Albula Alps; Gerschwitz-Eidt 2016; MG16080223; MJG 022187	<i>MN543588.1</i>	<i>MN556732.1</i>	<i>MN556755.1</i>

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S. subsect. Arachnoideae</i>	<i>S. aphylla</i> Sternb.	<i>S. aphylla</i> 5	–	–	LN812352.1	LT971046.1	LN812586.1
<i>S. subsect. Arachnoideae</i>	<i>S. arachnoidea</i> Sternb.	<i>S. arachnoidea</i> 1	FR0202403	Italy, Trentino-Alto Adige/Südtirol, Brescia and Garda Prealps; Hachmann 2001; Hachmann 8.7.01; FR-0202403	<i>MN543589.1</i>	<i>MN556733.1</i>	<i>MN556776.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. arachnoidea</i> Sternb.	<i>S. arachnoidea</i> 2	MG16072311	Italy, Trentino-Alto Adige/Südtirol, Brescia and Garda Prealps; Gerschwitz-Eidt 2016; MG16072311; MJG 022199	<i>MN543590.1</i>	<i>MN556734.1</i>	<i>MN556756.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. arachnoidea</i> Sternb.	<i>S. arachnoidea</i> 3	MG16072611	Italy, Lombardy, Brescia and Garda Prealps; Gerschwitz-Eidt 2016; MG16072611; MJG 022191	<i>MN543591.1</i>	<i>MN556735.1</i>	<i>MN556757.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. arachnoidea</i> Sternb.	<i>S. arachnoidea</i> 4	–	–	LN812353.1	LT971048.1	LN812587.1
<i>S. subsect. Arachnoideae</i>	<i>S. berica</i> (Bég.) D. A. Webb	<i>S. berica</i> 1	–	–	LN812360.1	LT971055.1	LN812594.1
<i>S. subsect. Arachnoideae</i>	<i>S. berica</i> (Bég.) D. A. Webb	<i>S. berica</i> 2	LZ224384	Italy, Veneto, Berici Hills; Ebersbach 2017; Ebersbach 1458; LZ 224384	<i>MN543592.1</i>	–	<i>MN556758.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. berica</i> (Bég.) D. A. Webb	<i>S. berica</i> 3	MG16060115	Italy, Veneto, Berici Hills; Gerschwitz-Eidt 2016; MG16060115; MJG 022246	<i>MN543593.1</i>	<i>MN556736.1</i>	<i>MN556759.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. facchinii</i> W. D. J. Koch	<i>S. facchinii</i> 1	–	–	LT970995.1	LT971105	–
<i>S. subsect. Arachnoideae</i>	<i>S. facchinii</i> W. D. J. Koch	<i>S. facchinii</i> 2	MG16072215	Italy, Trentino-Alto Adige/Südtirol, Dolomites; Gerschwitz-Eidt 2016; MG16072215; MJG 022198	<i>MN543594.1</i>	<i>MN556737.1</i>	<i>MN556761.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. facchinii</i> W. D. J. Koch	<i>S. facchinii</i> 3	WU18-38/8	Italy, Trentino-Alto Adige/Südtirol, Dolomites; Hörandl 2006; Hörandl 9572; WU 18-38/8	<i>MN543595.1</i>	<i>MN556738.1</i>	<i>MN556777.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. hohenwartii</i> Vest ex Sternb.	<i>S. hohenwartii</i> 1	LZ162908	Austria, Carinthia, Carinthian-Slovenian Alps; Gutte 2000; Gutte 252/2000; LZ 162908	<i>MN543599.1</i>	–	–
<i>S. subsect. Arachnoideae</i>	<i>S. hohenwartii</i> Vest ex Sternb.	<i>S. hohenwartii</i> 2	MG16071421	Austria, Carinthia, Carinthian-Slovenian Alps; Gerschwitz-Eidt 2016; MG16071421; MJG 025627	<i>MN543600.1</i>	–	<i>MN556765.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. hohenwartii</i> Vest ex Sternb.	<i>S. hohenwartii</i> 3	WU18-38/9	Austria, Carinthia, Carinthian-Slovenian Alps; Hörandl & Hadaček 1992; Hörandl 4101; WU 18-38/9	<i>MN543601.1</i>	–	–

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S. subsect. Arachnoideae</i>	<i>S. muscoides</i> All.	<i>S. muscoides</i> 1	FR0203944	France, Auvergne-Rhône-Alpes, Graian Alps; Hachmann 1998; Hachmann 9.8.98; FR-0203944	<i>MN543603.1</i>	<i>MN556740.1</i>	<i>MN556763.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. muscoides</i> All.	<i>S. muscoides</i> 2	GJO0081449	Austria; Carinthia, Western Tauern Alps; Ocepek 2011; -; GJO_0081449	<i>MN543604.1</i>	–	–
<i>S. subsect. Arachnoideae</i>	<i>S. muscoides</i> All.	<i>S. muscoides</i> 3	WU029048	France, Auvergne-Rhône-Alpes, Graian Alps; Schönswetter & Tribsch 2000; P-13874-Bio 4748; WU 029048	<i>MN543605.1</i>	–	–
<i>S. subsect. Arachnoideae</i>	<i>S. muscoides</i> All.	<i>S. muscoides</i> 4	WU029049	Italy, Aosta Valley, Graian Alps; Schönswetter & Tribsch 2000; P-13874-Bio 4806; WU 029049	<i>MN543606.1</i>	–	–
<i>S. subsect. Arachnoideae</i>	<i>S. muscoides</i> All.	<i>S. muscoides</i> 5	WU18-38/16	France, Auvergne-Rhône-Alpes, Graian Alps; Schneeweiß, Schönswetter & Tribsch 1998; Gutermann & al. 33417; WU 18-38/16	<i>MN543607.1</i>	–	–
<i>S. subsect. Arachnoideae</i>	<i>S. paradoxa</i> Sternb.	<i>S. paradoxa</i> 1	–	–	LN812495.1	LT971177.1	LN812732.1
<i>S. subsect. Arachnoideae</i>	<i>S. paradoxa</i> Sternb.	<i>S. paradoxa</i> 2	MG16071611	Austria, Styria, Styrian Prealps; Gerschwitz-Eidt 2016; MG16071611; MJG 022203	<i>MN543608.1</i>	<i>MN556741.1</i>	<i>MN556768.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. petraea</i> L.	<i>S. petraea</i> 1	MG16053112	Slovenia, Julian Alps and Prealps; Gerschwitz-Eidt 2016; MG16053112; MJG 022250	<i>MN543609.1</i>	<i>MN556742.1</i>	<i>MN556764.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. petraea</i> L.	<i>S. petraea</i> 2	MG16071911	Slovenia, Julian Alps and Prealps; Gerschwitz-Eidt 2016; MG16071911; MJG 022190	<i>MN543610.1</i>	<i>MN556743.1</i>	<i>MN556766.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. petraea</i> L.	<i>S. petraea</i> 3	MG16072717	Italy, Lombardy, Brescia and Garda Prealps; Gerschwitz-Eidt 2016; MG16072717; MJG 023532	<i>MN543611.1</i>	<i>MN556744.1</i>	<i>MN556767.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. petraea</i> L.	<i>S. petraea</i> 4	MRoeser10236	–	LN812501.1	LT971183.1	LN812738.1
<i>S. subsect. Arachnoideae</i>	<i>S. prenja</i> Beck	<i>S. prenja</i> 1	MG16072937	Italy, Abruzzo, Maiella; Gerschwitz-Eidt 2016; MG16072937; MJG 022200	<i>MN543612.1</i>	<i>MN556750.1</i>	<i>MN556770.1</i>
<i>S. subsect. Arachnoideae</i>	<i>S. prenja</i> Beck	<i>S. prenja</i> 2	WU18-38/25	Bosnia and Herzegovina, Federation of Bosnia and Herzegovina, Dinaric Alps; Schönswetter & Surina & al. 2007; W. Gutermann 38835; WU 18-38/25	<i>MN543613.1</i>	<i>MN556745.1</i>	<i>MN556771.1</i>


Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. prenja</i> Beck	<i>S. prenja</i> 3	WU18-38/26	Bosnia and Herzegovina, Republika Srpska, Dinaric Alps; Schönschwetter & Surina & al. 2007; W. Gutermann 38607; WU 18-38/26	<i>MN543614.1</i>	<i>MN556746.1</i>	<i>MN556774.1</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. presolanensis</i> Engl.	<i>S. presolanensis</i> 1	FR0129983	Italy, Lombardy, Bergamasque Alps and Prealps; Lippert 1977; Lippert 15985; FR-0129983	<i>MN543615.1</i>	<i>MN556747.1</i>	<i>MN556779.1</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. presolanensis</i> Engl.	<i>S. presolanensis</i> 2	MG16072512	Italy, Lombardy, Bergamasque Alps and Prealps; Gerschwitz-Eidt 2016; MG16072512; MJG 022197	<i>MN543616.1</i>	<i>MN556748.1</i>	<i>MN556772.1</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. presolanensis</i> Engl.	<i>S. presolanensis</i> 3	–	–	LN812507.1	–	LN812743.1
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. sedoides</i> L.	<i>S. sedoides</i> 1	GJO 0043514	Austria, Tyrol, Carnic and Gailtal Alps; Ster 2007; –; GJO 0043514	<i>MN543617.1</i>	–	–
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. sedoides</i> L.	<i>S. sedoides</i> 2	GJO 0088872	Austria, Styria, Northern Styrian Alps; Ocepek 2014; –; GJO 0088872	<i>MN543618.1</i>	–	–
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. sedoides</i> L.	<i>S. sedoides</i> 3	–	–	KU524182.1	–	–
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. sedoides</i> L.	<i>S. sedoides</i> 4	MG16071723	Italy, Friuli Venezia Giulia, Julian Alps and Prealps; Gerschwitz-Edit 2016; MG16071723; MJG 025628	<i>MN543619.1</i>	–	–
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. sedoides</i> L.	<i>S. sedoides</i> 5	MG16072111	Italy, Trentino-Alto Adige/Südtirol, Dolomites; Gerschwitz-Eidt 2016; MG16072111; MJG 022196	<i>MN543620.1</i>	<i>MN556749.1</i>	<i>MN556780.1</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. sedoides</i> L.	<i>S. sedoides</i> 6	WU18_38/32	Italy, Trentino-Alto Adige/Südtirol, Brescia and Garda Prealps; Hörandl & Hadaček 1992; Hörandl 4591; WU 18-38/32	<i>MN543621.1</i>	–	–
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. tenella</i> Wulfen	<i>S. tenella</i> 1	GJO26592/12	Austria, Carinthia, Carinthian-Styrian Alps; Karl 1997; –; GJO 26592/12	<i>MN543622.1</i>	<i>MN556751.1</i>	<i>MN556775.1</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. tenella</i> Wulfen	<i>S. tenella</i> 2	–	–	LN812547.1	–	–
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. tenella</i> Wulfen	<i>S. tenella</i> 3	MA777464	Slovenia, Julian Alps and Prealps; Hörandl, Hadaček & Englisch 1993; Hörandl 5339; MA 777464	–	<i>MN556752.1</i>	<i>MN556773.1</i>
<i>S.</i> subsect. <i>Arachnoideae</i>	<i>S. tenella</i> Wulfen	<i>S. tenella</i> 4	–	–	LN812548.1	–	LN812783.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. hypnoides</i> L.	<i>S. hypnoides</i>	–	–	LN812454.1	LT971139.1	LT970895.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. aquatica</i> Lapeyr.	<i>S. aquatica</i>	–	–	AF261161.1	–	KU524334.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. babiana</i> T. E. Díaz & Fern. Prieto	<i>S. babiana</i>	–	–	LN812358	LT971053.1	LN812592.1

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. biternata</i> Boiss.	<i>S. biternata</i>	–	–	LN812362.1	LT971056.1	LN812596.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. bourgaeana</i> Boiss. & Reut.	<i>S. bourgaeana</i>	–	–	LN812364.1	LT971057.1	LN812598.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. bulbifera</i> L.	<i>S. bulbifera</i>	–	–	LN812372.1	LT971063.1	LN812606.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. canaliculata</i> Boiss. & Reuter ex Engl.	<i>S. canaliculata</i>	–	–	LN812376.1	LT971066.1	LN812610.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. carpetana</i> Boiss. & Reut.	<i>S. carpetana</i>	–	–	AF261168.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. cebennensis</i> Rouy & E. G. Camus	<i>S. cebennensis</i>	–	–	LN812383.1	LT971071.1	LN812617.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. cespitosa</i> L.	<i>S. cespitosa</i>	–	–	LN812385.1	LT971072.1	LN812619.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. cintrana</i> Kuzinsky ex Willk.	<i>S. cintrana</i>	–	–	AF261171.1	–	KU524351.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. coarctata</i> W. W. Sm.	<i>S. coarctata</i>	–	–	SRR7901466	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. conifera</i> Coss. & Durieu	<i>S. conifera</i>	–	–	LN812394.1	–	LN812628.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. continentalis</i> (Engl. & Irmsch.) D. A. Webb	<i>S. continentalis</i>	–	–	LN812396.1	LT971082.1	LN812630.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. corsica</i> Gren. & Godr.	<i>S. corsica</i>	–	–	LN812399.1	LT971085.1	LN812633.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. cossoniana</i> Boiss. & Reut.	<i>S. cossoniana</i>	–	–	AF261172.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. cuneata</i> Willd.	<i>S. cuneata</i>	–	–	LN812403.1	LT971090.1	LN812638.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. dichotoma</i> Willd.	<i>S. dichotoma</i>	–	–	LN812409.1	LT971096.1	LN812644.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. erioblasta</i> Boiss. & Reut.	<i>S. erioblasta</i>	–	–	LN812415.1	LT971101.1	LN812649.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. exarata</i> Vill.	<i>S. exarata</i>	–	–	LN812417.1	LT971104.1	LN812652.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. fragilis</i> Schrank	<i>S. fragilis</i>	–	–	LN812429.1	–	LN812664.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. fragosoi</i> Sennen	<i>S. fragosoi</i>	–	–	LN812430.1	LT971118.1	LN812665.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. gemmulosa</i> Boiss.	<i>S. gemmulosa</i>	–	–	LN812434.1	LT971122.1	LN812669.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. genesiana</i> P. Vargas	<i>S. genesiana</i>	–	–	AF261178.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. geranioides</i> L.	<i>S. geranioides</i>	–	–	LN812436.1	LT971124.1	LN812671.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. globulifera</i> Desf.	<i>S. globulifera</i>	–	–	LN812437.1	LT971125.1	LN812672.1

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. graeca</i> Boiss. & Heldr.	<i>S. graeca</i>	–	–	LN812440.1	–	LN812675.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. granulata</i> L.	<i>S. granulata</i>	–	–	LN812441.1	LT971128.1	LN812676.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. haenseleri</i> Boiss. & Reut.	<i>S. haenseleri</i>	–	–	AF261180.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. hariatii</i> Luizet & Soulie	<i>S. hariatii</i>	–	–	AF261181.1	–	KU524384.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. intricata</i> Lapeyr.	<i>S. intricata</i>	–	–	AJ133030.1	KJ774295.1	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. latepetiolata</i> Willk.	<i>S. latepetiolata</i>	–	–	LN812467.1	–	LN812702.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. maderensis</i> D. Don	<i>S. maderensis</i>	–	–	LN812475.1	LT971158.1	KU524399.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. magellanica</i> Poir.	<i>S. magellanica</i>	–	–	LN812476.1	LT971159.1	LN812710.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. maireana</i> Luizet	<i>S. maireana</i>	Sax5	Morocco, Marrakech, High Atlas, Charpin & al. 1980, MAR 530, MA 309500	MT192302	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. maweana</i> Baker	<i>S. maweana</i>	Sax6	Morocco, Tanger-Tetouan-Al Hoceima, Rif mountains, Andrés & al. 2008, AQ2747, MA 782505	MT192303	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. moncayensis</i> D. A. Webb	<i>S. moncayensis</i>	–	–	LN812480.1	LT971165.1	LN812714.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. moschata</i> Wulfen	<i>S. moschata</i>	–	–	LN812483.1	LT971167.1	LN812717.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. nevadensis</i> Boiss.	<i>S. nevadensis</i>	–	–	LN812488.1	LT971172.1	LN812722.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. pedemontana</i> All.	<i>S. pedemontana</i>	–	–	LN812497.1	LT971179.1	LN812734.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. pentadactylis</i> Lapeyr.	<i>S. pentadactylis</i>	–	–	LN812498.1	LT971180.1	LN812735
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. pontica</i> Albov	<i>S. pontica</i>	–	–	LN812504.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. portosanctana</i> Boiss.	<i>S. portosanctana</i>	–	–	AJ233883.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. praetermissa</i> D. A. Webb	<i>S. praetermissa</i>	–	–	LT970997.1	T971187.1	LN812742.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. pubescens</i> Pourr.	<i>S. pubescens</i>	–	–	LN812511.1	LT971190.1	LN812746.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. reuteriana</i> Boiss.	<i>S. reuteriana</i>	–	–	AJ233877.1	–	KU524422.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. rigoii</i> Freyn ex Porta.	<i>S. rigoii</i>	–	–	AJ233878.1	–	KU524423.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. rosacea</i> Moench	<i>S. rosacea</i>	–	–	LN812518.1	LT971197.1	LN812753.1

Classification (sensu Tkach & al. 2015)	Taxon	Tip label	DNA accession	Sampling site; collector; collection no.; herbarium	ITS	<i>rpl32-trnL</i> _(UAG)	<i>trnL-trnF</i>
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. terekensis</i> Bunge	<i>S. terekensis</i>	–	–	LN812549.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. trabutiana</i> Engl. & Irmsch.	<i>S. trabutiana</i>	–	–	LN812553.1	–	–
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. trifurcata</i> Schrad.	<i>S. trifurcata</i>	–	–	LN812557.1	LT971235.1	LN812791.1
<i>S.</i> subsect. <i>Saxifraga</i>	<i>S. vayredana</i> Luizet	<i>S. vayredana</i>	–	–	LN812565.1	LT971241.1	LN812799.1
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. adscendens</i> L.	<i>S. adscendens</i>	–	–	LN812341.1	LT971037.1	LN812575.1
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. discolor</i> Velen.	<i>S. discolor</i>	–	–	LN812411.1	LT971097.1	–
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. glabella</i> Bertol.	<i>S. glabella</i> 1	MG16072922	Italy, Abruzzo, Maiella; Gerschwitz-Eidt 2016; MG16072922; MJG 022201	<i>MN543596.1</i>	–	–
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. glabella</i> Bertol.	<i>S. glabella</i> 2	MG16082012	Montenegro, Prokletije Mountains; Frajman & Schönswetter 2016; Schönswetter 14522; MJG 027742	<i>MN543597.1</i>	–	–
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. glabella</i> Bertol.	<i>S. glabella</i> 3	MG16082412	North Macedonia, Korab; Frajman & Schönswetter 2016; Schönswetter 14543; MJG 027740	<i>MN543598.1</i>	–	<i>MN556760.1</i>
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. osloensis</i> Knaben	<i>S. osloensis</i>	–	–	LN812493.1	–	LN812730.1
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. tridactylites</i> L.	<i>S. tridactylites</i>	–	–	LN812556.1	LT971233.1	LN812790.1
<i>S.</i> subsect. <i>Tridactylites</i>	<i>S. wahlenbergii</i> Ball	<i>S. wahlenbergii</i>	–	–	LT971005.1	LT969537.1	LN812802.1
<i>S.</i> sect. <i>Trachyphyllum</i>	<i>S. aspera</i> L.	<i>S. aspera</i>	–	–	LN812356	LT971051.1	LN812590.1
<i>S.</i> sect. <i>Trachyphyllum</i>	<i>S. bryoides</i> L.	<i>S. bryoides</i>	–	–	LN812371.1	LT971062.1	LN812605.1

Willdenowia

Open-access online edition bioone.org/journals/willdenowia 

Online ISSN 1868-6397 · Print ISSN 0511-9618 · 2018 Journal Impact Factor 1.156

Published by the Botanic Garden and Botanical Museum Berlin, Freie Universität Berlin

© 2020 The Authors · This open-access article is distributed under the CC BY 4.0 licence