

Correction: Enhanced nitrogen management strategies for winter wheat production in the Canadian prairies

Authors: Beres, B.L., Graf, R.J., Irvine, R.B., O'Donovan, J.T., Harker, K.N., et al.

Source: Canadian Journal of Plant Science, 98(5) : 989

Published By: Canadian Science Publishing

URL: <https://doi.org/10.1139/cjps-2018-0157>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Correction: Enhanced nitrogen management strategies for winter wheat production in the Canadian prairies

B.L. Beres, R.J. Graf, R.B. Irvine, J.T. O'Donovan, K.N. Harker, E.N. Johnson, S. Brandt, X. Hao, B.W. Thomas, T.K. Turkington, and F.C. Stevenson

Ref.: Can. J. Plant Sci. **98**(3): 683–702 (2018). [dx.doi.org/10.1139/cjps-2017-0319](https://doi.org/10.1139/cjps-2017-0319).

The following sentence was removed from the English abstract, as the responses from preliminary analyses were no longer apparent across all site-years: “Conversely, the UAN and ESN[®] forms, when all broadcast in spring, all side-banded in fall, or with late fall-broadcasting, performed poorly.”

Similarly, the following sentence was removed from the French résumé: “Inversement, les engrais UAN[®] et ESN[®] donnent de piètres résultats quand on les épand à la volée au printemps, en bandes latérales à l'automne ou à la volée à la fin de l'automne.”

The authors apologize for any confusion the sentences may have caused.

Received 25 June 2018. Accepted 25 June 2018.

B.L. Beres,* R.J. Graf, X. Hao, and B.W. Thomas.[†] Agriculture and Agri-Food Canada, Lethbridge Research and Development Centre, 5403 1st Avenue South, Lethbridge, AB T1J 4B1, Canada.

R.B. Irvine. Agriculture and Agri-Food Canada, Brandon Research and Development Centre, Box 1000A, RR#3, Brandon, MB R7A 5Y3, Canada.

J.T. O'Donovan, K.N. Harker, and T.K. Turkington. Agriculture and Agri-Food Canada, Lacombe Research and Development Centre, Lacombe, AB T4L 1W1, Canada.

E.N. Johnson. Department of Plant Sciences, University of Saskatchewan, Saskatoon, SK S7N 5A8, Canada.

S. Brandt. Northeast Agriculture Research Foundation, Melfort, SK S0E 1A0, Canada.

F.C. Stevenson. 142 Rogers Road, Saskatoon, SK S7N 3T6, Canada.

Corresponding author: B.L. Beres (email: brian.beres@agr.gc.ca).

*B.L. Beres currently serves as a Co-Editor-in-Chief; peer review and editorial decisions regarding this manuscript were handled by Chris Willenborg.

[†]B.W. Thomas currently serves as an Associate Editor; peer review and editorial decisions regarding this manuscript were handled by Doug Cattani.

Copyright remains with the author(s) or their institution(s). This work is licensed under a [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.